
Block F9* First Floor Plan F9*座一樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房	BAL	Balcony	露台
	BATH	Bathroom	浴室	LIV 2	Living Room	偏廳

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

地下,一樓,二樓連天台

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台 = 2.63 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Note:


* The information provided here for Block F9 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.

備註:

*F9座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

150

Block F9* Second Floor Plan F9*座二樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	MASTER BEDROOM	Master Bedroom
	BATH	Bathroom

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:

* The information provided here for Block F9 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註:


* F9 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

主人睡房	BAL	Balcony	露台
浴室			


- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台=2.63米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block F9* Roof Floor Plan

F9*座天台平面圖



Block F10* Ground Floor Plan F10*座地下平面圖



*F9座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

Sales) Ordinance information on the development.

* The information provided here for Block F9 is shown only for the purpose of Residential Properties (First-hand

Note:

備註:



Block F10* Ground Floor Plan F10*座地下平面圖

備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	TEL	Telephone Cabinet	電話箱
	ELECT	Electrical Cabinet	電錶箱
	WM	Water Meter	水錶箱
	GARDEN	Garden	花園
	KIT	Kitchen	廚房

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.

3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.63m

4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

[/米


LIV/DIN	Living /Dining Room	客/飯廳
LAV	Lavatory	廁所
SERVANT	Servant	工人房
S.LAV	Servant Lavatory	工人房廁所
STORE	Store	儲物室

地下,一樓,二樓連天台

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台 = 2.63 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block F10* First Floor Plan

F10*座一樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房
	BATH	Bathroom	浴室

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m

1/F to 2/F & 2/F to Roof = 2.63m

4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:

- * The information provided here for Block F10 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註:
- * F10 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

Note:

* The information provided here for Block F10 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.


備註:

*F10座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

BAL	Balcony	露台
LIV 2	Living Room	偏廳

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台=2.63米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block F10* Second Floor Plan F10*座二樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	MASTER BEDROOM BATH	Master Bedroom Bathroom	主人睡房 浴室	BAL	Balcony	露台
------------	------------------------	----------------------------	------------	-----	---------	----

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

地下,一樓,二樓連天台

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台=2.63米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Note:


* The information provided here for Block F10 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.

備註:

*F10座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

156

Block F10* Roof Floor Plan F10*座天台平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例: TOP OF BAL Top of Balcony

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m
 - 1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:


* F10 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

露台頂部

- 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台=2.63米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

^{*} The information provided here for Block F10 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註:

Block F11 Ground Floor Plan F11座地下平面圖



Block F11 Ground Floor Plan F11座地下平面圖

備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.


Legend 圖例:	TEL	Telephone Cabinet	電話箱
	ELECT	Electrical Cabinet	電錶箱
	WM	Water Meter	水錶箱
	GARDEN	Garden	花園
	KIT	Kitchen	廚房

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m
 - 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.



- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離):
 地下至一樓 = 2.80 米
 一樓至二樓及二樓至天台 = 2.64 米
- 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。




備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房	BAL	Balcony	露台
	BATH	Bathroom	浴室	LIV 2	Living Room	偏廳

- Ground, First, Second Floor and Roof
- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m
- 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

- 地下,一樓,二樓連天台
- 住宅物業的較高樓層的結構牆的厚度和內部面積與較 1. 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block F11 Second Floor Plan F11座二樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	MASTER BEDROOM	Master Bedroom
	BATH	Bathroom

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.






主人睡房	BAL	Balcony	露台
浴室			

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block F11 Roof Floor Plan F11座天台平面圖




Note: The dimensions of floor plans are all structural dimensions in millimeter.

- Legend 圖例: TOP OF BAL Top of Balcony
- Ground, First, Second Floor and Roof
- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

- 露台頂部 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台 = 2.64 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block F12* Ground Floor Plan F12*座地下平面圖



7.5M/米 0M/米 比例 備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Scale: Note: The dimensions of floor plans are all structural dimensions in millimeter. Leg LIV/DIN Living /Dining Room 客/飯廳 LAV Lavatory 廁所 SERVANT 工人房 Servant S.LAV Servant Lavatory 工人房廁所 STORE Store 儲物室

egend 圖例: TEL ELECT WM GARDEN KIT	Telephone Cabinet Electrical Cabinet Water Meter M Garden Kitchen	電話箱 電錶箱 水截園 廚房
---	---	-------------------------



Block F12* First Floor Plan F12*座一樓平面圖




Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

地下,一樓,二樓連天台

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台 = 2.64 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房
	BATH	Bathroom	浴室

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m

1/F to 2/F & 2/F to Roof = 2.64m

4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:

* The information provided here for Block F12 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註:

*F12座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

Note:

* The information provided here for Block F12 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.


備註:

*F12座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

BAL	Balcony	露台
LIV 2	Living Room	偏廳

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block F12* Second Floor Plan F12*座二樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	MASTER BEDROOM BATH	Master Bedroom Bathroom	主人睡房 浴室	BAL	Balcony	露台
------------	------------------------	----------------------------	------------	-----	---------	----

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:


* The information provided here for Block F12 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.


備註:

*F12座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

地下,一樓,二樓連天台

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一 3. 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm





備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例: TOP OF BAL Top of Balcony

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:


* The information provided here for Block F12 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註:

* F12 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

166

露台頂部

- 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。



Block D1 Ground Floor Plan


D1座地下平面圖

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.77m
 - 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離):
 地下至一樓 = 2.77 米 一樓至二樓及二樓至天台 = 2.64 米
- 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D1 First Floor Plan D1座一樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房	BAL
	BATH	Bathroom	浴室	LIV/DIN
	MASTER	Master	主人睡房	
	BEDROOM	Bedroom		KIT

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.77m
- 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

- 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。

露台

廚房

客/飯廳

2. 有關之機電設計圖可向售樓處免費查閱。


Balcony Living/Dining

Room Kitchen

- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.77 米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block D1 Second Floor Plan





備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房
	BATH	Bathroom	浴室
	MASTER BEDROOM	Master Bedroom	主人睡房


Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.77m
 - 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

BAL LIV/DIN	Balcony Living/Dining	露台 客/飯廳
	Room	
KIT	Kitchen	廚房

- 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.77米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D1 Roof Floor Plan D1座天台平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Leger	d圖例:	TOP OF BA	L	Top of Balcony
G			1.5.4	

Ground, First, Second Floor and Roof


- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.77m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

地下,一樓,二樓連天台

露台頂部

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.77米 一樓至二樓及二樓至天台 = 2.64 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm.

Block D2 Ground Floor Plan D2座地下平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	TEL	Telephone Cabinet	電話箱
	ELECT	Electrical Cabinet	電錶箱
	WM	Water Meter	水錶箱
	GARDEN	Garden	花園
	KIT	Kitchen	廚房

Ground, First, Second Floor and Roof


- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans:
 G/F to 1/F = 2.79m
 1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

LIV/DIN	Living /Dining Room	客/飯廳
BATH	Bathroom	浴室
MASTER	Master Bedroom	主人睡房
BEDROOM		
BEDROOM	Bedroom	睡房

地下,一樓,二樓連天台

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離):
 地下至一樓 = 2.79 米 一樓至二樓及二樓至天台 = 2.63 米
- 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D2 First Floor Plan D2座一樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房
	BATH	Bathroom	浴室
	MASTER	Master	主人睡房
	BEDROOM	Bedroom	


Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.79m
 - 1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

BAL	Balcony	露台
LIV/DIN	Living/Dining	客/飯廳
	Room	
KIT	Kitchen	廚房

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離): 地下至一樓 = 2.79 米 一樓至二樓及二樓至天台 = 2.63 米
- 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D2 Second Floor Plan D2座二樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房	BAL
	BATH	Bathroom	浴室	LIV/DIN
	MASTER	Master	主人睡房	
	BEDROOM	Bedroom		KIT

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.79m
- 1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

- 地下,一樓,二樓連天台 住宅物業的較高樓層的結構牆的厚度和內部面積與較 1

Room Kitchen

Balcony Living/Dining

底樓層的一樣


露台

廚房

客/飯廳

- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.79 米 一樓至二樓及二樓至天台=2.63米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block D2 Roof Floor Plan D2座天台平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.


Legend 圖例: TOP OF BAL Top of Balcony

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.79m
 - 1/F to 2/F & 2/F to Roof = 2.63m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

露台頂部

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.79 米 一樓至二樓及二樓至天台=2.63米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm.



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	TEL ELECT WM	Telephone Cabinet Electrical Cabinet Water Meter	電話箱 電錶箱 水錶箱	LIV/DIN BATH MASTER BEDROOM	Living /Dining Room Bathroom Master Bedroom	客/飯廳 浴室 主人睡房
	GARDEN KIT	Garden Kitchen	花園 廚房	BEDROOM	Bedroom	睡房

Block D3* Ground Floor Plan D3*座地下平面圖

Ground, First, Second Floor and Roof


- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.79m
 - 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:

* The information provided here for Block D3 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註:

*D3座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.79米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房	BAL	Balcony
	BATH	Bathroom	浴室	LIV/DIN	Living/Dining
	MASTER	Master	主人睡房		Room
	BEDROOM	Bedroom		KIT	Kitchen

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.79m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for

the Development: 150mm.


KIT	Room Kitchen	廚房
地下,一樓	、二樓連天台	

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。

露台 客/飯廳

- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.79米 一樓至二樓及二樓至天台=2.64米
- 按發展項目的建築圖則所規定,住宅物業的樓板(不 4. 包括灰泥)的厚度為150mm

Block D3* Second Floor Plan D3*座二樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房
	BATH	Bathroom	浴室
	MASTER BEDROOM	Master Bedroom	主人睡房

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.79m

1/F to 2/F & 2/F to Roof = 2.64m

4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:

* The information provided here for Block D3 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註

*D3座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

Note:

* The information provided here for Block D3 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.

備註:


* D3 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

180


BAL LIV/DIN	Balcony Living/Dining	露台 客/飯廳
	Room	
KIT	Kitchen	廚房

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.79米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D3* Roof Floor Plan D3*座天台平面圖



D5座地下平面圖



Note: * The information provided here for Block D3 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.

4. 按發展項目的建築圖則所規定,住宅物業的樓板(不

182

包括灰泥)的厚度為150mm.

備註:

G/F to 1/F = 2.79m

1/F to 2/F & 2/F to Roof = 2.64m

the Development: 150mm.

4. The thickness of floor slabs (excluding plaster) of each

residential property as provided in the building plans for

*D3座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

Block D5 Ground Floor Plan D5座地下平面圖

備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in mill

Legend 圖例:	TEL	Telephone Cabinet	電話箱
	ELECT	Electrical Cabinet	電錶箱
	WM	Water Meter	水錶箱
	GARDEN	Garden	花園
	KIT	Kitchen	廚房

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.78m

1/F to 2/F & 2/F to Roof = 2.64m

4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.


F	上例	0M/米	5M/米
llimeter. S	cale:		
LIV/DIN BATH MASTER BEDROOM	E N	Living /Dining Room Bathroom Master Bedroom	客/飯廳 浴室 主人睡房
BEDROON		Bedroom	睡房

地下,一樓,二樓連天台

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.78米 一樓至二樓及二樓至天台 = 2.64 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block D5 First Floor Plan

D5座一樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房
	BATH	Bathroom	浴室
	MASTER BEDROOM	Master Bedroom	主人睡房

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.78m
 - 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.



BAL	Balcony	露台
LIV/DIN	Living/Dining	客/飯廳
	Room	
KIT	Kitchen	廚房

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.78米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	BEDROOM	Bedroom	睡房	BAL
	BATH	Bathroom	浴室	LIV
	MASTER	Master	主人睡房	
	BEDROOM	Bedroom		KIT

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.78m1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

BAL	Balcony	露台
LIV/DIN	Living/Dining	客/飯廳
KIT	Room Kitchen	廚房

地下,一樓,二樓連天台

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.78米 一樓至二樓及二樓至天台 = 2.64 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm

Block D5 Roof Floor Plan D5座天台平面圖



Scale:

備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例: TOP OF BAL Top of Balcony

Ground, First, Second Floor and Roof


- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.78m
 - 1/F to 2/F & 2/F to Roof = 2.64m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.



5M/米

露台頂部

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.78米 一樓至二樓及二樓至天台=2.64米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。



Block D6* Ground Floor Plan D6*座地下平面圖

備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in

Legend 圖例:	TEL	Telephone Cabinet	電話箱
	ELECT	Electrical Cabinet	電錶箱
	WM	Water Meter	水錶箱
	GARDEN	Garden	花園
	KIT	Kitchen	廚房

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m
 - 1/F to 2/F & 2/F to Roof = 2.62m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:

* The information provided here for Block D6 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.

備註:


*D6座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

	比例	0M/米	5M/米
	Scale:		
LIV/DIN	I L	iving /Dining Room	客/飯廳
T A 37	т	ariatam	后于丘丘

LAV	Lavatory	廁所
SERVANT	Servant	工人房
S.LAV	Servant Lavatory	工人房廁所
STORE	Store	儲物室

- 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓=2.80米 一樓至二樓及二樓至天台=2.62米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D6* First Floor Plan D6*座一樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	REDROOM	Bedroom	睡房	BAL	Balcony	露台
Legend I []	DEDROOM	Dethoom	11年1月	DIAL	Duicony	正合
	BATH	Bathroom	浴室	LIV 2	Living Room	偏廳
			, 🗆 💷		0	1/114/20/01

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m1/F to 2/F & 2/F to Roof = 2.62m
- 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

Note:


* The information provided here for Block D6 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development.

備註:

* D6 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。

- 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一 3. 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台 = 2.62 米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D6* Second Floor Plan D6*座二樓平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例:	MASTER BEDROOM	Master Bedroom
	BATH	Bathroom

Ground, First, Second Floor and Roof

the Development: 150mm.

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- 3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m
- 1/F to 2/F & 2/F to Roof = 2.62m 4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for

Note:

* The information provided here for Block D6 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註:


* D6 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。



主人睡房	BAL	Balcony	露台
浴室			

- 地下,一樓,二樓連天台
- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台=2.62米
- 4. 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Block D6* Roof Floor Plan D6*座天台平面圖



備註:平面圖之尺規所列數字以毫米標示之建築結構尺寸。 Note: The dimensions of floor plans are all structural dimensions in millimeter.

Legend 圖例: TOP OF BAL

Top of Balcony

Ground, First, Second Floor and Roof

- 1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- 2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans: G/F to 1/F = 2.80m

1/F to 2/F & 2/F to Roof = 2.62m

4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150mm.

地下,一樓,二樓連天台

露台頂部

- 1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較 底樓層的一樣。
- 2. 有關之機電設計圖可向售樓處免費查閱。
- 3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一 層之石屎地台面之高度距離): 地下至一樓 = 2.80 米 一樓至二樓及二樓至天台 = 2.62 米
- 按發展項目的建築圖則所規定,住宅物業的樓板(不 包括灰泥)的厚度為150mm。

Note:

* The information provided here for Block D6 is shown only for the purpose of Residential Properties (First-hand Sales) Ordinance information on the development. 備註: 192

* D6 座之所有信息是為了滿足一手住宅物業銷售條例的發展項目之信息。