10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE



適用於“期數的住宅物業的樓面平面圖”中的所有頁數
APPLICABLE FOR ALL PAGES IN “FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE”

名詞及簡稱之圖例 LEGENDS OF THE TERMS AND ABBREVIATIONS

A/C	=	冷氣機平台 Air-conditioning platform
B	=	浴室 Bathroom
B.W.	=	窗台 Bay window
Bal.	=	露台 Balcony
Br.	=	睡房 Bedroom
Din.	=	飯廳 Dining room
Dn.	=	落 Down
Elec. Room	=	電力房 Electricity room
ELV Duct	=	超低壓電線槽位 Extra-low voltage electricity duct
H.R.	=	喉轆 Hose reel
Kit.	=	廚房 Kitchen
Liv.	=	客廳 Living room
M.B.	=	主人房浴室 Master bathroom
M Br.	=	主人房 Master bedroom
Powder Rm.	=	洗手間 Powder Room
R.S. & M.R.R.	=	垃圾及物料回收房 Refuse storage & material recovery room
St.	=	儲物間 Store
Top of B.W.	=	下層窗台頂 Top of bay window cover
Top of Bal.	=	下層露台頂 Top of balcony cover
U.P.	=	工作平台 Utility platform
Top of U.P.	=	下層工作平台頂 Top of utility platform cover
W.C.	=	廁所 Washing chamber
W.M.C.	=	水錶位 Water meter cabinet

住宅物業的平面圖的備註:

1. 部分住宅單位的露台、陽台、工作平台、平台、天台或外牆或設有外露之公用喉管，或外牆裝飾板內藏之公用喉管。
2. 部分住宅單位內之部分天花或有跌級樓板，用以安裝上層之機電設備或配合上層之結構、建築設計及/或裝修設計上的需要。
3. 部分住宅單位內或設有假陣或假天花用以安裝冷氣喉管及/或其他機電設備。
4. 平面圖所列數字為以毫米標示之建築結構尺寸。
5. 部分住宅單位天台的位置在該期數經建築事務監督批准的建築圖則上列為私人平台，實際上其用途為天台，而其面積將以天台面積計算。
6. 部分住宅單位設梯屋頂蓋，該位置只供維修時使用，其面積將不會包括於平台面積或天台面積之內。

Remarks for the Floor Plans of Residential Properties:

1. Common pipes exposed or enclosed in cladding may be located at the balcony, verandah, utility platform, flat roof, roof or external wall of some residential units.
2. There may be sunken slabs at some parts of the ceiling inside some residential units for the installation of mechanical and electrical services of the floor above or due to the structural, architectural and/or decoration design requirements of the floor above.
3. There may be ceiling bulkheads or false ceiling inside some residential units for the installation of air-conditioning conduits and/or other mechanical and electrical services.
4. The dimensions of floor plans are all structural dimensions in millimeter.
5. The roof of some units was specified as private flat roof in the general building plans of the Phase approved by the Building Authority. In practice, it is a roof and its area is calculated under roof area.
6. There is roof of stairhood in some residential units which will be used during maintenance only and its area will not be included in either the flat roof area or roof area.

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第9座3樓平面圖 BLOCK 9—3/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。
平台空白位置為供維修大廈設備使用的公用地方。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
Blank areas on the flat roof are common areas for building facility maintenance.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	3/F	2975, 3000, 3325	2975, 3000, 3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	3/F	150, 175, 200, 225	150, 175, 200, 225

第9座5樓 - 9樓平面圖 BLOCK 9——5/F - 9/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	5/F - 9/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	5/F - 9/F	150, 175, 200, 225	150, 175, 200, 225

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第9座10樓 - 12樓及15樓 - 22樓平面圖 BLOCK 9—10/F - 12/F & 15/F - 22/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	10/F - 12/F & 15/F - 22/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	10/F - 12/F & 15/F - 22/F	150, 175, 200, 225	150, 175, 200, 225

第9座23樓平面圖 BLOCK 9——23/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	23/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	23/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第9座25樓平面圖 BLOCK 9——25/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	25/F	3150, 3200, 3300, 3500	2975, 3050, 3150, 3200, 3300, 3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	25/F	150, 175, 200, 225, 250, 525	150, 175, 200, 225, 250, 525

第9座26樓平面圖 BLOCK 9——26/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A
層與層之間的高度 Floor to Floor Height (毫米 mm)	26/F	3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	26/F	150, 175, 200, 225, 375

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第9座天台平面圖 BLOCK 9—ROOF FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE : 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 有關天台的位置在該期數經建築事務監督批准的建築圖則上列為私人平台，實際上其用途為天台，而其面積將以天台面積計算。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. For the location of the roof, it was specified as private flat roof in the general building plans of the Phase approved by the Building Authority. In practice, it is a roof and its area is calculated under roof area .

第9座電梯機房層平面圖 BLOCK 9—LIFT MACHINE ROOM FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE: 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 梯屋頂蓋只供維修時使用，其面積將不會包括於平台面積或天台面積之內。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. The roof of stairhood will be used during maintenance only and its area will not be included in either the flat roof area or roof area.

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第10座3樓平面圖 BLOCK 10—3/F FLOOR PLAN



比例尺 SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。
平台空白位置為供維修大廈設備使用的公用地方。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
Blank areas on the flat roof are common areas for building facility maintenance.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	3/F	2975, 3000, 3325	2975, 3000, 3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	3/F	150, 175, 200, 225	150, 175, 200, 225

第10座5樓 - 9樓平面圖 BLOCK 10——5/F - 9/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	5/F - 9/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	5/F - 9/F	150, 175, 200, 225	150, 175, 200, 225

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第10座10樓 - 12樓及15樓 - 21樓平面圖 BLOCK 10——10/F - 12/F & 15/F - 21/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	10/F - 12/F & 15/F - 21/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	10/F - 12/F & 15/F - 21/F	150, 175, 200, 225	150, 175, 200, 225

第10座22樓平面圖 BLOCK 10——22/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	22/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	22/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第10座23樓平面圖 BLOCK 10——23/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	23/F	3150, 3325, 3500	3150, 3325, 3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	23/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

第10座25樓平面圖 BLOCK 10——25/F FLOOR PLAN





比例尺 SCALE : 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	25/F	3500	3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	25/F	200, 225, 250	200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第10座天台平面圖 BLOCK 10—ROOF FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
平台空白位置為供維修大廈設備使用的公用地方。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Blank areas on the flat roof are common areas for building facility maintenance.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE: 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 有關天台的位置在該期數經建築事務監督批准的建築圖則上列為私人平台，實際上其用途為天台，而其面積將以天台面積計算。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. For the location of the roof, it was specified as private flat roof in the general building plans of the Phase approved by the Building Authority. In practice, it is a roof and its area is calculated under roof area.

第10座電梯機房層平面圖 BLOCK 10—LIFT MACHINE ROOM FLOOR PLAN





每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE : 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 梯屋頂蓋只供維修時使用，其面積將不會包括於平台面積或天台面積之內。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. The roof of stairhood will be used during maintenance only and its area will not be included in either the flat roof area or roof area.

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第11座3樓平面圖 BLOCK 11 — 3/F FLOOR PLAN



比例尺 SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。
平台空白位置為供維修大廈設備使用的公用地方。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
Blank areas on the flat roof are common areas for building facility maintenance.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	3/F	2975, 3000, 3325	2975, 3000, 3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	3/F	150, 175, 200, 225	150, 175, 200, 225

第11座5樓 - 9樓平面圖 BLOCK 11——5/F - 9/F FLOOR PLAN



比例尺 SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	5/F - 9/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	5/F - 9/F	150, 175, 200, 225	150, 175, 200, 225

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第11座10樓 - 12樓及15樓 - 20樓平面圖 BLOCK 11——10/F - 12/F & 15/F - 20/F FLOOR PLAN



N

比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	10/F - 12/F & 15/F - 20/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	10/F - 12/F & 15/F - 20/F	150, 175, 200, 225	150, 175, 200, 225

第11座21樓平面圖 BLOCK 11 — 21/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	21/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	21/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第11座22樓平面圖 BLOCK 11—22/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	22/F	3150, 3325, 3500	3150, 3325, 3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	22/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

第11座23樓平面圖 BLOCK 11 — 23/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	23/F	3500	3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	23/F	200, 225, 250	200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第11座天台平面圖 BLOCK 11 — ROOF FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
平台空白位置為供維修大廈設備使用的公用地方。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Blank areas on the flat roof are common areas for building facility maintenance.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE: 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 有關天台的位置在該期數經建築事務監督批准的建築圖則上列為私人平台，實際上其用途為天台，而其面積將以天台面積計算。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. For the location of the roof, it was specified as private flat roof in the general building plans of the Phase approved by the Building Authority. In practice, it is a roof and its area is calculated under roof area.

第11座電梯機房層平面圖 BLOCK 11—LIFT MACHINE ROOM FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE: 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 梯屋頂蓋只供維修時使用，其面積將不會包括於平台面積或天台面積之內。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. The roof of stairhood will be used during maintenance only and its area will not be included in either the flat roof area or roof area.

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第12座3樓平面圖 BLOCK 12—3/F FLOOR PLAN



比例尺 SCALE：
0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。
平台空白位置為供維修大廈設備使用的公用地方。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Blank areas on the flat roof are common areas for building facility maintenance.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	3/F	2975, 3000, 3325	2975, 3000, 3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	3/F	150, 175, 200, 225	150, 175, 200, 225

第12座5樓 - 9樓平面圖 BLOCK 12——5/F - 9/F FLOOR PLAN



比例尺 SCALE : 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	5/F - 9/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	5/F - 9/F	150, 175, 200, 225	150, 175, 200, 225

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第12座10樓 - 12樓及15樓 - 19樓平面圖 BLOCK 12——10/F - 12/F & 15/F - 19/F FLOOR PLAN



比例尺 SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	10/F - 12/F & 15/F - 19/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	10/F - 12/F & 15/F - 19/F	150, 175, 200, 225	150, 175, 200, 225

第12座20樓平面圖 BLOCK 12——20/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	20/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	20/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第12座21樓平面圖 BLOCK 12—21/F FLOOR PLAN



比例尺 SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	21/F	3150, 3325, 3500	3150, 3325, 3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	21/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

第12座22樓平面圖 BLOCK 12——22/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	22/F	3500	3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	22/F	200, 225, 250	200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第12座天台平面圖 BLOCK 12—ROOF FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
平台空白位置為供維修大廈設備使用的公用地方。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Blank areas on the flat roof are common areas for building facility maintenance.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE : 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 有關天台的位置在該期數經建築事務監督批准的建築圖則上列為私人平台，實際上其用途為天台，而其面積將以天台面積計算。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. For the location of the roof, it was specified as private flat roof in the general building plans of the Phase approved by the Building Authority. In practice, it is a roof and its area is calculated under roof area.

第12座電梯機房層平面圖 BLOCK 12—LIFT MACHINE ROOM FLOOR PLAN

每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE : 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 梯屋頂蓋只供維修時使用，其面積將不會包括於平台面積或天台面積之內。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. The roof of stairhood will be used during maintenance only and its area will not be included in either the flat roof area or roof area.

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第15座3樓平面圖 BLOCK 15—3/F FLOOR PLAN



比例尺 SCALE：
0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。
平台空白位置為供維修大廈設備使用的公用地方。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
Blank areas on the flat roof are common areas for building facility maintenance.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	3/F	2975, 3000, 3325	2975, 3000, 3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	3/F	150, 175, 200, 225	150, 175, 200, 225

第15座5樓 - 9樓平面圖 BLOCK 15—5/F - 9/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	5/F - 9/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	5/F - 9/F	150, 175, 200, 225	150, 175, 200, 225

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第15座10樓 - 12樓及15樓 - 17樓平面圖 BLOCK 15—10/F - 12/F & 15/F - 17/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	10/F - 12/F & 15/F - 17/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	10/F - 12/F & 15/F - 17/F	150, 175, 200, 225	150, 175, 200, 225

第15座18樓平面圖 BLOCK 15—18/F FLOOR PLAN



比例尺 SCALE：
0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	18/F	3325	3325
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	18/F	150, 175, 200, 225, 250	150, 175, 200, 225, 250

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第15座19樓平面圖 BLOCK 15—19/F FLOOR PLAN



比例尺 SCALE：0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	19/F	2975, 3050, 3150, 3200, 3300, 3500	3150, 3200, 3300, 3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	19/F	150, 175, 200, 225, 250, 525	150, 175, 200, 225, 250, 525

第15座20樓平面圖 BLOCK 15——20/F FLOOR PLAN



比例尺 SCALE：
0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit / 樓層 Floor	A
層與層之間的高度 Floor to Floor Height (毫米 mm)	20/F	3500
樓板（不包括灰泥）的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	20/F	150, 175, 200, 225, 375

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

第15座天台平面圖 BLOCK 15—ROOF FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE：0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 有關天台的位置在該期數經建築事務監督批准的建築圖則上列為私人平台，實際上其用途為天台，而其面積將以天台面積計算。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. For the location of the roof, it was specified as private flat roof in the general building plans of the Phase approved by the Building Authority. In practice, it is a roof and its area is calculated under roof area.

第15座電梯機房層平面圖 BLOCK 15—LIFT MACHINE ROOM FLOOR PLAN



每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

比例尺 SCALE : 0米(M) 5米(M)

備註：1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 梯屋頂蓋只供維修時使用，其面積將不會包括於平台面積或天台面積之內。

Note: 1. The dimensions of floor plans are all structural dimensions in millimeter.
2. The roof of stairhood will be used during maintenance only and its area will not be included in either the flat roof area or roof area.