發展項目的住宅物業的樓面平面圖 A/C 2100 250 PLATFORM ALUM A.F. TOWER 6 第6座 1/F FLOOR PLAN 1樓平面圖 \bigcirc Scale 比例: A/C PLATFORM A/C — — PLATFORM-LIFT LOBBY ₹ LIV. (E) BR2 A/C PLATFORM: A/C PLATFORM LIV. (F) DIN. LIFT LOBBY DIN. K \bigcirc H (G) LIV. BR1 BR2 MBR BR2 BR1 LIV. MBR BR2 BR1 LIV. FLAT K SINK FLAT P.D. 1660 SPACE FOR A/C P.D. └P.D. P.D. SPACE FOR A/C P.D. SPACE -P.D. SPACE FOR A/C SPACE— PL FOR A/C FOR A/C

TOWER 6 第6座

1/F FLOOR PLAN

1樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 6 第6座

2/F - 3/F & 5/F - 6/F FLOOR PLAN 2樓至3樓及5樓至6樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 6 第6座

7/F - 10/F FLOOR PLAN 7樓至10樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 6 第6座

11/F - 12/F & 15/F - 16/F FLOOR PLAN 11樓至12樓及15樓至16樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 6 第6座

17/F - 19/F FLOOR PLAN 17樓至19樓平面圖

Description	Floor													
描述	樓層	A	В	С	D	Е	F	G	Н	J	K			
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	17/F - 18/F	150	150	150	150	150	150	150	150	150	150			
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	17樓至18樓	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015			
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	19/F	150	150	150	150	150	150	150	150	150	150			
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	19樓	3337	3337	3337	3337	3337	3337	3337	3337	3337	3337			

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 6 第6座

20/F FLOOR PLAN 20樓平面圖

Description	Floor	Flat 單位											
描述	樓層	A	В	С	D	Е	F	G	Н	J	K		
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150	150	150	150	150	150	150	150	150	150		
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	20/F 20樓	*3338 #3438 #3613	*3338 #3438 #3613	*3338 #3438 #3613	*3338 #3438 #3538 #3613 #3638	*3338 #3638	*3338 #3438 #3613 #3638	*3338 #3438 #3538 #3613 #3638	*3338 #3438 #3613	*3338 #3438 #3613	*3338 #3438 #3613		

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

- * Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).
- [#] Refers to the range of floor-to-floor heights at various locations within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

- * 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。
- "指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內不同位置的層與層之高度距離範圍(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 6 第6座

ROOF FLOOR PLAN 天台平面圖

The thickness of the floor slabs (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)	Not Applicable 不適用
The floor-to-floor height (mm)	Not Applicable
層與層之間的高度 (毫米)	不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。



TOWER 7 第7座

1/F FLOOR PLAN

1樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 7 第7座

2/F FLOOR PLAN 2樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 7 第7座

3/F FLOOR PLAN 3樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 7 第7座

5/F-6/F FLOOR PLAN 5樓至6樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 7 第7座

7/F - 10/F FLOOR PLAN 7樓至10樓平面圖

Description					Flat	單位				
描述	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 7 第7座

11/F - 12/F & 15/F - 16/F FLOOR PLAN 11樓至12樓及15樓至16樓平面圖

Description 描述	Flat 單位									
	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)	3015	3015	3015	3015	3015	3015	3015	3015	3015	3015

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 7 第7座

17/F - 19/F FLOOR PLAN 17樓至19樓平面圖

Description 描述	Floor	Flat 單位									
	樓層	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	17/F - 18/F 17樓至18樓	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)		3015	3015	3015	3015	3015	3015	3015	3015	3015	3015
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	19/F 19樓	150	150	150	150	150	150	150	150	150	150
*The floor-to-floor height of each residential property (mm) *每個住宅物業的層與層之間的高度 (毫米)		3337	3337	3337	3337	3337	3337	3337	3337	3337	3337

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

* Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

* 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。



TOWER 7 第7座

20/F FLOOR PLAN 20樓平面圖

Description		Flat 單位									
描述	樓層	A	В	С	D	Е	F	G	Н	J	K
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150	150	150	150	150	150	150	150	150	150
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	20/F 20樓	*3338 #2578 #3438 #3613	*3338 #3438 #3613	*3338 #3438 #3613	*3338 #3438 #3538 #3613 #3638	*3338 #3438 #3538 #3613 #3638	*3338 #3438 #3538 #3638	*3338 #3438 #3538 #3613 #3638	*3338 #3438 #3613	*3338 #3438 #3613	*3338 #3438 #3613

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

- * Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).
- [#] Refers to the range of floor-to-floor heights at various locations within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

- * 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。
- "指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內不同位置的層與層之高度距離範圍(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):


- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」



TOWER 7 第7座

ROOF FLOOR PLAN 天台平面圖

The thickness of the floor slabs (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)	Not Applicable 不適用
The floor-to-floor height (mm)	Not Applicable
層與層之間的高度 (毫米)	不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」


附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。」


HOUSE 1 1號屋




FLOOR PLAN 平面圖




GROUND FLOOR PLAN 地下平面圖






2ND FLOOR PLAN 2 **樓平面圖**

發展項目的住宅物業的樓面平面圖





ROOF PLAN 天台平面圖

3RD FLOOR PLAN 3樓平面圖

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

- * Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).
- Refers to the range of floor-to-floor heights at various locations within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

HOUSE 1 1號屋



FLOOR PLAN 平面圖

Description 描述	Floor 樓層							
	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	Roof 天台			
The thickness of the floor slabs (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)	150 750	150 175 200	150 175	150	Not Applicable 不適用			
The floor-to-floor height (mm) 層與層之間的高度 (毫米)	*3500 #3100	*3500 #3250 #3900	*3200 #2950	*3200	Not Applicable 不適用			

Remarks: The dimensions of floor plans are all structural dimensions in millimetre. 備註:平面圖所列之數字以毫米標示之建築結構尺寸。



因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

- * 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。
- "指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內不同位置的層與層之高度距離範圍(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條


「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」


附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。

HOUSE 2 2號屋









2ND FLOOR PLAN 2 **樓平面圖**

發展項目的住宅物業的樓面平面圖





ROOF PLAN 天台平面圖

3RD FLOOR PLAN 3 樓平面圖

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

- * Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).
- * Refers to the range of floor-to-floor heights at various locations within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

HOUSE 2 2號屋



FLOOR PLAN 平面圖

Description 描述	Floor 樓層							
	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	Roof 天台			
The thickness of the floor slabs (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)	150 750	150 175 200	150 175	150	Not Applicable 不適用			
The floor-to-floor height (mm) 層與層之間的高度 (毫米)	*3500 #3100	*3500 #3250 #3900	*3200 #2950	*3200	Not Applicable 不適用			

Remarks: The dimensions of floor plans are all structural dimensions in millimetre. 備註:平面圖所列之數字以毫米標示之建築結構尺寸。



因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

- * 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。
- "指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內不同位置的層與層之高度距離範圍(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」


附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。


1樓平面圖

HOUSE 3 3號屋

FLOOR PLAN 平面圖




GROUND FLOOR PLAN 地下平面圖



GLASS HORIZONTAL SCREEN







2ND FLOOR PLAN 2樓平面圖



發展項目的住宅物業的樓面平面圖





ROOF PLAN 天台平面圖

3RD FLOOR PLAN 3樓平面圖

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

- * Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).
- Refers to the range of floor-to-floor heights at various locations within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

HOUSE 3 3號屋



FLOOR PLAN 平面圖

Description 描述	Floor 樓層							
	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	Roof 天台			
The thickness of the floor slabs (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)	150 750	150 175 200	150 175	150	Not Applicable 不適用			
The floor-to-floor height (mm) 層與層之間的高度 (毫米)	*3500 #3100	*3500 #3250 #3900	*3200 #2950	*3200	Not Applicable 不適用			

Remarks: The dimensions of floor plans are all structural dimensions in millimetre. 備註:平面圖所列之數字以毫米標示之建築結構尺寸。



因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

- * 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。
- "指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內不同位置的層與層之高度距離範圍(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條


「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」


附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。

HOUSE 5 5號屋









2ND FLOOR PLAN 2**樓平面圖**

發展項目的住宅物業的樓面平面圖





ROOF PLAN 天台平面圖

3RD FLOOR PLAN 3 樓平面圖

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

- * Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).
- Refers to the range of floor-to-floor heights at various locations within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

HOUSE 5 5號屋



FLOOR PLAN 平面圖

Description	Floor 樓層							
描述	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	Roof 天台			
The thickness of the floor slabs (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)	150 750	150 175 200	150 175	150	Not Applicable 不適用			
The floor-to-floor height (mm) 層與層之間的高度 (毫米)	*3500 #3100	*3500 #3250 #3900	*3200 #2950	*3200	Not Applicable 不適用			

Remarks: The dimensions of floor plans are all structural dimensions in millimetre. 備註:平面圖所列之數字以毫米標示之建築結構尺寸。



因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

- * 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。
- "指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內不同位置的層與層之高度距離範圍(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」


附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。


1樓平面圖


HOUSE 6 6號屋






GROUND FLOOR PLAN 地下平面圖








發展項目的住宅物業的樓面平面圖





ROOF PLAN 天台平面圖

3RD FLOOR PLAN 3 樓平面圖

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 16 of this sales brochure for the abbreviations on the floor plans of residential properties.

- * Refers to the floor-to-floor height in general within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).
- Refers to the range of floor-to-floor heights at various locations within the property between the top surface of the structural slab or sunken slab (if applicable) of a floor and the top surface of the structural slab or sunken slab (if applicable) or flat roof (if applicable) of its immediate upper floor (Inclusive of the thickness of mass concrete fill on sunken slab and transfer plate (if applicable)).

Footnote (as required by the Director of Lands for giving the presale consent):

- 1. Under Special Condition No. (8)(e) of the Land Grant, the total number of Residential Units erected or to be erected on the Lot shall not be less than 840.
- 2. The form of the Deed of Mutual Covenant and Management Agreement for the Development approved by the Director of Lands stipulates as follows:-

Clause 5.9 of Section V:

"The Manager shall deposit in the management office the record provided by the Director of the information relating to the consent given under the provision in this Deed referred to in Clause 48 of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund designated for the Residential Common Areas and Facilities."

Clause 48 of the Third Schedule:

- "No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any Party Wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior consent of the Director, and the Owners further acknowledge that such consent may be given or withheld at the absolute discretion of the Director and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by the Director at his absolute discretion."
- 3. The total number of residential units provided in the Development is 857 comprising 5 houses and 852 flats of Towers 1, 2, 3, 5, 6 and 7.

HOUSE 6 6號屋



FLOOR PLAN 平面圖

Description 描述	Floor 樓層						
	G/F 地下	1/F 1樓	2/F 2樓	3/F 3樓	Roof 天台		
The thickness of the floor slabs (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)	150 750	150 175 200	150 175	150	Not Applicable 不適用		
The floor-to-floor height (mm) 層與層之間的高度 (毫米)	*3500 #3100	*3500 #3250 #3900	*3200 #2950	*3200	Not Applicable 不適用		

Remarks: The dimensions of floor plans are all structural dimensions in millimetre. 備註:平面圖所列之數字以毫米標示之建築結構尺寸。



因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。 請參閱本售樓説明書第16頁為住宅物業樓面平面圖而設的縮寫。

- * 指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內的一般層與層之 高度距離(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。
- "指該樓層之石屎地台面或下沉樓板面(如適用)與上一層石屎地台面或下沉樓板面(如適用)或平台面(如適用)在物業內不同位置的層與層之高度距離範圍(包括下沉樓板面及轉移板上之混凝土填充厚度(如適用))。

註(地政總署署長給予預售樓花同意書的條件):

- 1. 批地文件特別條款第(8)(e)條規定,在該地段已建或擬建的住宅單位總數不得少於840個。
- 2. 獲地政總署署長批准的發展項目公契及管理協議規定如下:-

第V部份第5.9條

「管理人須在管理處備存一份由地政總署署長所提供關於本公契附錄三第48條之下給予的同意的資料紀錄,以供所有業主免費查閱及在業主自費及支付合理的費用後取得該紀錄副本,收取的一切費用須撥入為住宅公用地方及設施而設的特別基金。」

附錄三第48條

「除非已經獲得地政總署署長的預先書面同意(業主確認署長可絕對酌情決定是否給予或拒絕給予同意;及若給予同意,此等同意可能須受其絕對酌情決定下所訂的條款及條件(包括付費)所限制),任何業主不能進行或允許或容許進行與任何住宅單位相關的任何工程以導致該住宅單位可從內部連結及通往其毗鄰或毗連的住宅單位,包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔結構。