

10

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Legend 圖例


A.D.	Air Duct	風管
A/C Platform	Air-Conditioning Platform	冷氣機平台
Air Duct	Air Duct	風喉
Bal.	Balcony	露台
Bath	Bathroom	浴室
BR	Bedroom	睡房
Din.	Dining Room	飯廳
EMR	Electrical Meter Room	電錶房
Flat Roof	Flat Roof	平台
Games Rm.	Games Room	遊戲室
HR	Hose Reel	消防喉轆
HR at H/L	Hose Reel at High Level	消防喉轆於上方
Kit.	Kitchen	廚房
Lav.	Lavatory	化妝間
Lift	Lift	電梯
Lift Machine Rm	Lift Machines Room	電梯機房
Lift Lobby	Lift Lobby	電梯大堂
Liv.	Living Room	客廳
M. Bath	Master Bathroom	主人浴室
MBR	Master Bedroom	主人睡房
Multi-Function Room	Multi-Function Room	多功能廳
P.D.	Pipe Duct	管井
PL.	Planter	花槽
R.S. & M.R.R.	Refuse Storage and Material Recovery Room	垃圾及物料回收房
Study	Study Room	書房
Store	Store Room	儲物房
UP	Utility Platform	工作平台
Utility	Utility Room	多用途房
Walk-In Closet	Walk-In Closet	衣帽間
WMC	Water Meter Cabinet	水錶櫃

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

5/F Floor Plan

5樓單位平面圖



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

5/F Floor Plan

5樓單位平面圖

	Floor 樓層	Units 單位				
		A	B	C	S1	S2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150,200	150,200	150,200	150,200	150,200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	5/F 5樓	3,000, 3,150, 3,250, 3,500	3,000, 3,500	3,000, 3,150, 3,250, 3,500	3,000, 3,150, 3,500	3,000, 3,150, 3,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

10

FLOOR PLANS OF RESIDENTIAL PHASE 1
發展項目的住宅物業的樓面平面圖

5/F, 7/F, 9/F, 11/F, 15/F Duplex Floor Plan

5樓, 7樓, 9樓, 11樓, 15樓複式單位平面圖



複式單位D2上層
(6樓, 8樓, 10樓,
12樓, 16樓)



複式單位 D1 上層
(6樓, 8樓, 10樓
12樓, 16樓)



複式單位D2下層
(5樓, 7樓, 9樓,
11樓, 15樓)



複式單位 D1 下層
(5樓, 7樓, 9樓,
11樓, 15樓)



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

5/F, 7/F, 9/F, 11/F, 15/F Duplex Floor Plan

5樓，7樓，9樓，11樓，15樓複式單位平面圖


Floor 樓層	Units 單位	
	D1	D2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	3,000, 3,500	3,000, 3,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.


- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

Key plans


指示圖




6/F
6樓




8/F
8樓




10/F, 12/F, 16/F
10樓，12樓，16樓



5/F
5樓



7/F
7樓



9/F, 11/F, 15/F
9樓，11樓，15樓

30/F				A					
29/F				C					A
28/F				D					A
27/F	C			D					A
26/F	C	D2						D1	A
25/F	C		D2	D1					A
23/F	C	D2						D1	A
22/F	C		D2	D1					A
21/F	C	D2						D1	A
20/F	C		D2	D1					A
19/F	C	D2						D1	A
18/F	C		D2	D1					A
17/F	C	D2						D1	A
16/F	C		D2	D1					A
15/F	C	D2						D1	A
12/F	C		D2	D1					A
11/F	C	D2						D1	A
10/F	C		D2	D1					A
9/F	C	D2						D1	A
8/F	C		D2	D1					A
7/F	C	D2	S2	S1				D1	A
6/F	C		S2	S1					A
5/F	C	D2	S2	S1				D1	A
3/F									
2/F									
1/F									
UG/F									
G/F									



Residential floors start from 5/F.
13/F, 14/F and 24/F are omitted.
住宅樓層由5樓開始。
不設13樓，14樓及24樓。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

6/F Floor Plan

6樓單位平面圖



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

6/F Floor Plan

6樓單位平面圖

	Floor 樓層	Units 單位				
		A	B	C	S1	S2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150,200	150,200	150,200	150,200	150,200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	6/F 6樓	3,000, 3,250, 3,500, 3,850	3,500	3,000, 3,250, 3,500, 3,850	3,500, 4,000	3,500, 4,000

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.



- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

7/F Floor Plan

7樓單位平面圖



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

7/F Floor Plan

7樓單位平面圖

	Floor 樓層	Units 單位				
		A	B	C	S1	S2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150,200	150,200	150,200	150,200	150,200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	7/F 7樓	3,500	3,500	3,500	3,000, 3,500	3,000, 3,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

10


發展項目的住宅物業的樓面平面圖

8/F, 10/F, 12/F, 16/F Floor Plan

8樓, 10樓, 12樓, 16樓單位平面圖



— BUILDING LINE AT 9,11,15 & 17/F
於9,11,15和17樓的建築物邊綫



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

8/F, 10/F, 12/F, 16/F Floor Plan

8樓，10樓，12樓，16樓單位平面圖

	Floor 樓層	Units 單位		
		A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	8/F, 10/F, 12/F, 16/F 8樓，10樓，12樓， 16樓	150, 200	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）		3,500	3,500	3,500


- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

8/F, 10/F, 12/F Duplex Floor Plan


8樓, 10樓, 12樓複式單位平面圖




Upper Duplex of
Unit D2
(9/F, 11/F, 15/F)
複式單位 D2 上層
(9樓, 11樓, 15樓)




Upper Duplex of
Unit D1
(9/F, 11/F, 15/F)
複式單位 D1 上層
(9樓, 11樓, 15樓)



Lower Duplex of
Unit D2
(8/F, 10/F, 12/F)
複式單位 D2 下層
(8樓, 10樓, 12樓)



Lower Duplex of
Unit D1
(8/F, 10/F, 12/F)
複式單位 D1 下層
(8樓, 10樓, 12樓)



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

8/F, 10/F, 12/F Duplex Floor Plan

8樓，10樓，12樓複式單位平面圖


Floor 樓層	Units 單位	
	D1	D2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	3,000, 3,150, 3,500	3,000, 3,150, 3,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.


- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

Key plans

指示圖



9/F, 11/F, 15/F
9樓、11樓、15樓



8/F, 10/F, 12/F
8樓、10樓、12樓

30/F	A			
29/F	C			A
28/F	C	D		A
27/F	C	D2	D1	A
26/F	C	D2	D1	A
25/F	C	D2	D1	A
23/F	C	D2	D1	A
22/F	C	D2	D1	A
21/F	C	D2	D1	A
20/F	C	D2	D1	A
19/F	C	D2	D1	A
18/F	C	D2	D1	A
17/F	C	D2	D1	A
16/F	C	D2	D1	A
15/F	C	D2	D1	A
12/F	C	D2	D1	A
11/F	C	D2	D1	A
10/F	C	D2	D1	A
9/F	C	D2	D1	A
8/F	C	D2	D1	A
7/F	C	D2	S2 S1	D1 A
6/F	C	D2	S2 S1	A
5/F	C	D2	S2 S1	D1 A
3/F				
2/F				
1/F				
UG/F				
G/F				


Residential floors start from 5/F.
13/F, 14/F and 24/F are omitted.
住宅樓層由5樓開始。
不設13樓，14樓及24樓。

10

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

9/F, 11/F, 15/F Floor Plan

9樓，11樓，15樓單位平面圖



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

9/F, 11/F, 15/F Floor Plan

9樓，11樓，15樓單位平面圖

	Floor 樓層	Units 單位		
		A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150, 200	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	9/F, 11/F, 15/F 9樓，11樓，15樓	3,500	3,500	3,500

- Notes:
1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 2. The dimensions in the floor plans are all structural dimensions in millimetre.






- 附註：
1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

16/F Duplex Floor Plan

16樓複式單位平面圖



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖



16/F Duplex Floor Plan
16樓複式單位平面圖

Floor 樓層	Units 單位	
	D1	D2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	3,000, 3,150, 3,500	3,000, 3,150, 3,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

Key plans
指示圖



30/F	A			
29/F	C			A
28/F	C	D		A
27/F	C	D2	D1	A
26/F	C	D2	D1	A
25/F	C	D2	D1	A
23/F	C	D2	D1	A
22/F	C	D2	D1	A
21/F	C	D2	D1	A
20/F	C	D2	D1	A
19/F	C	D2	D1	A
18/F	C	D2	D1	A
17/F	C	D2	D1	A
16/F	C	D2	D1	A
15/F	C	D2	D1	A
12/F	C	D2	D1	A
11/F	C	D2	D1	A
10/F	C	D2	D1	A
9/F	C	D2	D1	A
8/F	C	D2	D1	A
7/F	C	D2	S2 S1	A
6/F	C	D2	S2 S1	A
5/F	C	D2	S2 S1	A
3/F				
2/F				
1/F				
UG/F				
G/F				


Residential floors start from 5/F.
13/F, 14/F and 24/F are omitted.
住宅樓層由5樓開始。
不設13樓，14樓及24樓。

10

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

17/F, 19/F, 21/F, 23/F, 26/F Floor Plan

17樓，19樓，21樓，23樓，26樓單位平面圖



BUILDING LINE AT 18,20,22,25&27/F ——
於18,20,22,25和27樓的建築物邊線



10

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

17/F, 19/F, 21/F, 23/F, 26/F Floor Plan
17樓，19樓，21樓，23樓，26樓單位平面圖

	Floor 樓層	Units 單位		
		A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	17/F, 19/F, 21/F, 23/F, 26/F 17樓，19樓，21樓，23樓，26樓	150,200	150,200	150,200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）		3,500	3,500	3,500

Notes:

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

附註：


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


17/F, 19/F, 21/F, 23/F Duplex Floor Plan

17樓, 19樓, 21樓, 23樓複式單位平面圖




Upper Duplex of
Unit D2
(18/F, 20/F,
22/F, 25/F)
複式單位D2上層
(18樓, 20樓,
22樓, 25樓)

BUILDING LINE AT 19,21,23 & 26/F
於19,21,23和26樓的建築物邊線




Upper Duplex of
Unit D1
(18/F, 20/F,
22/F, 25/F)
複式單位D1上層
(18樓, 20樓,
22樓, 25樓)


BUILDING LINE AT 19,21,23 & 26/F
於19,21,23和26樓的建築物邊線



Lower Duplex of
Unit D2
(17/F, 19/F,
21/F, 23/F)
複式單位D2下層
(17樓, 19樓,
21樓, 23樓)



Lower Duplex of
Unit D1
(17/F, 19/F,
21/F, 23/F)
複式單位D1下層
(17樓, 19樓,
21樓, 23樓)



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖



17/F, 19/F, 21/F, 23/F Duplex Floor Plan
17樓，19樓，21樓，23樓複式單位平面圖

Floor 樓層	Units 單位	
	D1	D2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	3,000, 3,500	3,000, 3,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

Key plans
指示圖



30/F	A				
29/F	C				A
28/F	C	D			A
27/F	C	D2	D1	D1	A
26/F	C	D2	D1	D1	A
25/F	C	D2	D1	D1	A
23/F	C	D2	D1	D1	A
22/F	C	D2	D1	D1	A
21/F	C	D2	D1	D1	A
20/F	C	D2	D1	D1	A
19/F	C	D2	D1	D1	A
18/F	C	D2	D1	D1	A
17/F	C	D2	D1	D1	A
16/F	C	D2	D1	D1	A
15/F	C	D2	D1	D1	A
12/F	C	D2	D1	D1	A
11/F	C	D2	D1	D1	A
10/F	C	D2	D1	D1	A
9/F	C	D2	D1	D1	A
8/F	C	D2	D1	D1	A
7/F	C	D2	S2	S1	D1
6/F	C	D2	S2	S1	D1
5/F	C	D2	S2	S1	D1
3/F					
2/F					
1/F					
UG/F					
G/F					


Residential floors start from 5/F.
13/F, 14/F and 24/F are omitted.
住宅樓層由5樓開始。
不設13樓，14樓及24樓。

10

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

18/F, 20/F, 22/F, 25/F Floor Plan

18樓，20樓，22樓，25樓單位平面圖



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

18/F, 20/F, 22/F, 25/F Floor Plan
18樓，20樓，22樓，25樓單位平面圖

	Floor 樓層	Units 單位		
		A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	18/F, 20/F, 22/F, 25/F 18樓，20樓，22樓，25樓	150, 200	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）		3,500	3,500	3,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.


- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

18/F, 20/F, 22/F, 25/F Duplex Floor Plan


18樓, 20樓, 22樓, 25樓複式單位平面圖




Upper Duplex of
Unit D2
(19/F, 21/F,
23/F, 26/F)
複式單位 D2 上層
(19樓, 21樓,
23樓, 26樓)



Upper Duplex of
Unit D1
(19/F, 21/F,
23/F, 26/F)
複式單位 D1 上層
(19樓, 21樓,
23樓, 26樓)




Lower Duplex of
Unit D2
(18/F, 20/F,
22/F, 25/F)
複式單位 D2 下層
(18樓, 20樓,
22樓, 25樓)



Lower Duplex of
Unit D1
(18/F, 20/F,
22/F, 25/F)
複式單位 D1 下層
(18樓, 20樓,
22樓, 25樓)

BUILDING LINE AT 27/F
於27樓的建築物邊線

BUILDING LINE AT 27/F
於27樓的建築物邊線



10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

18/F, 20/F, 22/F, 25/F Duplex Floor Plan


18樓，20樓，22樓，25樓複式單位平面圖

Floor 樓層	Units 單位	
	D1	D2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	3,000, 3,150, 3,500	3,000, 3,150, 3,500


- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.
- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

Key plans

指示圖



19/F, 21/F, 23/F, 26/F
19樓、21樓、23樓、26樓



18/F, 20/F, 22/F, 25/F
18樓、20樓、22樓、25樓

30/F	A			
29/F	C			
28/F	C	D		A
27/F	C	D		A
26/F	C	D2	D1	A
25/F	C	D2	D1	A
23/F	C	D2	D1	A
22/F	C	D2	D1	A
21/F	C	D2	D1	A
20/F	C	D2	D1	A
19/F	C	D2	D1	A
18/F	C	D2	D1	A
17/F	C	D2	D1	A
16/F	C	D2	D1	A
15/F	C	D2	D1	A
12/F	C	D2	D1	A
11/F	C	D2	D1	A
10/F	C	D2	D1	A
9/F	C	D2	D1	A
8/F	C	D2	D1	A
7/F	C	D2	S2 S1	D1 A
6/F	C	D2	S2 S1	D1 A
5/F	C	D2	S2 S1	D1 A
3/F				
2/F				
1/F				
UG/F				
G/F				






Residential floors start from 5/F.
13/F, 14/F and 24/F are omitted.
住宅樓層由5樓開始。
不設13樓，14樓及24樓。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

26/F Duplex Floor Plan

26樓複式單位平面圖



10

26/F Duplex Floor Plan

26樓複式單位平面圖

	Floor 樓層	Units 單位	
		D1	D2
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150, 200	150, 200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	26/F 26樓	3,000, 3,500	3,000, 3,150, 3,500

Notes:


1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all structural dimensions in millimetre.

附註：


1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

Key plans

指示圖



27/F
27樓



26/F
26樓

[illegible]

Residential floors start from 5/F.

13/F, 14/F and 24/F are omitted.

住宅樓層由5樓開始。



不設13樓，14樓及24樓。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

27/F Floor Plan

27樓單位平面圖



	Floor 樓層	Units 單位			
		A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150,200	150,200	150,200	150,200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	27/F 27樓	3,500	3,500	3,150, 3,250, 3,500, 3,850, 4,000	3,500, 3,650, 3,850

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.


- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


28/F Floor Plan

28樓單位平面圖




Duplex Unit
(Please refer to page 52)
複式單位
(請參閱第52頁)

PART PLAN OF FLAT D ON 28/F
SHOWING LATEST LAYOUT
28樓D單位現狀間隔部分平面圖



PART PLAN OF FLAT D ON 28/F
SHOWING LATEST LAYOUT
28樓D單位現狀間隔部分平面圖



	Floor 樓層	Units 單位		
		A	B	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150, 200	150, 200	150, 200, 250
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	28/F 28樓	3,000, 3,500, 3,650	3,500	3,000, 3,150, 3,250, 3,500, 3,650, 4,000

- Notes:
1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 2. The dimensions in the floor plans are all structural dimensions in millimetre.
 3. Flat D on 28/F has been altered by way of minor works or exempted works under the Buildings Ordinance (Cap. 123 of the Laws of Hong Kong) after completion of the Development. Please refer to the relevant part plans showing the latest layout for details (numberings below correspond to the remarks in the relevant part plans on page 50): (A) Partition wall(s) added; (B) Partition walls added and original folding door changed to glass sliding door.



- 附註：
1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 2. 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
 3. 28樓D單位在發展項目落成後進行小型工程或獲《建築物條例》（香港法例第123章）豁免的工程而有所改動。詳情請參閱第50頁有關現狀部分平面圖（下文編號對應第50頁平面圖中附註編號）：(A) 增設分隔牆；(B) 增設分隔牆及原有摺疊門改為玻璃趟門。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

28/F Duplex Floor Plan

28樓複式單位平面圖



10

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖


28/F Duplex Floor Plan
28樓複式單位平面圖

Floor 樓層	Units 單位	
	C	
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）	150, 200, 250	
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	28/F 28樓 3,000, 3,150, 3,250, 3,500, 3,650, 4,000	

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

Key plans
指示圖



30/F	A				
29/F	C	D			A
28/F	C	D2	D1	D1	A
27/F	C	D2	D1	D1	A
26/F	C	D2	D1	D1	A
25/F	C	D2	D1	D1	A
24/F	C	D2	D1	D1	A
23/F	C	D2	D1	D1	A
22/F	C	D2	D1	D1	A
21/F	C	D2	D1	D1	A
20/F	C	D2	D1	D1	A
19/F	C	D2	D1	D1	A
18/F	C	D2	D1	D1	A
17/F	C	D2	D1	D1	A
16/F	C	D2	D1	D1	A
15/F	C	D2	D1	D1	A
14/F	C	D2	D1	D1	A
13/F	C	D2	D1	D1	A
12/F	C	D2	D1	D1	A
11/F	C	D2	D1	D1	A
10/F	C	D2	D1	D1	A
9/F	C	D2	D1	D1	A
8/F	C	D2	D1	D1	A
7/F	C	D2	S2	S1	D1
6/F	C	D2	S2	S1	D1
5/F	C	D2	S2	S1	D1
3/F					
2/F					
1/F					
UG/F					
G/F					



Residential floors start from 5/F.
13/F, 14/F and 24/F are omitted.
住宅樓層由5樓開始。
不設13樓，14樓及24樓。

10 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

29/F Floor Plan

29樓單位平面圖



	Floor 樓層	Units 單位		
		A	B	C
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150, 200	150, 200	150, 200, 250
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	29/F 29樓	3,000, 3,100, 3,150, 3,350, 3,450, 3,500, 3,650, 3,830	3,000, 3,350, 3,500, 3,800, 3,850	3,150, 3,250, 3,500, 3,650, 4,000

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。



10

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

30/F Floor Plan

30樓單位平面圖



	Floor 樓層	Units 單位
		A
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板（不包括灰泥）的厚度（毫米）		150, 200, 250, 300
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度（指該樓層之石屎地台面與上一層石屎地台面之高度距離）（毫米）	30/F 30樓	3,700, 4,000, 4,350, 4,400, 4,500

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions in the floor plans are all structural dimensions in millimetre.
 - Flat A on 30/F has been altered by way of minor works or exempted works under the Buildings Ordinance (Cap. 123 of the Laws of Hong Kong) after completion of the Development. Please refer to the relevant part plans showing the latest layout for details (numberings below correspond to the remarks in the relevant part plans on page 56):
(A) Partition wall shortened; (B) Partition wall at top right corner shortened and partition wall at bottom right corner of the walk-in closet in Bedroom 1 extended; (C) Partition wall between two walk-in closets and one walk-in closet door at the top removed to form one walk-in closet in the Master Bedroom. Partition wall between walk-in closet and Master Bedroom relocated.

- 附註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。
 - 30樓A單位在發展項目落成後進行小型工程或獲《建築物條例》（香港法例第123章）豁免的工程而有所改動。詳情請參閱第56頁有關現狀部分平面圖（下文編號對應第56頁平面圖中附註編號）：
(A) 改短分隔牆；(B) 改短睡房1衣帽間右上方的分隔牆及延長右下方的分隔牆；(C) 主人睡房雙衣帽間中的分隔牆及衣帽間上方的門被移除成一衣帽間，衣帽間及主人睡房間的分隔牆被移位。