

**FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE**  
期數的住宅物業的樓面平面圖

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

## LEGEND OF THE TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用之名詞及簡稱之圖例

A/C PLATFORM	= AIR-CONDITIONER PLATFORM	冷氣機平台
A/C PLATFORM W/. METAL GRILLE	= AIR-CONDITIONER PLATFORM WITH METAL GRILLE	冷氣機平台與金屬欄柵
A.D.	= AIR DUCT	通風槽
ALUM. CLADDING	= ALUMINUM CLADDING	鋁質蓋層
ALUM. ARCH. FEATURE	= ALUMINUM ARCHITECTURAL FEATURE	鋁質建築裝飾
ALUM. FEATURE BELOW	= ALUMINUM FEATURE BELOW	鋁質裝飾置下
ARCH. FEATURE	= ARCHITECTURAL FEATURE	建築裝飾
ARCH. FEATURE AT 2/F ONLY	= ARCHITECTURAL FEATURE AT 2/F ONLY	僅於2樓之建築裝飾
ARCH. FEATURE AT H/L	= ARCHITECTURAL FEATURE AT HIGH LEVEL	建築裝飾於高位
AREA FOR A/C UNIT	= AREA FOR AIR-CONDITIONER UNIT	放置冷氣機的範圍
AREA FOR UNDERGROUND DRAIN MAINTENANCE	= AREA FOR UNDERGROUND DRAIN MAINTENANCE	供地下排水管維修的範圍
AUTO CLOSE DOOR NOT FOR VENTILATION PURPOSE	= AUTO CLOSE DOOR NOT FOR VENTILATION PURPOSE	不作通風用途的自動關閉式門
BAL.	= BALCONY	露台
BAL. ABOVE	= BALCONY ABOVE	露台置上
BALCONY AT 19/F	= BALCONY AT 19/F	19樓之露台
BATH	= BATHROOM	浴室
BR. 2	= BEDROOM 2	睡房 2
BR. 3	= BEDROOM 3	睡房 3
BUILDING LINE AT 19/F	= BUILDING LINE AT 19/F	19樓之建築物界線
BUILDING LINE AT 20/F	= BUILDING LINE AT 20/F	20樓之建築物界線
CANOPY OF BAL. BELOW	= CANOPY OF BALCONY BELOW	下層露台上蓋
CANOPY OF U.P. BELOW	= CANOPY OF UTILITY PLATFORM BELOW	下層工作平台上蓋
CARETAKER'S OFFICE	= CARETAKER'S OFFICE	管理員辦公室
COMMON AREA (FOR RAIN WATER PIPE)	= COMMON AREA (FOR RAIN WATER PIPE)	公共範圍 (供雨水渠用)
COMMON AREA (FOR DRAIN PIPES)	= COMMON AREA (FOR DRAIN PIPES)	公共範圍(供排水渠用)
COMMON FLAT ROOF	= COMMON FLAT ROOF	公用平台
COMMON FLAT ROOF W/. A/C W/. METAL GRILLE	= COMMON FLAT ROOF WITH AIR-CONDITIONER WITH METAL GRILLE	冷氣機與欄柵的公用平台
COMMON GREEN ROOF (FOR MAINTENANCE ACCESS ONLY)	= COMMON GREEN ROOF (FOR MAINTENANCE ACCESS ONLY)	公共花槽 (不能進入的地方)
COMMON PLANTER	= COMMON PLANTER	公共綠化平台
COVER OF BAL. BELOW	= COVER OF BALCONY BELOW	下層露台上蓋
COVER OF U.P. BELOW	= COVER OF UTILITY PLATFORM BELOW	下層工作平台上蓋
DIN.	= DINING ROOM	飯廳
DN	= DOWN	落

### Remarks:

1. There may be architectural features on external walls of some floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/ ductings for air-conditioning system and/ or M&E services within some store rooms.
4. Balconies and utility platforms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.

### 附註:

1. 部份樓層外牆設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
3. 部份住宅單位的客廳、飯廳、睡房、工作間、走廊、浴室、儲物房、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可封閉的地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

### LEGEND OF THE TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用之名詞及簡稱之圖例

ELEC. CABLE DUCT	= ELECTRIC CABLE DUCT	電力管道
ELEC. METER RM.	= ELECTRIC METER ROOM	電錶房
ELE. RISER	= ELECTRIC RISER	電線上引道
ELE. RISER DUCT	= ELECTRIC RISER DUCT	電線上引管道
ELV. RISER DUCT	= EXTRA-LOW VOLTAGE RISER DUCT	特低壓電線上引管道
ENTRANCE LOBBY	= ENTRANCE LOBBY	入口大堂
F.S. INLET	= FIRE SERVICE INLET	消防入水掣
F.S. INLET & SPR. CONTROL VALVE	= FIRE SERVICE INLET & SPRINKLER CONTROL VALVE	消防入水掣及灑水控制閥
FIXED WINDOW	= FIXED WINDOW	固定式窗戶
FLAT ROOF	= FLAT ROOF	平台
FLAT ROOF (COMMON)	= FLAT ROOF (COMMON)	平台(公用)
FLUSHING WATER PUMP ROOM	= FLUSHING WATER PUMP ROOM	沖廁水泵房
FRR WALL	= FIRE RESISTANCE RATING WALL	防火牆
GARDEN	= GARDEN	花園
GREEN ROOF	= GREEN ROOF	綠化平台
H.R.	= HOSE REEL	消防喉轆
KIT.	= KITCHEN	廚房
LAV.	= LAVATORY	洗手間
LIFT	= LIFT	升降機
LIFT LOBBY	= LIFT LOBBY	升降機大堂
LIFT MACHINE ROOM	= LIFT MACHINE ROOM	升降機機房
LINE OF CLADDING AND A/C PLATFORM ABOVE	= LINE OF CLADDING AND AIR-CONDITIONER PLATFORM ABOVE	置上蓋層及冷氣機平台的外線
LIV.	= LIVING ROOM	客廳
M. BATH	= MASTER BATHROOM	主人浴室
M.B.R.	= MASTER BEDROOM	主人睡房
METAL GRILLE	= METAL GRILLE	金屬欄柵
OPEN KIT.	= OPEN KITCHEN	開放式廚房
P.D.	= PIPE DUCT	管道槽
P.D. W/ CCTV PROVISION	= PIPE DUCT WITH CLOSED CIRCUIT TELEVISION PROVISION	設有閉路電視的管道槽
POTABLE WATER PUMP ROOM	= POTABLE WATER PUMP ROOM	飲用水泵房
POTABLE & FLUSHING WATER PUMP ROOM	= POTABLE & FLUSHING WATER PUMP ROOM	飲用水及沖廁水泵房
R.C. FEATURE	= REINFORCED CONCRETE FEATURE	鋼筋混凝土裝飾
R.C. FEATURE AT H/L	= REINFORCED CONCRETE FEATURE AT HIGH LEVEL	鋼筋混凝土裝飾置高位

#### Remarks:





1. There may be architectural features on external walls of some floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/ or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/ ductings for air-conditioning system and/ or M&E services within some store rooms.
4. Balconies and utility platforms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.

#### 附註:

1. 部份樓層外牆設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
3. 部份住宅單位的客廳、飯廳、睡房、工作間、走廊、浴室、儲物房、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可封閉的地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。

## LEGEND OF THE TERMS AND ABBREVIATIONS USED ON FLOOR PLANS

樓面平面圖中所使用之名詞及簡稱之圖例

R.S.M.R.R.	= REFUSE STORAGE AND MATERIAL RECOVERY ROOM	垃圾及物料回收房
R.S.M.R.R. FAN ROOM	= REFUSE STORAGE AND MATERIAL RECOVERY ROOM FAN ROOM	垃圾及物料回收房風扇房
ROOF	= ROOF	天台
ROOF (COMMON)	= ROOF (COMMON)	天台 (公用)
S.	= STOVE	煮食爐
SERVICE LIFT	= SERVICE LIFT	運貨電梯
STONE CLADDING	= STONE CLADDING	石質蓋層
STONE FEATURE	= STONE FEATURE	石質裝飾
STORE	= STORE ROOM	儲物房
TEL. / ELV.	= TELEPHONE DUCT / EXTRA-LOW VOLTAGE CABLE DUCT	電訊設備槽 / 特低壓電線槽
TEL. RISER	= TELEPHONE RISER DUCT	電訊設備上引管道
TEL. ROOM	= TELEPHONE ROOM	電訊設備房
TRANSFER PLATE ABOVE	= TRANSFER PLATE ABOVE	轉換層置上
TRANSFORMER ROOM	= TRANSFORMER ROOM	變壓器房
UP	= UP	上
U.P.	= UTILITY PLATFORM	工作平台
U.P. ABOVE	= UTILITY PLATFORM ABOVE	工作平台置上
UTILITY ROOM	= UTILITY ROOM	工作間
VENT SHAFT	= VENTILATION SHAFT	通風豎井
VERTICAL ACOUSTIC FIN	= VERTICAL ACOUSTIC FIN	垂直隔聲鰭
VERTICAL GLASS ACOUSTIC FIN	= VERTICAL GLASS ACOUSTIC FIN	垂直玻璃隔聲鰭
WATER METER CABINET	= WATER METER CABINET	水錶櫃
WATER METER RM.	= WATER METER ROOM	水錶房
	= MAINTENANCE WINDOW (MAINTENANCE ONLY NOT FOR VENTILATION PURPOSE)	維修窗戶 (不作通風用途)
	= WINDOW WITH SLIDING PANEL BEHIND (ACOUSTIC WINDOW (BAFFLE TYPE))	背面裝設滑動嵌板的窗戶 (減音窗(擋音式))
 	= DOOR WITH SLIDING PANEL BEHIND (ACOUSTIC SLIDING PANEL)	背面裝設滑動嵌板的門 (減音滑動嵌板)

### Remarks:

- There may be architectural features on external walls of some floors.
- Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or garden and/ or roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.
- There are sunken slabs and/ or ceiling bulkheads and/ or false ceiling at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E services. There are exposed pipes/ ductings for air-conditioning system and/ or M&E services within some store rooms.
- Balconies and utility platforms are non-enclosed areas.
- Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter etc, are architectural symbols extracted from the latest approved general building plans for general indication only.

### 附註:

- 部份樓層外牆設有建築裝飾。
- 部份住宅單位的露台及/或平台及/或花園及/或天台及/或工作平台及/或冷氣機平台及/或外牆設有外露及/或面板內藏之公用喉管。
- 部份住宅單位的客廳、飯廳、睡房、工作間、走廊、浴室、儲物房、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假陣及/或假天花用以裝置冷氣系統及/或機電設備。部份儲物房內設有冷氣系統及/或機電設備之外露喉管/管道。
- 露台及工作平台為不可封閉的地方。
- 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	G/F 地下	A1	3200, 3250, 3325, 3500, 4150	150
		A2	3200, 3250, 3325, 3500, 4150	150
		A3	3200, 3250, 3325, 3375, 3500, 4150	150
		A5	3200, 3250, 3325, 3375, 3500, 4150	150
		B1	3200, 3250, 3325, 3375, 3500, 4150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 1 G/F Floor Plan 第1座 地下樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	1/F 1樓	A1	2850, 2900, 2975, 3150	150
		A2	2850, 2900, 2975, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150
		A5	2850, 2900, 2975, 3025, 3150	150
		B1	2850, 2900, 2975, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 1 1/F Floor Plan 第1座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	2/F 2樓	A1	2725, 2775, 2850, 3025	150
		A2	2725, 2775, 2850, 3025	150
		A3	2725, 2775, 2850, 2900, 3025	150
		A5	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2850, 2900, 3025	150
		B2	2725, 2900, 3025	150
		B3	2725, 3025	150
		B5	2725, 2775, 2900, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 1 2/F Floor Plan 第1座 2樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	3/F, 5/F - 12/F, 15/F & 16/F 3樓、5樓至12樓、 15樓及16樓	A1	2725, 2775, 2850, 3025	150
		A2	2725, 2775, 2850, 3025	150
		A3	2725, 2775, 2850, 2900, 3025	150
		A5	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2850, 2900, 3025	150
		B2	2725, 2900, 3025	150
		B3	2725, 3025	150
		B5	2725, 2775, 2900, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 1 3/F, 5/F-12/F, 15/F&16/F Floor Plan 第1座 3樓、5樓至12樓、15樓及16樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	17/F - 18/F 17樓至18樓	A1	2725, 2775, 2850, 3025	150, 175
		A2	2725, 2775, 2850, 3025	150, 175
		A3	2725, 2775, 2850, 2900, 3025	150
		A5	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2850, 2900, 3025	150
		B2	2725, 2900, 3025	150
		B3	2725, 3025	150
		B5	2725, 2775, 2900, 3025	150
	19/F 19樓	A1	3025, 3125, 3150	150, 175, 275
		A2	2850, 2900, 2975, 3025, 3150	150, 175
		A3	3025, 3150, 3225	150
		A5	2850, 2900, 3025, 3150, 3225	150
		B1	2850, 2900, 2975, 3025, 3150	150
		B2	2850, 3025, 3150	150
		B3	2850, 3150	150
B5	2850, 2900, 3025, 3150	150		

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 1 17/F-19/F Floor Plan 第1座 17樓至19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	20/F 20樓	A1	2850, 2900, 2975, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150
		B1	2850, 2900, 2975, 3025, 3150	150
		B2	2850, 3025, 3150	150
		B3	2850, 3150	150
		B5	2850, 2900, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 1 20/F Floor Plan 第1座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	21/F 21樓	A1	2760, 3060, 3225, 3575	150, 175, 500
		A3	2760, 3060, 3225, 3575	150, 175, 500
		B1	3225, 3615	150, 540
		B2	3225	150
		B3	3225, 3615	150, 540
		B5	3225	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 1 21/F Floor Plan 第1座 21樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 1 第1座	Roof 天台	A1	Not Applicable 不適用	Not Applicable 不適用
		A3	Not Applicable 不適用	Not Applicable 不適用
		B1	Not Applicable 不適用	Not Applicable 不適用
		B2	Not Applicable 不適用	Not Applicable 不適用

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 1 Roof Floor Plan

## 第1座 天台樓面平面圖



TOP ROOF PART PLAN  
上層天台局部平面圖

TOP ROOF PART PLAN  
上層天台局部平面圖

Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 2 第2座	1/F 1樓	A1	2725, 2775, 2850, 2900, 3025, 3050, 3325	150
		A2	2725, 3025, 3325	150
		A3	2725, 2775, 2900, 3025	150
		A5	2725, 2775, 2900, 3025	150
		A6	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2900, 3025, 3325	150
		B5	2725, 2775, 2900, 3025, 3325	150
		B6	2725, 2775, 2900, 3025, 3325	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 2 1/F Floor Plan 第2座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 2 第2座	2/F, 3/F, 5/F - 12/F & 15/F 2樓、3樓、5樓至12樓 及15樓	A1	2725, 2775, 2850, 2900, 3025	150
		A2	2725, 3025	150
		A3	2725, 2775, 2900, 3025	150
		A5	2725, 2775, 2900, 3025	150
		A6	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2900, 3025	150
		B5	2725, 2775, 2900, 3025	150
		B6	2725, 2775, 2900, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 2 2/F, 3/F, 5/F-12/F&15/F Floor Plan 第2座 2樓、3樓、5樓至12樓及15樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 2 第2座	16/F - 17/F 16樓至17樓	A1	2725, 2775, 2850, 2900, 3025	150
		A2	2725, 3025	150
		A3	2725, 2775, 2900, 3025	150
		A5	2725, 2775, 2900, 3025	150
		A6	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2900, 3025	150
		B5	2725, 2775, 2900, 3025	150
	B6	2725, 2775, 2900, 3025	150	
	18/F 18樓	A1	2850, 3025, 3150	150
		A2	3025, 3150	150, 275
		A3	2900, 3025, 3150	150
		A5	2725, 3025, 3150	150
		A6	2850, 2900, 3025, 3050, 3150	150
		B1	3025, 3150	150
		B2	2850, 2900, 3025, 3150	150
		B3	2850, 3025, 3150	150
B5		2850, 2900, 3025, 3150	150	
B6	2850, 2900, 3025, 3150	150		

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 2 16/F-18/F Floor Plan 第2座 16樓至18樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 2 第2座	19/F 19樓	A1	2850, 2900, 2975, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150
		B2	2850, 2900, 3025, 3150	150
		B3	2850, 3025, 3150	150
		B5	2850, 2900, 3025, 3150	150
		B6	2850, 2900, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 2 19/F Floor Plan 第2座 19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 2 第2座	20/F 20樓	A1	2740, 2890, 3225, 3575, 3615	150, 175, 525, 540
		A3	2740, 2890, 3225, 3575	150, 175, 525
		B2	3225	150
		B3	3225	150
		B5	3225	150
		B6	3225	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



Tower 2 20/F Floor Plan  
第2座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 2 第2座	Roof 天台	A1	Not Applicable 不適用	Not Applicable 不適用
		A3	Not Applicable 不適用	Not Applicable 不適用
		B2	Not Applicable 不適用	Not Applicable 不適用
		B3	Not Applicable 不適用	Not Applicable 不適用
		B5	Not Applicable 不適用	Not Applicable 不適用

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 2 Roof Floor Plan

## 第2座 天台樓面平面圖



TOP ROOF PART PLAN  
上層天台局部平面圖

TOP ROOF PART PLAN  
上層天台局部平面圖

Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 3 第3座	1/F 1樓	A1	2725, 2775, 2850, 2900, 3025, 3050, 3125	150
		A2	2725, 3025, 3125	150
		A3	2725, 2775, 2900, 3025, 3125	150
		A5	2725, 2775, 2900, 3025, 3125	150
		A6	2725, 2775, 2850, 2900, 3025, 3125	150
		B1	2725, 2775, 2900, 3025, 3050	150
		B2	2725, 2775, 2900, 3025, 3050	150
		B3	2725, 2775, 2900, 3025, 3325	150
		B5	2725, 2775, 2900, 3025, 3325, 4075	150
		B6	2725, 2775, 2900, 3025, 3325	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 3 1/F Floor Plan 第3座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 3 第3座	2/F, 3/F, 5/F - 12/F & 15/F 2樓、3樓、5樓至12樓 及15樓	A1	2725, 2775, 2850, 2900, 3025	150
		A2	2725, 3025	150
		A3	2725, 2775, 2900, 3025	150
		A5	2725, 2775, 2900, 3025	150
		A6	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2775, 2900, 3025	150
		B5	2725, 2775, 2900, 3025	150
		B6	2725, 2775, 2900, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 3 2/F, 3/F, 5/F-12/F&15/F Floor Plan 第3座 2樓、3樓、5樓至12樓及15樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 3 第3座	16/F - 17/F 16樓至17樓	A1	2725, 2775, 2850, 2900, 3025	150
		A2	2725, 3025	150
		A3	2725, 2775, 2900, 3025	150
		A5	2725, 2775, 2900, 3025	150
		A6	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2775, 2900, 3025	150
		B5	2725, 2775, 2900, 3025	150
	B6	2725, 2775, 2900, 3025	150	
	18/F 18樓	A1	2850, 3025, 3150	150
		A2	3025, 3150	150, 275
		A3	2900, 3025, 3150	150
		A5	2725, 3025, 3150	150
		A6	2850, 2900, 3025, 3050, 3150	150
		B1	3025, 3150	150
		B2	2850, 2900, 3025, 3150	150
		B3	2850, 2900, 3025, 3150	150
B5		2850, 2900, 3025, 3150	150	
B6	2850, 2900, 3025, 3150	150		

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 3 16/F-18/F Floor Plan 第3座 16樓至18樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 3 第3座	19/F 19樓	A1	2850, 2900, 2975, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150
		B2	2850, 2900, 3025, 3150	150
		B3	2850, 2900, 3025, 3150	150
		B5	2850, 2900, 3025, 3150	150
		B6	2850, 2900, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 3 19/F Floor Plan

## 第3座 19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 3 第3座	20/F 20樓	A1	2740, 2890, 3225, 3575, 3615	150, 175, 525, 540
		A3	2740, 2890, 3225, 3575	150, 175, 525
		B2	3225	150
		B3	3225	150
		B5	3225	150
		B6	3225	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 3 20/F Floor Plan 第3座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 3 第3座	Roof 天台	A1	Not Applicable 不適用	Not Applicable 不適用
		A3	Not Applicable 不適用	Not Applicable 不適用
		B2	Not Applicable 不適用	Not Applicable 不適用
		B3	Not Applicable 不適用	Not Applicable 不適用
		B5	Not Applicable 不適用	Not Applicable 不適用

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 3 R/F Floor Plan

## 第3座 天台樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 5 第5座	1/F 1樓	A1	2725, 2775, 2900, 3025, 3325	150
		A2	2725, 2775, 2900, 3025, 3325	150
		A3	2725, 2775, 2900, 3025, 3325	150
		A5	2725, 2775, 2900, 3025, 3325	150
		A6	2725, 2775, 2900, 3025, 3325	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2850, 2900, 3025, 3325	150
		B3	2725, 2775, 2900, 3025, 4325	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 5 1/F Floor Plan 第5座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 5 第5座	2/F, 3/F, 5/F - 12/F & 15/F 2樓、3樓、5樓至12樓 及15樓	A1	2725, 2775, 2900, 3025	150
		A2	2725, 2775, 2900, 3025	150
		A3	2725, 2775, 2900, 3025	150
		A5	2725, 2775, 2900, 3025	150
		A6	2725, 2775, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2850, 2900, 3025	150
		B3	2725, 2775, 2900, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 5 2/F, 3/F, 5/F-12/F&15/F Floor Plan 第5座 2樓、3樓、5樓至12樓及15樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 5 第5座	16/F - 17/F 16樓至17樓	A1	2725, 2775, 2900, 3025	150
		A2	2725, 2775, 2900, 3025	150
		A3	2725, 2775, 2900, 3025	150
		A5	2725, 2775, 2900, 3025	150
		A6	2725, 2775, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2850, 2900, 3025	150
		B3	2725, 2775, 2900, 3025	150
	18/F 18樓	A1	2850, 2900, 3025, 3150	150
		A2	2850, 3025, 3150	150
		A3	2850, 3150	150
		A5	3150	150
		A6	2900, 3025, 3150	150, 275
		B1	2850, 2900, 3025, 3150	150
		B2	2850, 2900, 2975, 3025, 3150	150
B3	3025, 3150	150, 275		

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

**備註:**


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 5 16/F-18/F Floor Plan 第5座 16樓至18樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 5 第5座	19/F 19樓	A1	2850, 2900, 3025, 3150	150
		A2	2850, 2900, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150, 175
		B1	2850, 2900, 3025, 3150	150
		B2	2850, 2900, 2975, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.



 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍

# Tower 5 19/F Floor Plan 第5座 19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 5 第5座	20/F 20樓	A1	3225, 3615	150, 540
		A2	3225	150
		A3	2930, 3225, 3230, 3575	150, 175, 500
		B1	3225	150
		B2	3225	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 5 20/F Floor Plan 第5座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 5 第5座	Roof 天台	A1	Not Applicable 不適用	Not Applicable 不適用
		A3	Not Applicable 不適用	Not Applicable 不適用
		B1	Not Applicable 不適用	Not Applicable 不適用
		B2	Not Applicable 不適用	Not Applicable 不適用

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.



 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍

# Tower 5 R/F Floor Plan 第5座 天台樓面平面圖



TOP ROOF PART PLAN  
上層天台局部平面圖

Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	G/F 地下	A1	3200, 3250, 3325, 3375, 3500, 3850, 4150, 4700	150
		A2	3200, 3250, 3375, 3500, 4150	150
		A3	3200, 3325, 3375, 3500, 4150, 4700	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.



 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍

# Tower 6 G/F Floor Plan 第6座 地下樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	1/F 1樓	A1	2850, 2900, 2975, 3025, 3150	150
		A2	2850, 2900, 3025, 3150	150
		A3	2850, 2975, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 6 1/F Floor Plan 第6座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	2/F 2樓	A1	2725, 2775, 2850, 2900, 3025	150
		A2	2725, 2775, 2900, 3025	150
		A3	2725, 2850, 2900, 3025	150
		B1	2725, 2775, 3025	150
		B2	2725, 2775, 2900, 3025, 3325	150
		B3	2725, 2775, 2900, 3025, 3325	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍

# Tower 6 2/F Floor Plan 第6座 2樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	3/F, 5/F - 12/F, 15/F & 16/F 3樓、5樓至12樓、 15樓及16樓	A1	2725, 2775, 2850, 2900, 3025	150
		A2	2725, 2775, 2900, 3025	150
		A3	2725, 2850, 2900, 3025	150
		B1	2725, 2775, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2775, 2900, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 6 3/F, 5/F-12/F, 15/F&16/F Floor Plan 第6座 3樓、5樓至12樓、15樓及16樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	17/F - 18/F 17樓至18樓	A1	2725, 2775, 2850, 2900, 3025	150
		A2	2725, 2850, 2900, 3025	150
		A3	2725, 2850, 2900, 3025	150
		B1	2725, 2775, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2775, 2900, 3025	150
	19/F 19樓	A1	2850, 2900, 2975, 3025, 3150	150
		A2	2850, 3025, 3150	150
		A3	2850, 2900, 3025, 3150	150, 275
		B1	3025, 3150	150
		B2	2850, 3025, 3150	150
		B3	2850, 2900, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 6 17/F-19/F Floor Plan 第6座 17樓至19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	20/F 20樓	A1	2850, 2900, 2975, 3025, 3150	150
		A3	2850, 3025, 3150	150
		B2	2850, 2900, 3025, 3150	150
		B3	2850, 2900, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area



### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 6 20/F Floor Plan 第6座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	21/F 21樓	A1	3225, 3615	150, 540
		A3	2930, 3225, 3230, 3575	150, 155, 175, 500
		B2	3225	150
		B3	3225, 3615	150, 540

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍

# Tower 6 21/F Floor Plan 第6座 21樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 6 第6座	Roof 天台	A1	Not Applicable 不適用	Not Applicable 不適用
		A3	Not Applicable 不適用	Not Applicable 不適用
		B2	Not Applicable 不適用	Not Applicable 不適用
		B3	Not Applicable 不適用	Not Applicable 不適用

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 6 R/F Floor Plan 第6座 天台樓面平面圖



TOP ROOF PART PLAN  
上層天台局部平面圖

Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	G/F 地下	A1	3200, 3325, 3375, 3500, 4150, 4700	150
		A2	3200, 3250, 3375, 3500, 4150	150
		A3	3200, 3250, 3325, 3375, 3500, 3850, 4150, 4700	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area



### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍

# Tower 7 G/F Floor Plan

## 第7座 地下樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	1/F 1樓	A1	2850, 2975, 3025, 3150	150
		A2	2850, 2900, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 7 1/F Floor Plan 第7座 1樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	2/F 2樓	A1	2725, 2850, 2900, 3025	150
		A2	2725, 2775, 2900, 3025	150
		A3	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025, 3325	150
		B2	2725, 2775, 2900, 3025, 3325	150
		B3	2725, 2775, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area



### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 7 2/F Floor Plan 第7座 2樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	3/F, 5/F - 12/F, 15/F & 16/F 3樓、5樓至12樓、 15樓及16樓	A1	2725, 2850, 2900, 3025	150
		A2	2725, 2775, 2900, 3025	150
		A3	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2775, 3025	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:


- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍





# Tower 7 3/F, 5/F-12/F, 15/F&16/F Floor Plan 第7座 3樓、5樓至12樓、15樓及16樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	17/F - 18/F 17樓至18樓	A1	2725, 2850, 2900, 3025	150
		A2	2725, 2850, 2900, 3025	150
		A3	2725, 2775, 2850, 2900, 3025	150
		B1	2725, 2775, 2900, 3025	150
		B2	2725, 2775, 2900, 3025	150
		B3	2725, 2775, 3025	150
	19/F 19樓	A1	2850, 2900, 3025, 3150	150, 275
		A2	2850, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150
		B1	2850, 2900, 3025, 3150	150
		B2	2850, 3025, 3150	150
		B3	3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

**Notes:**


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

**備註:**

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 7 17/F-19/F Floor Plan 第7座 17樓至19樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	20/F 20樓	A1	2850, 3025, 3150	150
		A3	2850, 2900, 2975, 3025, 3150	150
		B1	2850, 2900, 3025, 3150	150
		B2	2850, 2900, 3025, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 7 20/F Floor Plan 第7座 20樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	21/F 21樓	A1	2930, 3225, 3230, 3575	150, 155, 175, 500
		A3	3225, 3615	150, 540
		B1	3225, 3615	150, 540
		B2	3225	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


 Extent of Open Kitchen Area

### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍

# Tower 7 21/F Floor Plan 第7座 21樓樓面平面圖



Scale 比例: 0M (米) 5M (米) 10M (米)



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)
Tower 7 第7座	Roof 天台	A1	Not Applicable 不適用	Not Applicable 不適用
		A3	Not Applicable 不適用	Not Applicable 不適用
		B1	Not Applicable 不適用	Not Applicable 不適用
		B2	Not Applicable 不適用	Not Applicable 不適用

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高的樓層結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


### Notes:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL 01-03 of this sales brochure for remarks and legend of the terms and abbreviations shown on this floor plan.
- Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

 Extent of Open Kitchen Area


### 備註:

- 樓面平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第 AL01-03頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。
- 設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

 開放式廚房範圍



# Tower 7 R/F Floor Plan 第7座 天台樓面平面圖



TOP ROOF PART PLAN  
上層天台局部平面圖

Scale 比例: 0M (米) 5M (米) 10M (米)

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

1. The saleable area of the residential property and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.

1. 住宅物業的實用面積、以及露台、工作平台及陽台（如有）的樓面面積、是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積）、是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 1 第1座	G/F 地下	A1	83.840 ( 902 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	71.979 (775)	-	-	-	-	-
		A2	81.925 ( 882 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	49.441 (532)	-	-	-	-	-
		A3	54.668 ( 588 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	48.508 (522)	-	-	-	-	-
		A5	64.992 ( 700 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	54.968 (592)	-	-	-	-	-
		B1	75.226 ( 810 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	48.793 (525)	-	-	-	-	-
	1/F 1樓	A1	88.521 ( 953 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A2	86.606 ( 932 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A3	58.643 ( 631 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A5	68.965 ( 742 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B1	79.608 ( 857 ) Balcony 露台: 2.813 ( 30 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-

### Notes:

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

### 備註:

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。



Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)										
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院	
Tower 1 第1座	2/F 2樓	A1	88.521 ( 953 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	
		A2	86.606 ( 932 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		A3	58.643 ( 631 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		A5	66.325 ( 714 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B1	79.608 ( 857 ) Balcony 露台: 2.813 ( 30 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B2	31.976 ( 344 ) Balcony 露台: 2.000 ( 22 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B3	46.459 ( 500 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B5	46.500 ( 501 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 1 第1座	3/F, 5/F- 12/F, 15/F & 16/F 3樓、5樓 至12樓、 15樓及 16樓	A1	88.521 ( 953 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	86.606 ( 932 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	58.643 ( 631 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	66.325 ( 714 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	79.608 ( 857 ) Balcony 露台: 2.813 ( 30 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	31.976 ( 344 ) Balcony 露台: 2.000 ( 22 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	46.459 ( 500 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B5	46.500 ( 501 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

### Notes:

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

### 備註:

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 1 第1座	17/F- 19/F 17樓至 19樓	A1	88.521 ( 953 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	86.606 ( 932 ) Balcony 露台: 3.181 ( 34 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	58.379 ( 628 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	66.325 ( 714 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	79.608 ( 857 ) Balcony 露台: 2.813 ( 30 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	31.976 ( 344 ) Balcony 露台: 2.000 ( 22 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	46.459 ( 500 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B5	46.500 ( 501 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。



# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)										
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院	
Tower 1 第1座	20/F 20樓	A1	118.791 (1279) Balcony 露台: 4.454 (48 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	34.627 (373)	-	-	-	-	-	-	
		A3	106.861 (1150) Balcony 露台: 4.205 ( 45 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	13.375 (144)	-	-	-	-	-	-	
		B1	79.608 ( 857 ) Balcony 露台: 2.813 ( 30 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B2	31.976 ( 344 ) Balcony 露台: 2.000 ( 22 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B3	46.459 ( 500 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B5	46.555 ( 501 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
	21/F 21樓	A1	118.792 (1279) Balcony 露台: 4.454 ( 48 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	69.348 (746)	4.750 ( 51 )	-	-	-
		A3	106.523 (1147) Balcony 露台: 4.205 ( 45 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	75.117 (809)	4.418 ( 48 )	-	-	-
		B1	79.608 ( 857 ) Balcony 露台: 2.813 ( 30 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	42.253 (455)	-	-	-	-
		B2	31.976 ( 344 ) Balcony 露台: 2.000 ( 22 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	11.504 (124)	-	-	-	-
		B3	46.459 ( 500 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-
		B5	46.555 ( 501 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 2 第2座	1/F 1樓	A1	76.357 ( 822 ) Balcony 露台: -- Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	39.103 (421)	-	-	-	-	-	-
		A2	39.486 ( 425 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	27.569 (297)	-	-	-	-	-	-
		A3	35.353 ( 381 ) Balcony 露台: 2.128 ( 23 ) Utility Platform 工作平台: 1.553 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A5	46.832 ( 504 ) Balcony 露台: 2.548 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A6	64.009 ( 689 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	52.483 (565)	-	-	-	-	-	-
		B1	27.065 ( 291 ) Balcony 露台: 2.440 ( 26 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B2	56.239 ( 605 ) Balcony 露台: 2.268 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B3	31.159 ( 335 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	16.605 (179)	-	-	-	-	-	-
		B5	38.890 ( 419 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	35.230 (379)	-	-	-	-	-	-
		B6	38.682 ( 416 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	35.374 (381)	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 2 第2座	2/F, 3/F, 5/F- 12/F & 15/F 2樓、 3樓、 5樓至 12樓及 15樓	A1	79.080 ( 851 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	41.959 ( 452 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	35.353 ( 381 ) Balcony 露台: 2.128 ( 23 ) Utility Platform 工作平台: 1.553 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	46.757 ( 503 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A6	68.022 ( 732 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	27.065 ( 291 ) Balcony 露台: 2.440 ( 26 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	56.239 ( 605 ) Balcony 露台: 2.268 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	33.159 ( 357 ) Balcony 露台: 2.000 ( 22 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B5	42.455 ( 457 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B6	42.247 ( 455 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。



Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 2 第2座	16/F- 18/F 16樓至 18樓	A1	79.080 ( 851 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	41.959 ( 452 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	35.353 ( 381 ) Balcony 露台: 2.128 ( 23 ) Utility Platform 工作平台: 1.553 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	46.757 ( 503 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A6	68.022 ( 732 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	27.065 ( 291 ) Balcony 露台: 2.440 ( 26 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	56.239 ( 605 ) Balcony 露台: 2.268 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	33.159 ( 357 ) Balcony 露台: 2.000 ( 22 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B5	42.455 ( 457 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B6	42.247 ( 455 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 2 第2座	19/F 19樓	A1	103.279 (1112) Balcony 露台: 3.764 (41) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	29.302 (315)	-	-	-	-	-	-
		A3	105.083 (1131) Balcony 露台: 3.875 (42) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	15.682 (169)	-	-	-	-	-	-
		B2	56.923 (613) Balcony 露台: 2.333 (25) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	19.308 (208)	-	-	-	-	-	-
		B3	33.159 (357) Balcony 露台: 2.000 (22) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B5	42.455 (457) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B6	42.267 (455) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
	20/F 20樓	A1	106.234 (1144) Balcony 露台: 3.764 (41) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	-	-	-	60.414 (650)	4.180 (45)	-	-
		A3	107.160 (1153) Balcony 露台: 3.875 (42) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	57.798 (622)	4.323 (47)	-	-
		B2	56.923 (613) Balcony 露台: 2.333 (25) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	-	-	-	30.848 (332)	-	-	-
		B3	33.159 (357) Balcony 露台: 2.000 (22) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	23.012 (248)	-	-	-
		B5	42.455 (457) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	7.630 (82)	-	-	-
		B6	42.137 (454) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 3 第3座	1/F 1樓	A1	76.357 ( 822 ) Balcony 露台: -- Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	3.379 ( 36 )	-	-	-	-	-	-
		A2	39.486 ( 425 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	32.323 (348)	-	-	-	-	-	-
		A3	31.672 ( 341 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	29.143 (314)	-	-	-	-	-	-
		A5	42.782 ( 461 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	37.027 (399)	-	-	-	-	-	-
		A6	64.009 ( 689 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	50.603 (545)	-	-	-	-	-	-
		B1	27.065 ( 291 ) Balcony 露台: 2.440 ( 26 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B2	55.993 ( 603 ) Balcony 露台: 2.268 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B3	38.929 ( 419 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	32.074 (345)	-	-	-	-	-	-
		B5	38.301 ( 412 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	34.894 (376)	-	-	-	-	-	-
		B6	38.025 ( 409 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	34.902 (376)	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。



# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 3 第3座	2/F, 3/F, 5/F- 12/F & 15/F 2樓、 3樓、 5樓至 12樓及 15樓	A1	79.080 ( 851 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	41.959 ( 452 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	35.353 ( 381 ) Balcony 露台: 2.128 ( 23 ) Utility Platform 工作平台: 1.553 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	46.757 ( 503 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A6	68.022 ( 732 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	27.065 ( 291 ) Balcony 露台: 2.440 ( 26 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	55.993 ( 603 ) Balcony 露台: 2.268 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	41.082 ( 442 ) Balcony 露台: 2.153 ( 23 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B5	41.866 ( 451 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B6	41.590 ( 448 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 3 第3座	16/F- 18/F 16樓至 18樓	A1	79.080 ( 851 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	41.959 ( 452 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	35.353 ( 381 ) Balcony 露台: 2.128 ( 23 ) Utility Platform 工作平台: 1.553 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	46.757 ( 503 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A6	68.022 ( 732 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	27.065 ( 291 ) Balcony 露台: 2.440 ( 26 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	55.993 ( 603 ) Balcony 露台: 2.268 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	41.082 ( 442 ) Balcony 露台: 2.153 ( 23 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B5	41.866 ( 451 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B6	41.590 ( 448 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 3 第3座	19/F 19樓	A1	103.279 (1112) Balcony 露台: 3.764 (41) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	29.302 (315)	-	-	-	-	-	-
		A3	105.083 (1131) Balcony 露台: 3.875 (42) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	15.682 (169)	-	-	-	-	-	-
		B2	56.677 (610) Balcony 露台: 2.333 (25) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	19.308 (208)	-	-	-	-	-	-
		B3	41.082 (442) Balcony 露台: 2.153 (23) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B5	41.866 (451) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B6	41.610 (448) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
	20/F 20樓	A1	106.234 (1144) Balcony 露台: 3.764 (41) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	-	-	-	60.414 (650)	4.180 (45)	-	-
		A3	107.160 (1153) Balcony 露台: 3.875 (42) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	57.798 (622)	4.323 (47)	-	-
		B2	56.677 (610) Balcony 露台: 2.333 (25) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	-	-	-	30.848 (332)	-	-	-
		B3	41.082 (442) Balcony 露台: 2.153 (23) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	29.668 (319)	-	-	-
		B5	41.866 (451) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	7.550 (81)	-	-	-
		B6	41.479 (446) Balcony 露台: 2.063 (22) Utility Platform 工作平台: 1.502 (16) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。



Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 5 第5座	1/F 1樓	A1	33.066 ( 356 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	7.676 ( 83 )	-	-	-	-	-	-
		A2	39.739 ( 428 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	14.786 (159)	-	-	-	-	-	-
		A3	40.145 ( 432 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	33.929 (365)	-	-	-	-	-	-
		A5	42.665 ( 459 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	23.474 (253)	-	-	-	-	-	-
		A6	41.248 ( 444 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	5.276 ( 57 )	-	-	-	-	-	-
		B1	52.123 ( 561 ) Balcony 露台: 2.205 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B2	70.683 ( 761 ) Balcony 露台: -- Utility Platform 工作平台: 1.524 ( 16 ) Verandah 陽台: --	-	-	-	4.292 ( 46 )	-	-	-	-	-	-
		B3	26.427 ( 284 ) Balcony 露台: -- Utility Platform 工作平台: 1.504 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 5 第5座	2/F, 3/F, 5/F- 12/F & 15/F 2樓、 3樓、 5樓至 12樓及 15樓	A1	35.219 ( 379 ) Balcony 露台: 2.153 ( 23 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	43.519 ( 468 ) Balcony 露台: 2.205 ( 24 ) Utility Platform 工作平台: 1.575 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	43.710 ( 470 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	46.230 ( 498 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A6	43.401 ( 467 ) Balcony 露台: 2.153 ( 23 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	52.123 ( 561 ) Balcony 露台: 2.205 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	72.986 ( 786 ) Balcony 露台: 2.303 ( 25 ) Utility Platform 工作平台: 1.524 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	26.427 ( 284 ) Balcony 露台: -- Utility Platform 工作平台: 1.504 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

### Notes:

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

### 備註:

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 5 第5座	16/F- 18/F 16樓至 18樓	A1	35.219 ( 379 ) Balcony 露台: 2.153 ( 23 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	43.519 ( 468 ) Balcony 露台: 2.205 ( 24 ) Utility Platform 工作平台: 1.575 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	43.710 ( 470 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A5	46.230 ( 498 ) Balcony 露台: 2.063 ( 22 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A6	43.401 ( 467 ) Balcony 露台: 2.153 ( 23 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	51.792 ( 557 ) Balcony 露台: 2.205 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	72.986 ( 786 ) Balcony 露台: 2.303 ( 25 ) Utility Platform 工作平台: 1.524 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	26.427 ( 284 ) Balcony 露台: -- Utility Platform 工作平台: 1.504 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。



# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 5 第5座	19/F 19樓	A1	35.219 (379) Balcony 露台: 2.153 (23) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A2	43.536 (469) Balcony 露台: 2.205 (24) Utility Platform 工作平台: 1.575 (17) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A3	104.264 (1122) Balcony 露台: 3.874 (42) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	25.384 (273)	-	-	-	-	-	-
		B1	51.792 (557) Balcony 露台: 2.205 (24) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B2	76.033 (818) Balcony 露台: 2.303 (25) Utility Platform 工作平台: 1.524 (16) Verandah 陽台: --	-	-	-	15.551 (167)	-	-	-	-	-	-
	20/F 20樓	A1	35.219 (379) Balcony 露台: 2.153 (23) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	17.467 (188)	-	-	-
		A2	43.536 (469) Balcony 露台: 2.205 (24) Utility Platform 工作平台: 1.575 (17) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A3	104.264 (1122) Balcony 露台: 3.874 (42) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	53.035 (571)	4.703 (51)	-	-
		B1	51.792 (557) Balcony 露台: 2.205 (24) Utility Platform 工作平台: 1.500 (16) Verandah 陽台: --	-	-	-	-	-	-	26.129 (281)	-	-	-
		B2	76.033 (818) Balcony 露台: 2.303 (25) Utility Platform 工作平台: 1.524 (16) Verandah 陽台: --	-	-	-	-	-	-	45.059 (485)	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 第6座	G/F 地下	A1	66.471 ( 715 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	61.916 (666)	-	-	-	-	-
		A2	41.421 ( 446 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	40.918 (440)	-	-	-	-	-
		A3	71.248 ( 767 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	62.055 (668)	-	-	-	-	-
	1/F 1樓	A1	73.085 ( 787 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A3	75.375 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 第6座	2/F 2樓	A1	72.212 ( 777 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A3	75.375 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B1	25.759 ( 277 ) Balcony 露台: -- Utility Platform 工作平台: 1.501 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B2	56.245 ( 605 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	5.561 ( 60 )	-	-	-	-	-	-
		B3	54.859 ( 591 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	7.222 ( 78 )	-	-	-	-	-	-

### Notes:

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which may be different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

### 備註:

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。



Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 6 第6座	3/F, 5/F- 12/F, 15/F & 16/F 3樓、5樓 至12樓、 15樓及 16樓	A1	72.212 ( 777 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	75.309 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	25.759 ( 277 ) Balcony 露台: -- Utility Platform 工作平台: 1.501 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	59.955 ( 645 ) Balcony 露台: 2.210 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	58.374 ( 628 ) Balcony 露台: 2.015 ( 22 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 6 第6座	17/F- 19/F 17樓至 19樓	A1	72.212 ( 777 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	75.309 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	25.759 ( 277 ) Balcony 露台: -- Utility Platform 工作平台: 1.501 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	59.955 ( 645 ) Balcony 露台: 2.210 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	58.374 ( 628 ) Balcony 露台: 2.015 ( 22 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

### Notes:

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which may be different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

### 備註:

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 6 第6座	20/F 20樓	A1	71.975 (775 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	
		A3	97.624 (1051) Balcony 露台: 3.750 ( 40 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	13.708 (148)	-	-	-	-	-	
		B2	66.828 ( 719 ) Balcony 露台: 2.210 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	10.760 (116)	-	-	-	-	-	
		B3	58.374 ( 628 ) Balcony 露台: 2.015 ( 22 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	
	21/F 21樓	A1	71.975 (775 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	32.176 (346)	-	-	-
		A3	100.734 (1084) Balcony 露台: 3.750 ( 40 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	47.181 (508)	5.066 ( 55 )	-	-
		B2	66.828 ( 719 ) Balcony 露台: 2.210 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	30.419 (327)	-	-	-
		B3	58.374 ( 628 ) Balcony 露台: 2.015 ( 22 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	30.297 (326)	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。



# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 第7座	G/F 地下	A1	71.248 ( 767 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	62.086 (668)	-	-	-	-	-
		A2	41.421 ( 446 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	45.768 (493)	-	-	-	-	-
		A3	66.471 ( 715 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	62.703 (675)	-	-	-	-	-
	1/F 1樓	A1	75.375 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A3	73.085 ( 787 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-

### Notes:

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which may be different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

### 備註:

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 第7座	2/F 2樓	A1	75.375 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		A3	72.212 ( 777 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B1	54.859 ( 591 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	7.222 ( 78 )	-	-	-	-	-	-
		B2	56.245 ( 605 ) Balcony 露台: -- Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	5.561 ( 60 )	-	-	-	-	-	-
		B3	25.759 ( 277 ) Balcony 露台: -- Utility Platform 工作平台: 1.501 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 7 第7座	3/F, 5/F- 12/F, 15/F & 16/F 3樓、5樓 至12樓、 15樓及 16樓	A1	75.309 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	72.212 ( 777 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	58.374 ( 628 ) Balcony 露台: 2.015 ( 22 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	59.955 ( 645 ) Balcony 露台: 2.210 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	25.759 ( 277 ) Balcony 露台: -- Utility Platform 工作平台: 1.501 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

### Notes:

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which may be different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

### 備註:

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。



Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)								
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭
Tower 7 第7座	17/F- 19/F 17樓至 19樓	A1	75.309 ( 811 ) Balcony 露台: 2.723 ( 29 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A2	47.376 ( 510 ) Balcony 露台: 2.473 ( 27 ) Utility Platform 工作平台: 1.502 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		A3	72.212 ( 777 ) Balcony 露台: 2.530 ( 27 ) Utility Platform 工作平台: 1.566 ( 17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B1	58.374 ( 628 ) Balcony 露台: 2.015 ( 22 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B2	59.955 ( 645 ) Balcony 露台: 2.210 ( 24 ) Utility Platform 工作平台: 1.500 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-
		B3	25.759 ( 277 ) Balcony 露台: -- Utility Platform 工作平台: 1.501 ( 16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-

**Notes:**

1. The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
2. 4/F, 13/F and 14/F are omitted.

**備註:**

1. 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
2. 不設4樓、13樓及14樓。

# AREA OF RESIDENTIAL PROPERTIES IN THE PHASE

## 期數中的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft) 實用面積 (包括露台, 工作平台及陽台, 如有) 平方米 (平方呎)	Area of other specified items (Not included in the Salesable Area) 其他指明項目的面積 (不計算入實用面積) sq. metre (sq.ft) 平方米 (平方呎)									
Block Name 大廈名稱	Floor 樓層	Flat 單位		Air-conditioning Plant Room 空調機房	Bay Window 窗台	Cockloft 閣樓	Flat Roof 平台	Garden 花園	Parking Space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
Tower 7 第7座	20/F 20樓	A1	97.624 (1051) Balcony 露台: 3.750 (40 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	13.708 (148)	-	-	-	-	-	-
		A3	71.975 (775) Balcony 露台: 2.530 (27 ) Utility Platform 工作平台: 1.566 (17 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B1	58.374 (628) Balcony 露台: 2.015 (22 ) Utility Platform 工作平台: 1.500 (16 ) Verandah 陽台: --	-	-	-	-	-	-	-	-	-	-
		B2	66.828 (719) Balcony 露台: 2.210 (24 ) Utility Platform 工作平台: 1.500 (16 ) Verandah 陽台: --	-	-	-	10.760 (116)	-	-	-	-	-	-
	21/F 21樓	A1	100.734 (1084) Balcony 露台: 3.750 (40 ) Utility Platform 工作平台: -- Verandah 陽台: --	-	-	-	-	-	-	47.181 (508)	5.066 (55)	-	-
		A3	71.975 (775) Balcony 露台: 2.530 (27 ) Utility Platform 工作平台: 1.566 (17 ) Verandah 陽台: --	-	-	-	-	-	-	32.176 (346)	-	-	-
		B1	58.374 (628) Balcony 露台: 2.015 (22 ) Utility Platform 工作平台: 1.500 (16 ) Verandah 陽台: --	-	-	-	-	-	-	30.297 (326)	-	-	-
		B2	66.828 (719) Balcony 露台: 2.210 (24 ) Utility Platform 工作平台: 1.500 (16 ) Verandah 陽台: --	-	-	-	-	-	-	30.419 (327)	-	-	-

**Notes:**

- The area as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square foot, which maybe different from that shown in square metre.
- 4/F, 13/F and 14/F are omitted.

**備註:**

- 上述所列之面積是以英制之平方呎列明，均以1平方米 = 10.764平方呎換算，並以四捨五入至整數平方呎，與以平方米顯示之面積可能有些微差異。
- 不設4樓、13樓及14樓。




# FLOOR PLANS OF PARKING SPACES IN THE PHASE


## 期數中的停車位的樓面平面圖

### Basement Floor Plan


#### 地庫樓面平面圖




PART PLAN OF RESIDENTIAL  
MOTOR CYCLE PARKING SPACE  
住宅電單車停車位部份平面圖




PART PLAN OF RESIDENTIAL  
MOTOR CYCLE PARKING SPACE  
住宅電單車停車位部份平面圖




PART PLAN OF RESIDENTIAL  
MOTOR CYCLE PARKING SPACE  
住宅電單車停車位部份平面圖



PART PLAN OF RESIDENTIAL  
MOTOR CYCLE PARKING SPACE  
住宅電單車停車位部份平面圖




PART PLAN OF BICYCLE  
PARKING SPACE  
單車停車位部份平面圖



**LEGEND:**

- Residential Car Parking Space  
住宅停車位
- Visitors' Parking Space  
訪客停車位
- Visitors' Accessible Parking Space  
訪客暢通易達停車位
- Residential Motor Cycle Parking Space  
住宅電單車停車位
- Refuse Collection Vehicle Parking Space  
垃圾收集車停車位
- Bicycle Parking Space  
單車停車位




Scale 比例: 
0M (米)
20M (米)
50M (米)



# FLOOR PLANS OF PARKING SPACES IN THE PHASE

期數中的停車位的樓面平面圖

Ground Floor Plan  
地下樓面平面圖



LOCATION, NUMBER, DIMENSIONS AND AREA OF PARKING SPACES

停車位位置、數目、尺寸及面積：

	Type of Parking Space 停車位類別	Location 位置	Number 數目	Dimensions (LxW)(m) 尺寸(長x闊)(米)	Area of each Parking Space (sq.m) 每個停車位面積(平方米)
	Residential Car Parking Space 住宅停車位	B/F 地庫	181	5.0 x 2.5	12.5
	Visitors' Parking Space 訪客停車位		27	5.0 x 2.5	12.5
	Visitors' Accessible Parking Space 訪客暢通易達停車位		3	5.0 x 3.5	17.5
	Residential Motor Cycle Parking Space 住宅電單車停車位		9	2.4 x 1.0	2.4
	Refuse Collection Vehicle Parking Space 垃圾收集車停車位		1	12.0 x 5.0	60.0
	Bicycle Parking Space 單車停車位		57	1.8 x 0.5	0.9
	Loading and Unloading Space 上落貨停車位	G/F 地下	6	11.0 x 3.5	38.5

# SUMMARY OF THE PRELIMINARY AGREEMENT FOR SALE AND PURCHASE

## 臨時買賣合約的摘要

1. A preliminary deposit of 5% is payable on the signing of the preliminary agreement for sale and purchase (the “preliminary agreement”);
  2. The preliminary deposit paid by the purchaser on the signing of the preliminary agreement will be held by a firm of solicitors acting for the owner, as stakeholders;
  3. If the purchaser fails to execute the agreement for sale and purchase within 5 working days after the date on which the purchaser enters into the preliminary agreement —
    - (i) the preliminary agreement is terminated;
    - (ii) the preliminary deposit is forfeited; and
    - (iii) the owner does not have any further claim against the purchaser for the failure.
1. 在簽署臨時買賣合約（該“臨時合約”）時須支付款額為5%的臨時訂金；
  2. 買方在簽署該臨時合約時支付的臨時訂金，會由代表擁有人行事的律師事務所以保證金保存人的身分持有；
  3. 如買方沒有於訂立該臨時合約的日期之後5個工作日內簽立買賣合約—
    - (i) 該臨時合約即告終止；
    - (ii) 有關的臨時訂金即予沒收；及
    - (iii) 擁有人不得就買方沒有簽立買賣合約而針對買方提出進一步申索。