

VICTORIA  
HARBOUR

海 璇

SALES BROCHURE

售樓說明書







# NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES 一手住宅物業買家須知

You are advised to take the following steps before purchasing first-hand residential properties.

## For all first-hand residential properties

### 1. Important information

- Make reference to the materials available on the Sales of First-hand Residential Properties Electronic Platform (SRPE) ([www.srpe.gov.hk](http://www.srpe.gov.hk)) on the first-hand residential property market.
- Study the information on the website designated by the vendor for the development, including the sales brochure, price lists, documents containing the sales arrangements, and the register of transactions of a development.
- Sales brochure for a development will be made available to the general public at least 7 days immediately before a date of sale while price list and sales arrangements will be made available at least 3 days immediately before the date of sale.
- Information on transactions can be found on the register of transactions on the website designated by the vendor for the development and the SRPE.

### 2. Fees, mortgage loan and property price

- Calculate the total expenses of the purchase, such as solicitors' fees, mortgage charges, insurance fees and stamp duties.
- Check with banks to find out if you will be able to obtain the needed mortgage loan, select the appropriate payment method and calculate the amount of the mortgage loan to ensure it is within your repayment ability.
- Check recent transaction prices of comparable properties for comparison.
- Check with the vendor or the estate agent the estimated management fee, the amount of management fee payable in advance (if any), special fund payable (if any), the amount of reimbursement of the deposits for water, electricity and gas (if any), and/or the amount of debris removal fee (if any) you have to pay to the vendor or the manager of the development.

### 3. Price list, payment terms and other financial incentives

- Vendors may not offer to sell all the residential properties that are covered in a price list. To know which residential properties the vendors may offer to sell, pay attention to the sales arrangements which will be announced by the vendors at least 3 days before the relevant residential properties are offered to be sold.
- Pay attention to the terms of payment as set out in a price list. If there are discounts on the price, gift, or any financial advantage or benefit to be made available in connection with the purchase of the residential properties, such information will also be set out in the price list.
- If you intend to opt for any mortgage loan plans offered by financial institutions specified by the vendor, before entering into a preliminary agreement for sale and purchase (PASP), you must study the details of various mortgage loan plans<sup>1</sup> as set out in the price list concerned. If you have any questions about these mortgage loan plans, you should check with the financial institutions concerned direct before entering into a PASP.

### 4. Property area and its surroundings

- Pay attention to the area information in the sales brochure and price list, and price per square foot/metre in the price list. According to the Residential Properties (First-hand Sales) Ordinance (Cap. 621) (the Ordinance), vendors can only present the area and price per square foot and per square metre of a residential property using saleable area. Saleable area, in relation to a residential property, means the floor area of the residential property, and includes the floor area of every one of the following to the extent that it forms part of the residential property - (i) a balcony; (ii) a utility platform; and (iii) a verandah. The saleable area excludes the area of the following which forms part of the residential property - air-conditioning plant room; bay window; cockloft; flat roof; garden; parking space; roof; stairhood; terrace and yard.

- Floor plans of all residential properties in the development have to be shown in the sales brochure. In a sales brochure, floor plans of residential properties in the development must state the external and internal dimensions of each residential property<sup>2</sup>. The external and internal dimensions of residential properties as provided in the sales brochure exclude plaster and finishes. You are advised to note this if you want to buy furniture before handing over of the residential property.
- Visit the development site and get to know the surroundings of the property (including transportation and community facilities). Check town planning proposals and decisions which may affect the property. Take a look at the location plan, aerial photograph, outline zoning plan and cross-section plan that are provided in the sales brochure.

### 5. Sales brochure

- Ensure that the sales brochure you have obtained is the latest version. According to the Ordinance, the sales brochure made available to the public should be printed or examined, or examined and revised within the previous 3 months.
- Read through the sales brochure and in particular, check the following information in the sales brochure -
  - whether there is a section on “relevant information” in the sales brochure, under which information on any matter that is known to the vendor but is not known to the general public, and is likely to materially affect the enjoyment of a residential property will be set out. Please note that information contained in a document that has been registered with the Land Registry will not be regarded as “relevant information”;
  - the cross-section plan showing a cross-section of the building in relation to every street adjacent to the building, and the level of every such street in relation to a known datum and to the level of the lowest residential floor of the building. This will help you visualize the difference in height between the lowest residential floor of a building and the street level, regardless of how that lowest residential floor is named;
  - interior and exterior fittings and finishes and appliances;
  - the basis on which management fees are shared;
  - whether individual owners have obligations or need to share the expenses for managing, operating and maintaining the public open space or public facilities inside or outside the development, and the location of the public open space or public facilities; and
  - whether individual owners have responsibility to maintain slopes.

### 6. Government land grant and deed of mutual covenant (DMC)

- Read the Government land grant and the DMC (or the draft DMC). Information such as ownership of the rooftop and external walls can be found in the DMC. The vendor will provide copies of the Government land grant and the DMC (or the draft DMC) at the place where the sale is to take place for free inspection by prospective purchasers.
- Check the Government land grant on whether individual owners are liable to pay Government rent.
- Check the DMC on whether animals can be kept in the residential property.

<sup>1</sup> The details of various mortgage loan plans include the requirements for mortgagors on minimum income level, the loan limit under the first mortgage and second mortgage, the maximum loan repayment period, the change of mortgage interest rate throughout the entire repayment period, and the payment of administrative fees.

<sup>2</sup> According to section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance, each of the floor plans of the residential properties in the development in the sales brochure must state the following—  
(i) the external dimensions of each residential property;  
(ii) the internal dimensions of each residential property;  
(iii) the thickness of the internal partitions of each residential property;  
(iv) the external dimensions of individual compartments in each residential property.

According to section 10(3) in Part 1 of Schedule 1 to the Ordinance, if any information required by section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance is provided in the approved building plans for the development, a floor plan must state the information as so provided.



## NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES 一手住宅物業買家須知

### 7. Information on Availability of Residential Properties for Selection at Sales Office

- Check with the vendor which residential properties are available for selection. If a “consumption table” is displayed by the vendor at the sales office, you may check from the table information on the progress of sale on a date of sale, including which residential properties are offered for sale at the beginning of that date of sale and which of them have been selected and sold during that date of sale.
- Do not believe in rumours about the sales condition of the development and enter into a PASP rashly.

### 8. Register of Transactions

- Pay attention to the register of transactions for a development. A vendor must, within 24 hours after entering into a PASP with a purchaser, enter transaction information of the PASP in the register of transactions. The vendor must, within 1 working day after entering into an agreement for sale and purchase (ASP), enter transaction information of the ASP in the register of transactions. Check the register of transactions for the concerned development to learn more about the sales condition of the development.
- Never take the number of registrations of intent or cashier orders a vendor has received for the purpose of registration as an indicator of the sales volume of a development. The register of transactions for a development is the most reliable source of information from which members of the public can grasp the daily sales condition of the development.

### 9. Agreement for sale and purchase

- Ensure that the PASP and ASP include the mandatory provisions as required by the Ordinance.
- Pay attention that fittings, finishes and appliances to be included in the sale and purchase of the property are inserted in the PASP and ASP.
- Pay attention to the area plan annexed to the ASP which shows the total area which the vendor is selling to you. The total area which the vendor is selling to you is normally greater than the saleable area of the property.
- A preliminary deposit of **5%** of the purchase price is payable by you to the owner (i.e. the seller) on entering into a PASP.
- If you do not execute the ASP within **5 working days** (working day means a day that is not a general holiday or a Saturday or a black rainstorm warning day or gale warning day) after entering into the PASP, the PASP is terminated, the preliminary deposit (i.e. 5% of the purchase price) is forfeited, and the owner (i.e. the seller) does not have any further claim against you for not executing the ASP.
- If you execute the ASP within 5 working days after the signing of the PASP, the owner (i.e. the seller) must execute the ASP within 8 working days after entering into the PASP.
- The deposit should be made payable to the solicitors’ firm responsible for stakeholding purchasers’ payments for the property.

### 10. Expression of intent of purchasing a residential property

- Note that vendors (including their authorized representative(s)) should not seek or accept any specific or general expression of intent of purchasing any residential property before the relevant price lists for such properties are made available to the public. You therefore should not make such an offer to the vendors or their authorized representative(s).
- Note that vendors (including their authorized representative(s)) should not seek or accept any specific expression of intent of purchasing a particular residential property before the sale of the property has commenced. You therefore should not make such an offer to the vendors or their authorized representative(s).

### 11. Appointment of estate agent

- Note that if the vendor has appointed one or more than one estate agents to act in the sale of any specified residential property in the development, the price list for the development must set out the name of all the estate agents so appointed as at the date of printing of the price list.
- You may appoint any estate agent (not necessarily from those estate agency companies appointed by the vendor) to act in the purchase of any specified residential property in the development, and may also not appoint any estate agent to act on your behalf.

- Before you appoint an estate agent to look for a property, you should -
  - find out whether the agent will act on your behalf only. If the agent also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest;
  - find out whether any commission is payable by you to the estate agent and, if so, its amount and the time of payment; and
  - note that only licensed estate agents or salespersons may accept your appointment. If in doubt, you should request the estate agent or salesperson to produce his/her Estate Agent Card, or check the Licence List on the Estate Agents Authority website: [www.eaa.org.hk](http://www.eaa.org.hk).

### 12. Appointment of solicitor

- Consider appointing your own solicitor to protect your interests. If the solicitor also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest.
- Compare the charges of different solicitors.

#### For first-hand uncompleted residential properties

### 13. Pre-sale Consent

- For uncompleted residential property under the Lands Department Consent Scheme, seek confirmation from the vendor whether the “Pre-sale Consent” has been issued by the Lands Department for the development.

### 14. Show flats

- While the vendor is not required to make any show flat available for viewing by prospective purchasers or the general public, if the vendor wishes to make available show flats of a specified residential property, the vendor must first of all make available an unmodified show flat of that residential property and that, having made available such unmodified show flat, the vendor may then make available a modified show flat of that residential property. In this connection, the vendor is allowed to make available more than one modified show flat of that residential property.
- If you visit the show flats, you should always look at the unmodified show flats for comparison with the modified show flats. That said, the Ordinance does not restrict the discretion of the vendor in arranging the sequence of the viewing of unmodified and modified show flats.
- Sales brochure of the development should have been made available to the public when the show flat is made available for viewing. You are advised to get a copy of the sales brochure and make reference to it when viewing the show flats.
- You may take measurements in modified and unmodified show flats, and take photographs or make video recordings of unmodified show flats, subject to reasonable restriction(s) which may be set by the vendor for ensuring safety of the persons viewing the show flat.

#### For first-hand uncompleted residential properties and completed residential properties pending compliance

### 15. Estimated material date and handing over date

- Check the estimated material date<sup>3</sup> for the development in the sales brochure.
  - The estimated material date for a development in the sales brochure is not the same as the date on which a residential property is handed over to purchaser. The latter is inevitably later than the former.
- Handing over date
  - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring the vendor to apply in writing for an Occupation Document/a Certificate of Compliance or the Director of Lands’ Consent to Assign (as the case may be) in respect of the development within 14 days after the estimated material date as stipulated in the ASP.

<sup>3</sup> Generally speaking, “material date” means the date on which the conditions of the land grant are complied with in respect of the development, or the date on which the development is completed in all respects in compliance with the approved building plans or the conditions subject to which the certificate of exemption is issued. For details, please refer to section 2 of the Ordinance.

## NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES 一手住宅物業買家須知

- For development subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within one month after the issue of the Certificate of Compliance or the Consent to Assign, whichever first happens; or
- For development not subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within 6 months after the issue of the Occupation Document including Occupation Permit.
- The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring completion of the sale and purchase within 14 days after the date of the notification aforesaid. Upon completion, the vendor shall arrange handover of the property to the purchaser.
- Authorized Person (AP) may grant extension(s) of time for completion of the development beyond the estimated material date.
  - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision that the AP of a development may grant an extension of time for completion of the development beyond the estimated material date having regard to delays caused exclusively by any one or more of the following reasons:
    - strike or lock-out of workmen;
    - riots or civil commotion;
    - force majeure or Act of God;
    - fire or other accident beyond the vendor's control;
    - war; or
    - inclement weather.
  - The AP may grant more than once such an extension of time depending on the circumstances. That means handover of the property may be delayed.
  - The mandatory provisions to be incorporated in an ASP as required by the Ordinance also include a provision requiring the vendor to, within 14 days after the issue of an extension of time granted by the AP, furnish the purchaser with a copy of the relevant certificate of extension.
- Ask the vendor if there are any questions on handing over date.

### For first-hand completed residential properties

#### **16. Vendor's information form**

- Ensure that you obtain the "vendor's information form(s)" printed within the previous 3 months in relation to the residential property/properties you intend to purchase.

#### **17. Viewing of property**

- Ensure that, before you purchase a residential property, you are arranged to view the residential property that you would like to purchase or, if it is not reasonably practicable to view the property in question, a comparable property in the development, unless you agree in writing that the vendor is not required to arrange such a comparable property for viewing for you. You are advised to think carefully before signing any waiver.
- You may take measurements, take photographs or make video recordings of the property, unless the property is held under a tenancy or reasonable restriction(s) is/are needed to ensure safety of the persons viewing the property.

For complaints and enquiries relating to the sales of first-hand residential properties by the vendors which the Ordinance applies, please contact the Sales of First-hand Residential Properties Authority -

|           |                          |
|-----------|--------------------------|
| Website   | : www.srpa.gov.hk        |
| Telephone | : 2817 3313              |
| Email     | : enquiry_srpa@hd.gov.hk |
| Fax       | : 2219 2220              |

Other useful contacts:

|                         |                       |
|-------------------------|-----------------------|
| <b>Consumer Council</b> |                       |
| Website                 | : www.consumer.org.hk |
| Telephone               | : 2929 2222           |
| Email                   | : cc@consumer.org.hk  |
| Fax                     | : 2856 3611           |

|                                |                      |
|--------------------------------|----------------------|
| <b>Estate Agents Authority</b> |                      |
| Website                        | : www.eaa.org.hk     |
| Telephone                      | : 2111 2777          |
| Email                          | : enquiry@eaa.org.hk |
| Fax                            | : 2598 9596          |

|  |             |
|--|-------------|
| <b>Real Estate Developers Association of Hong Kong</b> |             |
| Telephone  | : 2826 0111 |
| Fax  | : 2845 2521 |

Sales of First-hand Residential Properties Authority  
Transport and Housing Bureau  
August 2017



# NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES 一手住宅物業買家須知

您在購置一手住宅物業之前，應留意下列事項：

## 適用於所有一手住宅物業

### 1. 重要資訊

- 瀏覽一手住宅物業銷售資訊網（下稱「銷售資訊網」）（網址：[www.srpe.gov.hk](http://www.srpe.gov.hk)），參考「銷售資訊網」內有關一手住宅物業的市場資料。
- 閱覽賣方就該發展項目所指定的互聯網網站內的有關資訊，包括售樓說明書、價單、載有銷售安排的文件，及成交紀錄冊。
- 發展項目的售樓說明書，會在該項目的出售日期前最少七日向公眾發布，而有關價單和銷售安排，亦會在該項目的出售日期前最少三日公布。
- 在賣方就有關發展項目所指定的互聯網網站，以及「銷售資訊網」內，均載有有關物業成交資料的成交紀錄冊，以供查閱。

### 2. 費用、按揭貸款和樓價

- 計算置業總開支，包括律師費、按揭費用、保險費，以及印花稅。
- 向銀行查詢可否取得所需的按揭貸款，然後選擇合適的還款方式，並小心計算按揭貸款金額，以確保貸款額沒有超出本身的負擔能力。
- 查閱同類物業最近的成交價格，以作比較。
- 向賣方或地產代理瞭解，您須付予賣方或該發展項目的管理人的預計的管理費、管理費上期金額（如有）、特別基金金額（如有）、補還的水、電力及氣體按金（如有）、以及/或清理廢料的費用（如有）。

### 3. 價單、支付條款，以及其他財務優惠

- 賣方未必會把價單所涵蓋的住宅物業悉數推售，因此應留意有關的銷售安排，以了解賣方會推售的住宅物業為何。賣方會在有關住宅物業推售日期前最少三日公布銷售安排。
- 留意價單所載列的支付條款。倘買家可就購置有關住宅物業而連帶獲得價格折扣、贈品，或任何財務優惠或利益，上述資訊亦會在價單內列明。
- 如您擬選用由賣方指定的財務機構提供的各類按揭貸款計劃，在簽訂臨時買賣合約前，應先細閱有關價單內列出的按揭貸款計劃資料<sup>1</sup>。如就該些按揭貸款計劃的詳情有任何疑問，應在簽訂臨時買賣合約前，直接向有關財務機構查詢。

### 4. 物業的面積及四周環境

- 留意載於售樓說明書和價單內的物業面積資料，以及載於價單內的每平方呎/每平方米售價。根據《一手住宅物業銷售條例》（第621章）（下稱「條例」），賣方只可以實用面積表達住宅物業的面積和每平方呎及平方米的售價。就住宅物業而言，實用面積指該住宅物業的樓面面積，包括在構成該物業的一部分的範圍內的以下每一項目的樓面面積：(i)露台；(ii)工作平台；以及(iii)陽台。實用面積並不包括空調機房、窗台、閣樓、平台、花園、停車位、天台、梯屋、前庭或庭院的每一項目的面積，即使該些項目構成該物業的一部分的範圍。
- 售樓說明書必須顯示發展項目中所有住宅物業的樓面平面圖。在售樓說明書所載有關發展項目中住宅物業的每一份樓面平面圖，均須述明每個住宅物業的外部 and 內部尺寸<sup>2</sup>。售樓說明書所提供有關住宅物業外部和內部的尺寸，不會把批盪和裝飾物料包括在內。買家收樓前如欲購置家具，應留意這點。
- 親臨發展項目的所在地實地視察，以了解有關物業的四周環境（包括交通和社區設施）；亦應查詢有否任何城市規劃方案和議決，會對有關的物業造成影響；參閱載於售樓說明書內的位置圖、鳥瞰照片、分區計劃大綱圖，以及橫截面圖。

### 5. 售樓說明書

- 確保所取得的售樓說明書屬最新版本。根據條例，提供予公眾的售樓說明書必須是在之前的三個月之內印製或檢視、或檢視及修改。
- 閱覽售樓說明書，並須特別留意以下資訊：
  - 售樓說明書內有否關於「有關資料」的部分，列出賣方知悉但並非為一般公眾人士所知悉，關於相當可能對享用有關住宅物業造成重大影響的事宜的資料。請注意，已在土地註冊處註冊的文件，其內容不會被視為「有關資料」；
  - 橫截面圖會顯示有關建築物相對毗連該建築物的每條街道的橫截面，以及每條上述街道與已知基準面和該建築物最低的一層住宅樓層的水平相對的水平。橫截面圖能以圖解形式，顯示出建築物最低一層住宅樓層和街道水平的高低差距，不論該最低住宅樓層以何種方式命名；
  - 室內和外部的裝置、裝修物料和設備；
  - 管理費按甚麼基準分擔；
  - 小業主有否責任或需要分擔管理、營運或維持有關發展項目以內或以外的公眾休憩用地或公共設施的開支，以及有關公眾休憩用地或公共設施的位置；以及
  - 小業主是否須要負責維修斜坡。

### 6. 政府批地文件和公契

- 閱覽政府批地文件和公契（或公契擬稿）。公契內載有天台和外牆業權等相關資料。賣方會在售樓處提供政府批地文件和公契（或公契擬稿）的複本，供準買家免費閱覽。
- 留意政府批地文件內所訂明小業主是否須要負責支付地稅。
- 留意公契內訂明有關物業內可否飼養動物。

### 7. 售樓處內有關可供揀選住宅物業的資料

- 向賣方查詢清楚有哪些一手住宅物業可供揀選。若賣方在售樓處內展示「消耗表」，您可從該「消耗表」得悉在每個銷售日的銷售進度資料，包括在該個銷售日開始時有哪些住宅物業可供出售，以及在該個銷售日內有哪些住宅物業已獲揀選及售出。
- 切勿隨便相信有關發展項目銷情的傳言，倉卒簽立臨時買賣合約。

### 8. 成交紀錄冊

- 留意發展項目的成交紀錄冊。賣方須於臨時買賣合約訂立後的24小時內，於紀錄冊披露該臨時買賣合約的資料，以及於買賣合約訂立後一個工作天內，披露該買賣合約的資料。您可透過成交紀錄冊得悉發展項目的銷售情況。
- 切勿將賣方接獲用作登記的購樓意向書或本票的數目視為銷情指標。發展項目的成交紀錄冊才是讓公眾掌握發展項目每日銷售情況的最可靠資料來源。

<sup>1</sup> 按揭貸款計劃的資料包括有關按揭貸款計劃對借款人的最低收入的要求、就第一按揭連同第二按揭可獲得的按揭貸款金額上限、最長還款年期、整個還款期內的按揭利率變化，以及申請人須繳付的手續費。

<sup>2</sup> 根據條例附表1第1部第10(2)(d)條述明，售樓說明書內顯示的發展項目中的住宅物業的每一份樓面平面圖須述明以下各項——

- (i) 每個住宅物業的外部尺寸；
- (ii) 每個住宅物業的內部尺寸；
- (iii) 每個住宅物業的內部間隔的厚度；
- (iv) 每個住宅物業內個別分隔室的外部尺寸。

根據條例附表1第1部第10(3)條，如有關發展項目的經批准的建築圖則，提供條例附表1第1部第10(2)(d)條所規定的資料，樓面平面圖須述明如此規定的該資料。

# NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES 一手住宅物業買家須知

## 9. 買賣合約

- 確保臨時買賣合約和買賣合約包含條例所規定的強制性條文。
- 留意有關物業買賣交易所包括的裝置、裝修物料和設備，須在臨時買賣合約和買賣合約上列明。
- 留意夾附於買賣合約的圖則。該圖則會顯示所有賣方售予您的物業面積，而該面積通常較該物業的實用面積為大。
- 訂立臨時買賣合約時，您須向擁有人（即賣方）支付樓價**5%**的臨時訂金。
- 如您在訂立臨時買賣合約後**五個工作日**（工作日指並非公眾假日、星期六、黑色暴雨警告日或烈風警告日的日子）之內，沒有簽立買賣合約，該臨時買賣合約即告終止，有關臨時訂金（即樓價的5%）會被沒收，而擁有人（即賣方）不得因您沒有簽立買賣合約而對您提出進一步申索。
- 在訂立臨時買賣合約後的五個工作日之內，倘您簽立買賣合約，則擁有人（即賣方）必須在訂立該臨時買賣合約後的八個工作日之內簽立買賣合約。
- 有關的訂金，應付予負責為所涉物業擔任保證金保存人的律師事務所。

## 10. 表達購樓意向

- 留意在賣方（包括其獲授權代表）就有關住宅物業向公眾提供價單前，賣方不得尋求或接納任何對有關住宅物業的購樓意向（不論是否屬明確選擇購樓意向）。因此您不應向賣方或其授權代表提出有關意向。
- 留意在有關住宅物業的銷售開始前，賣方（包括其獲授權代表）不得尋求或接納任何對該物業的有明確選擇購樓意向。因此您不應向賣方或其授權代表提出有關意向。

## 11. 委託地產代理

- 留意倘賣方委任一個或多於一個地產代理，以協助銷售其發展項目內任何指明住宅物業，該發展項目的價單必須列明在價單印刷日期當日所有獲委任為地產代理的姓名/名稱。
- 您可委託任何地產代理（不一定是賣方所指定的地產代理），以協助您購置發展項目內任何指明住宅物業；您亦可不委託任何地產代理。
- 委託地產代理以物色物業前，您應該 —
  - 了解該地產代理是否只代表您行事。該地產代理若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益；
  - 了解您須否支付佣金予該地產代理。若須支付，有關的佣金金額和支付日期為何；以及
  - 留意只有持牌地產代理或營業員才可以接受您的委託。如有疑問，應要求該地產代理或營業員出示其「地產代理證」，或瀏覽地產代理監管局的網頁（網址：[www.eaa.org.hk](http://www.eaa.org.hk)），查閱牌照目錄。

## 12. 委聘律師

- 考慮自行委聘律師，以保障您的利益。該律師若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益。
- 比較不同律師的收費。

## 適用於一手未落成住宅物業

### 13. 預售樓花同意書

- 洽購地政總署「預售樓花同意方案」下的未落成住宅物業時，應向賣方確認地政總署是否已就該發展項目批出「預售樓花同意書」。

### 14. 示範單位

- 賣方不一定須設置示範單位供準買家或公眾參觀，但賣方如為某指明住宅物業設置示範單位，必須首先設置該住宅物業的無改動示範單位，才可設置該住宅物業的經改動示範單位，並可以就該住宅物業設置多於一個經改動示範單位。
- 參觀示範單位時，務必視察無改動示範單位，以便與經改動示範單位作出比較。然而，條例並沒有限制賣方安排參觀無改動示範單位及經改動示範單位的先後次序。

- 賣方設置示範單位供公眾參觀時，應已提供有關發展項目的售樓說明書。因此，緊記先行索取售樓說明書，以便在參觀示範單位時參閱相關資料。
- 您可以在無改動示範單位及經改動示範單位中進行量度，並在無改動示範單位內拍照或拍攝影片，惟在確保示範單位參觀者人身安全的前提下，賣方可能會設定合理的限制。

## 適用於一手未落成住宅物業及尚待符合條件的已落成住宅物業

### 15. 預計關鍵日期及收樓日期

- 查閱售樓說明書中有關發展項目的預計關鍵日期<sup>3</sup>。
  - 售樓說明書中有關發展項目的預計關鍵日期並不同買家的「收樓日期」。買家的「收樓日期」必定較發展項目的預計關鍵日期遲。
- 收樓日期
  - 條例規定買賣合約須載有強制性條文，列明賣方須於買賣合約內列出的預計關鍵日期後的14日內，以書面為發展項目申請佔用文件、合格證明書，或地政總署署長的轉讓同意（視屬何種情況而定）。
    - 如發展項目屬地政總署預售樓花同意方案所規管，賣方須在合格證明書或地政總署署長的轉讓同意發出後的一個月內（以較早者為準），就賣方有能力有效地轉讓有關物業一事，以書面通知買家；或
    - 如發展項目並非屬地政總署預售樓花同意方案所規管，賣方須在佔用文件（包括佔用許可證）發出後的六個月內，就賣方有能力有效地轉讓有關物業一事，以書面通知買家。
  - 條例規定買賣合約須載有強制性條文，列明有關物業的買賣須於賣方發出上述通知的日期的14日內完成。有關物業的買賣完成後，賣方將安排買家收樓事宜。
- 認可人士可批予在預計關鍵日期之後完成發展項目
  - 條例規定買賣合約須載有強制性條文，列明發展項目的認可人士可以在顧及純粹由以下一個或多於一個原因所導致的延遲後，批予在預計關鍵日期之後，完成發展項目：
    - 工人罷工或封閉工地；
    - 暴動或內亂；
    - 不可抗力或天災；
    - 火警或其他賣方所不能控制的意外；
    - 戰爭；或
    - 惡劣天氣。
  - 發展項目的認可人士可以按情況，多於一次批予延後預計關鍵日期以完成發展項目，即收樓日期可能延遲。
  - 條例規定買賣合約須載有強制性條文，列明賣方須於認可人士批予延期後的14日內，向買家提供有關延期證明書的文本。
- 如對收樓日期有任何疑問，可向賣方查詢。

## 適用於一手已落成住宅物業

### 16. 賣方資料表格

- 確保取得最近三個月內印製有關您擬購買的一手已落成住宅物業的「賣方資料表格」。

### 17. 參觀物業

- 購置住宅物業前，確保已獲安排參觀您打算購置的住宅物業。倘參觀有關物業並非合理地切實可行，則應參觀與有關物業相若的物業，除非您以書面同意賣方無須開放與有關物業相若的物業供您參觀。您應仔細考慮，然後才決定是否簽署豁免上述規定的書面同意。
- 除非有關物業根據租約持有，或為確保物業參觀者的人身安全而須設定合理限制，您可以對該物業進行量度、拍照或拍攝影片。

<sup>3</sup> 一般而言，「關鍵日期」指該項目符合批地文件的條件的日期，或該項目在遵照經批准的建築圖則的情況下或按照豁免證明書的發出的條件在各方面均屬完成的日期。有關詳情請參閱條例第2條。



# NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES 一手住宅物業買家須知

任何與賣方銷售受條例所規管的一手住宅物業有關的投訴和查詢，請與一手住宅物業銷售監管局聯絡。

|    |   |  |
|----|---|--|
| 網址 | : | <a href="http://www.srpa.gov.hk">www.srpa.gov.hk</a>               |
| 電話 | : | 2817 3313  |
| 電郵 | : | <a href="mailto:enquiry_srpa@hd.gov.hk">enquiry_srpa@hd.gov.hk</a> |
| 傳真 | : | 2219 2220  |

其他相關聯絡資料：

|                 |   |  |
|-----------------|---|--|
| <b>消費者委員會</b>   |   |  |
| 網址              | : | <a href="http://www.consumer.org.hk">www.consumer.org.hk</a> |
| 電話              | : | 2929 2222  |
| 電郵              | : | <a href="mailto:cc@consumer.org.hk">cc@consumer.org.hk</a>   |
| 傳真              | : | 2856 3611  |
| <b>地產代理監管局</b>  |   |  |
| 網址              | : | <a href="http://www.eaa.org.hk">www.eaa.org.hk</a>           |
| 電話              | : | 2111 2777  |
| 電郵              | : | <a href="mailto:enquiry@eaa.org.hk">enquiry@eaa.org.hk</a>   |
| 傳真              | : | 2598 9596  |
| <b>香港地產建設商會</b> |   |  |
| 電話              | : | 2826 0111  |
| 傳真              | : | 2845 2521  |

運輸及房屋局

一手住宅物業銷售監管局

2017年8月

INFORMATON ON THE PHASE 期數的資料

Name of the Phase of the Development

Phase 1B (the "Phase") of Victoria Harbour Development ("the Development") (Towers 1 to 3, Tower 5 & 5A and Tower 6 (with Tower 4 omitted) of the residential development in the Phase are called "Victoria Harbour")

Name of the street and the street number

133 Java Road \*  
\* The provisional street number is subject to confirmation when the Phase is completed.

Total number of storeys of each multi-unit building

Tower 1 : 13 storeys  
Tower 2 : 15 storeys  
Tower 3 : 17 storeys  
Tower 5 & 5A : 17 storeys  
Tower 6 : 18 storeys

The above number of storeys does not include the basement floors (B1/F and B2/F), G/F, 1/F, 2/F (P/F), transfer plate, roof and upper roof.

Floor numbering in each multi-unit building as provided in the approved building plans for the Phase

Tower 1 : B2/F, B1/F, G/F, 1/F, 2/F(P/F), 3/F, 5/F-12/F, 15/F-18/F & roof  
Tower 2 : B2/F, B1/F, G/F, 1/F, 2/F(P/F), 3/F, 5/F-12/F, 15/F-20/F & roof  
Tower 3 : B2/F, B1/F, G/F, 1/F, 2/F(P/F), 3/F, 5/F-12/F, 15/F-22/F & roof  
Tower 5 & 5A : B2/F, B1/F, G/F, 1/F, 2/F(P/F), 3/F, 5/F-12/F, 15/F-22/F & roof  
Tower 6 : B2/F, B1/F, G/F, 1/F, 2/F(P/F), 3/F, 5/F-12/F, 15/F-23/F & roof

Omitted floor numbers in each multi-unit building in which the floor numbering is not in consecutive order

4/F, 13/F and 14/F are omitted in each tower

Refuge floor (if any) of each multi-unit building

There is no refuge floor in each tower

The Phase is a completed Phase pending compliance

- (a) The estimated material date for the Phase, as provided by the Authorized Person for the Phase is 30th November 2018.
- (b) The estimated material date is subject to any extension of time that is permitted under the agreement for sale and purchase.
- (c) For the purpose of the agreement for sale and purchase, (under the land grant, the consent of the Director of Lands is required to be given for the sale and purchase), without limiting any other means by which the completion of the Phase may be proved, the issue of a certificate of compliance or consent to assign by the Director of Lands is conclusive evidence that the Phase has been completed or is deemed to be completed (as the case may be).

發展項目期數名稱

海璇發展項目（「發展項目」）的第1B期（「期數」）  
（期數中住宅發展項目的第1至3座，第5和5A座及第6座（不設第4座）稱為「海璇」）

街道名稱及門牌號數

渣華道133號\*  
\*此臨時門牌號數有待期數建成時確認

每幢多單位建築物的樓層總數

第1座 : 13 層  
第2座 : 15 層  
第3座 : 17 層  
第5和5A座: 17 層  
第6座 : 18 層

上述樓層數目不包括地庫樓層（地庫1層及地庫2層），地下，1樓，2樓（平台），轉換層，天台及上層天台

期數的經批准的建築圖則所規定的每幢多單位建築物內的樓層號數

第1座 : 地庫2層，地庫1層，地下，1樓，2樓（平台），3樓，5樓至12樓，15樓至18樓及天台  
第2座 : 地庫2層，地庫1層，地下，1樓，2樓（平台），3樓，5樓至12樓，15樓至20樓及天台  
第3座 : 地庫2層，地庫1層，地下，1樓，2樓（平台），3樓，5樓至12樓，15樓至22樓及天台  
第5和5A座 : 地庫2層，地庫1層，地下，1樓，2樓（平台），3樓，5樓至12樓，15樓至22樓及天台  
第6座 : 地庫2層，地庫1層，地下，1樓，2樓（平台），3樓，5樓至12樓，15樓至23樓及天台

每幢有不依連續次序的樓層號數的多單位建築物內被略去的樓層號數  
每座均不設4樓、13樓及14樓

每幢多單位建築物內的庇護層（如有的話）  
每座均不設庇護層

期數屬尚待符合條件的已落成期數

- (a) 由該期數的認可人士提供的該期數的預計關鍵日期為2018年11月30日。
- (b) 預計關鍵日期，是受到買賣合約所允許的任何延期所規限的。
- (c) 為買賣合約的目的（根據批地文件，進行買賣，需獲地政總署署長同意），在不局限任何其他可用以證明該期數落成的方法的原則下，地政總署署長發出的合格證明書或轉讓同意，即為該期數已落成或當作已落成（視屬何情況而定）的確證。



INFORMATION ON VENDOR AND OTHERS INVOLVED IN THE PHASE 賣方及有參與期數的其他人的資料

Vendor

Choice Win (H.K.) Limited

Holding companies of the Vendor

Topraise Group Limited  
Total Corporate Holdings Limited  
Sun Hung Kai Properties Limited

Authorized Person for the Phase, and the firm or corporation of which the Authorized Person is a proprietor, director or employee in his professional capacity

Lu Yuen Cheung Ronald of Ronald Lu & Partners (Hong Kong) Limited

Building Contractor for the Phase

Chun Fai Construction Company Limited

Firms of Solicitors acting for the owner in relation to the sale of residential properties in the Phase

Mayer Brown  
Woo Kwan Lee & Lo  
Sit, Fung, Kwong & Shum

Authorized institution that has made a loan, or has undertaken to provide finance, for the construction of the Phase

The Hongkong and Shanghai Banking Corporation Limited

Any other person who has made a loan for the construction of the Phase

Sun Hung Kai Properties Holding Investment Limited

賣方

彩榮(香港)有限公司

賣方的控權公司

Topraise Group Limited  
Total Corporate Holdings Limited  
新鴻基地產發展有限公司

期數的認可人士及認可人士以其專業身份擔任經營人、董事或僱員的商號或法團

呂元祥建築師事務所(香港)有限公司之呂元祥

期數的承建商

駿輝建築有限公司

就期數中的住宅物業的出售而代表擁有人行事的律師事務所

孖士打律師行  
胡關李羅律師行  
薛馮鄺岑律師行

已為期數的建造提供貸款或已承諾為該項建造提供融資的認可機構

香港上海滙豐銀行有限公司

已為期數的建造提供貸款的任何其他人

Sun Hung Kai Properties Holding Investment Limited

## RELATIONSHIP BETWEEN PARTIES INVOLVED IN THE PHASE 有參與期數的各方的關係

|   |                |
|---|----------------|
| (a) The vendor or a building contractor for the Phase is an individual, and that vendor or contractor is an immediate family member of an authorized person for the Phase.  | Not Applicable |
| (b) The vendor or a building contractor for the Phase is a partnership, and a partner of that vendor or contractor is an immediate family member of such an authorized person.  | Not Applicable |
| (c) The vendor or a building contractor for the Phase is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of such an authorized person.  | Not Applicable |
| (d) The vendor or a building contractor for the Phase is an individual, and that vendor or contractor is an immediate family member of an associate of such an authorized person.   | Not Applicable |
| (e) The vendor or a building contractor for the Phase is a partnership, and a partner of that vendor or contractor is an immediate family member of an associate of such an authorized person.  | Not Applicable |
| (f) The vendor or a building contractor for the Phase is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of an associate of such an authorized person.                                      | Not Applicable |
| (g) The vendor or a building contractor for the Phase is an individual, and that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Phase.                            | Not Applicable |
| (h) The vendor or a building contractor for the Phase is a partnership, and a partner of that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Phase.               | Not Applicable |
| (i) The vendor or a building contractor for the Phase is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of a proprietor of such a firm of solicitors.                                      | Not Applicable |
| (j) The vendor, a holding company of the vendor, or a building contractor for the Phase, is a private company, and an authorized person for the Phase, or an associate of such an authorized person, holds at least 10% of the issued shares in that vendor, holding company or contractor. | Not Applicable |

|  |  |
|--|--|
| (k) The vendor, a holding company of the vendor, or a building contractor for the Phase, is a listed company, and such an authorized person, or such an associate, holds at least 1% of the issued shares in that vendor, holding company or contractor.   | Not Applicable   |
| (l) The vendor or a building contractor for the Phase is a corporation, and such an authorized person, or such an associate, is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor.  | Not Applicable   |
| (m) The vendor or a building contractor for the Phase is a partnership, and such an authorized person, or such an associate, is an employee of that vendor or contractor.  | Not Applicable   |
| (n) The vendor, a holding company of the vendor, or a building contractor for the Phase, is a private company, and a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the Phase holds at least 10% of the issued shares in that vendor, holding company or contractor. | Not Applicable   |
| (o) The vendor, a holding company of the vendor, or a building contractor for the Phase, is a listed company, and a proprietor of such a firm of solicitors holds at least 1% of the issued shares in that vendor, holding company or contractor.  | Not Applicable   |
| (p) The vendor or a building contractor for the Phase is a corporation, and a proprietor of such a firm of solicitors is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor.   | A proprietor of Messrs. Woo Kwan Lee & Lo, Solicitors for the Vendor, is a director of a holding company of the Vendor.              |
| (q) The vendor or a building contractor for the Phase is a partnership, and a proprietor of such a firm of solicitors is an employee of that vendor or contractor.   | Not Applicable   |
| (r) The vendor or a building contractor for the Phase is a corporation, and the corporation of which an authorized person for the Phase is a director or employee in his or her professional capacity is an associate corporation of that vendor or contractor or of a holding company of that vendor.                             | Not Applicable   |
| (s) The vendor or a building contractor for the Phase is a corporation, and that contractor is an associate corporation of that vendor or of a holding company of that vendor.   | The Building Contractor, Chun Fai Construction Company Limited, is an associate corporation of the Vendor and its holding companies. |



RELATIONSHIP BETWEEN PARTIES INVOLVED IN THE PHASE 有參與期數的各方的關係

|  |     |
|--|-----|
| (a) 賣方或有關期數的承建商屬個人，並屬該期數的認可人士的家人。  | 不適用 |
| (b) 賣方或該期數的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的家人。                                    | 不適用 |
| (c) 賣方或該期數的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的家人。                       | 不適用 |
| (d) 賣方或該期數的承建商屬個人，並屬上述認可人士的有聯繫人士的家人。   | 不適用 |
| (e) 賣方或該期數的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的有聯繫人士的家人。                              | 不適用 |
| (f) 賣方或該期數的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的有聯繫人士的家人。                 | 不適用 |
| (g) 賣方或該期數的承建商屬個人，並屬就該期數內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人。                     | 不適用 |
| (h) 賣方或該期數的承建商屬合夥，而該賣方或承建商的合夥人屬就該期數內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人。          | 不適用 |
| (i) 賣方或該期數的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述律師事務所的經營人的家人。                  | 不適用 |
| (j) 賣方、賣方的控權公司或有關期數的承建商屬私人公司，而該期數的認可人士或該認可人士的有聯繫人士持有該賣方、控權公司或承建商最少10%的已發行股份。 | 不適用 |

|  |                                 |
|--|---------------------------------|
| (k) 賣方、賣方的控權公司或該期數的承建商屬上市公司，而上述認可人士或上述有聯繫人士持有該賣方、控權公司或承建商最少1%的已發行股份。                   | 不適用                             |
| (l) 賣方或該期數的承建商屬法團，而上述認可人士或上述有聯繫人士屬該賣方、承建商或該賣方的控權公司的僱員、董事或秘書。                           | 不適用                             |
| (m) 賣方或該期數的承建商屬合夥，而上述認可人士或上述有聯繫人士屬該賣方或承建商的僱員。  | 不適用                             |
| (n) 賣方、賣方的控權公司或該期數的承建商屬私人公司，而就該期數中的住宅物業的出售而代表擁有人行事的律師事務所的經營人持有該賣方、控權公司或承建商最少10%的已發行股份。 | 不適用                             |
| (o) 賣方、賣方的控權公司或該期數的承建商屬上市公司，而上述律師事務所的經營人持有該賣方、控權公司或承建商最少1%的已發行股份。                      | 不適用                             |
| (p) 賣方或該期數的承建商屬法團，而上述律師事務所的經營人屬該賣方或承建商或該賣方的控權公司的僱員、董事或秘書。                              | 賣方代表律師胡關李羅律師行的一位經營人屬賣方的控權公司的董事。 |
| (q) 賣方或該期數的承建商屬合夥，而上述律師事務所的經營人屬該賣方或承建商的僱員。   | 不適用                             |
| (r) 賣方或該期數的承建商屬法團，而該期數的認可人士以其專業身分擔任董事或僱員的法團為該賣方或承建商或該賣方的控權公司的有聯繫法團。                    | 不適用                             |
| (s) 賣方或該期數的承建商屬法團，而該承建商屬該賣方或該賣方的控權公司的有聯繫法團。  | 承建商駿輝建築有限公司屬賣方及其控權公司的有聯繫法團。     |

INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are non-structural prefabricated external walls forming part of the enclosing walls of the Phase.  
期數有構成圍封牆的一部分的非結構的預製外牆。

The thickness of the non-structural prefabricated external wall of each block is 150mm.  
每幢建築物的非結構的預製外牆的厚度為150毫米。

Schedule of total area of the non-structural prefabricated external walls of each residential property  
每個住宅物業的非結構的預製外牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|--|------------|--|
| Tower 1<br>第1座     | 3/F<br>3樓                                    | A          | 1.644  |
|                    |  | B          | 1.179  |
|                    | 5/F-12/F,<br>15/F-16/F<br>5樓-12樓，<br>15樓-16樓 | A          | 1.644  |
|                    |  | B          | 1.179  |
|                    | 17/F<br>17樓                                  | A          | --   |
|                    | 18/F<br>18樓                                  | A          | --   |

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|--|------------|--|
| Tower 2<br>第2座     | 3/F<br>3樓                                    | A          | 1.704  |
|                    |  | B          | 1.119  |
|                    | 5/F-12/F,<br>15/F-18/F<br>5樓-12樓，<br>15樓-18樓 | A          | 1.704  |
|                    |  | B          | 1.119  |
|                    | 19/F<br>19樓                                  | A          | --   |
|                    | 20/F<br>20樓                                  | A          | --   |



INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are non-structural prefabricated external walls forming part of the enclosing walls of the Phase.  
期數有構成圍封牆的一部分的非結構的預製外牆。

The thickness of the non-structural prefabricated external wall of each block is 150mm.  
每幢建築物的非結構的預製外牆的厚度為150毫米。

Schedule of total area of the non-structural prefabricated external walls of each residential property  
每個住宅物業的非結構的預製外牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|--|------------|--|
| Tower 3<br>第3座     | 3/F<br>3樓                                    | A          | 1.088  |
|                    |  | B          | 1.179  |
|                    | 5/F-12/F,<br>15/F-20/F<br>5樓-12樓，<br>15樓-20樓 | A          | 1.088  |
|                    |  | B          | 1.179  |
|                    | 21/F<br>21樓                                  | A          | --   |
|                    | 22/F<br>22樓                                  | A          | --   |

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|--|------------|--|
| Tower 5<br>第5座     | 3/F<br>3樓                                    | A          | 0.918  |
|                    |  | B          | 0.953  |
|                    | 5/F-12/F,<br>15/F-20/F<br>5樓-12樓，<br>15樓-20樓 | A          | 0.918  |
|                    |  | B          | 0.953  |
|                    | 21/F<br>21樓                                  | A          | --   |
|                    | 22/F<br>22樓                                  | A          | --   |

INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are non-structural prefabricated external walls forming part of the enclosing walls of the Phase.  
期數有構成圍封牆的一部分的非結構的預製外牆。

The thickness of the non-structural prefabricated external wall of each block is 150mm.  
每幢建築物的非結構的預製外牆的厚度為150毫米。

Schedule of total area of the non-structural prefabricated external walls of each residential property  
每個住宅物業的非結構的預製外牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                      | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|--|------------|--|
| Tower 5A<br>第5A座   | 3/F<br>3樓  | A          | --   |
|                    |  | B          | --   |
|                    |  | C          | 0.810  |
|                    |  | D          | --   |
|                    |  | E          | --   |
|                    |  | F          | --   |
|                    | 5/F-12/F,<br>15/F-20/F<br><br>5樓-12樓，<br>15樓-20樓 | A          | --   |
|                    |  | B          | --   |
|                    |  | C          | 0.810  |
|                    |  | D          | --   |
|                    |  | E          | --   |
|                    |  | F          | --   |

| Tower Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|-------------|------------|--|
| Tower 5A<br>第5A座   | 21/F<br>21樓 | A          | --   |
|                    |             | B          | --   |
|                    |             | D          | --   |
|                    |             | E          | --   |
|                    |             | F          | --   |
|                    | 22/F<br>22樓 | A          | --   |
|                    |             | D          | --   |
|                    |             | E          | --   |
|                    |             | F          | --   |
|                    |             |            |  |



INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are non-structural prefabricated external walls forming part of the enclosing walls of the Phase.  
期數有構成圍封牆的一部分的非結構的預製外牆。

The thickness of the non-structural prefabricated external wall of each block is 150mm.  
每幢建築物的非結構的預製外牆的厚度為150毫米。

Schedule of total area of the non-structural prefabricated external walls of each residential property  
每個住宅物業的非結構的預製外牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|--|------------|--|
| Tower 6<br>第6座     | 3/F<br>3樓                                    | A          | --   |
|                    |  | B          | --   |
|                    |  | C          | --   |
|                    |  | D          | --   |
|                    |  | E          | --   |
|                    |  | F          | --   |
|                    |  | G          | --   |
|                    |  | H          | --   |
|                    | 5/F-12/F,<br>15/F-21/F<br>5樓-12樓，<br>15樓-21樓 | A          | --   |
|                    |  | B          | --   |
|                    |  | C          | --   |
|                    |  | D          | --   |
|                    |  | E          | --   |
|                    |  | F          | --   |
|                    |  | G          | --   |
|                    |  | H          | --   |

| Tower Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Total area of non-structural prefabricated<br>external walls of each residential property<br>(sq.m.)<br>每個住宅物業的非結構的預製外牆的總面積<br>(平方米) |
|--------------------|-------------|------------|--|
| Tower 6<br>第6座     | 22/F<br>22樓 | A          | --   |
|                    |             | B          | --   |
|                    |             | E          | --   |
|                    |             | F          | --   |
|                    |             | G          | --   |
|                    |             | H          | --   |
|                    | 23/F<br>23樓 | A          | --   |
|                    |             | B          | --   |
|                    |             | E          | --   |
|                    |             | F          | --   |
|                    |             | G          | --   |
|                    |             | H          | --   |

INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are curtain walls forming part of the enclosing walls of the Phase.

期數有構成圍封牆的一部分的幕牆。

The range of thickness of the curtain walls of each building is 225mm and 300mm.

每幢建築物的幕牆的厚度範圍為225毫米及300毫米。

Schedule of total area of the curtain walls of each residential property

每個住宅物業的幕牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                      | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br><br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|--|------------|---|
| Tower 1<br>第1座     | 3/F<br>3樓  | A          | 4.958   |
|                    |  | B          | 3.584   |
|                    | 5/F-12/F,<br>15/F-16/F<br><br>5樓-12樓，<br>15樓-16樓 | A          | 4.958   |
|                    |  | B          | 3.584   |
|                    | 17/F<br>17樓                                      | A          | 9.739   |
|                    | 18/F<br>18樓                                      | A          | 9.739   |

| Tower Name<br>大廈名稱 | Floor<br>樓層                                      | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br><br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|--|------------|---|
| Tower 2<br>第2座     | 3/F<br>3樓  | A          | 5.091   |
|                    |  | B          | 4.451   |
|                    | 5/F-12/F,<br>15/F-18/F<br><br>5樓-12樓，<br>15樓-18樓 | A          | 5.091   |
|                    |  | B          | 4.451   |
|                    | 19/F<br>19樓                                      | A          | 10.223  |
|                    | 20/F<br>20樓                                      | A          | 10.219  |



INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are curtain walls forming part of the enclosing walls of the Phase.  
期數有構成圍封牆的一部分的幕牆。  
The range of thickness of the curtain walls of each building is 225mm and 300mm.  
每幢建築物的幕牆的厚度範圍為225毫米及300毫米。

Schedule of total area of the curtain walls of each residential property

每個住宅物業的幕牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|--|------------|---|
| Tower 3<br>第3座     | 3/F<br>3樓                                    | A          | 5.226   |
|                    |  | B          | 3.585   |
|                    | 5/F-12/F,<br>15/F-20/F<br>5樓-12樓，<br>15樓-20樓 | A          | 5.226   |
|                    |  | B          | 3.585   |
|                    | 21/F<br>21樓                                  | A          | 9.772   |
|                    | 22/F<br>22樓                                  | A          | 9.808   |

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|--|------------|---|
| Tower 5<br>第5座     | 3/F<br>3樓                                    | A          | 5.091   |
|                    |  | B          | 4.451   |
|                    | 5/F-12/F,<br>15/F-20/F<br>5樓-12樓，<br>15樓-20樓 | A          | 5.091   |
|                    |  | B          | 4.451   |
|                    | 21/F<br>21樓                                  | A          | 10.193  |
|                    | 22/F<br>22樓                                  | A          | 10.189  |

INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are curtain walls forming part of the enclosing walls of the Phase.

期數有構成圍封牆的一部分的幕牆。

The range of thickness of the curtain walls of each building is 225mm and 300mm.

每幢建築物的幕牆的厚度範圍為225毫米及300毫米。

Schedule of total area of the curtain walls of each residential property

每個住宅物業的幕牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|--|------------|---|
| Tower 5A<br>第5A座   | 3/F<br>3樓                                    | A          | 0.602   |
|                    |  | B          | 0.641   |
|                    |  | C          | 1.708   |
|                    |  | D          | 1.404   |
|                    |  | E          | 0.993   |
|                    |  | F          | 0.771   |
|                    | 5/F-12/F,<br>15/F-20/F<br>5樓-12樓，<br>15樓-20樓 | A          | 0.602   |
|                    |  | B          | 0.641   |
|                    |  | C          | 1.708   |
|                    |  | D          | 1.404   |
|                    |  | E          | 0.993   |
|                    |  | F          | 0.771   |

| Tower Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|-------------|------------|---|
| Tower 5A<br>第5A座   | 21/F<br>21樓 | A          | 0.602   |
|                    |             | B          | 1.350   |
|                    |             | D          | 1.404   |
|                    |             | E          | 0.993   |
|                    |             | F          | 0.771   |
|                    | 22/F<br>22樓 | A          | 1.837   |
|                    |             | D          | 1.404   |
|                    |             | E          | 0.993   |
|                    |             | F          | 0.771   |
|                    |             |            |   |



INFORMATION ON DESIGN OF THE PHASE 期數的設計的資料

There are curtain walls forming part of the enclosing walls of the Phase.  
期數有構成圍封牆的一部分的幕牆。  
The range of thickness of the curtain walls of each building is 225mm and 300mm.  
每幢建築物的幕牆的厚度範圍為225毫米及300毫米。

Schedule of total area of the curtain walls of each residential property

每個住宅物業的幕牆的總面積表

| Tower Name<br>大廈名稱 | Floor<br>樓層                                  | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|--|------------|---|
| Tower 6<br>第6座     | 3/F<br>3樓                                    | A          | 1.550   |
|                    |  | B          | 1.462   |
|                    |  | C          | 0.749   |
|                    |  | D          | 1.009   |
|                    |  | E          | 0.954   |
|                    |  | F          | 0.626   |
|                    |  | G          | 0.603   |
|                    |  | H          | 0.962   |
|                    | 5/F-12/F,<br>15/F-21/F<br>5樓-12樓，<br>15樓-21樓 | A          | 1.550   |
|                    |  | B          | 1.462   |
|                    |  | C          | 0.749   |
|                    |  | D          | 1.009   |
|                    |  | E          | 0.954   |
|                    |  | F          | 0.626   |
|                    |  | G          | 0.603   |
|                    |  | H          | 0.962   |


| Tower Name<br>大廈名稱 | Floor<br>樓層 | Flat<br>單位 | Total area of curtain walls of each residential property<br>(sq.m.)<br>每個住宅物業的幕牆的總面積<br>(平方米) |
|--------------------|-------------|------------|---|
| Tower 6<br>第6座     | 22/F<br>22樓 | A          | 3.819   |
|                    |             | B          | 2.279   |
|                    |             | E          | 0.954   |
|                    |             | F          | 0.626   |
|                    |             | G          | 0.603   |
|                    |             | H          | 0.962   |
|                    | 23/F<br>23樓 | A          | 3.819   |
|                    |             | B          | 2.279   |
|                    |             | E          | 0.954   |
|                    |             | F          | 0.626   |
|                    |             | G          | 0.603   |
|                    |             | H          | 0.962   |

INFORMATION ON PROPERTY MANAGEMENT 物業管理的資料

**The Manager to be appointed under the latest draft deed of mutual covenant**  
Royal Elite Service Company Limited

根據公契的最新擬稿獲委任的管理人  
帝譽服務有限公司

LOCATION PLAN OF THE DEVELOPMENT 發展項目的所在位置圖



Location of the Development  
發展項目的位置

The map reproduced with permission of the Director of Lands. © The Government of Hong Kong SAR. Licence No. 53/2016.  
地圖版權屬香港特區政府，經地政總署准許複印，版權特許編號53/2016。

- Note :
1. The vendor advises prospective purchasers to conduct an on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.
  2. The plan may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to the technical reason that the boundary of the Development is irregular.

- 備註：
1. 賣方建議準買家到有關發展地盤作實地考察，以對該發展地盤、其周邊地區環境及附近的公共設施有較佳了解。
  2. 由於發展項目的邊界不規則的技術原因，此圖所顯示的範圍可能超過《一手住宅物業銷售條例》所規定的範圍。


This Location Plan is prepared by the Vendor with reference to the Survey Sheet (Series HP5C) Sheet No. 11-SE-A dated 17 August 2018 from Survey and Mapping Office of the Lands Department, with adjustments where necessary.  
此位置圖是參考於2018年8月17日出版之地政總署測繪處之測繪圖(組別編號HP5C)，圖幅編號11-SE-A，由賣方擬備，有需要處經修正處理。

NOTATION 圖例

- Clinic  
診療所
- Public Carpark (including Lorry Park)  
公眾停車場 (包括貨車停泊處)
- Public Convenience  
公廁
- Public Transport Terminal (including Rail Station)  
公共交通總站 (包括鐵路車站)
- Public Utility Installation  
公用事業設施裝置
- Religious Institution (including Church, Temple and Tsz Tong)  
宗教場所 (包括教堂、廟宇及祠堂)
- School (including Kindergarten)  
學校 (包括幼稚園)
- Sewage Treatment Works and Facilities  
污水處理廠及設施
- Social Welfare Facilities (including Elderly Centre and Home for the Mentally Disabled)  
社會福利設施 (包括老人中心及弱智人士護理院)
- Power Plant (including Electricity Sub-stations)  
發電廠 (包括電力分站)
- Market (including Wet Market and Wholesale Market)  
市場 (包括濕貨市場及批發市場)
- Sports Facilities (including Sports Ground and Swimming Pool)  
體育設施 (包括運動場及游泳池)
- Public Park  
公園
- Refuse Collection Point  
垃圾收集站
- Ventilation Shaft for the Mass Transit Railway  
香港鐵路的通風井



AERIAL PHOTOGRAPH OF THE PHASE 期數的鳥瞰照片



Location of the Phase  
期數的位置

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved - reproduction by permission only  
香港特別行政區政府地政總署測繪處 © 版權所有，未經許可，不得複製。

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of Lands Department at a flying height of 6,000 feet, photo No. E033928C, date of flight : 10 March 2018.  
摘錄自地政總署測繪處在6,000呎的飛行高度拍攝之鳥瞰照片，照片編號E033928C，飛行日期：2018年3月10日。

- Note :
- 1. Copy of the aerial photograph of the Phase is available for inspection at the sales office during opening hours.
  - 2. The aerial photograph may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to technical reason that the boundary of the Phase is irregular.

- 備註：
- 1. 期數的鳥瞰照片之副本可於售樓處開放時間內免費查閱。
  - 2. 由於期數的邊界不規則的技術原因，此鳥瞰照片所顯示的範圍可能超過《一手住宅物業銷售條例》所規定的範圍。

AERIAL PHOTOGRAPH OF THE PHASE 期數的鳥瞰照片


(This page is left blank intentionally. 此頁保留空白。)







## LAYOUT PLAN OF THE DEVELOPMENT 發展項目的布局圖



The estimated date of completion of the buildings and facilities within subsequent Phases of the Development as provided by the Authorized Person for the Development is 31st March 2019.

由發展項目的認可人士提供的位於發展項目的後續期數內的建築物及設施的預計落成日期為2019年03月31日。

SCALE  
比例 0 40 80M (米)



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

LEGEND OF THE TERMS AND ABBREVIATIONS FOR FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

|   |  |            |
|---|--|------------|
| A/C PLATFORM                                | = AIR-CONDITIONING PLATFORM                              | 冷氣機平台      |
| ACOUSTIC FIN                                | = ACOUSTIC FIN   | 隔聲緒        |
| ACOUSTIC FIN W/. ALUM. CLADDING             | = ACOUSTIC FIN WITH ALUMINUM CLADDING                    | 鋁覆蓋層隔聲緒    |
| A.D.  | = AIR DUCT   | 通風槽        |
| A.F.F.L.                                    | = AFTER FINISHING FLOOR LEVEL                            | 裝修後地板高度    |
| ALUM. EXHAUST GRILLE                        | = ALUMINUM EXHAUST GRILLE                                | 鋁質排氣隔柵     |
| ALUM. FEATURE                               | = ALUMINUM FEATURE                                       | 鋁質裝飾       |
| ALUM. FEATURE ABOVE                         | = ALUMINUM FEATURE ABOVE                                 | 鋁質裝飾置上     |
| ALUM. ARCH. FEATURE                         | = ALUMINUM ARCHITECTURAL FEATURE                         | 鋁質建築裝飾     |
| ALUM. ARCH. FEATURE ABOVE                   | = ALUMINUM ARCHITECTURAL FEATURE ABOVE                   | 鋁質建築裝飾置上   |
| ALUM. ARCH. FEATURE ENCLOSING EXTERNAL PIPE | = ALUMINUM ARCHITECTURAL FEATURE ENCLOSING EXTERNAL PIPE | 鋁質建築裝飾內藏喉管 |
| ALUM. CLADDING                              | = ALUMINUM CLADDING                                      | 鋁質覆蓋層      |
| ALUM. COPPING                               | = ALUMINUM COPING  | 鋁質飾面       |
| ALUM. COPING FOR CURTAIN WALL               | = ALUMINUM COPING FOR CURTAIN WALL                       | 玻璃幕牆的鋁質飾面  |
| ALUM. GRILLE                                | = ALUMINUM GRILLE  | 鋁質格柵       |
| ALUM. LOUVRES FOR MAINTENANCE ONLY          | = ALUMINUM LOUVRES FOR MAINTENANCE ONLY                  | 鋁質百葉只供維修   |
| ARCH. FEATURE                               | = ARCHITECTURAL FEATURE                                  | 建築裝飾       |
| ARCH. FEATURE W/. ALUM. CLADDING            | = ARCHITECTURAL FEATURE WITH ALUMINUM CLADDING           | 鋁質覆蓋層建築裝飾  |
| ARCH. FEATURE ABOVE                         | = ARCHITECTURAL FEATURE ABOVE                            | 建築裝飾置上     |
| ARCH. FEATURE AT H/L                        | = ARCHITECTURAL FEATURE AT HIGH LEVEL                    | 建築裝飾於高位    |
| (EVERY THREE STOREY INTERVAL)               | (EVERY THREE STOREY INTERVAL)                            | ( 每三層重覆 )  |
| ARCH. FEATURE W/. STONE CLADDING            | = ARCHITECTURAL FEATURE WITH STONE CLADDING              | 石材覆蓋層建築裝飾  |
| BAL.  | = BALCONY  | 露台         |
| BAL. ABOVE                                  | = BALCONY ABOVE  | 露台置上       |
| BATH 2                                      | = BATHROOM 2   | 浴室 2       |
| BATH 3                                      | = BATHROOM 3   | 浴室 3       |
| B.R. 2                                      | = BEDROOM 2  | 睡房 2       |
| B.R. 3                                      | = BEDROOM 3  | 睡房 3       |
| B.R. 4                                      | = BEDROOM 4  | 睡房 4       |
| BUILDING LINE                               | = BUILDING LINE  | 建築物界線      |

|  |  |
|--|--|
| Remarks:   | 附註：  |
| 1. There may be architectural features on external walls of some of the floors.  | 1. 部份樓層外牆範圍設有建築裝飾。   |
| 2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.  | 2. 部份住宅單位的露台及/或平台及/或工作平台及/或冷氣機平台及/或外牆及/或附近設有外露及/或藏於外牆裝飾板內之公用喉管。  |
| 3. There are sunken slabs and/or ceiling bulkheads at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E service. There are exposed pipes/ ductings for air-conditioning system and/ or M&E service within some store rooms. | 3. 部份住宅單位客廳、飯廳、睡房、工作間、走廊、浴室、儲物室、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假天花用以裝置冷氣系統及/或其他機電設備。部份儲物室內設有冷氣及/或機電設備之外露喉管/管道。 |
| 4. Balconies and utility platforms are non-enclosed areas.   | 4. 露台及工作平台為不可封閉地方。   |
| 5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter, etc, are architectural symbols retrieved from the latest approved general building plans for general indication only.   | 5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、淋浴間、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。                                       |
| 6. For some residential units, the air-conditioning platform(s) outside the unit will be placed with split type air-conditioner (outdoor unit)(s) belonging to that unit and/or other residential units.   | 6. 部份住宅物業外的冷氣機平台將會放置屬於其單位及/或其他住宅物業的一部或多部分體式冷氣機（室外機）。   |

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

LEGEND OF THE TERMS AND ABBREVIATIONS FOR FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

|                           |                              |          |   |   |   |                                  |
|---------------------------|------------------------------|----------|---|---|---|----------------------------------|
| COMMON FLAT ROOF          | = COMMON FLAT ROOF           | 公共平台     |  |  | = MAINTENANCE WINDOW  | 維修窗戶                             |
| COMMON GREEN ROOF         | = COMMON GREEN ROOF          | 公共綠化平台   |   |   |   |                                  |
| CORRIDOR                  | = CORRIDOR                   | 走廊       |   |   |   |                                  |
| COVER FOR BALCONY         | = COVER FOR BALCONY          | 露台上蓋     |  |  | = WINDOW WITH SLIDING PANEL BEHIND (ACOUSTIC WINDOW)                          | 背面裝設滑動嵌板的窗戶 (減音窗)                |
| COVER FOR U.P.            | = COVER FOR UTILITY PLATFORM | 工作平台上蓋   |   |   |   |                                  |
| COVER FOR STAIR           | = COVER FOR STAIR            | 樓梯上蓋     |   |   |   |                                  |
| C.W.                      | = CURTAIN WALL               | 玻璃幕牆     |   |   |   |                                  |
| DIN.                      | = DINING ROOM                | 飯廳       |   |   |   |                                  |
| DOG HOUSE FOR MAINTENANCE | = DOG HOUSE FOR MAINTENANCE  | 供維修用之管道房 |   |   |   |                                  |
| DN. / D.N.                | = DOWN                       | 落        |   |   |   |                                  |
| EL                        | = ELECTRICAL                 | 電力       |  |  | = SLIDING DOOR WITH SLIDING PANEL BEHIND (ACOUSTIC WINDOW) (FOR BALCONY ONLY) | 背面裝設滑動嵌板的趟門 (減音窗) (只對於露台)        |
| EL DUCT                   | = ELECTRICAL DUCT            | 電力槽      |   |   |   |                                  |
| ELV. / E.L.V.             | = EXTRA-LOW VOLTAGE          | 特低電壓     |   |   |   |                                  |
| EMR / E.M.R.              | = ELECTRIC METER ROOM        | 電錶房      |   |   |   |                                  |
| FENCE WALL                | = FENCE WALL                 | 圍牆       |   |   |   |                                  |
| FIREMAN'S LIFT LOBBY      | = FIREMAN'S LIFT LOBBY       | 消防員升降機大堂 |   |  | = WALL WITH MINIMUM 600mm WIDTH WITH MINIMUM FIRE RESISTANCE RATING -/30/30   | 不少於600毫米闊度和不可低於30分鐘完整性及隔熱性耐火效能的牆 |
| FLAT                      | = FLAT                       | 單位       |   |   |   |                                  |
| FLAT ROOF                 | = FLAT ROOF                  | 平台       |   |   |   |                                  |
| FLUSHING WATER PUMP RM.   | = FLUSHING WATER PUMP ROOM   | 沖廁水泵房    |   |   |   |                                  |
| FRESH WATER               | = FRESH WATER                | 食水       |   |   |   |                                  |
| FRESH WATER PUMP RM.      | = FRESH WATER PUMP ROOM      | 食水泵房     |   |   |   |                                  |
| GLASS CLADDING            | = GLASS CLADDING             | 玻璃覆蓋層    |   |   |   |                                  |
| GREENERY ON TOP           | = GREENERY ON TOP            | 綠化頂部     |   |  | = SPLIT TYPE AIR-CONDITIONER (OUTDOOR UNIT)                                   | 分體式冷氣機 (室外機)                     |
| H.                        | = HIGH                       | 高        |   |   |   |                                  |
| H/L                       | = HIGH LEVEL                 | 高位       |   |   |   |                                  |
| HR. / H.R.                | = HOSE REEL                  | 消防喉轆     |   |   |   |                                  |
| H.R. AT H/L               | = HOSE REEL AT HIGH LEVEL    | 消防喉轆於高位  |   |   |   |                                  |
| JACUZZI                   | = JACUZZI                    | 按摩池      |   |   |   |                                  |
| KIT.                      | = KITCHEN                    | 廚房       |   |   |   |                                  |

Remarks:

1. There may be architectural features on external walls of some of the floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/or ceiling bulkheads at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E service. There are exposed pipes/ ductings for air-conditioning system and/ or M&E service within some store rooms.
4. Balconies and utility platforms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter, etc, are architectural symbols retrieved from the latest approved general building plans for general indication only.
6. For some residential units, the air-conditioning platform(s) outside the unit will be placed with split type air-conditioner (outdoor unit)(s) belonging to that unit and/or other residential units.

附註：

1. 部份樓層外牆範圍設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或工作平台及/或冷氣機平台及/或外牆及/或附近設有外露及/或藏於外牆裝飾板內之公用喉管。
3. 部份住宅單位客廳、飯廳、睡房、工作間、走廊、浴室、儲物室、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假天花用以裝置冷氣系統及/或其他機電設備。部份儲物室內設有冷氣及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可封閉地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、淋浴間、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
6. 部份住宅物業外的冷氣機平台將會放置屬於其單位及/或其他住宅物業的一部或多部分體式冷氣機 (室外機)。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

LEGEND OF THE TERMS AND ABBREVIATIONS FOR FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

|                               |                                 |          |
|-------------------------------|---------------------------------|----------|
| L/L                           | = LOW LEVEL                     | 低位       |
| LAV.                          | = LAVATORY                      | 洗手間      |
| LIV.                          | = LIVING ROOM                   | 客廳       |
| LIFT                          | = LIFT                          | 升降機      |
| LIFT OVERRUN                  | = LIFT OVERRUN                  | 升降機緩衝區   |
| LIFT SHAFT                    | = LIFT SHAFT                    | 升降機槽     |
| LIFT LOBBY                    | = LIFT LOBBY                    | 升降機大堂    |
| LIFT PLATFORM                 | = LIFT PLATFORM                 | 升降機平台    |
| LIFT MACHINE RM.              | = LIFT MACHINE ROOM             | 升降機機房    |
| LOBBY                         | = LOBBY                         | 大堂       |
| MAX.                          | = MAXIMUM                       | 最多       |
| M.BATH                        | = MASTER BATHROOM               | 主人浴室     |
| M.B.R.                        | = MASTER BEDROOM                | 主人睡房     |
| METAL CANOPY BELOW            | = METAL CANOPY BELOW            | 金屬簷篷置下   |
| METAL GATE                    | = METAL GATE                    | 鐵閘       |
| MIN.                          | = MINIMUM                       | 最少       |
| mm                            | = MILLIMETRES                   | 毫米       |
| M.R                           | = METAL RAILING                 | 金屬欄杆     |
| M.G / METAL GRILLE            | = METAL GRILLE                  | 金屬格柵     |
| OPEN KIT.                     | = OPEN KITCHEN                  | 開放式廚房    |
| OUTLINE OF CURTAIN WALL BELOW | = OUTLINE OF CURTAIN WALL BELOW | 玻璃幕牆輪廓置下 |
| P.                            | = PLANTER                       | 花槽       |
| P.D.                          | = PIPE DUCT                     | 管道槽      |
| P.D. RM.                      | = PIPE DUCT ROOM                | 管道房      |
| P.W.                          | = PIPE WELL                     | 管道井      |
| POWDER RM.                    | = POWDER ROOM                   | 化妝間      |
| RAMP                          | = RAMP                          | 斜道       |
| ROOF                          | = ROOF                          | 天台       |
| ROOF (COMMON)                 | = ROOF (COMMON)                 | 天台(公共)   |
| R.C. / RC / RC.               | = REINFORCED CONCRETE           | 鋼筋混凝土    |
| R.C.C.                        | = REINFORCED CONCRETE CURB      | 鋼筋混凝土畚   |

- Remarks:
1. There may be architectural features on external walls of some of the floors.

2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.

3. There are sunken slabs and/or ceiling bulkheads at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E service. There are exposed pipes/ ductings for air-conditioning system and/ or M&E service within some store rooms.

4. Balconies and utility platforms are non-enclosed areas.

5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter, etc, are architectural symbols retrieved from the latest approved general building plans for general indication only.

6. For some residential units, the air-conditioning platform(s) outside the unit will be placed with split type air-conditioner (outdoor unit)(s) belonging to that unit and/or other residential units.
- 附註：
1. 部份樓層外牆範圍設有建築裝飾。

2. 部份住宅單位的露台及/ 或平台及/ 或工作平台及/ 或冷氣機平台及/ 或外牆及/ 或附近設有外露台及/ 或藏於外牆裝飾板內之公用喉管。

3. 部份住宅單位客廳、飯廳、睡房、工作間、走廊、浴室、儲物室、洗手間、開放式廚房以及廚房天花有跌級樓板及/ 或假天花用以裝置冷氣系統及/ 或其他機電設備。部份儲物室內設有冷氣及/ 或機電設備之外露喉管/ 管道。

4. 露台及工作平台為不可封閉地方。

5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、淋浴間、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。

6. 部份住宅物業外的冷氣機平台將會放置屬於其單位及/ 或其他住宅物業的一部或多部分體式冷氣機（室外機）。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

LEGEND OF THE TERMS AND ABBREVIATIONS FOR FLOOR PLANS

樓面平面圖中所使用名詞及簡稱之圖例

|                                       |  |               |
|---------------------------------------|--|---------------|
| R.C. PARAPET                          | = REINFORCED CONCRETE PARAPET                                      | 鋼筋混凝土矮護牆      |
| R.C. PARAPET WALL W/. STONE CLADDING  | = REINFORCED CONCRETE PARAPET WITH STONE CLADDING                  | 石料覆蓋層鋼筋混凝土矮護牆 |
| R.C. FENCE WALL                       | = REINFORCED CONCRETE FENCE WALL                                   | 鋼筋混凝土圍牆       |
| R.C. ARCH. FEATURE W/. ALUM. CLADDING | = REINFORCED CONCRETE ARCHITECTURAL FEATURE WITH ALUMINUM CLADDING | 鋁覆蓋層鋼筋混凝土建築裝飾 |
| R.C. COVERED WALKWAY                  | = REINFORCED CONCRETE COVERED WALKWAY                              | 鋼筋混凝土有蓋行人道    |
| R.S. & M.R.R. / R.S.M.R.R.            | = REFUSE STORAGE AND MATERIAL RECOVERY ROOM                        | 垃圾及物料回收房      |
| S.                                    | = STOVE  | 煮食爐           |
| SMATV RM.                             | = SATELLITE MASTER ANTENNA TELEVISION ROOM                         | 衛星電視公共天線房     |
| STEEL DECK                            | = STEEL DECK   | 鋼製橋面          |
| ST. /STORE                            | = STORE ROOM   | 儲物房           |
| STONE CLADDING                        | = STONE CLADDING   | 石料覆蓋層         |
| TEL DUCT                              | = TELEPHONE DUCT   | 電訊設備槽         |
| T.G.B.                                | = TEMPERED GLASS BALUSTRADE  | 鋼化玻璃欄杆        |
| TOP OF PIPE WELL                      | = TOP OF PIPE WELL   | 管道井頂部         |
| U.P.                                  | = UTILITY PLATFORM   | 工作平台          |
| U.P. ABOVE                            | = UTILITY PLATFORM ABOVE   | 工作平台置上        |
| UP                                    | = UP   | 上             |
| UTILITY                               | = UTILITY  | 工作間           |
| VOID                                  | = VOID   | 空隙            |
| WALK-IN CLOSET                        | = WALK-IN CLOSET   | 衣帽間           |
| W.M.C.                                | = WATER METER CABINET  | 水錶櫃           |
| WIN. AT THE H/L                       | = WINDOW AT THE HIGH LEVEL   | 窗戶於高位         |

Remarks:

1. There may be architectural features on external walls of some of the floors.
2. Common pipes exposed and/ or enclosed in cladding are located at/ adjacent to balcony and/ or flat roof and/ or utility platform and/or air-conditioning platform and/ or external wall of some residential units.
3. There are sunken slabs and/or ceiling bulkheads at living rooms, dining rooms, bedrooms, utility rooms, corridors, bathrooms, store rooms, lavatories, open kitchens and kitchens of some residential units for the air-conditioning system and/ or M&E service. There are exposed pipes/ ductings for air-conditioning system and/ or M&E service within some store rooms.
4. Balconies and utility platforms are non-enclosed areas.
5. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter, etc, are architectural symbols retrieved from the latest approved general building plans for general indication only.
6. For some residential units, the air-conditioning platform(s) outside the unit will be placed with split type air-conditioner (outdoor unit)(s) belonging to that unit and/or other residential units.



附註：

1. 部份樓層外牆範圍設有建築裝飾。
2. 部份住宅單位的露台及/或平台及/或工作平台及/或冷氣機平台及/或外牆及/或附近設有外露及/或藏於外牆裝飾板內之公用喉管。
3. 部份住宅單位客廳、飯廳、睡房、工作間、走廊、浴室、儲物室、洗手間、開放式廚房以及廚房天花有跌級樓板及/或假天花用以裝置冷氣系統及/或其他機電設備。部份儲物室內設有冷氣及/或機電設備之外露喉管/管道。
4. 露台及工作平台為不可封閉地方。
5. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、淋浴間、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
6. 部份住宅物業外的冷氣機平台將會放置屬於其單位及/或其他住宅物業的一部或多部分體式冷氣機（室外機）。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 1 3/F PLAN  
第1座 3樓平面圖




SCALE 比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層  | Flat 單位                                     |   |
|---|----------------|-----------|---|---|
|   |                |           | A   | B   |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 1<br>第1座 | 3/F<br>3樓 | 2950, 3050, 3190,<br>3200, 3240, 3290, 3300 | 2950, 3050, 3190,<br>3200, 3240, 3290, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                |           | 125, 150, 200                               | 125, 150, 175 ,200                          |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 1 5/F-12/F, 15/F & 16/F PLAN  
第1座 5樓至12樓，15樓及16樓平面圖



SCALE 比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱 | Floor 樓層                              | Flat 單位                      |                              |
|---|-----------------|---------------------------------------|------------------------------|------------------------------|
|   |                 |                                       | A                            | B                            |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 1<br>第1座  | 5/F - 12/F,<br>15/F<br>5樓至12樓,<br>15樓 | 2950, 3050, 3200, 3250, 3300 | 2950, 3050, 3200, 3250, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |                                       | 125, 150, 200                | 125, 150, 175, 200           |

|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位                      |                              |
|---|-----------------|-------------|------------------------------|------------------------------|
|   |                 |             | A                            | B                            |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 1<br>第1座  | 16/F<br>16樓 | 3025, 3250, 3300, 3325, 3500 | 3150, 3250, 3300, 3400, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |             | 125, 150                     | 125, 150, 175                |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.

批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-

“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”

發展項目的大廈公共契約及管理合約的經批准格式的第 5 章第 46 條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表 3 第 1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-


“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”

發展項目的大廈公共契約及管理合約的經批准格式的附表 3 第 1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.


期數的住宅單位總數為 355 個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.



備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第 AL001 至 AL004 頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 1 17/F PLAN  
第1座 17樓平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位                                  |
|---|-----------------|-------------|--|
|   |                 |             | A  |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 1<br>第1座  | 17/F<br>17樓 | 3025, 3100, 3150, 3250, 3325, 3400, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |             | 125, 150, 175, 250                       |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 1 18/F PLAN  
第1座 18樓平面圖




SCALE 比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位                      |
|---|-----------------|-------------|------------------------------|
|   |                 |             | A                            |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 1<br>第1座  | 18/F<br>18樓 | 3200, 3500, 3675             |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |             | 125, 150, 175, 200, 225, 500 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 1 ROOF PLAN  
第1座 天台平面圖




SCALE 比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層   | Flat 單位    |
|---|----------------|------------|------------|
|   |                |            | A          |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 1<br>第1座 | ROOF<br>天台 | N/A<br>不適用 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |            | N/A<br>不適用 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 2 3/F PLAN  
第2座 3樓平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱 | Floor 樓層  | Flat 單位                                     |   |
|---|-----------------|-----------|---|---|
|   |                 |           | A   | B   |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 2<br>第2座  | 3/F<br>3樓 | 2950, 3050, 3190,<br>3200, 3240, 3290, 3300 | 2950, 3050, 3190,<br>3200, 3240, 3290, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |           | 125, 150, 200                               | 125, 150, 175, 200                          |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.

批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”


發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”

發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.


期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


備註：

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 2 5/F-12/F, 15/F -18/F PLAN  
第2座 5樓至12樓，15樓至18樓平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱 | Floor 樓層   | Flat 單位                      |                              |
|---|-----------------|--|------------------------------|------------------------------|
|   |                 |  | A                            | B                            |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 2<br>第2座  | 5/F - 12/F,<br>15/F - 17/F<br>5樓至12樓,<br>15樓至17樓 | 2950, 3050, 3200, 3250, 3300 | 2950, 3050, 3200, 3250, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |  | 125, 150, 200                | 125, 150, 175, 200           |


|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位                            |                                    |
|---|-----------------|-------------|------------------------------------|------------------------------------|
|   |                 |             | A                                  | B                                  |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 2<br>第2座  | 18/F<br>18樓 | 3025, 3250, 3300, 3325, 3450, 3500 | 3150, 3250, 3300, 3400, 3450, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |             | 125, 150                           | 125, 150, 175                      |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註：

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層    | Flat 單位                            |
|---|----------------|-------------|------------------------------------|
|   |                |             | A                                  |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 2<br>第2座 | 19/F<br>19樓 | 3025, 3100, 3150, 3250, 3400, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |             | 125, 150, 250                      |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.



備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 2 20/F PLAN  
第2座 20樓平面圖



TOWER 1  
第1座


SCALE  
比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層    | Flat 單位            |
|---|----------------|-------------|--------------------|
|   |                |             | A                  |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 2<br>第2座 | 20/F<br>20樓 | 3200, 3500, 3675   |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |             | 150, 175, 200, 225 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 2 ROOF PLAN  
第2座 天台平面圖



PART PLAN  
部分平面圖

SCALE 0 5 10M(米)  
比例




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name 大廈名稱 | Floor 樓層   | Flat 單位    |
|---|-----------------|------------|------------|
|   |                 |            | A          |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 2<br>第2座  | ROOF<br>天台 | N/A<br>不適用 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |            | N/A<br>不適用 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 3 3/F PLAN  
第3座 3樓平面圖



SCALE 比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱 | Floor 樓層  | Flat 單位                                     |   |
|---|-----------------|-----------|---|---|
|   |                 |           | A   | B   |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 3<br>第3座  | 3/F<br>3樓 | 2950, 3050, 3190,<br>3200, 3240, 3290, 3300 | 2950, 3050, 3190,<br>3200, 3240, 3290, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |           | 125, 150, 200                               | 125, 150, 200                               |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.

批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”


發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”

發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.


期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.



備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 3 5/F-12/F & 15/F-20/F PLAN  
第3座 5樓至12樓及15樓至20樓平面圖



SCALE 0 5 10M(米)  
比例

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱 | Floor 樓層  | Flat 單位                      |                              |
|---|-----------------|---|------------------------------|------------------------------|
|   |                 |   | A                            | B                            |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 3<br>第3座  | 5/F- 12/F<br>&<br>15/F - 19/F<br>5樓至12樓<br>及<br>15樓至19樓 | 2950, 3050, 3200, 3250, 3300 | 2950, 3050, 3200, 3250, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |   | 125, 150, 200                | 125, 150, 200                |

|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位                                     |   |
|---|-----------------|-------------|---|---|
|   |                 |             | A   | B   |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度（毫米）                                    | Tower 3<br>第3座  | 20/F<br>20樓 | 3025, 3200, 3250,<br>3300, 3325, 3400, 3500 | 3150, 3250, 3300,<br>3400, 3500, 3600, 3700 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |             | 125, 150                                    | 125, 150                                    |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.

批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-

“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”

發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-


“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”

發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.


期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 3 21/F PLAN  
第3座 21樓平面圖




SCALE 比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層    | Flat 單位  |
|---|----------------|-------------|--|
|   |                |             | A  |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 3<br>第3座 | 21/F<br>21樓 | 3025, 3100, 3150, 3200, 3250, 3350, 3400, 3450, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |             | 125, 150, 175, 250                                   |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.



備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 3 22/F PLAN  
第3座 22樓平面圖



SCALE 0 5 10M(米)  
比例

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層    | Flat 單位                            |
|---|----------------|-------------|------------------------------------|
|   |                |             | A                                  |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 3<br>第3座 | 22/F<br>22樓 | 3075, 3200, 3325, 3500, 3550, 3675 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |             | 150, 200, 225, 500                 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.


- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.

-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。

- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。

-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層   | Flat 單位    |
|---|----------------|------------|------------|
|   |                |            | A          |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 3<br>第3座 | ROOF<br>天台 | N/A<br>不適用 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |            | N/A<br>不適用 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5 3/F PLAN  
第5座 3樓平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層  | Flat 單位                            |   |
|---|----------------|-----------|------------------------------------|---|
|   |                |           | A                                  | B   |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 5<br>第5座 | 3/F<br>3樓 | 2950, 3050, 3200, 3250, 3300, 3350 | 2950, 3050, 3190,<br>3200, 3240, 3290, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                |           | 125, 150                           | 125, 150, 175                               |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5 5/F-12/F & 15/F-19/F PLAN  
第5座 5樓至12樓及15樓至19樓平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層   | Flat 單位                      |                              |
|---|----------------|--|------------------------------|------------------------------|
|   |                |  | A                            | B                            |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 5<br>第5座 | 5/F - 12/F<br>&<br>15/F - 19/F<br>5樓至12樓<br>及<br>15樓至19樓 | 2950, 3050, 3200, 3250, 3300 | 2950, 3050, 3200, 3250, 3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                |  | 125, 150                     | 125, 150, 175                |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.


備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5 20/F PLAN  
第5座 20樓平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位   |                              |
|---|-----------------|-------------|---|------------------------------|
|   |                 |             | A   | B                            |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 5<br>第5座  | 20/F<br>20樓 | 2950, 3025, 3150, 3250,<br>3300, 3325, 3400, 3500 | 3150, 3250, 3300, 3400, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                 |             | 125, 150  | 125, 150, 175                |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.

批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”


發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”

發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.


期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5 21/F PLAN  
第5座 21樓平面圖



TOWER 3  
第3座

TOWER 5A  
第5A座


SCALE  
比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位  |
|---|-----------------|-------------|--|
|   |                 |             | A  |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 5<br>第5座  | 21/F<br>21樓 | 2750, 2800, 3025, 3100, 3150, 3200, 3250, 3325, 3400, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |             | 150, 250   |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。






FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層    | Flat 單位                |
|---|----------------|-------------|------------------------|
|   |                |             | A                      |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 5<br>第5座 | 22/F<br>22樓 | 2800, 3150, 3400, 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |             | 150, 200, 225          |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5 ROOF PLAN  
第5座 天台平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層   | Flat 單位    |
|---|----------------|------------|------------|
|   |                |            | A          |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 5<br>第5座 | ROOF<br>天台 | N/A<br>不適用 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |            | N/A<br>不適用 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5A 3/F PLAN  
第5A座 3樓平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|  | Tower Name 大廈名稱  | Floor 樓層  | Flat 單位                |                                 |                        |  |  |                                 |
|--|------------------|-----------|------------------------|---------------------------------|------------------------|--|--|---------------------------------|
|  |                  |           | A                      | B                               | C                      | D  | E  | F                               |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                    | Tower 5A<br>第5A座 | 3/F<br>3樓 | 3050,<br>3250,<br>3300 | 2950,<br>3050,<br>3250,<br>3300 | 3050,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3250,<br>3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 （不包括灰泥）（毫米） |                  |           | 125, 150               | 125, 150                        | 125, 150               | 125, 150                                 | 125, 150                                 | 125, 150                        |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5A 5/F-12/F & 15/F-20/F PLAN  
第5A座 5樓至12樓及15樓至20樓平面圖






FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱  | Floor 樓層   | Flat 單位                |                                 |                        |  |  |                                 |
|---|------------------|--|------------------------|---------------------------------|------------------------|--|--|---------------------------------|
|   |                  |  | A                      | B                               | C                      | D  | E  | F                               |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 5A<br>第5A座 | 5/F - 12/F<br>&<br>15/F - 19/F<br>5樓至12樓<br>及<br>15樓至19樓 | 3050,<br>3250,<br>3300 | 2950,<br>3050,<br>3250,<br>3300 | 3050,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3250,<br>3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                  |  | 125, 150               | 125, 150                        | 125, 150               | 125, 150                                 | 125, 150                                 | 125, 150                        |


|   | Tower Name 大廈名稱  | Floor 樓層    | Flat 單位                |                                 |                        |  |  |                                 |
|---|------------------|-------------|------------------------|---------------------------------|------------------------|--|--|---------------------------------|
|   |                  |             | A                      | B                               | C                      | D  | E  | F                               |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 5A<br>第5A座 | 20/F<br>20樓 | 3050,<br>3250,<br>3300 | 2950,<br>3200,<br>3250,<br>3300 | 3050,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3250,<br>3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                  |             | 125, 150               | 125, 150                        | 125, 150               | 125, 150                                 | 125, 150                                 | 125, 150                        |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5A 21/F PLAN  
第5A座 21樓平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name 大廈名稱  | Floor 樓層    | Flat 單位                         |                        |  |  |                                 |
|---|------------------|-------------|---------------------------------|------------------------|--|--|---------------------------------|
|   |                  |             | A                               | B                      | D  | E  | F                               |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 5A<br>第5A座 | 21/F<br>21樓 | 2900,<br>3200,<br>3250,<br>3300 | 3050,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3200,<br>3250,<br>3300 | 2950,<br>3050,<br>3250,<br>3300 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                  |             | 125, 150                        | 125,<br>150, 200       | 125, 150                                 | 125, 150                                 | 125, 150                        |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 5A 22/F PLAN  
第5A座 22樓平面圖





FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱  | Floor 樓層    | Flat 單位  |               |      |      |
|---|------------------|-------------|----------|---------------|------|------|
|   |                  |             | A        | D             | E    | F    |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 5A<br>第5A座 | 22/F<br>22樓 | 3500     | 3300,<br>3500 | 3500 | 3500 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                  |             | 150, 200 | 150           | 150  | 150  |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.

批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”


發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”

發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.


期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。





FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name大廈名稱   | Floor 樓層   | Flat 單位    |            |            |            |
|---|------------------|------------|------------|------------|------------|------------|
|   |                  |            | A          | D          | E          | F          |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度(毫米)                                    | Tower 5A<br>第5A座 | ROOF<br>天台 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度（不包括灰泥）（毫米） |                  |            | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.

批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”


發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”

發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.


期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 6 3/F PLAN  
第6座 3樓平面圖




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層  | Flat 單位   |  |  |  |                                 |  |  |                        |
|---|----------------|-----------|---|--|--|--|---------------------------------|--|--|------------------------|
|   |                |           | A   | B  | C  | D  | E                               | F  | G  | H                      |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 6<br>第6座 | 3/F<br>3樓 | 2800,<br>2900,<br>3040,<br>3050,<br>3090,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3100,<br>3050,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3100,<br>3150 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |           | 125,<br>150                                       | 125,<br>150                              | 125,<br>175                              | 125,<br>175                              | 125,<br>175                     | 125,<br>150,<br>175                      | 125,<br>150,<br>175                      | 125,<br>175            |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.




備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。




FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 6 5/F-12/F & 15/F-21/F PLAN  
第6座 5樓至12樓及15樓至21樓平面圖



PART PLAN FOR 3/F TO 7/F  
3樓至7樓部分平面圖



PART PLAN FOR 20/F TO 21/F  
20樓至21樓部分平面圖

SCALE 0 5 10M(米)  
比例


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

|   | Tower Name 大廈名稱 | Floor 樓層   | Flat 單位                                  |  |  |  |                                 |  |  |                        |
|---|-----------------|--|--|--|--|--|---------------------------------|--|--|------------------------|
|   |                 |  | A  | B  | C  | D  | E                               | F  | G  | H                      |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 6<br>第6座  | 5/F - 12/F<br>&<br>15/F - 20/F<br>5樓至12樓<br>及<br>15樓至20樓 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3100,<br>3150 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |  | 125,<br>150                              | 125,<br>150                              | 125,<br>175                              | 125,<br>175                              | 125,<br>175                     | 125,<br>150,<br>175                      | 125,<br>150,<br>175                      | 125,<br>175            |


|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位                         |                                 |                                 |                                 |                                 |  |  |                        |
|---|-----------------|-------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|--|--|------------------------|
|   |                 |             | A                               | B                               | C                               | D                               | E                               | F  | G  | H                      |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 6<br>第6座  | 21/F<br>21樓 | 2800,<br>2900,<br>3100,<br>3150 | 2800,<br>3050,<br>3100,<br>3150 | 2800,<br>3050,<br>3100,<br>3150 | 2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3100,<br>3150 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |             | 125,<br>150                     | 125,<br>150                     | 125,<br>175                     | 125,<br>175                     | 125,<br>175                     | 125,<br>150,<br>175                      | 125,<br>150,<br>175                      | 125,<br>175            |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 6 22/F PLAN  
第6座 22樓平面圖




SCALE 比例 0 5 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name 大廈名稱 | Floor 樓層    | Flat 單位                                  |  |                                 |  |  |                        |
|---|-----------------|-------------|--|--|---------------------------------|--|--|------------------------|
|   |                 |             | A  | B  | E                               | F  | G  | H                      |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 6<br>第6座  | 22/F<br>22樓 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2800,<br>2900,<br>3050,<br>3100,<br>3150 | 2900,<br>3100,<br>3150 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |             | 125,<br>150,<br>400                      | 125,<br>175                              | 125,<br>175                     | 125,<br>150,<br>175                      | 125,<br>150,<br>175                      | 125,<br>175            |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第 46 條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:


- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



TOWER 6 23/F PLAN  
第6座 23樓平面圖




AL063

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name大廈名稱 | Floor 樓層    | Flat 單位                |                                 |                        |                     |                     |               |
|---|----------------|-------------|------------------------|---------------------------------|------------------------|---------------------|---------------------|---------------|
|   |                |             | A                      | B                               | E                      | F                   | G                   | H             |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 6<br>第6座 | 23/F<br>23樓 | 3000,<br>3300,<br>3350 | 3150,<br>3250,<br>3300,<br>3350 | 3250,<br>3300,<br>3350 | 3300,<br>3350       | 3300,<br>3350       | 3300,<br>3350 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                |             | 125,<br>150,<br>400    | 125,<br>175                     | 125,<br>175            | 125,<br>150,<br>175 | 125,<br>150,<br>175 | 125,<br>175   |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第 46 條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:



- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註：

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

TOWER 6 ROOF PLAN  
第6座 天台平面圖




SCALE 0 5 10M(米)  
比例

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖


|   | Tower Name 大廈名稱 | Floor 樓層   | Flat 單位    |            |            |            |            |
|---|-----------------|------------|------------|------------|------------|------------|------------|
|   |                 |            | A          | B          | E          | F          | G          |
| Floor-to-floor height of each residential property (mm)<br>每個住宅物業的層與層之間的高度 (毫米)                                     | Tower 6<br>第6座  | ROOF<br>天台 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 |
| The thickness of the floor slabs (excluding plaster) of each residential property (mm)<br>每個住宅物業的樓板的厚度 (不包括灰泥) (毫米) |                 |            | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 | N/A<br>不適用 |

- (1) Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.  
批地文件特別條款第 (27) (h) 條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於 700個。
- (2) Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund.”  
發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：  
「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1 (b) 段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
- (3) Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-  
“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”  
發展項目的大廈公共契約及管理合約的經批准格式的附表3第1 (b) 條規定：  
「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
- (4) A total number of 355 residential units are provided in the Phase.  
期數的住宅單位總數為355個。
- (5) The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.(This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。（不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。）

Remarks:

- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Pages AL001 to AL004 of this sales brochure for remarks, legend of the terms and abbreviations shown in the floor plan.
-  Dotted line in a residential unit with open kitchen delineates the extent of open kitchen area.

備註:

- 平面圖所列之尺寸數字為毫米標示的建築結構尺寸。
- 平面圖中顯示之附註、名詞及簡稱之圖則請參閱本售樓說明書第AL001至AL004頁。
-  設有開放式廚房的住宅單位內所顯示的虛線代表開放式廚房範圍。



AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |  |               | Saleable Area<br>( including balcony, utility platform and verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |                |                 |               |            |
|--|--|---------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|----------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層                                  | Unit<br>單位    |  | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台     | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 1<br>第1座                               | 3/F<br>3樓                                    | Flat A<br>A單位 | 145.704 (1568)<br>Balcony 露台 : 4.950 (53)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | 11.840 (127)    | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 103.912 (1119)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | 64.648 (696)    | -            | -                       | -              | -               | -             | -          |
|  | 5/F-12/F,<br>15/F,16/F<br>5樓-12樓，<br>15樓，16樓 | Flat A<br>A單位 | 147.204 (1585)<br>Balcony 露台 :4.950 (53)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 108.980 (1173)<br>Balcony 露台 :3.568 (38)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  | 17/F<br>17樓                                  | Flat A<br>A單位 | 193.524 (2083)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.854 (20)<br>Verandah 陽台 :-   | -  | -                | -              | 42.374 (456)    | -            | -                       | -              | -               | -             | -          |
|  | 18/F<br>18樓                                  | Flat A<br>A單位 | 198.244 (2134)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.854 (20)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | 107.296 (1155) | 5.634 (61)      | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.
1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |  |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |                |                 |               |            |
|--|--|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|----------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層                                  | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台     | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 2<br>第2座                               | 3/F<br>3樓                                    | Flat A<br>A單位 | 142.131 (1530)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | 107.616 (1158)  | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 130.263 (1402)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | 125.734 (1353)  | -            | -                       | -              | -               | -             | -          |
|  | 5/F-12/F,<br>15/F-18/F<br>5樓-12樓，<br>15樓-18樓 | Flat A<br>A單位 | 148.581 (1599)<br>Balcony 露台 :4.950 (53)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 136.277 (1467)<br>Balcony 露台 :4.514 (49)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  | 19/F<br>19樓                                  | Flat A<br>A單位 | 220.443 (2373)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.854 (20)<br>Verandah 陽台 :-  | -  | -                | -              | 41.372 (445)    | -            | -                       | -              | -               | -             | -          |
|  | 20/F<br>20樓                                  | Flat A<br>A單位 | 220.439 (2373)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.854 (20)<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | 133.373 (1436) | 5.634 (61)      | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.
2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.
3. 4/F, 13/F and 14/F are omitted.

1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。
3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |  |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |                |                 |               |            |
|--|--|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|----------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層                                  | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台     | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 3<br>第3座                               | 3/F<br>3樓                                    | Flat A<br>A單位 | 133.188 (1434)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | 66.058 (711)    | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 103.913 (1119)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | 91.859 (989)    | -            | -                       | -              | -               | -             | -          |
|  | 5/F-12/F,<br>15/F-20/F<br>5樓-12樓，<br>15樓-20樓 | Flat A<br>A單位 | 139.279 (1499)<br>Balcony 露台 :4.591 (49)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 108.981 (1173)<br>Balcony 露台 :3.568 (38)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  | 21/F<br>21樓                                  | Flat A<br>A單位 | 187.932 (2023)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-  | -  | -                | -              | 40.394 (435)    | -            | -                       | -              | -               | -             | -          |
|  | 22/F<br>22樓                                  | Flat A<br>A單位 | 192.688 (2074)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | 103.418 (1113) | 5.634 (61)      | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.
2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.
3. 4/F, 13/F and 14/F are omitted.

1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述以平方呎顯示之面積，均以1平方米=10. 764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。
3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |  |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |                |                 |               |            |
|--|--|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|----------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層                                  | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台     | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 5<br>第5座                               | 3/F<br>3樓                                    | Flat A<br>A單位 | 148.862 (1602)<br>Balcony 露台 :4.950 (53)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 132.270 (1424)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | 83.897 (903)    | -            | -                       | -              | -               | -             | -          |
|  | 5/F-12/F,<br>15/F-20/F<br>5樓-12樓，<br>15樓-20樓 | Flat A<br>A單位 | 148.862 (1602)<br>Balcony 露台 :4.950 (53)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  |  | Flat B<br>B單位 | 138.284 (1488)<br>Balcony 露台 :4.514 (49)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -              | -               | -             | -          |
|  | 21/F<br>21樓                                  | Flat A<br>A單位 | 220.274 (2371)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.870 (20)<br>Verandah 陽台 :-  | -  | -                | -              | 41.403 (446)    | -            | -                       | -              | -               | -             | -          |
|  | 22/F<br>22樓                                  | Flat A<br>A單位 | 220.271 (2371)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :1.605 (17)<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | 124.729 (1343) | 5.556 (60)      | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.

1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。



AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |             |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |            |                 |               |            |
|--|-------------|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層 | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台 | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 5A<br>第5A座                             | 3/F<br>3樓   | Flat A<br>A單位 | 33.808 (364)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat B<br>B單位 | 35.091 (378)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat C<br>C單位 | 48.691 (524)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat D<br>D單位 | 35.254 (379)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat E<br>E單位 | 34.298 (369)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat F<br>F單位 | 26.590 (286)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.
1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |  |               | Saleable Area<br>( including balcony, utility platform and verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |            |                 |               |            |
|--|--|---------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層                                      | Unit<br>單位    |  | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台 | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 5A<br>第5A座                             | 5/F-12/F,<br>15/F-20/F<br><br>5樓-12樓，<br>15樓-20樓 | Flat A<br>A單位 | 33.808 (364)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat B<br>B單位 | 35.091 (378)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat C<br>C單位 | 48.691 (524)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat D<br>D單位 | 35.254 (379)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat E<br>E單位 | 34.298 (369)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat F<br>F單位 | 26.590 (286)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.
1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10. 764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |             |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |            |                 |               |            |
|--|-------------|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層 | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台 | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 5A<br>第5A座                             | 21/F<br>21樓 | Flat A<br>A單位 | 33.808 (364)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat B<br>B單位 | 66.707 (718)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | 12.934 (139)    | -            | -                       | -          | -               | -             | -          |
|  |             | Flat D<br>D單位 | 35.206 (379)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat E<br>E單位 | 34.298 (369)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat F<br>F單位 | 26.590 (286)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.
1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |             |               | Saleable Area<br>( including balcony, utility platform and verandah, if any ) sq. metre ( sq.ft. )<br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |              |                 |               |            |
|--|-------------|---------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|--------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層 | Unit<br>單位    |  | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台   | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 5A<br>第5A座                             | 22/F<br>22樓 | Flat A<br>A單位 | 71.035 (765)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | 12.373 (133)    | -            | -                       | 54.155 (583) | -               | -             | -          |
|  |             | Flat D<br>D單位 | 35.268 (380)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | 21.657 (233) | -               | -             | -          |
|  |             | Flat E<br>E單位 | 34.298 (369)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | 21.487 (231) | -               | -             | -          |
|  |             | Flat F<br>F單位 | 26.590 (286)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | 17.533 (189) | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.
1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。



AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |             |               | Saleable Area<br>( including balcony, utility platform and verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |            |                 |               |            |
|--|-------------|---------------|--|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層 | Unit<br>單位    |  | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台 | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 6<br>第6座                               | 3/F<br>3樓   | Flat A<br>A單位 | 53.979 (581)<br>Balcony 露台 :-<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | 38.079 (410)    | -            | -                       | -          | -               | -             | -          |
|  |             | Flat B<br>B單位 | 49.172 (529)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat C<br>C單位 | 34.469 (371)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat D<br>D單位 | 42.545 (458)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat E<br>E單位 | 35.389 (381)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat F<br>F單位 | 33.502 (361)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat G<br>G單位 | 34.024 (366)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat H<br>H單位 | 34.587 (372)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.
2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.
3. 4/F, 13/F and 14/F are omitted.

1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。
2. 上述以平方呎顯示之面積，均以1平方米=10. 764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。
3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |  |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |            |                 |               |            |
|--|--|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層                                      | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台 | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 6<br>第6座                               | 5/F-12/F,<br>15/F-21/F<br><br>5樓-12樓，<br>15樓-21樓 | Flat A<br>A單位 | 55.979 (603)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat B<br>B單位 | 49.172 (529)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat C<br>C單位 | 34.469 (371)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat D<br>D單位 | 42.545 (458)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat E<br>E單位 | 35.389 (381)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat F<br>F單位 | 33.502 (361)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat G<br>G單位 | 34.024 (366)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |  | Flat H<br>H單位 | 34.587 (372)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.

1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |             |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |            |                 |               |            |
|--|-------------|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層 | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台 | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 6<br>第6座                               | 22/F<br>22樓 | Flat A<br>A單位 | 98.764 (1063)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | 4.819 (52)      | -            | -                       | -          | -               | -             | -          |
|  |             | Flat B<br>B單位 | 75.548 (813)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat E<br>E單位 | 35.389 (381)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat F<br>F單位 | 33.502 (361)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat G<br>G單位 | 34.024 (366)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |
|  |             | Flat H<br>H單位 | 34.587 (372)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -          | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.
1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。

AREA OF RESIDENTIAL PROPERTIES IN THE PHASE 期數中的住宅物業的面積

| Description of Residential Property<br>物業的描述 |             |               | Saleable Area<br>( including balcony, utility platform and<br>verandah, if any ) sq. metre ( sq.ft. )<br><br>實用面積<br>( 包括露台，工作平台及陽台 ( 如有 ) )<br>平方米 ( 平方呎 ) | Area of other specified items ( Not included in the Saleable Area )<br>sq. metre ( sq.ft. )<br>其他指明項目的面積 ( 不計算入實用面積 )<br>平方米 ( 平方呎 ) |                  |                |                 |              |                         |              |                 |               |            |
|--|-------------|---------------|---|--|------------------|----------------|-----------------|--------------|-------------------------|--------------|-----------------|---------------|------------|
| Block Name<br>大廈名稱                           | Floor<br>樓層 | Unit<br>單位    |   | Air-conditioning<br>plant room<br>空調機房   | Bay window<br>窗台 | Cockloft<br>閣樓 | Flat roof<br>平台 | Garden<br>花園 | Parking<br>space<br>停車位 | Roof<br>天台   | Stairhood<br>梯屋 | Terrace<br>前庭 | Yard<br>庭院 |
| Tower 6<br>第6座                               | 23/F<br>23樓 | Flat A<br>A單位 | 98.764 (1063)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | 51.290 (552) | -               | -             | -          |
|  |             | Flat B<br>B單位 | 75.548 (813)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | 49.377 (531) | -               | -             | -          |
|  |             | Flat E<br>E單位 | 35.389 (381)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :1.500 (16)<br>Verandah 陽台 :-   | -  | -                | -              | -               | -            | -                       | 21.234 (229) | -               | -             | -          |
|  |             | Flat F<br>F單位 | 33.502 (361)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | 21.066 (227) | -               | -             | -          |
|  |             | Flat G<br>G單位 | 34.024 (366)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | 21.170 (228) | -               | -             | -          |
|  |             | Flat H<br>H單位 | 34.587 (372)<br>Balcony 露台 :2.000 (22)<br>Utility Platform 工作平台 :-<br>Verandah 陽台 :-  | -  | -                | -              | -               | -            | -                       | -            | -               | -             | -          |

1. The saleable area and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties ( First-hand Sales ) Ordinance; and the areas of the other specified items ( not included in the saleable area ) are calculated in accordance with Part 2 of Schedule 2 of the Residential Properties ( First-hand Sales ) Ordinance.

2. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded to the nearest whole square foot, which may be slightly different from that shown in square metre.

3. 4/F, 13/F and 14/F are omitted.
1. 實用面積，以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。


2. 上述以平方呎顯示之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

3. 不設4樓、13樓及14樓。



FLOOR PLANS OF PARKING SPACES IN THE PHASE 期數中的停車位的樓面平面圖

B1/F FLOOR PLAN  
地庫1層平面圖



FLOOR PLANS OF PARKING SPACES IN THE PHASE 期數中的停車位的樓面平面圖

LOCATION, NUMBER, DIMENSIONS AND AREA OF PARKING SPACES:  
停車位位置、數目、尺寸及面積：

| Type of Parking Space<br>停車位類別                              | Location<br>位置 | Number<br>數目 | Dimensions (L x W) (m)<br>尺寸（長 x 闊）（米） | Area of each Parking Space (sq.m.)<br>每個停車位面積（平方米） |
|---|----------------|--------------|--|--|
| Public Coach Parking Space<br>公眾旅遊車停車位                      | B1/F<br>地庫1層   | 30           | 12.0 x 3.5                             | 42   |
| Commercial Loading and Unloading Parking Space<br>商戶上落貨停車位  |                | 1            | 11.0 x 3.5                             | 38.5   |
| Residential Loading and Unloading Parking Space<br>住宅上落貨停車位 |                | 5            | 11.0 x 3.5                             | 38.5   |
| Public Loading and Unloading Parking Space<br>公眾上落貨停車位      |                | 4            | 11.0 x 3.5                             | 38.5   |
| Refuse Collection Vehicle Parking Space<br>垃圾收集車停車位         |                | 1            | 12.0 x 5.0                             | 60   |

- Public Coach Parking Space  
公眾旅遊車停車位
- Commercial Loading and Unloading Parking Space  
商戶上落貨停車位
- Residential Loading and Unloading Parking Space  
住宅上落貨停車位
- Public Loading and Unloading Parking Space  
公眾上落貨停車位
- Refuse Collection Vehicle Parking Space  
垃圾收集車停車位

FLOOR PLANS OF PARKING SPACES IN THE PHASE 期數中的停車位的樓面平面圖

B2/F FLOOR PLAN  
地庫2層平面圖




FLOOR PLANS OF PARKING SPACES IN THE PHASE 期數中的停車位的樓面平面圖

LOCATION, NUMBER, DIMENSIONS AND AREA OF PARKING SPACES:  
停車位位置、數目、尺寸及面積：


| Type of Parking Space<br>停車位類別                        | Location<br>位置 | Number<br>數目 | Dimensions (L x W) (m)<br>尺寸（長 x 闊）（米） | Area of each Parking Space (sq.m.)<br>每個停車位面積（平方米） |
|---|----------------|--------------|--|--|
| Residential Car Parking Space<br>住宅停車位                | B2/F<br>地庫2層   | 127          | 5.0 x 2.5                              | 12.5   |
| Accessible Residential Car Parking Space<br>暢通易達住宅停車位 |                | 1            | 5.0 x 3.5                              | 17.5   |
| Residential Motor Cycle Parking Space<br>住宅電單車停車位     |                | 12           | 2.4 x 1.0                              | 2.4  |
| Visitors' Parking Space<br>訪客停車位                      |                | 14           | 5.0 x 2.5                              | 12.5   |
| Accessible Visitors' Parking Space<br>暢通易達訪客停車位       |                | 1            | 5.0 x 3.5                              | 17.5   |
| Commercial Car Parking Space<br>商戶停車位                 |                | 3            | 5.0 x 2.5                              | 12.5   |
| Accessible Commercial Car Parking Space<br>暢通易達商戶停車位  |                | 1            | 5.0 x 3.5                              | 17.5   |
| Commercial Motor Cycle Parking Space<br>商戶電單車停車位      |                | 1            | 2.4 x 1.0                              | 2.4  |

Remark:


Apart from the parking spaces mentioned above, the other parking spaces shown in the floor plan belong to the subsequent Phases of the Development.  
除以上提及的停車位外，平面圖中顯示的其他停車位屬於發展項目的後續期數。




Residential Car Parking Space  
住宅停車位




Residential Motor Cycle Parking Space  
住宅電單車停車位




Visitors' Parking Space  
訪客停車位




Commercial Car Parking Space  
商戶停車位




Commercial Motor Cycle Parking Space  
商戶電單車停車位



Accessible Residential Car Parking Space  
暢通易達住宅停車位



Accessible Visitors' Parking Space  
暢通易達訪客停車位



Accessible Commercial Car Parking Space  
暢通易達商戶停車位



SUMMARY OF THE PRELIMINARY AGREEMENT FOR SALE AND PURCHASE 臨時買賣合約的摘要

1. A preliminary deposit of 5% is payable on the signing of the preliminary agreement for sale and purchase (the “preliminary agreement”);

2. The preliminary deposit paid by the purchaser on the signing of the preliminary agreement will be held by a firm of solicitors acting for the owner, as stakeholders;

3. If the purchaser fails to execute the agreement for sale and purchase within 5 working days after the date on which the purchaser enters into the preliminary agreement —  
(i) the preliminary agreement is terminated;  
(ii) the preliminary deposit is forfeited; and  
(iii) the owner does not have any further claim against the purchaser for the failure.
1. 在簽署臨時買賣合約 (該 “臨時合約” ) 時須支付款額為5%的臨時訂金；

2. 買方在簽署該臨時合約時支付的臨時訂金，會由代表擁有人行事的律師事務所以保證金保存人的身分持有；

3. 如買方沒有於訂立該臨時合約的日期之後5個工作日內簽立買賣合約—  
(i) 該臨時合約即告終止；  
(ii) 有關的臨時訂金即予沒收；及  
(iii) 擁有人不得就買方沒有簽立買賣合約而針對買方提出進一步申索。

# SUMMARY OF DEED OF MUTUAL COVENANT 公契的摘要

The draft Deed of Mutual Covenant and Management Agreement (“DMC”) of the Development provides that:

## A. Common Parts of the Phase

1. **“Common Areas and Facilities”** means collectively the Development Common Areas and Facilities, the Residential Common Areas and Facilities, the Residential Carpark Common Areas and Facilities, (upon execution of the Sub-Deed(s) in respect of the Commercial Accommodation) the Commercial Common Areas and Facilities and the Commercial Carpark Common Areas and Facilities and all those parts and such of the facilities of the Development designated as common areas and facilities in any Sub-Deed(s).
2. **“Development Common Areas and Facilities”** means and includes:
  - (a) those parts of the Development in Phase 1 which are intended for common use and benefit of the Development including but not limited to the Public Loading and Unloading Park, such parts of the external walls (excluding the window(s) of any Unit) and curtain walls of the Development which are (in so far as they are capable of being shown on plans) for the purposes of identification only shown coloured Green on the elevation plans certified by the Authorized Person and annexed to the DMC, such parts of the Amenity Area in Phase 1, such parts of the Landscaped Area in Phase 1 (including the Greenery Area and the Vertical Greening in Phase 1), such parts of the Items in Phase 1, the Fire Services Access, decorative air intake grilles within the Public Transport Interchange serving at pedestrian level, pipeworks downstream of manhole serving toilet of bus regulator offices at basement 1 floor, the structural walls, columns, beams, transfer plate and any other structural elements, plant rooms for environmentally friendly system and features, lifts, staircases, passages, entrances, walkways, stairways, landings, platforms, boundary fence walls, lobbies, the space for the loading and unloading of refuse collection vehicles, service areas, driveways, roadways and pavements, ramps, refuse storage & material recovery chamber, fan rooms, electrical meter rooms, transformer room, switch rooms, street fire hydrant water tank, fire services water tank, irrigation and cleansing water pump room (if any), fire services control centre, sprinkler water tank, emergency generator rooms, fuel tank rooms, sprinkler water pump rooms, flushing water pump rooms, street fire hydrant pump room, Owners’ Committee office (if any) or office for Owners’ Corporation (when formed), management office (if any), meter rooms, master water meter room, store rooms (if any), telecommunication broadcasting equipment rooms, water features, planters and such of the drains, channels, water mains, sewers, fresh and salt water storage tanks, fresh and salt water intakes and mains, storm water storage tank (if any) and drainage connection, satellite master antenna television system, communal television and radio aerial systems for reception of television and radio broadcast, telecommunications and broadcasting distribution networks, cable television system (if any), wires, cables and other facilities whether ducted or otherwise which are or at any time may be in under or over or passing through the Lot through which fresh or salt water, sewage, gas, telephone, electricity and other services are supplied to the Development, trees, shrubs and other plants and vegetation, lamp posts and other lighting facilities, fire prevention and fighting equipment and apparatus, security systems and apparatus, ventilation system and any other mechanical systems, devices or facilities installed or provided in Phase 1 of the Development intended for common use and benefit of the Development; which are (in so far as they are capable of being shown on plans) for the purposes of identification only shown coloured Green and Light Green Hatched Black on the plans certified by the Authorized Person and annexed to the DMC;

- (b) such other areas, apparatus, devices, systems and facilities of and in the Lot and the Development as may from time to time designated as Development Common Areas and Facilities in accordance with the DMC or any Sub-Deed(s); and
- (c) to the extent not specifically provided in paragraphs (a) and (b) above, such other parts of the Lot and the Development:
  - (i) any parts of the Development covered by paragraph (a) of the definition of “common parts” set out in section 2 of the Building Management Ordinance (Cap.344); and/or
  - (ii) any parts specified in Schedule 1 to the Building Management Ordinance (Cap.344) and included under paragraph (b) of the definition of “common parts” set out in section 2 of the Building Management Ordinance (Cap.344);

but EXCLUDING:

- (i) the Residential Common Areas and Facilities, the Residential Carpark Common Areas and Facilities, the Commercial Common Areas and Facilities and the Commercial Carpark Common Areas and Facilities; and
- (ii) such areas within the Development the exclusive right and privilege to hold, use, occupy and enjoy which belongs to any particular Owner and such facilities within the Development serving only any particular Owner.

## 3. **“Residential Common Areas and Facilities”** means and includes:

- (a) those parts of the Development in Phase 1B intended for the common use and benefit of the Owners, occupiers and licensees of the Residential Accommodation and the bona fide guests, visitors or invitees thereof, including but not limited to the Club House in Phase 1B, Visitors’ Parking Spaces in Phase 1B, such parts of the external walls (excluding the window(s) of any Residential Unit) and curtain walls of the Development which are (in so far as they are capable of being shown on plans) for the purpose of identification only shown coloured Brown on the elevation plans certified by the Authorized Person and annexed to the DMC and the external walls (excluding the window(s) of any Residential Unit) and curtain walls of the Residential Towers, the structural walls, columns, beams, transfer plate and any other structural elements, the Residential Loading and Unloading Spaces in Phase 1B, the Acoustic Fins in Phase 1B, wider common corridors and lift lobbies, covered landscape areas, mail boxes, and such of the passages, common corridors and lift lobbies, entrances, landings, halls, entrance lobbies, guard rooms, air-conditioning platforms, stairways, staircases, lifts, caretakers’ quarter, office for watchmen and caretakers, fire services booster pump room, store rooms, meter rooms and meter spaces and roof thereof and such of the lifts, lift shafts, firemen’s lifts, water tanks, aerals, meters, lighting, drains, channels, sewers, salt and fresh water intakes and mains, wires, cables, air-conditioning and ventilation system and other facilities whether ducted or otherwise through which fresh or salt water, sewage, gas, electricity and other services are supplied to the Residential Accommodation, pumps, tanks, sanitary fittings, electrical installations, fittings, equipment and apparatus, fire prevention and fighting equipment and apparatus, security systems and apparatus, ventilation system and such other areas and any other systems, devices or facilities which are at or provided or installed in Phase 1B of the Development intended for the common use and benefit of the Owners and residents or tenants of the Residential Accommodation and their bona fide guests, visitors or invitees and such other areas within the Lot and such other systems, devices and facilities within the Development for common use and benefit of the Residential Accommodation in accordance with the DMC which are (in so far as they are capable of being shown on plans) for the purposes of identification only shown coloured Brown, Brown Rippled Black and Orange Dotted Line on the plans certified by Authorized Person and annexed to the DMC; and

# SUMMARY OF DEED OF MUTUAL COVENANT 公契的摘要

- (b) such other areas, apparatus, devices, systems and facilities of and in the Lot and the Development as may from time to time designated as Residential Common Areas and Facilities in accordance with the DMC or any Sub-Deed(s);

but EXCLUDING:

(i) the Development Common Areas and Facilities, the Residential Car Park Common Areas and Facilities, the Commercial Common Areas and Facilities and the Commercial Carpark Common Areas and Facilities; and

(ii) such areas within the Development in respect of which the exclusive right and privilege to hold, use, occupy and enjoy the same belongs to any particular Owner and such facilities within the Development serving only any particular Owner.

4. “Residential Carpark Common Areas and Facilities” means and includes:

(a) those parts of the Development in Phase 1B which are intended for the common use and benefit of all the Residential Car Parking Spaces, the Residential Motor Cycle Parking Spaces and the Visitors’ Parking Spaces as a whole including but not limited to driveways, passages, EV charger room and such other areas and facilities which are intended for the common use and benefit of all the Residential Car Parking Spaces, the Residential Motor Cycle Parking Spaces and the Visitors’ Parking Spaces (in so far as they are capable of being shown on plans) for the purposes of identification only shown coloured Yellow on the plans certified by the Authorized Person and annexed to the DMC; and

(b) such other areas, apparatus, devices, systems and facilities of and in the Lot and the Development as may from time to time designated as Residential Carpark Common Areas and Facilities in accordance with the DMC or any Sub-Deed(s);

but EXCLUDING:

(i) the Development Common Areas and Facilities, the Residential Common Areas and Facilities, the Commercial Common Areas and Facilities and the Commercial Carpark Common Areas and Facilities; and

(ii) such areas within the Development the exclusive right and privilege to hold, use, occupy and enjoy which belongs to any particular Owner and such facilities within the Development serving only any particular Owner.

5. “Commercial Common Areas and Facilities” means the Commercial Common Areas and Facilities (Phase 1B) and the Commercial Common Areas and Facilities (Phase 2).

6. “Commercial Common Areas and Facilities (Phase 1B)” means (upon the execution of the Sub-Deed(s) in respect of the Commercial Accommodation (Phase 1B)):-

(a) the Commercial Loading and Unloading Space(s) within the Commercial Accommodation (Phase 1B); and

(b) such other areas and facilities of and in the Commercial Accommodation (Phase 1B) intended for common use and benefit of the Commercial Accommodation as a whole.

7. “Commercial Common Areas and Facilities (Phase 2)” means (upon the execution of the Sub-Deed(s) in respect of the Commercial Accommodation (Phase 2)):-

(a) the Commercial Loading and Unloading Space(s) within the Commercial Accommodation (Phase 2); and

(b) such other areas and facilities of and in the Commercial Accommodation (Phase 2) intended for common use and benefit of the Commercial Accommodation as a whole.

8. “Commercial Carpark Common Areas and Facilities” means the Commercial Carpark Common Areas and Facilities (Phase 1B) and the Commercial Carpark Common Areas and Facilities (Phase 2);

9. “Commercial Carpark Common Areas and Facilities (Phase 1B)” means (upon the execution of the Sub-Deed(s) in respect of the Commercial Accommodation (Phase 1B)):-

(a) the driveway and circulation areas within the Commercial Carpark (Phase 1B) which are intended for the common use and benefit of the Commercial Carpark as a whole; and

(b) such other areas and facilities of and in the Commercial Carpark (Phase 1B) intended for common use and benefit of the Commercial Carpark as a whole.

10. “Commercial Carpark Common Areas and Facilities (Phase 2)” means (upon the execution of the Sub-Deed(s) in respect of the Commercial Accommodation (Phase 2)):-

(a) the driveway and circulation areas within the Commercial Carpark (Phase 2) which are intended for the common use and benefit of the Commercial Carpark as a whole; and

(b) such other areas and facilities of and in the Commercial Carpark (Phase 2) intended for common use and benefit of the Commercial Carpark as a whole.

11. “Sub-Deed” means a Sub-Deed of Mutual Covenant to be entered into between the First Owner (i.e. the Vendor mentioned in this Sales Brochure) and another co-owner or owners of the Development setting forth the rights and obligations of any component part of the Development and “Sub-Deeds” shall be construed accordingly.

12. The Owners shall not convert any part of the Common Areas and Facilities to his own use or for his own benefit unless approved by the Owner’s Committee.

13. The Owners shall not obstruct the Common Areas and Facilities nor do anything in the Common Areas and Facilities as may be or become a nuisance to any other Owners or occupiers of the Development.

14. The Common Areas and Facilities shall be under the exclusive control of the Manager, who is appointed to act as agent for and on behalf of all Owners duly authorized in accordance with the provisions of the DMC and any relevant Sub-Deed(s) in respect of any matter concerning the Common Areas and Facilities.

AP002

SUMMARY OF DEED OF MUTUAL COVENANT 公契的摘要

B. Number of Undivided Shares assigned to each residential property in the Phase

Tower 1

| Flat                 | A    | B    |
|----------------------|------|------|
| Floor                |      |      |
| 3/F                  | 2849 | 2208 |
| 5/F-12/F & 15/F-16/F | 2828 | 2088 |
| 17/F                 | 3922 | -    |
| 18/F                 | 4157 | -    |

Note: 4/F, 13/F & 14/F are omitted.

Tower 2

| Flat                 | A    | B    |
|----------------------|------|------|
| Floor                |      |      |
| 3/F                  | 3058 | 2857 |
| 5/F-12/F & 15/F-18/F | 2856 | 2617 |
| 19/F                 | 4458 | -    |
| 20/F                 | 4653 | -    |

Note: 4/F, 13/F & 14/F are omitted.

Tower 3

| Flat                 | A    | B    |
|----------------------|------|------|
| Floor                |      |      |
| 3/F                  | 2796 | 2262 |
| 5/F-12/F & 15/F-20/F | 2676 | 2088 |
| 21/F                 | 3812 | -    |
| 22/F                 | 4045 | -    |

Note: 4/F, 13/F & 14/F are omitted.

Tower 5

| Flat                 | A    | B    |
|----------------------|------|------|
| Floor                |      |      |
| 3/F                  | 2861 | 2813 |
| 5/F-12/F & 15/F-20/F | 2861 | 2657 |
| 21/F                 | 4455 | -    |
| 22/F                 | 4637 | -    |

Note: 4/F, 13/F & 14/F are omitted.

Tower 5A

| Flat                 | A    | B    | C   | D   | E   | F   |
|----------------------|------|------|-----|-----|-----|-----|
| Floor                |      |      |     |     |     |     |
| 3/F                  | 640  | 666  | 938 | 669 | 650 | 496 |
| 5/F-12/F & 15/F-20/F | 640  | 666  | 938 | 669 | 650 | 496 |
| 21/F                 | 640  | 1324 | -   | 668 | 650 | 496 |
| 22/F                 | 1518 | -    | -   | 713 | 693 | 531 |

Note: 4/F, 13/F & 14/F are omitted.

Tower 6

| Flat                 | A    | B    | C   | D   | E   | F   | G   | H   |
|----------------------|------|------|-----|-----|-----|-----|-----|-----|
| Floor                |      |      |     |     |     |     |     |     |
| 3/F                  | 1156 | 947  | 653 | 788 | 645 | 634 | 644 | 656 |
| 5/F-12/F & 15/F-21/F | 1084 | 947  | 653 | 788 | 645 | 634 | 644 | 656 |
| 22/F                 | 1949 | 1448 | -   | -   | 645 | 634 | 644 | 656 |
| 23/F                 | 2042 | 1547 | -   | -   | 687 | 676 | 687 | 656 |

Note: 4/F, 13/F & 14/F are omitted.

C. Term of years for which the Manager of the Phase is appointed

15. Royal Elite Service Company Limited will be appointed under the DMC as the Manager of the Phase for an initial term of not exceeding two years from the date of the DMC and such appointment shall continue until terminated according to the provisions of the DMC.

D. The basis on which the management expenses are shared among the owners of the residential properties in the Phase

16. The Manager shall prepare the annual budget for the ensuing year in consultation with the Owners’ Committee (if already formed). The annual budget shall be in the following parts:

- (a) The first part (“**Development Common Budget**”) shall cover all expenditure which in the opinion of the Manager is to be expended for the benefit of all Owners or required for the proper management of the Development and the Development Common Areas and Facilities.
- (b) The second part shall cover expenditure which in the opinion of the Manager is specifically referable to different specific parts of the Development and shall be divided into four sections:

(i) the first section (“**Residential Common Budget**”) shall cover all expenditure which in the opinion of the Manager is specifically referable to the Residential Common Areas and Facilities providing service to Owners of Residential Units;

(ii) the second section (“**Residential Carpark Common Budget**”) shall cover all expenditure which in the opinion of the Manager is specifically referable to the Residential Carpark Common Areas and Facilities;

(iii) the third section (“**Commercial Common Budget**”) shall cover all expenditure which in the opinion of the Manager is specifically referable to the Commercial Common Areas and Facilities; and

(iv) The fourth section (“**Commercial Carpark Common Budget**”) shall cover all expenditure which in the opinion of the Manager is specifically referable to the Commercial Carpark Common Areas and Facilities.

17. The Manager shall fix the amount to be contributed to the annual budget by each Owner in accordance with the following principles:

- (a) The amount of the monthly or other contributions payable by each Owner shall be specified and demanded by the Manager from time to time by notice in writing;



SUMMARY OF DEED OF MUTUAL COVENANT 公契的摘要

- (b) Each Owner shall pay for every Undivided Share allocated to any Units of which he is the Owner a fraction of the total amount assessed under the annual adopted Development Common Budget in which the numerator shall be one and the denominator is equal to the total number of Undivided Shares of all the Units in the Development excluding those of the Government Accommodation;
- (c) (i) Each Owner of the Residential Units in addition to the amount payable under sub-paragraph (b) above shall in respect of each Undivided Share allocated to a Residential Unit of which he is the Owner pay a fraction of the aggregate of (i) the total amount assessed under the annual adopted Residential Common Budget and (ii) a percentage (calculated in accordance with the formula set out in sub-paragraph (c)(ii) below) of the total amount assessed under the annual adopted Residential Carpark Common Budget. The numerator of the said fraction shall be one and the denominator shall be the total number of Undivided Shares allocated to all the Residential Units;
- (ii) Percentage in sub-paragraph (c)(i) = 
$$\frac{\text{Number of Visitors' Parking Spaces}}{\text{Number of Visitors' Parking Spaces} + \text{Number of Residential Car Parking Spaces} + (\text{Number of Residential Motor Cycle Parking Spaces} \times 1/5)};$$
18. If a Sub-Deed is entered into in respect of any component part of the Development (excluding the Government Accommodation) and a new section of the annual budget is established for that component part in accordance with proviso (c) of Clause 17 of the DMC, each Owner of that component part shall in addition contribute his due proportion of the budgeted management expenses for that section in the manner provided in the Sub-Deed.
19. Where any expenditure for the management and maintenance of the Development and the Lot shall in the reasonable opinion of the Manager be specifically referable to or is being expended for a particular Unit or group of Units (excluding the Government Accommodation) and no Owner of any other Unit shall receive any material benefit therefrom, the full amount shall be excluded from the annual budget and shall be paid by the Owner(s) of that particular Unit or group of Units on demand.

E. The basis on which the management fee deposit is fixed

20. The amount of management fee deposit is equivalent to three months' monthly management contribution payable in respect of each Unit.

F. The area (if any) in the Phase retained by the owner for that owner's own use

21. Not applicable.

Note:  
For full details, please refer to the DMC which is free for inspection during opening hours at the sales office. Full script of the DMC is available for inspection upon request and copies of the DMC can be obtained upon paying necessary photocopying charges.

發展項目的大廈公共契約及管理合約（「公契」）擬稿規定：

A. 期數的公用部分

1. 「**公用地方及設施**」合指發展項目公用地方及設施、住宅公用地方及設施、住宅停車場公用地方及設施、(於就商業物業的分公契簽立後)商業公用地方及設施和商戶停車場公用地方及設施，以及在任何分公契中指定為公用地方及設施的發展項目所有有關部分及設施。
2. 「**發展項目公用地方及設施**」是指及包括：-
- (a) 發展項目第1期當中擬供發展項目共用及享用的部分，包括但不限於公眾上落貨停車場、發展項目的外牆（不包括任何單位的窗戶）及玻璃幕牆部分，其位置（若可在圖則上顯示）在附錄於公契的立面圖上用綠色顯示僅作識別之用並由認可人士核證、第1期的美化市容地帶部分、第1期的園景區（包括第1期的綠化區域及垂直綠化）、第1期的該等物件部分、走火通道、服務行人路的公共運輸交匯處內的裝飾進氣格柵、於地庫一層巴士監管員辦事處廁所的沙井的下游喉管、結構牆、支柱、樑、轉換層及任何其他結構項件、環保系統及設施所需的機房、升降機、樓梯間、通道、入口、行人道、樓梯、樓梯平台、平台、邊界圍牆、大堂、垃圾收集車上落位、服務設施用地、行車道、道路及行人路、斜路、垃圾儲存及物料回收房、風機房、電錶房、電力變壓房、電掣房、街道消防龍頭水缸、消防水缸、灌溉及清潔用水泵房（如有）、消防控制中心、花灑水缸、緊急發電機房、燃料缸房、花灑水泵房、沖廁水泵房、街道消防龍頭泵房、業主委員會（如有）辦事處或業主立案法團（如已成立）辦事處、管理處（如有）、儀錶房、總水錶房、儲物室（如有）、電訊及廣播器材室、水裝飾、花槽以及排水渠、渠道、總水管、污水渠、食水及鹹水儲水缸、食水及鹹水進水口及主喉、雨水儲水缸（如有）及排水渠接駁口、衛星共用天線電視系統、接收電視及無線電廣播的公用電視及無線電無線系統、電訊及廣播分導網絡、有線電視系統（如有）、電線、電纜及目前或任何時候在該地段之內、之上、之下或經過該地段供應食水或鹹水、污水、煤氣、電話、電力或其他服務給發展項目的其他設施（不論是否用管道輸送）、樹木、灌木及其他植物和草木、燈柱及其他照明設施、防火及消防設備及設施、保安系統及設施、通風系統及在發展項目第1期安裝或提供擬作發展項目共用和享用的任何其他機械系統、裝置及設施，其位置（若可在圖則上顯示）在附錄於公契的圖則上用綠色及淺綠色加黑色斜線顯示僅作識別之用並由認可人士核證；

(b) 按照公契或任何分公契的規定，該地段及發展項目中不時指定為發展項目公用地方及設施的其他地方、器具、裝置、系統及設施；及

(c) 凡上文 (a) 及 (b) 段無具體規定的，是指該地段及發展項目以下其他部分：

(i) 發展項目中被《建築物管理條例》（香港法例第344章）（「該條例」）第2條的「公用部分」定義 (a) 段涵蓋的任何部分；及/ 或

(ii) 被該條例附表1指明及被該條例第2條的「公用部分」定義(b) 段包含的任何部分；

但不包括：

(i) 住宅公用地方及設施、住宅停車場公用地方及設施、商業公用地方及設施和商戶停車場公用地方及設施；及

(ii) 發展項目內只賦予任何特定業主持有、使用、佔用和享用的專有權利及特權的地方，以及發展項目內只為任何特定業主服務的設施。

SUMMARY OF DEED OF MUTUAL COVENANT 公契的摘要

3.

「住宅公用地方及設施」是指及包括：-

(a)

發展項目第1B期當中擬供住宅物業的業主、佔用人和被許可人及其真正賓客、訪客或獲邀人士共用及享用的部分，包括但不限於第1B期的會所、第1B期的訪客車位、發展項目的外牆（不包括任何住宅單位的窗戶）及玻璃幕牆部分，其位置（若可在圖則上顯示）在附錄於公契的立面圖上用棕色顯示僅作識別之用並由認可人士核證，以及住宅大廈的外牆部分（不包括任何住宅單位的窗戶）及玻璃幕牆、結構牆、支柱、樑、轉換層及任何其他結構項件、第1B期的住宅上落客貨車位、第1B期的隔音簷、加闊的公用走廊及升降機大堂、有上蓋的園景區、郵箱以及通道、公用走廊與升降機大堂、入口、樓梯平台、大堂、入口大堂、警衛室、空調機平台、樓梯、樓梯間、升降機、管理員櫃檯、看更及管理員辦事處、消防中途增壓泵房、儲物室、儀錶房及儀錶區及其天台、以及升降機、升降機槽、消防員升降機、水缸、天線、儀錶、照明、排水渠、渠道、污水渠、鹹水及食水進水口及主喉、電線、電纜、空調及通風系統，以及供應食水或鹹水、污水、煤氣、電力及其他服務給住宅物業的其他設施（不論是否用管道輸送）、泵、水缸、衛生設備、電力裝置、設施、設備及設施、防火及消防設備及設施、保安系統及設施、通風系統，以及位於發展項目第1B期、在發展項目第1B期安裝或提供擬作住宅物業業主、租客或租戶及其真正賓客、訪客或獲邀人士共用及享用的其他地方及任何其他系統、裝置及設施，以及按照公契的規定供住宅物業共用及享用的該地段其他地方和發展項目內其他系統、裝置及設施，其位置（若可在圖則上顯示）在附錄於公契的圖則上用棕色、棕色加黑色浪紋和橙色虛線顯示僅作識別之用並由認可人士核證；及

(b)

按照公契或任何分公契的規定，該地段及發展項目中不時指定為住宅公用地方及設施的其他地方、器具、裝置、系統及設施；

但不包括：

(i)

發展項目公用地方及設施、住宅停車場公用地方及設施、商業公用地方及設施和 商戶停車場公用地方及設施；及

(ii)

發展項目內只賦予任何特定業主專有權利及特權持有、使用、佔用和享用的地方，以及發展項目內只為任何特定業主服務的設施；

4.

「住宅停車場公用地方及設施」是指及包括：-

(a)

發展項目第1B期當中擬供所有住宅車位、住宅電單車車位和訪客車位整體共用及享用的部分，包括但不限於行車道、通道、電動車充電器室以及擬供所有住宅車位、住宅電單車車位和訪客車位共用及享用其他地方及設施，其位置（若可在圖則上顯示）在附錄於公契的圖則上用黃色顯示僅作識別之用並由認可人士核證；及

(b)

按照公契或任何分公契的規定，該地段及發展項目中不時指定為住宅停車場公用地方及設施的其他地方、器具、裝置、系統及設施；

但不包括：

(i)

發展項目公用地方及設施、住宅公用地方及設施、商業公用地方及設施和商戶停車場公用地方及設施；及

(ii)

發展項目內只賦予任何特定業主專有權利及特權持有、使用、佔用和享用的地方，以及發展項目內只為任何特定業主服務的設施。

5.

「商業公用地方及設施」是指商業公用地方及設施(第1B期) 和商業公用地方及設施(第2期)。

6.

「商業公用地方及設施(第1B期)」是指，(於就商業物業(第1B期)的分公契簽立後)：-

(a)

商業物業(第1B期)內的商戶上落客貨車位；及

(b)

商業物業(第1B期)中擬供商業物業整體共用及享用的其他地方及設施。

7.

「商業公用地方及設施(第2期)」是指，(於就商業物業(第2期)的分公契簽立後)：-

(a)

商業物業(第2期)內的商戶上落客貨車位；及

(b)

商業物業(第2期)中擬供商業物業整體共用及享用的其他地方及設施。

8.

「商戶停車場公用地方及設施」是指商戶停車場公用地方及設施(第1B期) 和商戶停車場公用地方及設施(第2期)。

9.

「商戶停車場公用地方及設施(第1B期)」是指，(於就商業物業(第1B期)的分公契簽立後)：-

(a)

商戶停車場(第1B期)內擬供商戶停車場整體共用及享用的的行車道及通道地方；及

(b)

商戶停車場(第1B期)中擬供商戶停車場整體共用及享用的其他地方及設施。

10.

「商戶停車場公用地方及設施(第2期)」是指，(於就商業物業(第2期)的分公契簽立後)：-

(a)

商戶停車場(第2期)內擬供商戶停車場整體共用及享用的的行車道及通道地方；及

(b)

商戶停車場(第2期)中擬供商戶停車場整體共用及享用的其他地方及設施。

11.

「分公契」是指將由發展項目第一業主(即本售樓說明書所述的賣方)與另一名（或多名）共同業主訂立的公共契約的分公契，當中列明發展項目任何組成部分的權利與義務。「分公契」的複數亦須據此解釋。

12.

除非已獲業主委員會批准，否則各業主不得將公用地方及設施的任何部分改作自用或享用。

13.

各業主不得阻礙公用地方及設施，也不得在公用地方及設施作出可能滋擾或構成滋擾發展項目任何其他業主或佔用人的行為。

14.

公用地方及設施由管理人專門控制，管理人獲全體業主按照公契及任何相關分公契的條文委任，就任何涉及公用地方及設施的事宜代表全體業主。

B. 分配予期數的每個住宅物業的不分割份數的數目

第1座

| 樓層 \ 單位        | A    | B    |
|----------------|------|------|
| 3樓             | 2849 | 2208 |
| 5樓至12樓及15樓至16樓 | 2828 | 2088 |
| 17樓            | 3922 | -    |
| 18樓            | 4157 | -    |

備註: 不設4樓、13樓及14樓。

AP005



SUMMARY OF DEED OF MUTUAL COVENANT 公契的摘要

第2座

| 樓層 \ 單位        | A    | B    |
|----------------|------|------|
| 3樓             | 3058 | 2857 |
| 5樓至12樓及15樓至18樓 | 2856 | 2617 |
| 19樓            | 4458 | -    |
| 20樓            | 4653 | -    |

備註: 不設4樓、13樓及14樓。

第3座

| 樓層 \ 單位        | A    | B    |
|----------------|------|------|
| 3樓             | 2796 | 2262 |
| 5樓至12樓及15樓至20樓 | 2676 | 2088 |
| 21樓            | 3812 | -    |
| 22樓            | 4045 | -    |

備註: 不設4樓、13樓及14樓。

第5座

| 樓層 \ 單位        | A    | B    |
|----------------|------|------|
| 3樓             | 2861 | 2813 |
| 5樓至12樓及15樓至20樓 | 2861 | 2657 |
| 21樓            | 4455 | -    |
| 22樓            | 4637 | -    |

備註: 不設4樓、13樓及14樓。

第5A座

| 樓層 \ 單位        | A    | B    | C   | D   | E   | F   |
|----------------|------|------|-----|-----|-----|-----|
| 3樓             | 640  | 666  | 938 | 669 | 650 | 496 |
| 5樓至12樓及15樓至20樓 | 640  | 666  | 938 | 669 | 650 | 496 |
| 21樓            | 640  | 1324 | -   | 668 | 650 | 496 |
| 22樓            | 1518 | -    | -   | 713 | 693 | 531 |

備註: 不設4樓、13樓及14樓。

第6座

| 樓層 \ 單位        | A    | B    | C   | D   | E   | F   | G   | H   |
|----------------|------|------|-----|-----|-----|-----|-----|-----|
| 3樓             | 1156 | 947  | 653 | 788 | 645 | 634 | 644 | 656 |
| 5樓至12樓及15樓至21樓 | 1084 | 947  | 653 | 788 | 645 | 634 | 644 | 656 |
| 22樓            | 1949 | 1448 | -   | -   | 645 | 634 | 644 | 656 |
| 23樓            | 2042 | 1547 | -   | -   | 687 | 676 | 687 | 656 |

備註: 不設4樓、13樓及14樓。

C. 有關期數的管理人的委任年期

15. Royal Elite Service Company Limited將根據公契的規定獲委任為期數的管理人。管理人的初始任期為自公契日期起不超過兩(2)年，並隨後續任，直至按照公契的條文被終止委任。

D. 管理開支按甚麼基準在期數的住宅物業的擁有人之間分擔

16. 管理人須諮詢業主委員會（若已成立）後製作下一年度的周年預算。周年預算須包括以下各部分：

- (a) 第一部分（「發展項目公用部分預算」）須包括管理人認為為了全體業主的利益或為了恰當地管理發展項目和發展項目公用地方及設施而必須動用的一切開支。
- (b) 第二部分須包括管理人認為是特別涉及發展項目不同特定部分的開支，並且分為四個章節：
  - (i) 第一個章節（「住宅公用部分預算」）須包含管理人認為是特別涉及住宅公用地方及設施及向住宅單位業主提供服務的一切開支；
  - (ii) 第二個章節（「住宅停車場公用部分預算」）須包含管理人認為是特別涉及住宅停車場公用地方及設施的一切開支；
  - (iii) 第三個章節（「商業公用部分預算」）須包含管理人認為是特別涉及商業公用地方及設施的一切開支；及
  - (iv) 第四個章節（「商戶停車場公用部分預算」）須包含管理人認為是特別涉及商戶停車場公用地方及設施的一切開支。

17. 管理人須按照以下原則釐定每名業主應分擔周年預算中的金額：

- (a) 管理人不時以書面方式指明及要求每名業主每月應繳付的金額或其他應分擔的款項；
- (b) 每名業主應按其單位獲分配的每份不分割份數，攤付已採納的年度發展項目公用部分預算所評定總額的一個比例，計算程式的分子為一，分母為發展項目所有單位不分割份數（不包括政府設施物業的不分割份數）的總數；
- (c) (i) 每個住宅單位的業主除攤付上述(b)分段應繳的款項外，須就其作為業主所擁有的住宅單位獲分配的每份不分割份數，攤付以下合計總額的一個比例：(i)已採納的年度住宅公用部分預算所評定總金額及(ii)已採納的年度住宅停車場公用部分預算所評定總金額的一個百分比（按以下(c)(ii)分段的公式計算）。計算程式的分子為一，分母為分配予所有住宅單位的不分割份數總額；
  - (ii) (c)(i)分段的百分比= 
$$\frac{\text{訪客車位數目}}{\text{訪客車位數目} + \text{住宅車位數目} + (\text{住宅電單車車位數目} \times 1/5)}$$
；

18. 如果就發展項目的任何組成部分（不包括政府設施物業）訂立分公契，以及按照公契第17條但書(c)在年度預算中為該組成部分設置一個新欄目，該組成部分的名業主還須按分公契規定的方式分擔該章節的預算管理開支中的適當部分。

# SUMMARY OF DEED OF MUTUAL COVENANT 公契的摘要

19. 若管理人合理地認為發展項目及該地段的任何管理和保養開支特別涉及個別單位或若干單位（不包括政府設施物業）或只為它們支出，而沒有任何其他單位業主會從中取得任何實質利益，則該等全部款項須從年度預算中剔除並由該個別單位或若干單位業主應要求支付。

**E. 計算管理費按金的基準**

20. 每一個單位應繳付的管理費按金相等於三(3)個月的管理費。

**F. 擁有人在期數中保留作自用的範圍（如有的話）**

21. 不適用。

附註：  
請查閱公契以了解全部詳情。完整的公契可於售樓處開放時間內免費查閱，並且可支付所需影印費用後取得公契的副本。



## SUMMARY OF LAND GRANT 批地文件的摘要

### A. The lot number of the land on which the Phase is situated

1. The Phase is constructed on The Remaining Portion of Section A of Inland Lot No. 9027, The Remaining Portion of Section B of Inland Lot No. 9027, The Remaining Portion of Section C of Inland Lot No. 9027, The Remaining Portion of Section D of Inland Lot No. 9027, The Remaining Portion of Section E of Inland Lot No. 9027 and The Remaining Portion of Inland Lot No. 9027 (collectively, the “**Lot**”).

### B. The term of years under the lease

2. The lease term of the Lot granted under the Conditions of Sale No.20173 (the “**Land Grant**”) is 50 years from 7th August 2012.

### C. User restrictions applicable to that land

3. Special Condition No. (24) of the Land Grant stipulates that the Lot or any part thereof or any building(s) erected or to be erected thereon shall not be used for any purpose other than for non-industrial (excluding godown, hotel and petrol filling station) purposes.
4. Special Condition No. (6) of the Land Grant stipulates that the Grantee shall not without the prior written consent of the Director of Lands (the “**Director**”) use the Reserved Area (as defined below) or any part(s) thereof for the purpose of storage or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in Special Condition No. (4) of the Land Grant.
5. Special Condition No. (10) of the Land Grant stipulates that the Grantee shall not without the prior written consent of the Director use the Green Areas (as defined below) or any part(s) thereof for the purpose of storage or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in Special Condition No. (8) of the Land Grant.
6. Special Condition No. (13)(i) of the Land Grant stipulates that the Grantee shall not without the prior written consent of the Director use the Yellow Area, the Yellow Stippled Black Area or the Yellow Cross-hatched Black Area (each as defined below) or any part(s) of them for the purpose of storage or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in sub-clauses (a) and (d) of Special Condition No. (13), the purposes as specified in sub-clause (h) of Special Condition No. (13), the Existing Public Toilet, the Existing Bus Regulator’s Office and the Existing Staff Canteen.
7. Special Condition No. (53)(a)(iv) of the Land Grant stipulates that the spaces provided under sub-clauses (a)(i) and (a)(iii) of Special Condition No. (53) (i.e. the Residential Parking Spaces and the Visitors’ Parking Spaces) shall not be used for any purpose other than those respectively stipulated therein and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
8. Special Condition No. (53)(b)(iii) of the Land Grant stipulates that the spaces provided under sub-clauses (b)(i)(I) and (b)(i)(II) of Special Condition No. (53) (i.e. parking spaces for office purpose and parking spaces for other non-industrial purpose) shall not be used for any purpose other than for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the occupiers of the building(s) erected or to be erected on the Lot for the respective purposes stipulated in the said sub-clauses and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

9. Special Condition No. (53)(c)(iii) of the Land Grant stipulates that the spaces provided under sub-clause (c)(i) of Special Condition No. (53) (i.e. parking spaces for vehicles of disabled persons) shall not be used for any purpose other than for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents or occupiers of the building(s) erected or to be erected on the Lot and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
10. Special Condition No. (53)(d)(ii) of the Land Grant stipulates that the Residential Motor Cycle Parking Spaces shall not be used for any purpose other than for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the residential units in the building(s) erected or to be erected on the Lot and their bona fide guests, visitors or invitees and in particular the Residential Motor Cycle Parking Spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
11. Special Condition No. (53)(d)(iii) of the Land Grant stipulates that the spaces provided under sub-clauses (d)(i)(II) and (d)(i)(III) of Special Condition No. (53) shall not be used for any purpose other than for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the occupiers of the building(s) erected or to be erected on the Lot for the respective purposes stipulated in sub-clauses (b)(i)(I) and (b)(i)(II) of Special Condition No. (53) and their bona fide guests, visitors or invitees and in particular the said spaces shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
12. Special Condition No. (59) of the Land Grant stipulates that, except for the parking spaces indicated on the approved plan referred to in Special Condition No. (59), no part of the Lot or any building or structure thereon shall be used for parking purposes.
13. Special Condition No. (60)(i) of the Land Grant stipulates that the Public Coach Park (as defined below) shall not be used for any purpose other than for the parking of coaches licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and in particular the Public Coach Park shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
14. Special Condition No. (61)(i) of the Land Grant stipulates that the Public Loading and Unloading Park (as defined below) shall not be used for any purpose other than for the loading and unloading of vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and in particular the Public Loading and Unloading Park shall not be used for the storage, display or exhibiting of vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
15. Special Condition No. (71) of the Land Grant stipulates that no grave or columbarium shall be erected or made on the Lot, nor shall any human remains or animal remains whether in earthenware jars, cinerary urns or otherwise be interred therein or deposited thereon.

## SUMMARY OF LAND GRANT 批地文件的摘要

### D. Facilities that are required to be constructed and provided for the Government, or for public use

#### The Reserved Area

16. Special Condition No. (3)(a) of the Land Grant stipulates that there is excepted and reserved to the Government:
- (i) the stratum of land above the areas shown coloured pink stippled red and pink hatched brown stippled red on the plan annexed to the Land Grant from the level at 0 metre Hong Kong Principal Datum; and
  - (ii) all the airspace above the said stratum of land that traverses over the areas shown coloured pink stippled red and pink hatched brown stippled red on the plan annexed to the Land Grant
- (which stratum of land and airspace are collectively the “**Reserved Area**”).
17. Special Condition No. (3)(b) of the Land Grant stipulates that the Grantee shall have no right of or title to the ownership, possession or use of the Reserved Area except as provided in Special Conditions Nos. (5) and (6) of the Land Grant and no building or structure unless otherwise provided for in the Land Grant shall be erected or constructed within the Reserved Area.
18. Special Condition No. (3)(c) of the Land Grant stipulates that the Grantee shall have no right to object or make any claim for compensation whatsoever against the Government whether under any enactment or otherwise in respect of the rights reserved under sub-clause (a) of Special Condition No. (3) or for any loss, damage, nuisance, annoyance or detriment of any kind whatsoever in respect of or as a consequence of the use of the Reserved Area as the future public roads referred to in Special Condition No. (4)(a) of the Land Grant.
19. Special Condition No. (4)(a) of the Land Grant stipulates that the Grantee shall:
- (i) on or before 31st December 2020 or such other extended date as may be approved by the Director, at his own expense, in such manner with such materials and to such standards, levels, alignment and design as the Director shall approve and in all respects to the satisfaction of the Director:
    - (I) lay and form those portions of future public roads within the Reserved Area; and
    - (II) provide and construct such bridges, tunnels, over-passes, under-passes, culverts, viaducts, flyovers, pavements, roads or such other structures as the Director in his sole discretion may require (collectively the “**Reserved Area Structures**”)so that building, vehicular and pedestrian traffic may be carried on the Reserved Area;
  - (ii) on or before 31st December 2020 or such other extended date as may be approved by the Director, at his own expense and to the satisfaction of the Director, landscape, surface, kerb and channel the Reserved Area and provide the same with such gullies, sewers, drains, fire hydrants with pipes connected to water mains, street lights, traffic signs, street furniture and road markings as the Director may require; and
  - (iii) maintain at his own expense the Reserved Area together with the Reserved Area Structures and all landscaping features, structures, surfaces, gullies, sewers, drains, fire hydrants, services, street lights, traffic signs, street furniture, road markings and plant constructed, installed and provided thereon or therein to the satisfaction of the Director until such time as possession of the whole of the Reserved Area has been delivered in accordance with Special Condition No. (5) of the Land Grant.

20. Special Condition No. (4)(b) of the Land Grant stipulates that, in the event of the non-fulfilment of the Grantee’s obligations under sub-clause (a) of Special Condition No. (4), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding upon the Grantee.
21. Special Condition No. (4)(c) of the Land Grant stipulates that the Government shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person whether arising out of or incidental to the fulfilment of the Grantee’s obligations under sub-clause (a) of Special Condition No. (4) or the exercise of the rights by the Government under sub-clause (b) of Special Condition No. (4) or otherwise, and no claim whatsoever shall be made against the Government by the Grantee in respect of any such loss, damage, nuisance or disturbance.
22. Special Condition No. (5) of the Land Grant stipulates that the Reserved Area shall be re-delivered to the Government on demand at any time(s) and in any event the Reserved Area shall be deemed to have been re-delivered to the Government by the Grantee on the date of a letter from the Director indicating that the Conditions of the Land Grant have been complied with to his satisfaction. The Grantee shall at all times prior to the re-delivery of possession of the whole of the Reserved Area allow free access over and along the Reserved Area for all Government and public vehicular and pedestrian traffic and shall ensure that such access shall not be interfered with or obstructed by the carrying out of the works whether under Special Condition No. (4) of the Land Grant or otherwise.
23. Special Condition No. (6) of the Land Grant stipulates that the Grantee shall not without the prior written consent of the Director use the Reserved Area or any part(s) thereof for the purpose of storage or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in Special Condition No. (4) of the Land Grant.
24. Special Condition No. (7) of the Land Grant stipulates that:
- (a) The Grantee shall at all reasonable times prior to the re-delivery of possession of the whole of the Reserved Area:
    - (i) permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, the right of ingress, egress and regress to, from and through the Lot and the Reserved Area for the purpose of inspecting, checking and supervising any works to be carried out in compliance with Special Condition No. (4)(a) of the Land Grant and the carrying out, inspecting, checking and supervising of the works under Special Condition No. (4)(b) of the Land Grant and any other works which the Director may consider necessary in the Reserved Area;
    - (ii) permit the Government and the relevant public utility companies authorized by the Government the right of ingress, egress and regress to, from and through the Lot and the Reserved Area as the Government or the relevant public utility companies may require for the purpose of any works to be carried out in, upon or under the Reserved Area or any adjoining land including but not limited to the laying and subsequent maintenance of all pipes, wire, conduits, cable-ducts and other conducting media and ancillary equipment necessary for the provision of telephone, electricity, gas (if any) and other services intended to serve the Lot or any adjoining or neighboring land or premises, and the Grantee shall co-operate fully with the Government and also with the relevant public utility companies duly authorized by the Government on all matters relating to any of the aforesaid works to be carried out within the Reserved Area; and



## SUMMARY OF LAND GRANT 批地文件的摘要

- (iii) permit the officers of the Water Authority and the Drainage Authority and such persons as may be authorized by them the right of ingress, egress and regress to, from and through the Lot and the Reserved Area as the officers of the Water Authority and the Drainage Authority or such authorized persons may require for the purpose of carrying out any works in relation to the operation, maintenance, repairing, replacement and alteration of any other waterworks or drainage installations within the Reserved Area.
- (b) The Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under sub-clause (a) of Special Condition No. (7) shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person arising out of or incidental to the exercise of the rights by the Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under sub-clause (a) of Special Condition No. (7).

### The Green Areas and the Green Areas Structures

25. Special Condition No. (8)(a) of the Land Grant stipulates that the Grantee shall:

- (i) on or before 31st December 2020 or such other extended date as may be approved by the Director, at his own expense, in such manner with such materials and to such standards, levels, alignment and design as the Director shall approve and in all respects to the satisfaction of the Director:
  - (I) lay and form those portions of future public roads shown coloured green on the plan annexed to the Land Grant (collectively the “**Green Areas**”); and
  - (II) provide and construct such bridges, tunnels, over-passes, under-passes, culverts, viaducts, flyovers, pavements, roads or such other structures as the Director in his sole discretion may require (collectively the “**Green Areas Structures**”)

so that building, vehicular and pedestrian traffic may be carried on the Green Areas;

- (ii) on or before 31st December 2020 or such other extended date as may be approved by the Director, at his own expense and to the satisfaction of the Director, surface, kerb and channel the Green Areas and provide the same with such gullies, sewers, drains, fire hydrants with pipes connected to water mains, street lights, traffic signs, street furniture and road markings as the Director may require; and
- (iii) maintain at his own expense the Green Areas together with the Green Areas Structures and all structures, surfaces, gullies, sewers, drains, fire hydrants, services, street lights, traffic signs, street furniture, road markings and plant constructed, installed and provided thereon or therein to the satisfaction of the Director until such time as possession of the whole of the Green Areas has been delivered in accordance with Special Condition No. (9) of the Land Grant.

26. Special Condition No. (8)(b) of the Land Grant stipulates that, in the event of the non-fulfilment of the Grantee’s obligations under sub-clause (a) of Special Condition No. (8), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding upon the Grantee.

27. Special Condition No. (8)(c) of the Land Grant stipulates that the Government shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person whether arising out of or incidental to the fulfilment of the Grantee’s obligations under sub-clause (a) of Special Condition No. (8) or the exercise of the rights by the Government under sub-clause (b) of Special Condition No. (8) or otherwise, and no claim whatsoever shall be made against the Government by the Grantee in respect of any such loss, damage, nuisance or disturbance.

28. Special Condition No. (9) of the Land Grant stipulates that the Green Areas shall be re-delivered to the Government on demand at any time(s) and in any event the Green Areas shall be deemed to have been re-delivered to the Government by the Grantee on the date of a letter from the Director indicating that the Conditions of the Land Grant have been complied with to his satisfaction. The Grantee shall at all times prior to the re-delivery of possession of the whole of the Green Areas allow free access over and along the Green Areas for all Government and public vehicular and pedestrian traffic and shall ensure that such access shall not be interfered with or obstructed by the carrying out of the works whether under Special Condition No. (8) of the Land Grant or otherwise.

29. Special Condition No. (10) of the Land Grant stipulates that the Grantee shall not without the prior written consent of the Director use the Green Areas or any part(s) thereof for the purpose of storage or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in Special Condition No. (8) of the Land Grant.

30. Special Condition No. (11) of the Land Grant stipulates that:

(a) The Grantee shall at all reasonable times prior to the re-delivery of possession of the whole of the Green Areas:

(i) permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, the right of ingress, egress and regress to, from and through the Lot and the Green Areas for the purpose of inspecting, checking and supervising any works to be carried out in compliance with Special Condition No. (8)(a) of the Land Grant and the carrying out, inspecting, checking and supervising of the works under Special Condition No. (8)(b) of the Land Grant and any other works which the Director may consider necessary in the Green Areas;

(ii) permit the Government and the relevant public utility companies authorized by the Government the right of ingress, egress and regress to, from and through the Lot and the Green Areas as the Government or the relevant public utility companies may require for the purpose of any works to be carried out in, upon or under the Green Areas or any adjoining land including but not limited to the laying and subsequent maintenance of all pipes, wire, conduits, cable-ducts and other conducting media and ancillary equipment necessary for the provision of telephone, electricity, gas (if any) and other services intended to serve the Lot or any adjoining or neighboring land or premises, and the Grantee shall co-operate fully with the Government and also with the relevant public utility companies duly authorized by the Government on all matters relating to any of the aforesaid works to be carried out within the Green Areas; and

(iii) permit the officers of the Water Authority and the Drainage Authority and such other persons as may be authorized by them the right of ingress, egress and regress to, from and through the Lot and the Green Areas as the officers of the Water Authority and the Drainage Authority or such authorized persons may require for the purpose of carrying out any works in relation to the operation, maintenance, repairing, replacement and alteration of any other waterworks or drainage installations within the Green Areas.

## SUMMARY OF LAND GRANT 批地文件的摘要

- (b) The Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under sub-clause (a) of Special Condition No. (11) shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person arising out of or incidental to the exercise of the rights by the Government, the Director and his officers, contractors and agents and any other persons or public utility companies duly authorized under sub-clause (a) of Special Condition No. (11).

### The Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area

31. Special Condition No. (2) of the Land Grant stipulates that the Grantee acknowledges that there are some foundations, buildings and structures existing on the Lot and within the areas shown coloured yellow, yellow stippled black and yellow cross-hatched black on the plan annexed to the Land Grant (the “**Yellow Area**”, the “**Yellow Stippled Black Area**” and the “**Yellow Cross-hatched Black Area**” respectively). Subject to Special Conditions Nos. (12) and (41) of the Land Grant, the Grantee undertakes to demolish and remove at his own expense and in all respects to the satisfaction of the Director the said foundations, buildings and structures from the Lot, the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area.
32. Special Condition No. (13)(a) of the Land Grant stipulates that the Grantee shall at his own expense and in all respects to the satisfaction of the Director erect, construct, provide and landscape in a good workmanlike manner and in accordance with the plans approved under sub-clause (b) of Special Condition No. (13), a promenade within the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area, to be completed and made fit for occupation and operation within 54 calendar months from 7th August 2012 or such other extended periods as may be approved by the Director.
33. Special Condition No. (13)(b) of the Land Grant stipulates that:
- (i) The Grantee shall at his own expense submit or cause to be submitted to the Director for his written approval plans of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area, which shall include details as to the level, position and design of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and such other details as the Director may require.
  - (ii) No amendment, variation, alteration, modification or substitution to the plans of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area approved under sub-clause (b)(i) of Special Condition No. (13) shall be made by the Grantee except with the prior written approval of the Director or except as required by the Director.
  - (iii) The plans of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area approved under sub-clause (b)(i) of Special Condition No. (13) shall be deemed to incorporate any amendment; variation, alteration, modification or substitution subsequently approved or required by the Director.
  - (iv) No building works (including demolition) shall be commenced within the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area unless and until the plans referred to in sub-clause (b)(i) of Special Condition No. (13) have been approved in writing by the Director.
  - (v) For the purpose of the Land Grant, “building works” shall be as defined in the Buildings Ordinance, any regulations made thereunder and any amending legislation.
34. Special Condition No. (13)(c) of the Land Grant stipulates that:
- (i) The Grantee shall not demolish or damage the seawall within the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area except that he may replace it with a new seawall and the details of any new seawall shall be included in the plans referred to in sub-clause (b)(i) of Special Condition No. (13).
  - (ii) Subject to sub-clause (c)(i) of Special Condition No. (13), no works shall be carried out within the Yellow Area, the Yellow Stippled Black Area or the Yellow Cross-hatched Black Area which will adversely affect the seawall and (as the case may be) the new seawall or any part or parts thereof and the decision of the Director as to whether any works will adversely affect the seawall and (as the case may be) the new seawall shall be final and binding upon the Grantee.
  - (iii) The maximum superimposed load within 10 metres from and behind the copeline of the seawall and (as the case may be) the new seawall shall not exceed 10 kilonewtons per square metre.
  - (iv) No form of percussive piling shall be used within 15 metres from the copeline of the seawall and (as the case may be) the new seawall.
35. Special Condition No. (13)(d) of the Land Grant stipulates that the Grantee shall, after completion of the works in accordance with sub-clause (a) of Special Condition No. (13), at his own expense and in all respects to the satisfaction of the Director, uphold, manage, maintain and repair the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and everything forming a portion of or pertaining to any of them until such time as possession of the whole of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area has been re-delivered to the Government in accordance with sub-clause (g) of Special Condition No. (13) of the Land Grant.
36. Special Condition No. (13)(e) of the Land Grant stipulates that:
- (i) In the event of the non-fulfilment of the Grantee’s obligations under sub-clauses (a) and (d) of Special Condition No. (13), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding upon the Grantee.
  - (ii) Notwithstanding Special Condition No. (72)(a) of the Land Grant, in the event of the non-fulfilment of the Grantee’s obligations under sub-clauses (l), (m) and (n) of Special Condition No. (13), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equivalent to the cost thereof together with a sum equivalent to 20% of the said cost as an administrative fee.
37. Special Condition No. (13)(f) of the Land Grant stipulates that the Government shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person whether arising out of or incidental to the fulfilment of the Grantee’s obligations under sub-clauses (a), (d), (l), (m) and (n) of Special Condition No. (13) or the exercise of the rights by the Government under sub-clause (e) of Special Condition No. (13) or otherwise, and no claim whatsoever or otherwise shall be made against the Government by the Grantee in respect of any such loss, damage, nuisance or disturbance.
38. Special Condition No. (13)(g) of the Land Grant stipulates that:
- (i) For the purpose only of carrying out the necessary works specified in sub-clauses (a) and (d) of Special Condition No. (13), the Grantee shall:
    - (l) on the date of the Land Grant be granted possession of the Yellow Area and the Yellow Stippled Black Area; and



# SUMMARY OF LAND GRANT 批地文件的摘要

- (II) on such date to be specified in a letter from the Director, which date in any event shall not be later than 30 calendar months from the date of the Land Grant, be granted possession of the Yellow Cross-hatched Black Area.
  - (ii) The Government shall have no liability in respect of any damage or loss whatsoever caused to or suffered by the Grantee arising out of the deferred possession of the Yellow Cross-hatched Black Area and no claim whatsoever shall be made against the Government by the Grantee in respect of any such damage or loss.
  - (iii) The Grantee shall accept the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area in such state and condition and with such structures and foundations (if any) as existing at the respective dates on which possession of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area is given and hereby agrees not to make any claims whatsoever against the Government in respect thereof.
  - (iv) The Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area shall be re-delivered to the Government by the Grantee on demand of the Director at any time(s) and in any event the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area shall be deemed to have been re-delivered to the Government by the Grantee on the date of a letter from the Director indicating that the Conditions of the Land Grant have been complied with to his satisfaction.
39. Special Condition No. (13)(h) of the Land Grant stipulates that:
- (i) The Grantee shall, prior to the re-delivery of possession of the whole of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and for the purpose of enabling access to and from the piers adjacent to the Yellow Area and the Yellow Stippled Black Area now known as the North Point Ferry Piers including any new or replacement piers (collectively the “**Piers**”), at all times free of cost and charges and without any interruption allow:
    - (I) all Government and public pedestrian traffic on foot or by wheelchair over and along the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area; and
    - (II) all Government and any public vehicular traffic over and along the Yellow Area and the Yellow Stippled Black Area until the existing service roads within the Yellow Area and the Yellow Stippled Black Area (the “**Existing Service Roads within the Yellow Area and the Yellow Stippled Black Area**”) shall have been closed in accordance with the Approved Road Closure Proposal referred to in Special Condition No. (42) of the Land Grant,and the Grantee shall at his own expense ensure that such access shall not be interfered with or obstructed by the carrying out of the works whether under sub-clauses (a) or (d) of Special Condition No. (13) or otherwise.
  - (ii) (I) Without prejudice to sub-clause (h)(i) of Special Condition No. (13), the Grantee shall at his own expense and in all respects to the satisfaction of the Director of Fire Services prior to the redelivery of possession of the whole of the Yellow Area and the Yellow Stippled Black Area:
    - (A) provide suitable means of access for the passage of Fire Services appliances and Fire Services personnel to the Piers through the Lot, the Yellow Area and the Yellow Stippled Black Area;
    - (B) at all times permit such Fire Services personnel and Fire Services appliances the free and uninterrupted use of such means of access; and

- (C) maintain such means of access and keep the same free from obstruction.
  - (II) The Grantee shall throughout the term agreed to be granted under the Land Grant at his own expense and in all respects to the satisfaction of the Director of the Fire Services:
    - (A) provide suitable means of access for the passage of Fire Services appliances and Fire Services personnel to the Piers through the Lot;
    - (B) at all times permit such Fire Services personnel and Fire Services appliances the free and uninterrupted use of such means of access; and
    - (C) maintain such means of access and keep the same free from obstruction.
  - (iii) The Grantee shall at all reasonable times with or without notice permit the Director of Fire Services, his officers, servants or agents to enter upon the Lot or any part thereof or any building(s), structure(s) or any part thereof erected or placed or to be erected or placed on the Lot, the Yellow Area and the Yellow Stippled Black Area for the purpose of inspecting the same so as to ensure that the requirements referred to in sub-clause (h)(ii) of Special Condition No. (13) of the Land Grant have been complied with.
40. Special Condition No. (13)(i) of the Land Grant stipulates that the Grantee shall not without the prior written consent of the Director use the Yellow Area, the Yellow Stippled Black Area or the Yellow Cross-hatched Black Area or any part(s) of them for the purpose of storage or for the erection of any temporary structure or for any purposes other than the carrying out of the works specified in sub-clauses (a) and (d) of Special Condition No. (13), the purposes as specified in sub-clause (h) of Special Condition No. (13), the Existing Public Toilet, the Existing Bus Regulator’s Office and the Existing Staff Canteen.
41. Special Condition No. (13)(j) of the Land Grant stipulates that:
- (i) The Grantee shall at all reasonable times prior to the re-delivery of possession of the whole of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area:
    - (I) permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, the right of ingress, egress and regress to, from and through the Lot, the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area for the purpose of inspecting, checking and supervising any works to be carried out in compliance with sub-clauses (a), (d), (l), (m) and (n) of Special Condition No. (13) and the carrying out, inspecting, checking and supervising of the works under sub-clause (e) of Special Condition No. (13) and any other works which the Director may consider necessary in the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area;
    - (II) permit the Government and the relevant public utility companies authorized by the Government the right of ingress, egress and regress to, from and through the Lot, the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area as the Government or the relevant public utility companies may require for the purpose of any works to be carried out in, upon or under the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area or any adjoining land including but not limited to the laying and subsequent maintenance of all pipes, wire, conduits, cable-ducts and other conducting media and ancillary equipment necessary for the provision of telephone, electricity, gas (if any) and other services intended to serve the Lot or any adjoining or neighboring land or premises, and the Grantee shall co-operate fully with the Government and also with the relevant public utility companies duly authorized by the Government on all matters relating to any of the aforesaid works to be carried out within the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area; and

## SUMMARY OF LAND GRANT 批地文件的摘要

- (III) permit the officers of the Water Authority and the Drainage Authority and such other persons as may be authorized by them the right of ingress, egress and regress to, from and through the Lot, the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area as the officers of the Water Authority and the Drainage Authority or such authorized persons may require for the purpose of carrying out any works in relation to the operation, maintenance, repairing, replacement and alteration of any other waterworks and drainage installations within the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area.
- (ii) The Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under sub-clause (j)(i) of Special Condition No. (13) shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person arising out of or incidental to the exercise of the rights by the Government, the Director and his officers, contractors and agents and any persons or public utility companies duly authorized under sub-clause (j)(i) of Special Condition No. (13).
42. Special Condition No. (13)(k) of the Land Grant stipulates that the Grantee thereby indemnifies and shall keep indemnified the Government against all claims, costs, demands, charges, damages, actions and proceedings of whatsoever nature arising out of or, in connection with any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works (whether in respect of workmanship, material, design or otherwise) on the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and everything forming a portion thereof or pertaining thereto and all tree health problems, defects, disorders, factors or causes which may affect the growth of any tree or shrubs in the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area (hereinafter referred to as “**Tree Health Problem**”):
- (i) which may exist at the respective dates of re-delivery of possession by the Grantee of any part or parts of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area; and
- (ii) which shall occur or become apparent within a period of 12 calendar months after the respective dates of re-delivery of possession by the Grantee of any part or parts of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area (hereinafter referred to as “**the Defects Liability and Plant Establishment Period of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area**”).
43. Special Condition No. (13)(l) of the Land Grant stipulates that, whenever required by the Director, the Grantee shall at his own expense and within such time and to such standard and in such manner as may be specified by the Director, carry out all works of maintenance, repair, amendment, reconstruction and rectification and any other works as may be necessary to remedy and rectify any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works on the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and everything forming a portion thereof or pertaining thereto which shall occur or become apparent within the Defects Liability and Plant Establishment Period of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area. In addition to the foregoing, the Grantee shall at his own expense and within such time and to such standard and in such manner as may be specified by the Director, make good and rectify any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works on the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and everything forming a portion thereof or pertaining thereto which may exist at the respective dates of re-delivery of possession thereof by the Grantee.
44. Special Condition No. (13)(m) of the Land Grant stipulates that In the event that due to any Tree Health Problem which may exist at the respective dates of re-delivery of possession of any part or parts of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area by the Grantee to the Government, any tree or plant within the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area has not grown or developed within the Defects Liability and Plant Establishment Period of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area to a state and condition to the satisfaction of the Director, the Grantee shall, if so required by the Director, at his own expense and within such time and to such standard and in such manner as may be specified by the Director, carry out replanting, landscaping works, tree maintenance measures or any other measure in all respects to the satisfaction of the Director.
45. Special Condition No. (13)(n) of the Land Grant stipulates that the Director will, shortly before the expiry of the Defects Liability and Plant Establishment Period of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area, cause an inspection to be carried out in respect of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and everything forming a portion thereof or pertaining thereto for the purpose of identifying any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works and any Tree Health Problem which may be evident. The Director reserves the right to serve upon the Grantee within 14 days after the expiry of the Defects Liability and Plant Establishment Period of the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area, a Schedule or Schedules of Defects specifying any defects, wants of repair, imperfections, breakdown, faults or any other outstanding works and any Tree Health Problem which may be evident within the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area and everything forming a portion thereof or pertaining thereto and the Grantee shall at his own expense cause all necessary works and measures to be carried out so as to remedy and rectify the same within such time and to such standard and in such manner as may be specified by the Director.
46. Special Condition No. (13)(o) of the Land Grant stipulates that the Grantee shall procure from its parent or other associated company as shall be determined by the Director at his absolute discretion a written guarantee whereby such company unconditionally and irrevocably:
- (i) guarantees the performance of obligations of the Grantee under Special Condition No. (13); and
- (ii) indemnifies and shall keep indemnified the Government against all losses, damages, costs, charges, expenses and liabilities which may be incurred by the Government by reason of or arising out of any breach or non-performance of any of the obligations of the Grantee under Special Condition No. (13).
- The guarantee shall be subject to the laws of Hong Kong in a form to be approved by the Director and shall be delivered to him within 90 days from the date of the Land Grant. If the Grantee has a parent or associated company incorporated outside Hong Kong and, if required by the Director, the Grantee shall procure and furnish to the Director, a performance bond or guarantee in a form acceptable in all respects to the Director to be given by a bank licensed under section 16 of the Banking Ordinance, any regulations made thereunder and any amending legislation. Such bond or guarantee shall be for a sum of HK\$2,022,000.00 and shall be for the purpose of securing payment to the Government of any sum which shall have been demanded under sub-clause (e) of Special Condition No. (13) and has not been paid by the Grantee to the Government.
47. Special Condition No. (13)(p) of the Land Grant stipulates that notwithstanding sub-clause (a) of Special Condition No. (13), subject to the prior written consent of the Director, the Grantee may at his own expense and in all respects to the satisfaction of the Director construct within the Yellow Cross-hatched Black Area and the Yellow Stippled Black Area at such location or locations indicated on the plans to be submitted under sub-clause (b)(i) of Special Condition No. (13) an emergency vehicular access to the building or buildings erected or to be erected on the Lot for the passage of Fire Services appliances and Fire Services personnel.



## SUMMARY OF LAND GRANT 批地文件的摘要

48. Special Condition No. (13)(q) of the Land Grant stipulates that for the purpose of Special Condition No. (13) only, the expression “Grantee” shall exclude his assigns.

### The Non-Building Area 1, the Landscaped Walkway and the Public Open Space

49. Special Condition No. (14)(a) of the Land Grant stipulates that, except with the prior written consent of the Director, no building or structure or support for any building or structure may be erected or constructed within the areas shown coloured pink hatched black and pink hatched black stippled green on the plan annexed to the Land Grant (collectively the “**Non-Building Area 1**”).
50. Special Condition No. (14)(b) of the Land Grant stipulates that, notwithstanding sub-clause (a) of Special Condition No. (14) and subject to Special Conditions Nos. (17) and (18) of the Land Grant, the following may be erected or constructed within the area shown coloured pink hatched black on the plan annexed to the Land Grant:
- (i) the Landscaped Walkway referred to in Special Condition No. (19) of the Land Grant,
  - (ii) the Public Open Space referred to in Special Condition No. (20) of the Land Grant; and
  - (iii) a basement floor(s) to be used solely for the parking or loading and unloading of motor vehicles or for lay-bys for the picking up and setting down of passengers or any combination thereof.

For the purpose of Special Condition No. (14), the decision of the Director as to what constitutes a basement floor(s) shall be final and binding upon the Grantee.

51. Special Condition (19)(a)(i) of the Land Grant stipulates that the Grantee shall, on or before 31st December 2020 or such other extended date as may be approved by the Director, at his own expense in accordance with the plans approved under sub-clause (a)(ii) of Special Condition No. (19) and in all respects to the satisfaction of the Director construct within the Non-Building Area 1 at ground level a landscaped walkway of not less than 10 metres in width to link up the Yellow Area and Java Road (the “**Landscaped Walkway**”).
52. Special Condition (19)(b) of the Land Grant stipulates that the Grantee shall at his own expense and in all respects to the satisfaction of the Director uphold, maintain, repair and manage the Landscaped Walkway and everything forming a portion of or pertaining to it until such time as the Landscaped Walkway has been surrendered to the Government in accordance with sub-clause (e) of Special Condition No. (19) of the Land Grant.
53. Special Condition (19)(c) of the Land Grant stipulates that:
- (i) In the event of the non-fulfilment of the Grantee’s obligations under sub-clauses (a) and (b) of Special Condition No. (19), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding upon the Grantee.
  - (ii) Notwithstanding Special Condition No. (72)(a) of the Land Grant, in the event of the non-fulfilment of the Grantee’s obligations under sub-clauses (h), (i) and (j) of Special Condition No. (19), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equivalent to the cost thereof together with a sum equivalent to 20% of the said cost as an administrative fee.

54. Special Condition No. (19)(d) of the Land Grant stipulates that the Government, the Director or his authorized officers shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person whether arising out of or incidental to the fulfilment of the Grantee’s obligations under sub-clauses (a), (b), (h), (i) and (j) of Special Condition No. (19) or the exercise of the rights by the Government under sub-clause (c) of Special Condition No. (19) or otherwise, and no claim whatsoever shall be made against the Government, the Director or his authorized officers by the Grantee in respect of any such loss, damage, nuisance or disturbance.

55. Special Condition No. (19)(e) of the Land Grant stipulates that:

- (i) The Grantee shall at his own cost and expense upon demand by the Director at any time throughout the term agreed to be granted under the Land Grant surrender and deliver up to the Government vacant possession of the Landscaped Walkway in all respects to the satisfaction of the Director free from encumbrances and without any consideration, payment or compensation whatsoever payable by the Government to the Grantee. To effect the surrender of the Landscaped Walkway under this sub-clause (e)(i), the Grantee shall execute at his own cost and expense a Deed of Surrender and any other document in such form and containing such provisions as the Director shall approve or require and on such terms and conditions as the Director may require. The Grantee shall have no right to claim against the Government for any loss, damage or compensation whatsoever directly or indirectly arising out of or in connection with the surrender of the Landscaped Walkway.
- (ii) The Grantee shall not assign, mortgage, charge, demise, underlet, part with the possession of or otherwise dispose of or encumber the Lot or any part(s) thereof or any interest therein or any building or part of any building thereon or enter into any agreement so to do prior to the surrender of the Landscaped Walkway to the Government in accordance with sub-clause (e)(i) of Special Condition No. (19) of the Land Grant unless and until the Grantee shall have at his own expense carved out from the Lot the Landscaped Walkway by way of a deed poll in such form and containing such provisions as the Director shall approve or require and shall have at the Grantee’s own expense registered such deed poll by memorial in the Land Registry and in all respects to the satisfaction of the Director Provided that this sub-clause (e)(ii) shall not apply to a building mortgage as provided in Special Condition No. (48)(d) of the Land Grant.

56. Special Condition No. (19)(f) of the Land Grant stipulates that, prior to the surrender of the Landscaped Walkway to the Government in accordance with sub-clause (e) of Special Condition No. (19), the Grantee shall at all reasonable times permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, the right of ingress, egress and regress to, from and through the Lot for the purpose of inspecting, checking and supervising any works to be carried out in compliance with sub-clauses (a), (b), (h), (i) and (j) of Special Condition No. (19) and the carrying out, inspecting, checking and supervising of the works under sub-clause (c) of Special Condition No. (19) and any other works which the Director may consider necessary. The Government, the Director and his officers, contractors and agents and any persons authorized by the Director shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person arising out of or incidental to the exercise of the rights by the Government, the Director and his officers, contractors and agents and any persons duly authorized under this sub-clause (f).

57. Special Condition No. (20)(a)(i) of the Land Grant stipulates that the Grantee shall at his own expense in all respects to the satisfaction of the Director and in accordance with the plans approved under sub-clause (b)(i) of Special Condition No. (20), erect, construct and provide within the Lot at ground level area(s) of public open space of not less than 6,800 square metres in total with each area of public open space being linked to the Landscaped Walkway or the Yellow Area to be completed and made fit for occupation and operation on or before 31st December 2020 or such other extended date as may be approved by the Director (the “**Public Open Space**”). The Public Open Space shall be located, formed, serviced, landscaped, planted, treated and provided in such manner, with such materials and with such equipment and facilities as the Director may require and in all respects to his satisfaction.

## SUMMARY OF LAND GRANT 批地文件的摘要

58. Special Condition No. (20)(c) of the Land Grant stipulates that the Grantee shall at his own expense and in all respects to the satisfaction of the Director uphold, maintain, repair and manage the Public Open Space and everything forming a portion of or pertaining to it until such time as the Public Open Space has been surrendered to the Government in accordance with sub-clause (f) of Special Condition No. (20).
59. Special Condition No. (20)(d) of the Land Grant stipulates that:
- (i) In the event of the non-fulfilment of the Grantee's obligations under sub-clauses (a) or (c) of Special Condition No. (20), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding upon the Grantee.
  - (ii) Notwithstanding Special Condition No. (72)(a) of the Land Grant, in the event of the non-fulfilment of the Grantee's obligations under sub-clauses (i), (j) and (k) of Special Condition No. (20), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equivalent to the cost thereof together with a sum equivalent to 20% of the said cost as an administrative fee.
60. Special Condition No. (20)(e) of the Land Grant stipulates that the Government, the Director or his authorized officers shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person whether arising out of or incidental to the fulfilment of the Grantee's obligations under sub-clauses (a), (c), (i), (j) and (k) of Special Condition No. (20) or the exercise of the rights by the Government under sub-clause (d) of Special Condition No. (20) or otherwise, and no claim whatsoever shall be made against the Government, the Director or his authorized officers by the Grantee in respect of any such loss, damage, nuisance or disturbance.
61. Special Condition No. (20)(f) of the Land Grant stipulates that:
- (i) The Grantee shall at his own cost and expense upon demand by the Director at any time throughout the term agreed to be granted under the Land Grant surrender and deliver up to the Government vacant possession of the Public Open Space in all respects to the satisfaction of the Director free from encumbrances and without any consideration, payment or compensation whatsoever payable by the Government to the Grantee. To effect the surrender of the Public Open Space under this sub-clause (f)(i), the Grantee shall execute at his own cost and expense a Deed of Surrender and any other document in such form and containing such provisions as the Director shall approve or require and on such terms and conditions as the Director may require. The Grantee shall have no right to claim against the Government for any loss, damage or compensation whatsoever directly or indirectly arising out of or in connection with the surrender of the Public Open Space.
  - (ii) The Grantee shall not assign, mortgage, charge, demise, underlet, part with the possession of or otherwise dispose of or encumber the Lot or any part(s) thereof or any interest therein or any building or part of any building thereon or enter into any agreement so to do prior to the surrender of the Public Open Space to the Government in accordance with sub-clause (f)(i) of Special Condition No. (20) unless and until the Grantee shall have at his own expense carved out from the Lot the Public Open Space by way of a deed poll in such form and containing such provisions as the Director shall approve or require and shall have at the Grantee's own expense registered such deed poll in the Land Registry and in all respects to the satisfaction of the Director Provided that this sub-clause (f)(ii) shall not apply to a building mortgage as provided in Special Condition No. (48)(d) of the Land Grant.

62. Special Condition No. (20)(g) of the Land Grant stipulates that, prior to the surrender of the Public Open Space to the Government in accordance with sub-clause (f) of Special Condition No. (20), the Grantee shall at all reasonable times permit the Government, the Director and his officers, contractors and agents and any persons authorized by the Director, the right of ingress, egress and regress to, from and through the Lot for the purpose of inspecting, checking and supervising any works to be carried out in compliance with sub-clauses (a), (c), (i), (j) and (k) of Special Condition No. (20) and the carrying out, inspecting, checking and supervising of the works under sub-clause (d) of Special Condition No. (20) and any other works which the Director may consider necessary. The Government, the Director and his officers, contractors and agents and any persons authorized by the Director shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person arising out of or incidental to the exercise of the rights by the Government, the Director and his officers, contractors and agents and any persons duly authorized under this sub-clause (g).

### The Non-Building Area 2

63. Special Condition No. (15) of the Land Grant stipulates that, except with the prior written consent of the Director, no building or structure or support for any building or structure may be erected or constructed within the area shown edged blue on the plan annexed to the Land Grant (the "**Non-Building Area 2**") except a basement floor(s) to be used solely for the parking or loading and unloading of motor vehicles or for lay-bys for the picking up and setting down of passengers or any combination thereof. For the purpose of Special Condition No. (15), the decision of the Director as to what constitutes a basement floor(s) shall be final and binding upon the Grantee.
64. Special Condition No. (16)(a) of the Land Grant stipulates that the Grantee shall at all times throughout the term agreed to be granted under the Land Grant permit all members of the public for all lawful purposes to pass and repass on foot or by wheelchair along, to, from, through and over the Non-Building Area 2 free of cost and charges and without any interruption.
65. Special Condition No. (16)(b) of the Land Grant stipulates that it is thereby expressly agreed, declared and provided that by imposing the obligation on the part of the Grantee contained in sub-clause (a) of Special Condition No. (16) neither the Grantee intends to dedicate nor the Government consent to any dedication of the Non-Building Area 2 to the public for the right of passage.
66. Special Condition No. (16)(c) of the Land Grant stipulates that it is expressly agreed and declared that the obligation on the part of the Grantee contained in sub-clause (a) of Special Condition No. (16) will give rise to no expectation of, or claim for or in respect of, any concession or right in respect of additional site coverage or plot ratio whether under Regulation 22(1) of the Building (Planning) Regulations, any amendment thereto, substitution therefor, or otherwise and for the avoidance of doubt the Grantee expressly waives any and all claims in respect of or for any concession in respect of, or right to, additional site coverage or plot ratio under Regulation 22(1) of the Building (Planning) Regulations, any amendment thereto or substitution therefor.

### The Government Accommodation and the Items

67. Special Condition (28)(a) of the Land Grant stipulates that the Grantee shall at his own expense and in all respects to the satisfaction of the Director erect, construct and provide within the Lot, in a good workmanlike manner and in accordance with the Technical Schedules annexed to the Land Grant and the plans approved under Special Condition No. (29)(a) of the Land Grant, the following accommodations:
- (i) one public transport interchange on ground level (the "**Public Transport Interchange**") to be completed and made fit for occupation and operation within 30 calendar months from 7th August 2012 or such other extended period as may be determined by the Director;



## SUMMARY OF LAND GRANT 批地文件的摘要

- (ii) one public toilet (the “**Public Toilet**”) erected or to be erected within the Public Transport Interchange to be completed and made fit for occupation and operation within 30 calendar months from 7th August 2012 or such other extended period as may be determined by the Director;
- (iii) one integrated family service centre (the “**Integrated Family Service Centre**”) to be completed and made fit for occupation on or before 31st December 2020 or such other date as may be determined by the Director;

- (iv) (I) one special child care centre cum early education and training centre; and
- (II) one space for the parking of light buses licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and belonging to the occupiers of the said special child care centre cum early education and training centre and their bona fide guests, visitors or invitees;

(collectively the “**Special Child Care Centre cum Early Education and Training Centre**”) to be completed and made fit for occupation on or before 31st December 2020 or such other date as may be determined by the Director;

- (v) (I) one district support centre for persons with disabilities; and
- (II) one space for the parking of light buses licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and belonging to the occupiers of the said district support centre for persons with disabilities and their bona fide guests, visitors or invitees;

(collectively the “**District Support Centre**”) to be completed and made fit for occupation on or before 31st December 2020 or such other date as may be determined by the Director of Social Welfare Department;

- (vi) (I) one day care centre for the elderly; and
- (II) two spaces for the parking of light buses licensed under Road Traffic Ordinance, any regulations made thereunder and any amending legislation and belonging to the occupiers of the said day care centre for the elderly and their bona fide guests, visitors or invitees;

(collectively the “**Day Care Centre for the Elderly**”) to be completed and made fit for occupation on or before 31st December 2020 or such other date as may be determined by the Director;

- (vii) one community hall and the following spaces:
  - (I) four spaces for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and belonging to the occupiers of the said community hall and their bona fide guests, visitors or invitees;
  - (II) one space for the parking of motor vehicles by disabled persons licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and belonging to the occupiers of the said community hall and their bona fide guests, visitors or invitees;
  - (III) one space for the loading and unloading of light goods vehicles in connection with the said community hall;

- (IV) two spaces for the loading and unloading of heavy goods vehicles in connection with the said community hall; and

- (V) one space for ambulance use;

(collectively the “**Community Hall**”) to be completed and made fit for occupation within 54 calendar months from 7th August 2012 or such other extended period as may be determined by the Director;

(which accommodation are collectively the “**Government Accommodation**”).

68. Special Condition (35)(a) of the Land Grant stipulates that the Grantee shall when called upon so to do by the Director assign to The Financial Secretary Incorporated (“**F.S.I.**”) with vacant possession, free from encumbrances, at the expense of the Grantee, the undivided shares specified in sub-clause (b) of Special Condition No. (35) together with the right to the exclusive use, occupation and enjoyment of the Government Accommodation or any part thereof and the Grantee shall complete the assignment of the Government Accommodation or any part thereof in respect of which a certificate of completion shall have been issued under Special Condition No. (34) of the Land Grant within such time(s) as may be specified in writing by the Director.

69. Special Condition (37)(a) of the Land Grant stipulates that the Director shall have the right to demand at any time(s) before the assignment of the Government Accommodation, delivery of vacant possession of the Government Accommodation or such part thereof as required by the Director in respect of which a certificate of completion shall have been issued under Special Condition No. (34) of the Land Grant and the Grantee shall upon such demand deliver the same to the Government for its exclusive use, occupation and operation upon such terms and conditions as the Director may consider appropriate.

70. Special Condition (38)(a) of the Land Grant stipulates that, without prejudice to the provisions of Special Condition No. (39) of the Land Grant, the Grantee shall, at all times until expiry of the Defects Liability Period of the Government Accommodation referred to in Special Condition No. (39)(a) of the Land Grant, at his own expense maintain in good condition and in all respects to the satisfaction of the Director the Government Accommodation and the building services installations therefor.

71. Special Condition (40) of the Land Grant stipulates that:

- (a) The Grantee shall throughout the term agreed to be granted under the Land Grant at his own expense but subject to any contribution by F.S.I. as referred to in Special Condition No. (50)(a)(ii)(I) of the Land Grant and in all respects to the satisfaction of the Director maintain the following items (the “**Items**”):

- (i) the external finishes of the Government Accommodation and the structure of all walls, columns, beams, ceilings, roof slabs, carriageway or floor slabs and any other structural elements of, in, around, within, above and below the Government Accommodation;
- (ii) all lifts, escalators and stairways serving the Government Accommodation and the remainder of the development on the Lot;
- (iii) all building services installations, plant and equipment (including but not limited to portable and non-portable fire services installation equipment) forming part of the system serving the Government Accommodation and the remainder of the development on the Lot;

## SUMMARY OF LAND GRANT 批地文件的摘要

- (iv) all of the structural slabs under the Government Accommodation together with the drainage systems therein and thereunder; and
  - (v) all other common parts and facilities serving the Government Accommodation and the remainder of the development on the Lot.
- (b) The Grantee indemnifies and shall keep indemnified the Government and F.S.I. against all liabilities, damages, expenses, claims, costs, demands, charges, actions and proceedings of whatsoever nature arising out of or as a consequence of the failure of the Grantee to maintain the Items.

### The Connection Points

72. Special Condition No. (22)(a) of the Land Grant stipulates that the Grantee shall on or before 31st December 2020 or such other extended period as may be approved by the Director at his own expense, with such materials and to such standards, levels, alignment, disposition and design as shall be required or approved by the Director and in all respects to the satisfaction of the Director provide and construct:
- (i) such supports and connections between the points R and S shown and marked on the plan annexed to the Land Grant to receive, connect and support a proposed subway which, if constructed, will be located approximately at the position within the pair of pecked blue lines shown and marked on the plan annexed to the Land Grant and thereon marked “PROPOSED SUBWAY” (the “**Proposed Subway**”); and
  - (ii) a pedestrian passageway to link up the Proposed Subway and the Landscaped Walkway, (which supports and connections and pedestrian passageway are collectively the “**Connection Points**”) so that the Proposed Subway, if constructed, can be connected to the Lot or any building(s) erected thereon and pedestrian access to and from the Landscaped Walkway and the North Point Mass Transit Railway Station can be gained over the Connection Points.
73. Special Condition (22)(c) of the Land Grant stipulates that, upon completion of the construction of the Connection Points, the Grantee shall, throughout the term agreed to be granted under the Land Grant, at his own expense and in all respects to the satisfaction of the Director upkeep, maintain, repair and manage the Connection Points in good and substantial repair and condition.
74. Special Condition (22)(d) of the Land Grant stipulates that the Grantee shall at all times throughout the term agreed to be granted under the Land Grant during which the Proposed Subway is in existence permit all members of the public for all lawful purposes freely and without payment of any nature whatsoever to pass and repass on foot or by wheelchair along, to, from, through, over, up and down the Connection Points and for such purpose, to have ingress, egress or regress to, from and through the Lot and any building(s) erected or to be erected thereon.
75. Special Condition No. (22)(f) of the Land Grant stipulates that, in the event of the non-fulfilment of the Grantee’s obligations under sub-clauses (a), (c) or (g) of Special Condition No. (22), the Government may carry out the necessary works at the cost of the Grantee who shall pay to the Government on demand a sum equal to the cost thereof, such sum to be determined by the Director whose determination shall be final and binding upon the Grantee.
76. Special Condition No. (22)(k) of the Land Grant stipulates that there is reserved to the Government and any other person(s) to whom such rights may be granted by the Government (the “**said Persons**”) free of all costs and charges the right of support and the right to connect to the Connection Points for the Proposed Subway.

77. Special Condition No. (22)(l) of the Land Grant stipulates that the Government and the said Persons and its or their officers, agents, licensees, contractors, workmen and other duly authorized personnel with or without tools, equipment or machinery shall at all reasonable times throughout the term agreed to be granted under the Land Grant have the right of free ingress, egress and regress to and from the Lot or any part thereof and any building(s) erected or to be erected thereon for the purposes of:
- (i) carrying out inspection, survey, construction, connection, maintenance, repair, alteration, demolition and replacement works in relation to the Proposed Subway;
  - (ii) inspecting, checking and supervising the works to be carried out in compliance with sub-clauses (a), (c) and (g) of Special Condition No. (22) and the carrying out, inspecting, checking and supervising of the works under sub-clause (f) of Special Condition No. (22); and
  - (iii) any other works which the Government may consider necessary whether in relation to the Proposed Subway or otherwise.
78. Special Condition No. (22)(m) of the Land Grant stipulates that the Government and the said Persons shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person arising out of or incidental to the exercise by the Government and the said Persons and its or their officers, agents, licensees, contractors, workmen or other duly authorized personnel of the rights conferred under sub-clauses (f) and (l) of Special Condition No. (22), and no claim whatsoever shall be made by the Grantee against the Government or the said Persons in respect of any such loss, damage, nuisance or disturbance.

### The Public Coach Park

79. Special Condition No. (60)(a) of the Land Grant stipulates that the Grantee shall on or before 31st December 2020 at his own expense in all respects to the satisfaction of the Director and in accordance with the layout plan approved under sub-clause (b) of Special Condition No. (60) erect, construct and provide below the ground level of the Lot a public coach park providing not less than 30 spaces for the parking of coaches (the “**Public Coach Park**”).
80. Special Condition No. (60)(b) of the Land Grant stipulates that the Grantee shall within 24 calendar months from 7th August 2012 or such other extended period as may be approved by the Director submit or cause to be submitted to the Director for his written approval a layout plan for the Public Coach Park indicating the parking spaces, turning circles, ceiling height of the parking floor or floors or level or levels, means of access, circulation areas and any other areas and spaces as may be required by the Director. The parking spaces, turning circles, ceiling height of the parking floor or floors or level or levels, means of access, circulation areas and any other areas and spaces of the Public Coach Park shall be provided and laid out in accordance with the plan approved by the Director under this sub-clause (b) and in all respects to the satisfaction of the Director. The Grantee shall maintain the parking spaces, turning circles, ceiling height of the parking floor or floors or level or levels, means of access, circulation areas and any other areas and spaces of the Public Coach Park in accordance with the said approved plan and shall not alter the layout except with the prior written consent of the Director.
81. Special Condition No. (60)(g) of the Land Grant stipulates that all the parking spaces within the Public Coach Park shall be made available to members of the public at all times for short-term parking of coaches, on hourly, daily or monthly basis or on such other basis as may be approved in writing by the Commissioner for Transport.



## SUMMARY OF LAND GRANT 批地文件的摘要

82. Special Condition No. (60)(j) of the Land Grant stipulates that the Grantee shall not, throughout the term agreed to be granted under the Land Grant, assign, mortgage, charge, demise, underlet or part with the possession of or otherwise dispose of the Public Coach Park except as a whole provided that the Grantee may underlet the parking spaces in the Public Coach Park subject to the conditions as stipulated in sub-clauses (g) and (i) of Special Condition No. (60).
83. Special Condition No. (60)(k) of the Land Grant stipulates that the Grantee shall at all times during the term agreed to be granted under the Land Grant uphold, maintain, repair, operate, conduct and manage at his own expense the Public Coach Park and everything forming a portion of or pertaining to it and in all respects in accordance with all Ordinances, bye-laws and regulations relating to public vehicle parking which are or may at any time be in force in Hong Kong and to the satisfaction of the Commissioner for Transport.

### The Public Loading and Unloading Park

84. Special Condition No. (61)(a) of the Land Grant stipulates that the Grantee shall on or before 31st December 2020 at his own expense in all respects to the satisfaction of the Director and in accordance with the layout plan approved under sub-clause (b) of Special Condition No. (61) erect, construct and provide a public loading and unloading park comprising:
- (i) 4 spaces below the ground level of the Lot for the loading and unloading of all types of vehicles;
  - (ii) a passageway through such part(s) of the Lot and any building(s) erected or to be erected thereon to link up the 4 spaces referred to in sub-clause (a)(i) of Special Condition No. (61) and the Yellow Area for the purposes of goods delivery in connection with the use of the said 4 spaces
- (the “**Public Loading and Unloading Park**”).
85. Special Condition No. (61)(b) of the Land Grant stipulates that the Grantee shall within 24 calendar months from 7th August 2012 or such other extended period as may be approved by the Director submit or cause to be submitted to the Director for his approval a layout plan of the Public Loading and Unloading Park indicating the loading and unloading spaces, turning circles, ceiling height of the loading and unloading floor or floors or level or levels, means of access, circulation areas, the passageway referred to in sub-clause (a)(ii) of Special Condition No. (61) and any other areas and spaces as may be required by the Director. The loading and unloading spaces, turning circles, ceiling height of the loading and unloading floor or floors or level or levels, means of access, circulation areas, the said passageway and any other areas and spaces of the Public Loading and Unloading Park shall be provided and laid out in accordance with the plan approved by the Director under this sub-clause (b) and in all respects to the satisfaction of the Director. The Grantee shall maintain the loading and unloading spaces, turning circles, ceiling height of the floor or floors or level or levels, means of access, circulation areas, the said passageway and any other areas and spaces of the Public Loading and Unloading Park in accordance with the said approved plan and shall not alter the layout except with the prior written consent of the Director.
86. Special Condition No. (61)(g) of the Land Grant stipulates that throughout the term agreed to be granted under the Land Grant, the Grantee shall keep the Public Loading and Unloading Park open for use by all members of the public and shall ensure that all the loading and unloading spaces within the Public Loading and Unloading Park are made available to all members of the public for short-term loading and unloading of vehicles on hourly basis or such other basis as may be approved in writing by the Commissioner for Transport, at all times free of costs and charges and without any interruption.

87. Special Condition No. (61)(j) of the Land Grant stipulates that the Grantee shall at all times during the term agreed to be granted under the Land Grant uphold, maintain, repair, operate, conduct and manage at his own expense the Public Loading and Unloading Park and everything forming a portion of or pertaining to it in all respects in accordance with all Ordinances, bye-laws and regulations relating to public vehicle loading and unloading parks which are or may at any time be in force in Hong Kong and to the satisfaction of the Commissioner for Transport.

### **E. The grantee’s obligations to lay, form or landscape any areas, or to construct or maintain any structures or facilities, within or outside that land**

88. Special Conditions Nos. (3)(a), (4)(a), (4)(b), (4)(c), (5) and (7) in relation to the “Reserved Area” as stipulated in the above Section D.
89. Special Conditions Nos. (8)(a), (8)(b), (8)(c), (9) and (11) in relation to the “Green Areas” and “Green Areas Structures” as stipulated in the above Section D.
90. Special Conditions Nos. (2), (13)(a), (13)(d), (13)(e), (13)(f), (13)(g)(iv), (13)(h) and (13)(j) in relation to the “Yellow Area”, the “Yellow Stippled Black Area” and the “Yellow Cross-hatched Black Area” as stipulated in the above Section D.
91. Special Conditions Nos. (14)(a), (14)(b), (19)(a)(i), (19)(b), (19)(c), (19)(d), (19)(e), (19)(f), (20)(a)(i), (20)(c), (20)(d), (20)(e), (20)(f) and (20)(g) in relation to the “Non-Building Area 1”, the “Landscaped Walkway” and the “Public Open Space” as stipulated in the above Section D.
92. Special Conditions Nos. (15) and (16)(a) in relation to the “Non-Building Area 2” as stipulated in the above Section D.
93. Special Conditions Nos. (28)(a), (35)(a), (37)(a), (38)(a) and (40) in relation to the “Government Accommodation” and “Items” as stipulated in the above Section D.
94. Special Conditions Nos. (22)(a), (22)(c), (22)(d), (22)(f), (22)(k), (22)(l) and (22)(m) in relation to the “Connection Points” as stipulated in the above Section D.
95. Special Conditions Nos. (60)(a), (60)(b), (60)(g), (60)(j) and (60)(k) in relation to the “Public Coach Park” as stipulated in the above Section D.
96. Special Conditions Nos. (61)(a), (61)(b), (61)(g) and (61)(j) in relation to the “Public Loading and Unloading Park” as stipulated in the above Section D.
97. Special Condition No. (21) of the Land Grant stipulates that:
- (a) The Grantee shall on or before 31st December 2020 or such other date as may be approved by the Director at his own expense and in all respects to the satisfaction of the Director provide and construct amenity areas within the areas shown coloured pink stippled black on the plan annexed to the Land Grant (collectively the “**Amenity Area**”). The Amenity Area shall be formed, landscaped and planted with trees and shrubs in such manner, with such materials and to such design, standards and specifications as the Director may require and in all respects to his satisfaction.

## SUMMARY OF LAND GRANT 批地文件的摘要

- (b) Except with the prior written consent of the Director, no building or structure or support for any building or structure or any installation (including but not limited to any drain, waterway, watercourse, sewer, nullah, pipe, cable, wire and utility services) shall be erected, constructed, laid, installed or placed at or above the ground level of the Amenity Area. For the purpose of Special Condition No. (21), the decision of the Director as to what constitutes the ground level shall be final and binding upon the Grantee.
- (c) Throughout the term agreed to be granted under the Land Grant, the Grantee shall at his own expense repair, maintain, keep and manage the Amenity Area and everything forming a portion of or pertaining to it in a safe, clean, neat, tidy, functional and healthy conditions all to the satisfaction of the Director.
98. Special Condition No. (23) of the Land Grant stipulates that the Grantee shall develop the Lot by the erection thereon of building(s) complying in all respects with the Land Grant and all Ordinances, bye-laws and regulations relating to building, sanitation and planning which are or may at any time be in force in Hong Kong, such building(s) to be completed and made fit for occupation on or before 31st December 2020.
99. Special Condition No. (25) of the Land Grant stipulates that no tree growing on the Lot or adjacent thereto shall be removed or interfered with without the prior written consent of the Director who may, in granting consent, impose such conditions as to transplanting, compensatory landscaping or replanting as he may deem appropriate.
100. Special Condition No. (26) of the Land Grant stipulates that:
- (a) The Grantee shall at his own expense submit to the Director for his approval a landscape master plan indicating the location, disposition and layout of the landscaping works to be provided within the Lot in compliance with the requirements stipulated in sub-clause (b) of Special Condition No. (26). No site formation works shall be commenced on the Lot or any part thereof until the landscape master plan has been approved in writing by the Director and consent, if required, has been granted in respect of the proposals for the preservation of trees under Special Condition No. (25) of the Land Grant.
- (b) .....
- (c) The Grantee shall at his own expense landscape the Lot in accordance with the approved landscape master plan in all respects to the satisfaction of the Director and no amendment, variation, alteration, modification or substitution of the approved landscape master plan shall be made without the prior written consent of the Director.
- (d) The Grantee shall thereafter at his own expense keep and maintain the landscaped works in a safe, clean, neat, tidy and healthy condition all to the satisfaction of the Director.
- (e) Save and except the Landscaped Walkway and the Public Open Space, the area(s) landscaped in accordance with Special Condition No. (26) shall be designated as and form part of the Common Areas referred to in Special Condition No. (50)(a)(v) of the Land Grant.
101. Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.
102. Special Condition No. (41) of the Land Grant stipulates that:
- (a) The Grantee acknowledges that there are in existence a bus terminus (the “**Existing Terminus**”) and some service roads (the “**Existing Service Roads within the Lot**”) within the Lot.
- (b) Until the Public Transport Interchange shall have been completed and in operation in all respects to the satisfaction of the Director, the Grantee:
- (i) shall at his own expense and in all respects to the satisfaction of the Commissioner for Transport maintain and keep fit for operation and use the Existing Terminus; and
- (ii) .....
- (c) Until the Existing Service Roads within the Lot shall have been closed in accordance with the Approved Road Closure Proposal referred to in Special Condition No. (42) of the Land Grant, the Grantee:
- (i) shall at his own expense and in all respects to the satisfaction of the Commissioner for Transport maintain and keep fit for operation and use the Existing Roads within the Lot so that vehicular and pedestrian traffic may be safely carried on; and
- (ii) .....
103. Special Condition No. (44) of the Land Grant stipulates that:
- (a) The Grantee may erect, construct and provide within the Lot such recreational facilities and facilities ancillary thereto (the “**Facilities**”) as may be approved in writing by the Director. The type, size, design, height and disposition of the Facilities shall also be subject to the prior written approval of the Director.
- (b) For the purpose of calculating the total gross floor area and total site coverage respectively stipulated in Special Conditions Nos. (27)(c) and (27)(d) of the Land Grant, subject to Special Condition No. (73)(d) of the Land Grant, any part of the Facilities provided within the Lot in accordance with sub-clause (a) of Special Condition No. (44) which are for the common use and benefit of the residents of the residential block(s) erected or to be erected on the Lot and their bona fide visitors shall not be taken into account. The remaining part of the Facilities which, in the opinion of the Director, are not for such use shall be taken into account for such calculation.
- (c) In the event that any part of the Facilities is exempted from the gross floor area and site coverage calculations pursuant to sub-clause (b) of Special Condition No. (44) (the “**Exempted Facilities**”):
- (i) the Exempted Facilities shall be designated as and form part of the Common Areas referred to in Special Condition No. (50)(a)(v) of the Land Grant;
- (ii) the Grantee shall at his own expense maintain the Exempted Facilities in good and substantial repair and condition and shall operate the Exempted Facilities to the satisfaction of the Director; and
- (iii) the Exempted Facilities shall only be used by the residents of the residential block(s) erected or to be erected on the Lot and their bona fide visitors and by no other person(s).



SUMMARY OF LAND GRANT 批地文件的摘要

104. Special Condition No. (53)(a) of the Land Grant stipulates that:

- (i) Spaces shall be provided within the Lot to the satisfaction of the Director for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the residents of the residential units in the building(s) erected or to be erected on the Lot and their bona fide guests, visitors or invitees (the “**Residential Parking Spaces**”) at a rate to be calculated by reference to the respective size of the residential units erected or to be erected on the Lot as set out in the table below (unless the Director consents to a rate for or to a number of the Residential Parking Spaces different from those set out in the table below):

| Size of each residential unit                                   | No. of the Residential Parking Spaces to be provided     |
|---|--|
| Less than 40 square metres                                      | One space for every 18 residential units or part thereof |
| Not less than 40 square metres but less than 70 square metres   | One space for every 11 residential units or part thereof |
| Not less than 70 square metres but less than 100 square metres  | One space for every 5 residential units or part thereof  |
| Not less than 100 square metres but less than 160 square metres | One space for every 2 residential units or part thereof  |
| Not less than 160 square metres                                 | One space for every residential unit                     |

- (ii) .....
- (iii) If more than 75 residential units are provided in any block of residential units erected or to be erected on the Lot, additional spaces for the parking of motor vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, and belonging to the bona fide guests, visitors or invitees of the residents of the residential units in the building(s) erected or to be erected on the Lot shall be provided at a rate of 5 spaces for every such block of residential units or at such other rates as may be approved by the Director subject to a minimum of three spaces per block of residential units being provided.

105. Special Condition No. (53)(b) of the Land Grant stipulates that:

- (i) Spaces shall be provided within the Lot to the satisfaction of the Director for the parking of motor vehicles at the following rates unless the Director consents to another rate:
  - (I) one space for every 150 square metres or part thereof of the first 15,000 square metres of the gross floor area of the building(s) erected or to be erected on the Lot to be used for office purpose and one space for every 200 square metres or part thereof of the remaining gross floor area to be used for such purpose; and
  - (II) one space for every 200 square metres or part thereof of the gross floor area of the building(s) erected or to be erected on the Lot to be used for non-industrial (excluding godown, hotel, petrol filling station, private residential and office) purposes.

106. Special Condition No. (53)(c) of the Land Grant stipulates that:

- (i) Out of the spaces provided under sub-clauses (a) and (b) of Special Condition No. (53), the Grantee shall reserve and designate spaces for the parking of motor vehicles by disabled persons as defined in the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, at the following rates or at such other rates as may be approved by the Director:
  - (I) not less than one space for every 200 spaces provided in accordance with sub-clause (a)(i) of Special Condition No. (53) or part thereof if such part exceeds 100 spaces (subject to a minimum of one space being reserved and designated);
  - (II) not less than one space for every 200 spaces provided in accordance with sub-clause (b)(i)(I) of Special Condition No. (53) or part thereof if such part exceeds 100 spaces (subject to a minimum of one space being reserved and designated);
  - (III) not less than one space for every 200 spaces provided in accordance with sub-clause (b)(i)(II) of Special Condition No. (53) or part thereof if such part exceeds 100 spaces (subject to a minimum of one space being reserved and designated); and
  - (IV) one space out of the spaces provided in accordance with sub-clause (a)(iii) of Special Condition No. (53).

107. Special Condition No. (53)(d) of the Land Grant stipulates that:

- (i) Spaces shall be provided within the Lot to the satisfaction of the Director for the parking of motor cycles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation, at the following rates unless the Director consents to another rate:
  - (I) 10% of the total number of the Residential Parking Spaces required to be provided under sub-clause (a)(i) of Special Condition No. (53) (the “**Residential Motor Cycle Parking Spaces**”);
  - (II) 10% of the total number of spaces required to be provided under sub-clause (b)(i)(I) of Special Condition No. (53); and
  - (III) 10% of the total number of spaces required to be provided under sub-clause (b)(i)(II) of Special Condition No. (53);

provided that if the number of spaces to be provided is a decimal number, the same shall be rounded up to the next whole number.

108. Special Condition No. (54)(a) of the Land Grant stipulates that:

- (i) Spaces shall be provided within the Lot to the satisfaction of the Director for the loading and unloading of goods vehicles at the following rates:
  - (I) one space for every 800 residential units or part thereof in the building(s) erected or to be erected on the Lot or at such other rates as may be approved by the Director subject to a minimum of one loading and unloading space for each block of residential units erected or to be erected on the Lot, such loading and unloading space to be located adjacent to or within each block of residential unit;

## SUMMARY OF LAND GRANT 批地文件的摘要

- (II) one space for every 3,000 square metres or part thereof of the gross floor area of the building(s) erected or to be erected on the Lot to be used for office purposes; and
  - (III) one space for every 1,200 square metres or part thereof of the gross floor area of the building(s) erected or to be erected on the Lot to be used for non-industrial (excluding godown, hotel, petrol filling station, private residential and office) purposes;
  - (ii) one lay-by to be provided for the picking up and setting down of passengers from motor vehicles (including taxis) and another lay-by for the loading and unloading of light buses and ambulances, both in such forms, to such standards and at such locations as the Director may require or approve.
109. Special Condition No. (59) of the Land Grant stipulates that a plan approved by the Director indicating the layout of all the parking, loading and unloading spaces and lay-bys to be provided within the Lot in accordance with Special Conditions Nos. (53) and (54) of the Land Grant; or a copy of such plan certified by an Authorized Person (as defined in the Buildings Ordinance, any regulations made thereunder and any amending legislation) shall be deposited with the Director. No transaction (except the surrender of the Landscaped Walkway and the Public Open Space, the assignment of the Government Accommodation; a tenancy agreement or lease or an agreement for such tenancy or lease under Special Condition No. (48)(c) of the Land Grant and a building mortgage or charge under Special Condition No. (48)(d) of the Land Grant) affecting the Lot or any part thereof or any building or part of any building erected or to be erected on the Lot shall be entered into prior to such deposit. The said parking, loading and unloading spaces and lay-bys indicated on the said approved plan shall not be used for any purpose other than for the purposes set out respectively in Special Conditions Nos. (53) and (54) of the Land Grant. The Grantee shall maintain the parking, loading and unloading spaces, lay-bys and other areas in accordance with the said approved plan and shall not alter the layout except with the prior written consent of the Director.
110. Special Condition No. (63) of the Land Grant stipulates that:
- (a) Where there is or has been any cutting away, removal or setting back of any land, or any building-up or filling-in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the Lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the Lot or any part thereof or any other works required to be done by the Grantee under the Conditions of the Land Grant, or for any other purpose, the Grantee shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the Lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Grantee shall at all times during the term agreed to be granted under the Land Grant maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director.
  - (b) Nothing in sub-clause (a) of this Special Condition No. (63) shall prejudice the Government's rights under the Conditions of the Land Grant, in particular Special Condition No. (62) of the Land Grant.
- (c) In the event that as a result of or arising out of any formation, levelling, development or other works done by the Grantee or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land within the Lot or from any adjacent or adjoining Government or leased land, the Grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify the Government, its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, landslip or subsidence.
  - (d) In addition to any other rights or remedies provided in the Land Grant for breach of any of the Conditions of the Land Grant, the Director shall be entitled by notice in writing to call upon the Grantee to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support, protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the Grantee shall neglect or fail to comply with the notice to the satisfaction of the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the Grantee shall on demand repay to the Government the cost thereof, together with any administrative and professional fees and charges.
111. Special Condition No. (65) of the Land Grant stipulates that, where prestressed ground anchors have been installed, upon development or redevelopment of the Lot or any part thereof, the Grantee shall at his own expense carry out regular maintenance and regular monitoring of the prestressed ground anchors throughout their service life to the satisfaction of the Director and shall supply to the Director such reports and information on all such monitoring works as the Director may from time to time in his absolute discretion require. If the Grantee shall neglect or fail to carry out the required monitoring works, the Director may forthwith execute and carry out the monitoring works and the Grantee shall on demand repay to the Government the cost thereof.
112. Special Condition No. (66) of the Land Grant stipulates that:
- (a) In the event of earth, spoil, debris, construction waste or building materials (the **"waste"**) from the Lot, or from other areas affected by any development of the Lot being eroded, washed down or dumped onto public lanes or roads or into or onto road-culverts, foreshore or seabed, sewers, storm-water drains or nullahs or other Government properties (the **"Government properties"**), the Grantee shall at his own expense remove the waste from and make good any damage done to the Government properties. The Grantee shall indemnify the Government against all actions, claims and demands arising out of any damage or nuisance to private property caused by such erosion, washing down or dumping.
  - (b) Notwithstanding sub-clause (a) of Special Condition No. (66), the Director may (but is not obliged to), at the request of the Grantee, remove the waste from and make good any damage done to the Government properties and the Grantee shall pay to the Government on demand the cost thereof.
113. Special Condition No. (67) of the Land Grant stipulates that:
- (a) The Grantee shall take or cause to be taken all proper and adequate care, skill and precautions at all times, and particularly when carrying out construction, maintenance, renewal or repair work (the **"Works"**), to avoid causing any damage, disturbance or obstruction to any Government or other existing drain, waterway or watercourse, water main, road, footpath, street furniture, sewer, nullah, pipe, cable, wire, utility service or any other works or installations being or running upon, over, under or adjacent to the Lot or any part thereof (the **"Services"**).



## SUMMARY OF LAND GRANT 批地文件的摘要

- (b) The Grantee shall prior to carrying out any of the Works make or cause to be made such proper search and enquiry as may be necessary to ascertain the present position and levels of the Services, and shall submit his proposals for dealing with any of the Services which may be affected by the Works in writing to the Director for his approval in all respects, and shall not carry out any work whatsoever until the Director shall have given his written approval to the Works and to such aforesaid proposals. The Grantee shall comply with and at his own expense meet any requirements which may be imposed by the Director in respect of the Services in granting the aforesaid approval, including the cost of any necessary diversion, relaying or reinstatement.
- (c) The Grantee shall at his own expense in all respects repair, make good and reinstate to the satisfaction of the Director any damage, disturbance or obstruction caused to the Lot or any of the Services in any manner arising out of the Works (except for nullah, sewer, storm-water drain or water main, the making good of which shall be carried out by the Director, unless the Director elects otherwise, and the Grantee shall pay to the Government on demand the cost of such works). If the Grantee fails to carry out any such necessary diversion, relaying, repairing, making good and reinstatement of the Lot or any part thereof or of any of the Services to the satisfaction of the Director, the Director may carry out any such diversion, relaying, repairing, making good or reinstatement as he considers necessary and the Grantee shall pay to the Government on demand the cost of such works.

114. Special Condition No.(68) of the Land Grant stipulates that:

- (a) The Grantee shall construct and maintain at his own expense and to the satisfaction of the Director such drains and channels, whether within the boundaries of the Lot or on Government land, as the Director may consider necessary to intercept and convey into the nearest stream-course, catchpit, channel or Government storm-water drain all storm-water or rain-water falling or flowing on to the Lot.
- (b) The works of connecting any drains and sewers from the Lot to the Government storm-water drains and sewers, when laid and commissioned, may be carried out by the Director and the Grantee shall pay to the Government on demand the cost of such connection works. Alternatively, the said connection works may be carried out by the Grantee at his own expense to the satisfaction of the Director and in such case any section of the said connection works which is constructed within Government land shall be maintained by the Grantee at his own cost and upon demand be handed over by the Grantee to the Government for future maintenance thereof at the expense of the Government and the Grantee shall pay to the Government on demand the cost of the technical audit in respect of the said connection works.

### F. The lease conditions that are onerous to a purchaser

115. Special Condition (17) of the Land Grant stipulates that:

- (a) (i) Except with the prior written consent of the Director, no building or structure or support or foundation for any building or structure shall be erected or constructed within, above or under the areas of drainage reserve shown coloured:
  - (I) pink hatched black stippled green and marked “D.R.1” on the plan annexed to the Land Grant (hereinafter referred to as “the Drainage Reserve 1”); and
  - (II) pink stippled green and marked “D.R.2” on the plan annexed to the Land Grant (hereinafter referred to as “the Drainage Reserve 2”).
- (ii) The Director may, in giving any consent under sub-clause (a)(i) of this Special Condition, impose at his absolute discretion any condition as he deems fit (including but not limited to the prohibition that no building or structure or support or foundation for any building or structure may be erected or constructed from and above 0 metre Hong Kong Principal Datum within the Drainage Reserve 1 or the Drainage Reserve 2).

- (b) The Government, the Director and his duly authorized officers, contractors and agents, his or their workmen (hereinafter collectively referred to as “the authorized persons”) with or without tools, equipment, machinery or motor vehicles shall have the right of unrestricted ingress, egress and regress at all times to, from and through the Lot for the purposes of laying, inspecting, repairing and maintaining drains, sewers, channels, drainage facilities and all other services running across, through or under the Drainage Reserve 1 and the Drainage Reserve 2 (hereinafter collectively referred to as “the Utilities”) which the Director may require or authorize. No object or material of whatsoever nature which may obstruct access or cause excessive surcharge to the Utilities shall be placed within the Drainage Reserve 1 or the Drainage Reserve 2. Where in the opinion of the Director (whose opinion shall be final and binding upon the Grantee), there are objects or material within the Drainage Reserve 1 and the Drainage Reserve 2 which may obstruct access or cause excessive surcharge to the Utilities, the Director shall be entitled by notice in writing to call upon the Grantee, at his own expense and in all respects to the satisfaction of the Director, to demolish or remove such objects or material and to reinstate the Drainage Reserve 1 and the Drainage Reserve 2. If the Grantee shall neglect or fail to comply with such notice within the period specified therein, or as required in an emergency the Director may carry out such removal, demolition and reinstatement works as he may consider necessary and the Grantee shall pay to the Government on demand the cost of such works.
- (c) Save in respect of the reinstatement of any trench excavated in the exercise of the aforesaid rights and powers, the Government, the Director and the authorized persons shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee arising out of or incidental to the exercise by the authorized persons of the right of unrestricted ingress, egress and regress and in laying, inspecting, repairing and maintaining the Utilities conferred under sub-clause (b) of this Special Condition and no claim whatsoever shall be made against the Government, the Director or the authorized persons by the Grantee in respect of any such loss, damage, nuisance or disturbance.

116. Special Condition (18) of the Land Grant stipulates that:

- (a) The Grantee acknowledges that as at the date of the Land Grant, there are in existence some 132kV transmission cables and communication cables and the associated cable works, structures, facilities or installations (hereinafter collectively referred to as “the Cables”):
  - (i) below the ground level of that part of the Lot falling within the purple lines shown on the plan annexed to the Land Grant and thereon marked “CABLE RESERVE” (that part of the Lot is hereinafter referred to as “the Cable Reserve within the Lot”); and
  - (ii) below the ground level of those parts of the Yellow Area falling within the purple lines shown on the plan annexed to the Land Grant and thereon marked “CABLE RESERVE” (those parts of the Yellow Area are hereinafter collectively referred to as “the Cable Reserve within the Yellow Area” ).
- (b) The Grantee shall at his own expense satisfy himself as to the extent of the Cables and shall not demolish, damage or interfere in any way with the Cables (the decision of the Director as to what constitutes damage or interference shall be final and binding upon the Grantee). Any demolition or damage of the Cables or any interference with the Cables will be reinstated, made good or rectified by the Hong Kong Electric Company Limited (hereinafter referred to as “the HEC”) at the cost of the Grantee. The Grantee hereby indemnifies and shall keep indemnified the Government, its officers, agents, contractors, workmen or other duly authorized personnel from and against all liabilities, claims, costs, demands, actions or other proceedings whatsoever arising whether directly or indirectly out of or in connection with any demolition or damage to the Cables or any interference with the Cables by the Grantee, his employees, agents, workmen and contractors.
- (c) The Government shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee or any other person by reason of the presence of the Cables and the Grantee shall not make any claim whatsoever against the Government for any damage, nuisance, annoyance, loss or detriment of any kind whatsoever caused to the Lot or the Yellow Area or to the Grantee arising directly or indirectly out of or in connection with the Cables.

# SUMMARY OF LAND GRANT 批地文件的摘要

- (d)

(i)

Except with the prior written consent of the Director, no building or structure or support for any building or structure shall be erected or constructed at the ground level or within a height of 5.1 metres above the ground level of the Cable Reserve within the Lot and the Cable Reserve within the Yellow Area.

(ii)

No building or structure or support or foundation for any building or structure shall be erected or constructed within a distance of 1.0 metre measured around the external surface of any cable forming part of the Cables.

(iii)

For the purpose of this Special Condition, the decision of the Director as to what constitutes the ground level shall be final and binding upon the Grantee.

(e)

Prior to the commencement of any works whatsoever within a distance of 3.0 metres in all directions of any cable forming part of the Cables, the Grantee shall consult the HEC so as to ensure that any such works do not damage, interfere with or endanger the safe operation of the Cables (all as to which the decision of the Director shall be conclusive) and if required by the Director, the Grantee shall, at his own expense, take such precautions as may be required by the HEC to ensure the safe operation of the Cables.

(f)

The Grantee shall comply with all Ordinances, by-laws and regulations for the time being in force and relating to the Cables and any amendments or replacing legislation thereto.

(g)

The Grantee shall at his own expense comply with all special requirements of the Director of Electrical and Mechanical Services and all other relevant Government and statutory authorities in connection with the construction (including the materials to be used), repair and maintenance of any part or parts of the building or structure or buildings or structures connected or in close proximity to the Cables.

(h)

(i)

For the purpose of carrying out survey, inspection, repair, maintenance, diversion, improvement or development works of the Cables and carrying out survey, inspection, reinstatement, making good and rectification works under sub-clause (b) of this Special Condition or any other works which the Director may consider necessary in the Cable Reserve within the Lot or the Cable Reserve within the Yellow Area or both, the Grantee shall permit the Director, the HEC and officers, servants and contractors authorized by the Director or the HEC or both, the right of ingress, egress and regress to, from and through:

(I)

the Lot and any building or buildings erected or to be erected thereon at all times throughout the term of the Land Grant; and

(II)

the Yellow Area or any part thereof and any structure or structures erected or to be erected thereon at all times while the Grantee is in possession of the same;

with or without tools, vehicles, machinery or equipment free of cost and charges and without any interruption.

(ii)

The Government shall have no liability in respect of any loss, damage, nuisance or disturbance whatsoever caused to or suffered by the Grantee arising out of or incidental to the exercise of the rights conferred under sub-clause (h)(i) of this Special Condition and no claim or objection shall be made against the Government, the HEC or the officers, servants and contractors authorized by the Government, the HEC or both in respect of any such loss, damage, nuisance or disturbance.

117. Special Condition (48) of the Land Grant stipulates that, save for the surrender of the Landscaped Walkway and the Public Open Space and the assignment of the Government Accommodation, prior to compliance with the Conditions of the Land Grant in all respects to the satisfaction of the Director, the Grantee shall not, except with the prior written consent of the Director:

(a)

assign, part with possession of or otherwise dispose of the Lot or any part thereof or any interest therein or any building or part of any building thereon or enter into any agreement so to do;

(b)

.....

(c)

underlet the Lot or any building or part of any building thereon or enter into any agreement so to do unless the tenancy or lease of the Lot or any building or part of any building thereon complies with the terms and conditions in sub-clause (c) of Special Condition (48); or

(d)

mortgage or charge the Lot or any part thereof or any interest therein except for the purpose of the development thereof in accordance with the Conditions of the Land Grant and then only by way of a building mortgage.

118. Special Condition No. (57) of the Land Grant stipulates that:

(a)

Notwithstanding that the Conditions of the Land Grant shall have been observed and complied with to the satisfaction of the Director, the Residential Parking Spaces and the Residential Motor Cycle Parking Spaces shall not be:

(i)

assigned except

(I)

together with undivided shares in the Lot giving the right of exclusive use and possession of a residential unit(s) in the building(s) erected or to be erected on the Lot; or

(II)

to a person who is already the owner of undivided shares in the Lot with the right of exclusive use and possession of a residential unit(s) in the building(s) erected or to be erected on the Lot; or

(ii)

underlet except to residents of the residential units in the building(s) erected or to be erected on the Lot.

(b)

Notwithstanding sub-clause (a) of Special Condition No. (57), the Grantee may, with the prior written consent of the Director, assign all the Residential Parking Spaces and the Residential Motor Cycle Parking Spaces as a whole, but only to a wholly-owned subsidiary company of the Grantee.

(c)

Sub-clause (a) of Special Condition No. (57) shall not apply to an assignment, underletting, mortgage or charge of the Lot as a whole.

Provided that in any event not more than three in number of the total of the Residential Parking Spaces and the Residential Motor Cycle Parking Spaces shall be assigned to the owner or underlet to the resident of any one residential unit in the building(s) erected or to be erected on the Lot.

Note:

1.

The plan annexed to the Land Grant is reproduced under the “Information on Public Facilities and Public Open Spaces” section.

2.

For full details, please refer to the Land Grant which is free for inspection during opening hours at the sales office. Full script of the Land Grant is available for inspection upon request and copies of the Land Grant can be obtained upon paying necessary photocopying charges.
- AQ016



SUMMARY OF LAND GRANT 批地文件的摘要

- A. 期數所位於的土地的地段編號
1. 期數興建於內地段第9027號A分段餘段、內地段第9027號B分段餘段、內地段第9027號C分段餘段、內地段第9027號D分段餘段、內地段第9027號E分段餘段及內地段第9027號餘段（統稱「該地段」）。
- B. 有關租契規定的年期
2. 該地段根據第20173號賣地條件（「批地文件」）批出，租期由2012年8月7日起計50年。
- C. 適用於該土地的用途限制
3. 批地文件特別條款第(24)條規定，該地段或其任何部分或在該地段已建或擬建的任何一或多座建築物不得用作非工業（不包括倉庫、酒店及加油站）用途以外的任何其他用途。

4. 批地文件特別條款第(6)條規定，未經地政總署署長（「署長」）事先書面同意，承授人不得將保留區域（定義見下文）或其任何部分用作儲物或興建任何臨時構築物，或用作進行批地文件特別條款第(4)條指明的工程以外的任何其他用途。

5. 批地文件特別條款第(10)條規定，未經署長事先書面同意，承授人不得將綠色區域（定義見下文）或其任何部分用作儲物或興建任何臨時構築物，或用作進行批地文件特別條款第(8)條指明的工程以外的任何其他用途。

6. 批地文件特別條款第(13)(i)條規定，未經署長事先書面同意，承授人不得將黃色區域、黃色加黑點區域或黃色加黑色交叉斜線區域（各自的定義見下文）或其任何部分用作儲物或興建任何臨時構築物，或用作進行特別條款第(13)條(a)及(d)款指明的工程、用作特別條款第(13)條(h)款指明的用途、現有公廁、現有巴士站長辦事處及現有職工飯堂以外的任何其他用途。

7. 批地文件特別條款第(53)(a)(iv)條規定，根據特別條款第(53)條(a)(i)及(a)(iii)款提供的車位（即住宅車位及訪客車位）不得用作其分別規定的用途以外的任何其他用途，尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

8. 批地文件特別條款第(53)(b)(iii)條規定，根據特別條款第(53)條(b)(i)(I)及(b)(i)(II)款提供的車位（即辦公室用車位及其他非工業用途的車位）除用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該地段已建或擬建的一或多座建築物的佔用人之車輛作所述條款分別規定的用途以及屬於其真正賓客、訪客或獲邀人士之車輛外，不得用作任何其他用途，尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

9. 批地文件特別條款第(53)(c)(iii)條規定，根據特別條款第(53)條(c)(i)款提供的車位（即傷殘人士車輛用車位）除用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例定義的傷殘人士的車輛，並且屬於該地段已建或擬建的一或多座建築物的住客或佔用人之車輛以及屬於其真正賓客、訪客或獲邀人士之車輛外，不得用作任何其他用途，尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

10. 批地文件特別條款第(53)(d)(ii)條規定，住宅電單車車位除用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該地段已建或擬建的一或多座建築物的住宅單位住客及其真正賓客、訪客或獲邀人士之電單車外，不得用作任何其他用途，住宅電單車車位尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

11. 批地文件特別條款第(53)(d)(iii)條規定，根據特別條款第(53)條(d)(i)(II)及(d)(i)(III)款提供的車位除用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該地段已建或擬建的一或多座建築物的佔用人之電單車作特別條款第(53)條(b)(i)(I)及(b)(i)(II)款分別規定的用途以及屬於其真正賓客、訪客或獲邀人士之電單車外，不得用作任何其他用途，該等車位尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

12. 批地文件特別條款第(59)條規定，除特別條款第(59)條所述的批准圖則上顯示的車位外，不得在該地段或該地段上任何建築物或構築物的任何部分泊車。

13. 批地文件特別條款第(60)(i)條規定，公眾旅遊車停車場（定義見下文）除用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌的旅遊車外，不得用作任何其他用途，公眾旅遊車停車場尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

14. 批地文件特別條款第(61)(i)條規定，公眾上落貨停車場（定義見下文）除用作根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌的車輛上落客貨外，不得用作任何其他用途，公眾上落貨停車場尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

15. 批地文件特別條款第(71)條規定，不得在該地段興建或建造墳墓或骨灰龕，亦不得在該地段安葬或存放任何人類骸骨或動物骸骨，不論該骸骨是否存放在陶罐或骨灰甕內或以其他方式存放。
- D. 按規定須興建並提供予政府或供公眾使用的設施
- 保留區域

16. 批地文件特別條款第(3)(a)條規定，該地段以下各部分現時為政府豁除及保留：

(i) 在附錄於批地文件的圖則上以粉紅色加紅點及粉紅色加棕色斜線和紅點顯示的範圍以上的地層，由香港主水平基準0米水平起計；及

(ii) 在所述地層之上及橫越附錄於批地文件的圖則上以粉紅色加紅點及粉紅色加棕色斜線和紅點顯示的範圍的所有上空。

（該等地層及上空統稱「保留區域」）。

17. 批地文件特別條款第(3)(b)條規定，除批地文件特別條款第(5)及第(6)條另有規定外，承授人不享有保留區域任何擁有權、管有權或使用權，且除批地文件另有規定外，不得在保留區域內興建或建造任何建築物或構築物。

18. 批地文件特別條款第(3)(c)條規定，承授人無權就特別條款第(3)條(a)款之下保留的權利，或者就或因保留區域用作批地文件特別條款第(4)(a)條所指的未來公眾道路造成的任何損失、損害、滋擾、煩擾或傷害，根據任何成文法或其他規定提出反對或向政府索取任何賠償。

19. 批地文件特別條款第(4)(a)條規定，承授人須：

(i) 於2020年12月31日或之前或署長批准的其他延長期限，自費按署長批准的方式、材料、標準、水平、定線及設計，並在各方面達致署長滿意程度下：

(I) 在保留區域鋪設及構建未來公眾道路；及

(II) 提供及建造橋樑、隧道、上跨路、下通道、暗渠、高架道路、天橋、行人路、道路或署長獨有酌情要求的其他構築物（以下統稱「保留區域的構築物」），

AQ017

# SUMMARY OF LAND GRANT 批地文件的摘要

|     |  |
|-----|--|
|     | 使建築物可興建於保留區域及讓車輛和行人往來保留區域；   |
|     | (ii) 於2020年12月31日或之前或署長批准的其他延長期限，自費在保留區域進行環境美化、鋪路面、鋪路緣及開水道，並提供署長可能要求的集水溝、污水渠、排水渠、消防龍頭連同接駁至總水管的喉管、街燈、交通標誌、街道設施及路面標記，以達至署長滿意程度；及   |
|     | (iii) 自費保養保留區域連同保留區域的構築物，以及在該等地方建造、安裝及提供的所有環境美化裝飾、構築物、路面、集水渠、污水渠、排水渠、消防龍頭、服務設施、街燈、交通標誌、街道設施、路面標記及機械，以達至署長滿意程度，直至按照批地文件特別條款第(5)條交還整個保留區域的管有權為止。   |
| 20. | 批地文件特別條款第(4)(b)條規定，倘若承授人未能履行其在特別條款第(4)條(a)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，該金額由署長決定，其決定為最終決定及對承授人具有約束力。   |
| 21. | 批地文件特別條款第(4)(c)條規定，政府毋須因承授人履行特別條款第(4)條(a)款的義務或政府行使特別條款第(4)條(b)款的權利或其他原因所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就任何該等損失、損害、滋擾或干擾向政府提出索償。   |
| 22. | 批地文件特別條款第(5)條規定，保留區域須於政府隨時要求時交還給政府，而在任何情況下，保留區域須於署長發信表示批地文件的條件已在其滿意下獲得遵守的日期當作已交還給政府。承授人須於交還整個保留區域的管有權之前任何時候，准許所有政府及公共車輛及行人免費前往及經過保留區域，並確保該通行權不會受到按照批地文件特別條款第(4)條或其他規定進行的工程干擾或阻礙。                                     |
| 23. | 批地文件特別條款第(6)條規定，未經署長事先書面同意，承授人不得將保留區域或其任何部分用作儲物或興建任何臨時構築物，或用作進行批地文件特別條款第(4)條指明的工程以外的任何其他用途。  |
| 24. | 批地文件特別條款第(7)條規定：   |
|     | (a) 承授人須於交還整個保留區域的管有權之前所有合理時候：   |
|     | (i) 准許政府、署長、其人員、承辦商、代理及獲署長授權的任何人士有權出入、來回及通過該地段及保留區域，以便視察、檢查及監督遵照批地文件特別條款第(4)(a)條規定進行的任何工程，以及進行、視察、檢查及監督批地文件特別條款第(4)(b)條規定的工程及任何其他署長認為於保留區域必要的工程；   |
|     | (ii) 在政府或獲其授權的相關公用事業公司要求時，准許其有權出入、來回及通過該地段及保留區域，以便在保留區域或任何毗連土地之內、之上或之下進行任何工程，包括但不限於鋪設及其後保養所有喉管、電線、管道、電纜槽及擬為該地段或任何毗鄰或相鄰土地或場所提供電話、電力、煤氣（如有）及其他服務設施所需的其他導電媒介及附帶設備。承授人須就以上在保留區域內進行的任何所述工程的所有相關事宜，與政府及獲其授權的相關公用事業公司充分合作；及 |
|     | (iii) 在水務監督及排水事務監督的人員或獲其授權的人士要求時，准許他們有權出入、來回及通過該地段及保留區域，以便進行任何有關保留區域內任何其他水務設施或排水渠裝置的運作、保養、維修、更換及改動工程。  |
|     | (b) 政府、署長、其人員、承辦商、代理及任何根據特別條款第(7)條(a)款獲妥為授權的人士或公用事業公司，毋須因政府、署長、其人員、承辦商、代理及任何根據特別條款第(7)條(a)款獲妥為授權的人士或公用事業公司行使權利所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任。   |

## 綠色區域及綠色區域構築物

|     |  |
|-----|--|
| 25. | 批地文件特別條款第(8)(a)條規定承授人須：  |
|     | (i) 於2020年12月31日或之前或署長批准的其他延長期限，自費按署長批准的方式、材料、標準、水平、定線及設計，並在各方面達致署長滿意程度下：  |
|     | (I) 在附錄於批地文件的圖則上以綠色顯示的部分（統稱「 <b>綠色區域</b> 」）鋪設及構建未來公眾道路；及   |
|     | (II) 提供及建造橋樑、隧道、上跨路、下通道、暗渠、高架道路、天橋、行人路、道路或署長獨有酌情要求的其他構築物（統稱「 <b>綠色區域構築物</b> 」），  |
|     | 使建築物可興建於綠色區域及讓車輛和行人往來綠色區域；   |
|     | (ii) 於2020年12月31日或之前或署長批准的其他延長期限，自費在綠色區域鋪路面、鋪路緣及開水道，並提供署長規定的溝渠、污水渠、排水渠、消防龍頭連同接駁至總水管的喉管、街燈、交通標誌、街道設施及路面標記，以達至署長滿意程度；及   |
|     | (iii) 自費保養綠色區域連同綠色區域構築物以及在該區域建造、安裝及提供的所有構築物、路面、溝渠、污水渠、排水渠、消防龍頭、服務設施、街燈、交通標誌、街道設施、路面標記及機械，以達至署長滿意程度，直至按照批地文件特別條款第(9)條交還整個綠色區域的管有權為止。  |
| 26. | 批地文件特別條款第(8)(b)條規定，倘若承授人未能履行其在特別條款第(8)條(a)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，該金額由署長決定，其決定為最終決定及對承授人具有約束力。   |
| 27. | 批地文件特別條款第(8)(c)條規定，政府毋須因承授人履行特別條款第(8)條(a)款的義務或政府行使特別條款第(8)條(b)款的權利或其他原因所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就任何該等損失、損害、滋擾或干擾向政府提出索償。   |
| 28. | 批地文件特別條款第(9)條規定，綠色區域須於政府隨時要求時交還給政府，而在任何情況下，綠色區域須於署長發信表示批地文件的條件已在其滿意下獲得遵守的日期當作已交還給政府。承授人須於交還整個綠色區域的管有權之前任何時候，准許所有政府及公共車輛及行人免費前往及經過綠色區域，並確保該通行權不會受到按照批地文件特別條款第(8)條或其他規定進行的工程干擾或阻礙。                                     |
| 29. | 批地文件特別條款第(10)條規定，未經署長事先書面同意，承授人不得將綠色區域或其任何部分用作儲物或興建任何臨時構築物，或用作進行批地文件特別條款第(8)條指明的工程以外的任何其他用途。   |
| 30. | 批地文件特別條款第(11)條規定：  |
|     | (a) 承授人須於交還整個綠色區域的管有權之前所有合理時候：   |
|     | (i) 准許政府、署長、其人員、承辦商、代理及獲署長授權的任何人士有權出入、來回及通過該地段及綠色區域，以便視察、檢查及監督遵照批地文件特別條款第(8)(a)條規定進行的任何工程，以及進行、視察、檢查及監督批地文件特別條款第(8)(b)條規定的工程及任何其他署長認為於綠色區域必要的工程；   |
|     | (ii) 在政府或獲其授權的相關公用事業公司要求時，准許其有權出入、來回及通過該地段及綠色區域，以便在綠色區域或任何毗連土地之內、之上或之下進行任何工程，包括但不限於鋪設及其後保養所有喉管、電線、管道、電纜槽及擬為該地段或任何毗連或毗鄰土地或場所提供電話、電力、煤氣（如有）及其他服務設施所需的其他導電媒介及附帶設備。承授人須就以上在綠色區域內進行的任何所述工程的所有相關事宜，與政府及獲其授權的相關公用事業公司充分合作；及 |



SUMMARY OF LAND GRANT 批地文件的摘要

- (iii)

在水務監督及排水事務監督的人員或獲其授權的人士要求時，准許他們有權出入、來回及通過該地段及綠色區域，以便進行任何有關綠色區域內任何其他水務設施或排水渠裝置的運作、保養、維修、更換及改動工程。
- (b)

政府、署長、其人員、承辦商、代理及任何根據特別條款第(11)條(a)款獲妥為授權的人士或公用事業公司，毋須因政府、署長、其人員、承辦商、代理及任何根據特別條款第(11)條(a)款獲妥為授權的人士或公用事業公司行使權利所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任。

黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域

31.

批地文件特別條款第(2)條規定，承授人確認該地段及附錄於批地文件的圖則上以黃色、黃色加黑點及黃色加黑色交叉斜線的區域（分別稱為「**黃色區域**」、「**黃色加黑點區域**」及「**黃色加黑色交叉斜線區域**」）現時存在若干地基、建築物及構築物。在不抵觸批地文件特別條款第(12)及(41)條的規定下，承授人承諾自費並在各方面令署長滿意程度下，從該地段、黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域拆卸及清除所述的地基、建築物和構築物。
32.

批地文件特別條款第(13)(a)條規定，承授人須自費以良好的工藝並按照經特別條款第(13)條(b)款批准的圖則，在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域內興建、建造、提供一條散步長廊並對其進行環境美化，以達至署長在各方面滿意程度。該散步長廊須於2012年8月7日起54個月內或署長批准的其他延長期限建成及適宜佔用和運作。
33.

批地文件特別條款第(13)(b)條規定：

(i)

承授人須自費向署長提交或促使他人提交黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的圖則，以取得其書面批准，該等圖則須包括有關黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的水平、位置及設計詳情，以及署長規定的其他詳情。

(ii)

除非署長事先書面批准或規定，否則不得修訂、更改、改變、變更或替代根據特別條款第(13)條(b)(i)款批准的黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的圖則。

(iii)

根據特別條款第(13)條(b)(i)款批准的黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的圖則，須當作收納署長其後批准或規定的任何修訂、更改、改變、變更或替代。

(iv)

除非及直至署長已書面批准特別條款第(13)條(b)(i)款所指的圖則，否則不得在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域內展開任何建築工程（包括拆卸工程）。

(v)

就批地文件而言，「建築工程」須如《建築物條例》、據此訂立的任何規例及任何修訂法例對該詞之定義。
34.

批地文件特別條款第(13)(c)條規定：

(i)

承授人不得拆卸或損壞黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域內的海堤，但可用新的海堤作替代，而特別條款第(13)條(b)(i)款所指的圖則須包括任何新海堤的詳情。

(ii)

除特別條款第(13)條(c)(i)款另有規定外，不得在黃色區域、黃色加黑點區域或黃色加黑色交叉斜線區域內進行任何會對海堤及（視情況而定）新海堤或其任何部分造成不利影響的工程，而署長就任何工程是否會對海堤及（視情況而定）新海堤造成不利影響所作決定為最終決定及對承授人具有約束力。

(iii)

海堤及（視情況而定）新海堤蓋頂線對開及後方10米範圍內的最大附加荷載不得超過每平方米10千牛頓。

(iv)

海堤及（視情況而定）新海堤的蓋頂線15米範圍內不得進行任何形式的撞擊式打樁工程。
35.

批地文件特別條款第(13)(d)條規定，在按照特別條款第(13)條(a)款完成有關工程後，承授人須自費維護、管理、保養及維修黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域及其各個組成或相關部分，以達至署長在各方面滿意程度，直至按照批地文件特別條款第(13)條(g)款的規定將整個黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域交還給政府管有為止。

36.

批地文件特別條款第(13)(e)條規定：

(i)

倘若承授人未能履行其在特別條款第(13)條(a)及(d)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，該金額由署長決定，其決定為最終決定及對承授人具有約束力。

(ii)

即使批地文件特別條款第(72)(a)條有任何規定，倘若承授人未能履行其在特別條款第(13)條(l)、(m)及(n)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，連同一筆相等於該費用20%的金額作為行政費。

37.

批地文件特別條款第(13)(f)條規定，政府毋須因承授人履行特別條款第(13)條(a)、(d)、(l)、(m)及(n)款的義務或政府行使特別條款第(13)條(e)款的權利或其他原因所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就任何該等損失、損害、滋擾或干擾向政府提出索償。

38.

批地文件特別條款第 (13)(g) 條規定：

(i)

僅為了進行特別條款第(13)條(a)及(d)款指明的必要工程，承授人須於：

(I)

批地文件的日期獲授予黃色區域及黃色加黑點區域的管有權；及

(II)

署長發出的信件上指明的日期（該日期在任何情況下不得遲於批地文件的日期起30個月）獲授予黃色加黑色交叉斜線區域的管有權。

(ii)

政府毋須對承授人因延遲管有黃色加黑色交叉斜線區域而引致或蒙受的任何損害或損失承擔責任，且承授人不得就任何該等損害或損失向政府索取任何賠償。

(iii)

承授人須按照其獲授予黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域管有權各自的日期存在的狀況及構築物和地基（如有），接受黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域，並且特此同意不會就此向政府索取任何賠償。

(iv)

承授人須在署長隨時要求時，將黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域交還給政府，而在任何情況下，黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域須於署長發信表示批地文件的條件已在其滿意下獲得遵守的日期當作已交還給政府。

39.

批地文件特別條款第(13)(h)條規定：

(i)

在交還整個黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的管有權之前，以及為了提供通道往返位於黃色區域及黃色加黑點區域毗連的碼頭（目前稱為北角碼頭，並且包括任何新或替代的碼頭）（統稱「**該等碼頭**」），承授人須於所有時候在毋須支付費用及收費及不受任何阻礙的情況下准許：

(I)

所有政府及行人徒步或乘坐輪椅通過及經過黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域；及

(II)

所有政府及任何公共車輛通過及經過黃色區域及黃色加黑點區域，直至黃色區域及黃色加黑點區域內的現有輔助道路（「**黃色區域及黃色加黑點區域的現有輔助道路**」）按照批地文件特別條款第(42)條所述的批准道路封閉計劃封閉為止，

而且承授人須自費確保該等通道不會受到按照特別條款第(13)條(a)或(d)款或任何其他規定進行的工程干擾或阻礙。

AQ019

# SUMMARY OF LAND GRANT 批地文件的摘要

- (ii)

(I)

在不影響特別條款第(13)條(h)(i)款的規定下，承授人須於交還整個黃色區域及黃色加黑點區域的管有權之前，自費並在各方面令消防處處長滿意下：
- (A)

提供適當的通道讓滅火器械及消防員透過該地段、黃色區域及黃色加黑點區域進入該等碼頭；
- (B)

准許消防員及滅火器械自由及暢通無阻地隨時使用該通道；及
- (C)

保養該通道及確保該通道不受阻礙。
- (I)

承授人須於批地文件約定的批租年期內，自費並在各方面令消防處處長滿意下：
- (A)

提供適當的通道讓滅火器械及消防員透過該地段進入該等碼頭；
- (B)

准許消防員及滅火器械自由及暢通無阻地隨時使用該通道；及
- (C)

保養該通道及確保該通道不受阻礙。
- (iii)

承授人須於所有合理時間內，在有或無通知下准許消防處處長、其人員、工人或代理進入該地段或其任何部分，或在該地段、黃色區域及黃色加黑點區域上興建或設置或將興建或設置的任何建築物或構築物或其任何部分，以便進行視察藉以確保批地文件特別條款第(13)條(h)(ii)款所述的規定已獲遵從。
40.

批地文件特別條款第(13)(i)條規定，未經署長事先書面同意，承授人不得將黃色區域、黃色加黑點區域或黃色加黑色交叉斜線區域或其任何部分用作儲物或興建任何臨時構築物，或用作進行特別條款第(13)條(a)及(d)款指明的工程、用作特別條款第(13)條(h)款指明的用途、現有公廁、現有巴士站長辦事處及現有職工飯堂以外的任何其他用途。
41.

批地文件特別條款第(13)(j)條規定：
- (i)

承授人須於交還整個黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的管有權之前所有合理時候：
- (I)

准許政府、署長、其人員、承辦商、代理及獲署長授權的任何人士有權出入、來回及通過該地段、黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域，以便視察、檢查及監督遵照批地文件特別條款第(13)條(a)、(d)、(l)、(m)及(n)款規定進行的任何工程，以及進行、視察、檢查及監督特別條款第(13)條(e)款規定的工程及任何其他署長認為於黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域必要的工程；
- (II)

在政府或獲其授權的相關公用事業公司要求時，准許其有權出入、來回及通過該地段、黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域，以便在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域或任何毗連土地之內、之上或之下進行任何工程，包括但不限於鋪設及其後保養所有喉管、電線、管道、電纜槽及擬為該地段或任何毗連或毗鄰土地或場所提供電話、電力、煤氣（如有）及其他設施所需的其他導電媒介及附帶設備。承授人須就以上在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域內進行的任何所述工程的所有相關事宜，與政府及獲其授權的相關公用事業公司充分合作；及
- (III)

在水務監督及排水事務監督的人員或獲其授權的人士要求時，准許他們有權出入、來回及通過該地段、黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域，以便進行任何有關黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域內任何其他水務設施或排水渠裝置的運作、保養、維修、更換及改動工程。

- (ii)

政府、署長、其人員、承辦商、代理及根據本特別條款第(13)條(j)(i)款獲妥為授權的任何人士或公用事業公司毋須因政府、署長、其人員、承辦商、代理及根據本特別條款第(13)條(j)(i)款獲妥為授權的任何人士或公用事業公司行使權利所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任。
42.

批地文件特別條款第(13)(k)條規定，倘若黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域及其各個組成或相關部分的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程（不論是否關乎工藝、物料、設計或其他原因），以及可能影響黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域內任何樹木或灌木生長的所有樹木健康問題、欠妥之處、失調、因素或成因（以下簡稱「**樹木健康問題**」），是在：
- (i)

承授人交還黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域任何部分的管有權各自的日期存在的；及
- (ii)

承授人交還黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域任何部分的管有權各自的日期後12個月內（以下統稱「**黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的保養責任及植物扎根期**」）出現或明顯可見的，

承授人須就由此引起或與此相關的所有索償、費用、要求、收費、損害、訴訟及法律程序（不論性質為何）向政府作出彌償並確保其免責。

43.

批地文件特別條款第(13)(l)條規定，在署長要求時，承授人須自費在署長規定的時間內按其規定的標準及形式，於黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域及其各個組成或相關部分進行所有保養、維修、整改、重建與補救工程及任何其他必要工程，以補救及糾正黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的保養責任及植物扎根期內出現或明顯可見的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程。除前述的規定外，承授人須自費在署長規定的時間內按其規定的標準及形式，修復及糾正黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域及其各個組成或相關部分在承授人交還該等區域的管有權各自的日期可能存在的任何欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程。
44.

批地文件特別條款第(13)(m)條規定，倘若因承授人在交還黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域任何部分的管有權給政府各自的日期可能存在的任何樹木健康問題，以致黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域內的任何樹木或植物，未能在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的保養責任及植物扎根期內生長或發育至署長滿意程度及狀況，則在署長要求時，承授人須自費在署長規定的時間內按其規定的標準及形式，進行補種、園景美化工程、樹木維護保養措施或任何其他措施以達至署長在各方面滿意程度。
45.

批地文件特別條款第(13)(n)條規定，署長在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的保養責任及植物扎根期屆滿前，將會安排檢查黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域及其各個組成或相關部分，以識別任何明顯的欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程，以及任何樹木健康問題。署長保留權利在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域的保養責任及植物扎根期屆滿後14天內向承授人送達一或多份欠妥之處列表，列明在黃色區域、黃色加黑點區域及黃色加黑色交叉斜線區域及其各個組成或相關部分內任何明顯的欠妥之處、失修、瑕疵、故障、失靈或任何其他尚未完成的工程，以及任何樹木健康問題。承授人須自費安排在署長規定的時間內按其規定的標準及形式，進行及採取所有必要的工程和措施加以補救和糾正。
46.

批地文件特別條款第(13)(o)條規定，承授人須按署長絕對酌情的決定，促使其母公司或其他聯屬公司出一份保證書；據此，該公司無條件及不可撤回地：
- (i)

保證承授人履行其在特別條款第(13)條的義務；及
- (ii)

就承授人因違反或未能履行其在特別條款第(13)條的任何義務而導致或引起的所有損失、損害、費用、收費、開支及責任，向政府作出彌償並確保其免責。



# SUMMARY OF LAND GRANT 批地文件的摘要

保證書須受香港法律管轄，並採用署長批准的格式於批地文件的日期起90天內呈交署長。如果承授人的母公司或其他聯屬公司是在香港以外地方註冊成立，承授人須在署長要求時，促使向署長提交一份由一家根據《銀行條例》第16條、據此訂立的任何規例及任何修訂法例獲發牌的銀行簽發的履約保證書或保證書（其格式須在各方面獲署長接納）。該保證書或保證書的金額須為2,022,000.00港元，用於擔保承授人向政府支付已根據特別條款第(13)條(e)款發出繳款要求但尚未清繳的任何款項。

47. 批地文件特別條款第(13)(p)條規定，即使特別條款第(13)條(a)款有任何規定，承授人在得到署長事先書面同意時，可自費並在各方面達至署長滿意程度下，在黃色加黑點區域及黃色加黑色交叉斜線區域內一或多個位置（如按照特別條款第(13)條(b)(i)款提交的圖則所顯示），建造一條連接該地段已建或擬建的一或多座建築物的緊急車輛通道，以供消防設備和消防人員通過。

48. 批地文件特別條款第(13)(q)條規定，僅就特別條款第(13)條而言，「承授人」一詞不包括其受讓人。

## 非建築用地一、園景美化行人道及公眾休憩用地

49. 批地文件特別條款第(14)(a)條規定，除在得到署長事先書面同意的情況外，不得在附錄於批地文件的圖則上以粉紅色加黑色斜線及粉紅色加黑色斜線和綠點顯示的各個區域（統稱「**非建築用地一**」）內興建或建設任何建築物或構築物或任何建築物或構築物的支撐物。

50. 批地文件特別條款第(14)(b)條規定，即使批地文件特別條款第(14)條(a)款有任何規定，在不抵觸批地文件特別條款第(17)及(18)條的規定下，可在附錄於批地文件的圖則上以粉紅色加黑色斜線顯示的區域內興建或建設下列各項：

- (i) 批地文件特別條款第(19)條所述的園景美化行人道；
  - (ii) 批地文件特別條款第(20)條所述的公眾休憩用地；及
  - (iii) 只用作車輛停泊或上落客貨或用作路旁停車處上落乘客或其任何組合用途的一或多層地庫。
- 就特別條款第(14)條而言，署長就何謂一或多層地庫所作出的決定為最終決定及對承授人具有約束力。

51. 批地文件特別條款第(19)(a)(i)條規定，承授人須於2020年12月31日或之前或署長批准的其他延長期限，自費並在各方面達至署長滿意程度下，按照經特別條款第(19)條(a)(ii)款批准的圖則在非建築用地一的地面建造一條闊度不少於10米的園景美化行人道，以連接黃色區域及渣華道（「**園景美化行人道**」）。

52. 批地文件特別條款第(19)(b)條規定，承授人須自費維護、保養、維修及管理園景美化行人道及其各個組成或相關部分，以達至署長在各方面滿意程度，直至按照批地文件特別條款第(19)條(e)款的規定將園景美化行人道交還給政府為止。

53. 批地文件特別條款第(19)(c)條規定：
- (i) 倘若承授人未能履行其在特別條款第(19)條(a)及(b)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，該金額由署長決定，其決定為最終決定及對承授人具有約束力。
  - (ii) 即使批地文件特別條款第(72)(a)條有任何規定，倘若承授人未能履行其在特別條款第(19)條(h)、(i)及(j)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，連同一筆相等於該費用20%的金額作為行政費。

54. 批地文件特別條款第(19)(d)條規定，政府、署長或獲其授權的人員毋須因承授人履行特別條款第(19)條(a)、(b)、(h)、(i)及(j)款的義務或政府行使特別條款第(19)條(c)款的權利或其他原因所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就任何該等損失、損害、滋擾或干擾向政府、署長或獲其授權的人員提出索償。

55. 批地文件特別條款第(19)(e)條規定：

- (i) 當署長在批地文件約定的批租期內任何時候要求時，承授人須自費並在各方面達至署長滿意程度下，將不受產權負擔影響的園景美化行人道的空置管有權交還及交回給政府，而政府毋須向承授人作出任何代價、付款或補償。為了根據本(e)(i)款交還園景美化行人道，承授人須自費簽署一份土地交還契據及任何其他文件，其格式及所載條文須由署長批准或要求，並包含署長要求的條款及條件。承授人無權就交還園景美化行人道而直接或間接引起或有關的任何損失、損害或補償向政府索償。
- (ii) 在按照批地文件特別條款第(19)條(e)(i)款的規定將園景美化行人道交還給政府之前，承授人不得將該地段或其任何部分或承授人對其所佔權益或在其上興建的任何建築物或其任何部分轉讓、按揭、押記、批租、分租、放棄對其管有或以其他方式處置或作產權負擔，或訂立任何有關的協議，除非及直至承授人自費以一份分割契據將園景美化行人道從該地段分割出來，而該等分割契據的格式及所載條文須由署長批准或要求，並包含署長要求的條款及條件，而且承授人須自費在土地註冊處以備忘錄形式將所有該等分割契據註冊以達至署長在各方面滿意程度，但本(e)(ii)款不適用於批地文件特別條款第(48)(d)條規定的建築按揭。

56. 批地文件特別條款第(19)(f)條規定，在按照特別條款第(19)條(e)款將園景美化行人道交還給政府之前，承授人須於所有合理時候准許政府、署長、其人員、承辦商、代理及獲署長授權的任何人士有權出入、來回及通過該地段，以便視察、檢查及監督遵照特別條款第(19)條(a)、(b)、(h)、(i)及(j)款規定進行的任何工程，以及進行、視察、檢查及監督特別條款第(19)條(c)款規定的工程及任何其他署長認為必要的工程。政府、署長、其人員、承辦商、代理及獲署長授權的任何人士，毋須因政府、署長、其人員、承辦商、代理及任何根據本(f)款獲妥為授權的人士行使權利所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任。

57. 批地文件特別條款第(20)(a)(i)條規定，承授人須自費按照經特別條款第(20)條(b)(i)款批准的圖則，在該地段的地面興建、建造及提供一或多個總面積不少於6,800平方米的公眾休憩用地以達至署長在各方面滿意程度，而每個公眾休憩用地須連接至園景美化行人道或黃色區域。該等公眾休憩用地須於2020年12月31日或之前或署長批准的其他延長期限建成及適宜佔用和運作（「**公眾休憩用地**」）。公眾休憩用地的位置須符合署長的要求，並且須按署長要求的方式、材料、設備及設施構建、服務、進行環境美化、種植植物、處理及提供，以達至署長在各方面滿意程度。

58. 批地文件特別條款第(20)(c)條規定，承授人須自費維護、保養、維修及管理公眾休憩用地及其各個組成或相關部分，以達至署長在各方面滿意程度，直至按照特別條款第(20)條(f)款的規定將公眾休憩用地交還給政府為止。

59. 批地文件特別條款第(20)(d)條規定：

- (i) 倘若承授人未能履行其在特別條款第(20)條(a)或(c)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，該金額由署長決定，其決定為最終決定及對承授人具有約束力。
- (ii) 即使批地文件特別條款第(72)(a)條有任何規定，倘若承授人未能履行其在特別條款第(20)條(i)、(j)及(k)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，連同一筆相等於該費用20%的金額作為行政費。

60. 批地文件特別條款第(20)(e)條規定，政府、署長或獲其授權的人員毋須因承授人履行特別條款第(20)條(a)、(c)、(i)、(j)及(k)款的義務或政府行使特別條款第(20)條(d)款的權利或其他原因所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就任何該等損失、損害、滋擾或干擾向政府、署長或獲其授權的人員提出索償。



# SUMMARY OF LAND GRANT 批地文件的摘要

61. 批地文件特別條款第(20)(f)條規定：

- (i) 當署長在批地文件約定的批租期內任何時候要求時，承授人須自費並在各方面達至署長滿意程度下，將不受產權負擔影響的公眾休憩用地的空置管有權交還及交回給政府，而政府毋須向承授人作出任何代價、付款或補償。為了根據本(f)(i)款交還公眾休憩用地，承授人須自費簽署一份土地交還契據及任何其他文件，其格式及所載條文須由署長批准或要求，並包含署長要求的條款及條件。承授人無權就交還公眾休憩用地而直接或間接引起或有關的任何損失、損害或補償向政府索償。
- (ii) 在按照批地文件特別條款第(20)條(f)(i)款的規定將公眾休憩用地交還給政府之前，承授人不得將該地段或其任何部分或承授人對其所佔權益或在其上興建的任何建築物或其任何部分轉讓、按揭、押記、批租、分租、放棄對其管有或以其他方式處置或作產權負擔，或訂立任何有關的協議，除非及直至承授人自費以一份分割契據，將公眾休憩用地從該地段分割出來，而該等分割契據的格式及所載條文須由署長批准或要求，並包含署長要求的條款及條件，而且承授人須自費在土地註冊處以備忘錄形式將所有該等分割契據註冊以達至署長在各方面滿意程度，但本(f)(ii)款不適用於批地文件特別條款第(48)(d)條規定的建築按揭。

62. 批地文件特別條款第(20)(g)條規定，在按照特別條款第(20)條(f)款將公眾休憩用地交還給政府之前，承授人須於所有合理時候准許政府、署長、其人員、承辦商、代理及獲署長授權的任何人士有權出入、來回及通過該地段，以便視察、檢查及監督遵照特別條款第(20)條(a)、(c)、(i)、(j)及(k)款規定進行的任何工程，以及進行、視察、檢查及監督特別條款第(20)條(d)款規定的工程及任何其他署長認為必要的工程。政府、署長、其人員、承辦商、代理及獲署長授權的任何人士，毋須因政府、署長、其人員、承辦商、代理及任何根據本(g)款獲妥為授權的人士行使權利所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任。

## 非建築用地二

63. 批地文件特別條款第(15)條規定，除在得到署長事先書面同意的情況外，不得在附錄於批地文件的圖則上以藍色邊顯示的區域（「**非建築用地二**」）內興建或建造任何建築物或構築物或任何建築物或構築物的支撐物，但只用作車輛停泊或上落客貨或用作路旁停車處上落乘客或其任何組合用途的一或多層地庫除外。就特別條款第(15)條而言，署長就何謂一或多層地庫所作出的決定為最終決定及對承授人具有約束力。
64. 批地文件特別條款第(16)(a)條規定，承授人須於批地文件約定的批租期內所有時候，准許所有公眾人士為了所有合法目的而在毋須支付費用及收費及不受任何阻礙的情況下，徒步或乘坐輪椅往復經過、途經、通過及越過非建築用地二。
65. 批地文件特別條款第(16)(b)條規定，現明確協議、聲明及規定，即使承授人被施加特別條款第(16)條(a)款所載的義務，也不表示承授人有意或政府同意把非建築用地二的通行權撥供公眾行使。
66. 批地文件特別條款第(16)(c)條規定，現明確協議及聲明，即使承授人被施加特別條款第(16)條(a)款所載的義務，也不會引起其期望獲得或提出有關額外上蓋面積或地積比率任何寬免或權利的要求（不論是根據《建築物（規劃）規例》第22(1)條、其任何修訂或取代條文或其他條文）。為免生疑問，承授人明確放棄根據《建築物（規劃）規例》第22(1)條、其任何修訂或取代條文，提出有關額外上蓋面積或地積比率任何寬免或權利的任何及所有要求。

## 政府設施物業及該等物件

67. 批地文件特別條款第(28)(a)條規定，承授人須自費以良好的工藝並按照附錄於批地文件的工程規格附表及根據批地文件特別條款第(29)(a)條批准的圖則，在該地段內興建、建造及提供以下的設施物業，以達至署長在各方面滿意程度：
- (i) 一個位於地面的公共運輸交匯處（「**公共運輸交匯處**」），該公共運輸交匯處須於2012年8月7日起30個月內或署長批准的其他延長期限建成及適宜佔用和運作；

- (ii) 一個在公共運輸交匯處內已建或擬建的公廁（「**公廁**」），該公廁須於2012年8月7日起30個月內或署長批准的其他延長期限建成及適宜佔用和運作；

- (iii) 一個綜合家庭服務中心（「**綜合家庭服務中心**」），該綜合家庭服務中心須於2020年12月31日或之前或署長批准的其他日期建成及適宜佔用；

- (iv) (I) 一個特殊幼兒中心連早期教育及訓練中心；及

- (II) 一個用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該特殊幼兒中心連早期教育及訓練中心的佔用人及其真正賓客、訪客或獲邀人士的小型巴士車位；

（統稱「**特殊幼兒中心連早期教育及訓練中心**」），以上各項須於2020年12月31日或之前或署長批准的其他日期建成及適宜佔用。

- (v) (I) 一個傷殘人士區域支援中心；及

- (II) 一個用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該傷殘人士區域支援中心的佔用人及其真正賓客、訪客或獲邀人士的小型巴士車位；

（統稱「**區域支援中心**」），上述各項須於2020年12月31日或之前或署長批准的其他日期建成及適宜佔用。

- (vi) (I) 一個長者日間護理中心；及

- (II) 兩個用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該長者日間護理中心的佔用人及其真正賓客、訪客或獲邀人士的小型巴士車位；

（統稱「**長者日間護理中心**」），上述各項須於2020年12月31日或之前或署長批准的其他日期建成及適宜佔用。

- (vii) 一個社區會堂及以下各個車位：

- (I) 四個用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該社區會堂的佔用人及其真正賓客、訪客或獲邀人士之車輛的車位；

- (II) 一個用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該社區會堂的佔用人及其真正賓客、訪客或獲邀人士之傷殘人士車輛的車位；

- (III) 一個用作該社區會堂相關的輕型貨車上落貨的車位；

- (IV) 兩個用作該社區會堂相關的重型貨車上落貨的車位；及

- (V) 一個供救護車使用的車位；

（統稱「**社區會堂**」），上述各項須於2012年8月7日起54個月內或署長批准的其他延長期限建成及適宜佔用。

（該等設施物業統稱「**政府設施物業**」）。

68. 批地文件特別條款第(35)(a)條規定，當署長要求時，承授人須自費將特別條款第(35)條(b)款中指明及不受產權負擔影響的不分割份數的空置管有權連同對政府設施物業或其任何部分的專有使用、佔用及享用權轉讓給財政司司長法團（「**財政司司長法團**」）。在署長書面規定的期限內，承授人須完成已按批地文件特別條款第(34)條獲發竣工證明書的政府設施物業或其任何部分的轉讓。

# SUMMARY OF LAND GRANT 批地文件的摘要

69.

批地文件特別條款第(37)(a)條規定，署長有權在政府設施物業轉讓前的任何時候，要求交出已按批地文件特別條款第(34)條獲發竣工證明書的政府設施物業或署長所要求部分的空置管有權。承授人須應要求按署長認為適當的條款及條件，將政府設施物業或署長所要求的部分交付給政府供其專有地使用、佔用及運作。
70.

批地文件特別條款第(38)(a)條規定，在不影響批地文件特別條款第(39)條的規定下，承授人須在所有時候自費保養政府設施物業及其屋宇裝備裝置，使其保持良好狀況，以達至署長在各方面滿意程度，直至批地文件特別條款第(39)(a)條所述的政府設施物業保養責任期屆滿為止。
71.

批地文件特別條款第(40)條規定：

(a)

承授人須於批地文件約定的批租年期內，自費（但財政司司長法團可按批地文件特別條款第(50)(a)(ii)(l)條分擔任何款項）保養以下各項物件（下稱「**該等物件**」）以達至署長在各方面滿意程度：

(i)

政府設施物業的外部裝修物料及在政府設施物業、其中、周圍、其內、其上及其下的所有牆壁、支柱、樑、天花、天台板、行車道或地台板及任何其他結構項件；

(ii)

所有服務政府設施物業及該地段發展項目其餘部分的升降機、扶手電梯及樓梯；

(iii)

所有構成服務政府設施物業及該地段發展項目其餘部分的系統之一部分的屋宇裝備裝置、機器及設備（包括但不限於可攜或不可攜式消防裝置及設備）；

(iv)

政府設施物業下的所有結構板連同其內及其下的排水系統；及

(v)

所有其他服務政府設施物業及該地段發展項目其餘部分的公用部分和設施。

(b)

如果承授人因未能對該等物件進行保養而引起或導致所有法律責任、損害賠償、開支、索償、費用、要求、收費、訴訟及法律程序（不論性質為何），承授人須向政府及財政司司長法團作出彌償並確保他們免責。

## 連接點

72.

批地文件特別條款第(22)(a)條規定，承授人須於2020年12月31日或之前或署長批准的其他延長期限，自費按署長要求或批准的材料、標準、水平、定線、規劃及設計，並在各方面達至署長滿意程度下：

(i)

在附錄於批地文件的圖則上顯示及標明的R及S點之間提供及建造支撐物及連接物，用以接收、連接及支撐一條擬建的地下通道。該擬建的地下通道在落成後將大約位於附錄於批地文件的圖則上以一對藍色虛線顯示及標明的位置，並且標明為「擬建地下通道」（「**擬建地下通道**」）；及

(ii)

提供及建造一條行人通道以連接擬建地下通道及園景美化行人道（該等支撐物及連接物及行人通道統稱「**連接點**」），以便擬建地下通道落成後可連接至該地段或該地段上興建的任何一或多座建築物，以及讓行人從連接點往返園景美化行人道及北角港鐵站。
73.

批地文件特別條款第(22)(c)條規定，連接點建成後，承授人須於批地文件約定的批租年期內自費維護、保養、維修及管理連接點，使其保持修葺良好堅固和狀況良好，以達至署長在各方面滿意程度。
74.

批地文件特別條款第(22)(d)條規定，在批地文件約定的批租年期內的所有時候，承授人須於擬建地下通道存在期間，准許所有公眾人士在任何時候為了所有合法目的而在毋須繳付任何性質的費用下，自由地徒步或乘坐輪椅往復經過、途經、越過、通過及上落連接點，並且為該目的往復出入、前往及通過該地段或該地段上已建或擬建的任何一或多座建築物。

75.

批地文件特別條款第(22)(f)條規定，倘若承授人未能履行其在特別條款第(22)條(a)、(c)或(g)款的義務，政府可進行必要的工程，費用一概由承授人負責，承授人須應要求向政府支付相等於該等費用的金額，該金額由署長決定，其決定為最終決定及對承授人具有約束力。
76.

批地文件特別條款第(22)(k)條規定，政府及獲其授權的任何其他一或多名人士（「**該等人士**」），可毋須繳付一切費用及收費而獲保留支撐的權利及連接點接駁至擬建地下通道的權利。
77.

批地文件特別條款第(22)(l)條規定，政府、該等人士、其人員、代理、獲許可人、承辦商、工人及獲妥為授權的其他人士在批地文件約定的批租年期內的所有合理時間，有權攜同或不攜同工具、設備或機械自由出入、來回及通過該地段或在該地段上已建或擬建的任何一或多座建築物，以便：

(i)

對擬建地下通道進行視察、測量、建造、連接、保養、維修、改動、拆卸及更換工程；

(ii)

視察、檢查及監督將遵照特別條款第(22)條(a)、(c)及(g)款規定進行的工程，以及進行、視察、檢查及監督特別條款第(22)條(f)款規定的工程；及

(iii)

政府就擬建地下通道或其他方面認為必須進行的任何其他工程。
78.

批地文件特別條款第(22)(m)條規定，政府及該等人士毋須因政府、該等人士、其人員、代理、獲許可人、承辦商、工人及其他獲妥為授權的人士行使特別條款第(22)條(f)及(l)款賦予的權利所引起或附帶引起而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就任何該等損失、損害、滋擾或干擾向政府或該等人士提出索償。

## 公眾旅遊車停車場

79.

批地文件特別條款第(60)(a)條規定，承授人須於2020年12月31日或之前，自費並在各方面達至署長滿意程度下，按照經特別條款第(60)條(b)款批准的佈局圖在該地段的地面之下興建、建造及提供一個設有不少於30個車位的公眾旅遊車停車場用以停泊旅遊車（「**公眾旅遊車停車場**」）。
80.

批地文件特別條款第(60)(b)條規定，承授人須於2012年8月7日起24個月內或署長批准的其他延長期限，向署長提交或促使他人提交一份公眾旅遊車停車場的佈局圖，以取得其書面批准。該佈局圖須顯示車位、迴旋處、泊車樓層的天花高度、出入途徑、通道地方及署長可能要求的任何其他地方或空間。該等車位、迴旋處、泊車樓層的天花高度、出入途徑、通道地方及公眾旅遊車停車場的任何其他地方或空間，須按署長根據本(b)款批准的圖則提供及佈局，並在各方面達至署長滿意程度。承授人須按照該批准的圖則對該等車位、迴旋處、泊車樓層的天花高度、出入途徑、通道地方及公眾旅遊車停車場的任何其他地方或空間進行保養，若未經署長事先書面同意，不得更改其佈局。
81.

批地文件特別條款第(60)(g)條規定，須於所有時候向所有公眾人士提供公眾旅遊車停車場內所有車位用作短期停泊旅遊車，不論按小時、按日或按月或按運輸署署長書面批准的其他方式。
82.

批地文件特別條款第(60)(j)條規定，在批地文件約定的批租年期內，承授人不得將公眾旅遊車停車場轉讓、按揭、押記、批租、分租、放棄對其管有或以其他方式處置，除非整體地進行轉讓、按揭、押記、批租、分租、放棄對其管有或以其他方式處置，但承授人可根據特別條款第(60)條(g)及(i)款規定的條款分租公眾旅遊車停車場的車位。
83.

批地文件特別條款第(60)(k)條規定，在批地文件約定的批租年期內，承授人須在各方面按照香港目前或任何時候生效的所有與公共車輛停泊有關的條例、附例及規例，自費維護、保養、維修、運作、經營及管理公眾旅遊車停車場及其各個組成或相關部分，以達至運輸署署長滿意程度。



# SUMMARY OF LAND GRANT 批地文件的摘要

## 公眾上落貨停車場

84. 批地文件特別條款第(61)(a)條規定，承授人須於2020年12月31日或之前，自費按照經特別條款第(61)條(b)款批准的佈局圖興建、建造及提供一個公眾上落貨停車場，當中包括：
- (i) 四個在該地段地面以下供所有類型車輛上落客貨的車位；
  - (ii) 一條透過該地段或該地段上已建或擬建的任何一或多座建築物的有關部分連接至特別條款第(61)條(a)(i)款所述的四個車位及黃色區域的通道，藉以將該四個車位用作運送貨物（「**公眾上落貨停車場**」）。
85. 批地文件特別條款第(61)(b)條規定，承授人須於2012年8月7日起24個月內或署長批准的其他延長期限，向署長提交或促使他人提交一份公眾上落貨停車場的佈局圖，以取得其書面批准。該佈局圖須顯示上落客貨車位、迴旋處、泊車樓層的天花高度、出入途徑、通道地方、特別條款第(61)條(a)(ii)款所述的通道及署長可能要求的任何其他地方或空間。該等上落客貨車位、迴旋處、泊車樓層的天花高度、出入途徑、通道地方、該通道及公眾上落貨停車場的任何其他地方或空間須按署長根據本(b)款批准的圖則提供及佈局，並在各方面達至署長滿意程度。承授人須按照該批准的圖則對該等上落客貨車位、迴旋處、泊車樓層的天花高度、出入途徑、通道地方、該通道及公眾上落貨停車場的任何其他地方或空間進行保養，若未經署長事先書面同意，不得更改其佈局。
86. 批地文件特別條款第(61)(g)條規定，在批地文件約定的批租年期內，承授人須開放公眾上落貨停車場予所有公眾人士使用，並確保公眾上落貨停車場內所有上落客貨車位可供所有公眾人士用作車輛短期上落客貨，不論按小時或按運輸署署長書面批准的其他方式而毋須支付任何費用及收費及不受任何干擾。
87. 批地文件特別條款第(61)(j)條規定，在批地文件約定的批租年期內，承授人須在各方面按香港目前或任何時候生效的所有與公眾上落貨停車場有關的條例、附例及規例，自費維護、保養、維修、運作、經營及管理公眾上落貨停車場及其各個組成或相關部分，以達至運輸署署長滿意程度。
- E. 有關承授人在該土地內外鋪設、塑造或作環境美化的任何範圍，或興建或維持任何構築物或設施的責任**
88. 有關「保留區域」的特別條款第(3)(a)、(4)(a)、(4)(b)、(4)(c)、(5)及(7)條，如上文D部所規定。
89. 有關「綠色區域」及「綠色區域構築物」的特別條款第(8)(a)、(8)(b)、(8)(c)、(9)及(11)條，如上文D部所規定。
90. 有關「黃色區域」、「黃色加黑點區域」及「黃色加黑色交叉斜線區域」的特別條款第(2)、(13)(a)、(13)(d)、(13)(e)、(13)(f)、(13)(g)(iv)、(13)(h)及(13)(j)條，如上文D部所規定。
91. 有關「非建築用地一」、「園景美化行人道」及「公眾休憩用地」的特別條款第(14)(a)、(14)(b)、(19)(a)(i)、(19)(b)、(19)(c)、(19)(d)、(19)(e)、(19)(f)、(20)(a)(i)、(20)(c)、(20)(d)、(20)(e)、(20)(f)及(20)(g)條，如上文D部所規定。
92. 有關「非建築用地二」的特別條款第(15)及(16)(a)條，如上文D部所規定。
93. 有關「政府設施物業」及「該等物件」的特別條款第(28)(a)、(35)(a)、(37)(a)、(38)(a)及(40)條，如上文D部所規定。
94. 有關「連接點」的特別條款第(22)(a)、(22)(c)、(22)(d)、(22)(f)、(22)(k)、(22)(l)及(22)(m)條，如上文D部所規定。
95. 有關「公眾旅遊車停車場」的特別條款第(60)(a)、(60)(b)、(60)(g)、(60)(j)及(60)(k)條，如上文D部所規定。

96. 有關「公眾上落貨停車場」的特別條款第(61)(a)、(61)(b)、(61)(g)及(61)(j)條，如上文D部所規定。
97. 批地文件特別條款第(21)條規定：
- (a) 承授人須於2020年12月31日或之前或署長批准的其他延長期限，自費在附錄於批地文件的圖則上以粉紅色加黑點顯示的範圍內提供及建造美化市容地帶（統稱「**美化市容地帶**」）。美化市容地帶須按署長要求的方式、材料、設計、標準及規格構建、進行環境美化及種植樹木與灌木，以達至署長在各方面滿意程度。
  - (b) 除在事先取得署長書面同意的情況外，不得在美化市容地帶的地面或地面之上興建、建造、鋪設、安裝或放置建築物或構築物或建築物或構築物的支撐物或任何裝置（包括但不限於任何排水渠、水道、水路、污水渠、明渠、管道、電纜、電線及公用事業設施）。就特別條款第(21)條而言，署長就何謂地面所作出的決定為最終決定及對承授人具有約束力。
  - (c) 在批地文件約定的批租年期內，承授人須自費維修、保養、維持及管理美化市容地帶及其各個組成或相關部分，使其保持安全、清潔、井然、整齊、可使用及健康狀態，以達至署長在各方面滿意程度。
98. 批地文件特別條款第(23)條規定，承授人須發展該地段及在其上興建在各方面符合批地文件和香港現時或任何時候生效的所有與建築、衛生及規劃有關的條例、附例及規例的建築物，並須於2020年12月31日或之前建成及適宜佔用。
99. 批地文件特別條款第(25)條規定，未經署長事先書面同意，不得移走或干擾在該地段或毗連地方種植的樹木。署長在給予同意時可以對移植、代償性環境美化或補種施加他認為合適的條件。
100. 批地文件特別條款第(26)條規定：
- (a) 承授人須自費向署長提交一份園景美化設計總圖以取得其批准，當中須顯示將於該地段內進行園景美化工程的位置、規劃及佈局，以符合特別條款第(26)條(b)款的規定。除非園景美化設計總圖已獲署長書面批准，且已就批地文件特別條款第(25)條有關樹木保育的建議給予同意（如有必要），否則不得在該地段或其任何部分展開地盤平整工程。
  - (b) ……
  - (c) 承授人須自費按照已批准的園景美化設計總圖在該地段進行園景美化，以達至署長在各方面滿意程度。未經署長事先書面同意，不得修訂、更改、改變、變更或取代已批准的園景美化設計總圖。
  - (d) 承授人其後須自費保持及保養園景美化工程，使其保持安全、清潔、井然、整齊及健康狀態，以達至署長在各方面滿意程度。
  - (e) 除了園景美化行人道及公眾休憩用地外，按照特別條款第(26)條進行園景美化的範圍須被指定為並構成批地文件特別條款第(50)(a)(v)條所指的公用地方之一部分。
101. 批地文件特別條款第(27)(h)條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於700個。
102. 批地文件特別條款第(41)條規定：
- (a) 承授人確認該地段內現時有一個巴士總站（「**現有總站**」）及若干輔助道路（「**該地段內現有輔助道路**」）。
  - (b) 在公共運輸交匯處建成並在各方面達至署長滿意程度下運作前，承授人：
    - (i) 須自費保養現有總站及使其適宜運作及使用，以達至運輸署署長在各方面滿意程度；及
    - (ii) ……



SUMMARY OF LAND GRANT 批地文件的摘要

- (c) 在現有輔助道路按照批地文件特別條款第(42)條所述的批准道路封閉建議封閉前，承授人：

(i) 須自費保養該地段內的現有道路及使其適宜運作及使用，以達至運輸署署長在各方面滿意程度，讓車輛和行人安全地往來；及

(ii) ……
103. 批地文件特別條款第 (44) 條規定：

(a) 承授人可於該地段內興建、建造及提供署長書面批准的康樂設施及其輔助設施（「**該等設施**」）。該等設施的種類、大小、設計、高度及規劃須經署長事先書面批准。

(b) 為了計算批地文件特別條款第(27)(c)及(27)(d)條分別規定的全部總樓面面積及總上蓋面積，在不抵觸批地文件特別條款第(73)(d)條的規定下，若按照特別條款第(44)條(a)款在該地段內提供的該等設施任何部分乃供該地段上已建或擬建的一或多幢住宅大廈的住客及其真正訪客共同使用和享用的，該等設施的該等部分不予計算在內。署長認為該等設施其餘並非作此用途的部分則須計算在內。

(c) 倘若該等設施的任何部分根據特別條款第(44)條(b)款獲豁免計入總樓面面積及上蓋面積之內（「**獲豁免設施**」）：

(i) 獲豁免設施須被指定為並構成批地文件特別條款第(50)(a)(v)條所指的公用地方之一部分；

(ii) 承授人須自費保養獲豁免設施，使其保持修葺良好堅固及狀況良好，並運作獲豁免設施，以達至署長滿意程度；及

(iii) 獲豁免設施只供該地段上已建或擬建的一或多幢住宅大廈住客及其真正訪客使用，任何其他人士不得使用。

104. 批地文件特別條款第(53)(a)條規定：

(i) 該地段內須提供車位，用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該地段已建或擬建的一或多座建築物的住宅單位大廈住客及其真正賓客、訪客或獲邀人士的車輛（「**住宅車位**」），以達至署長滿意程度。住宅車位的比率須按下表列明該地段已建或擬建住宅單位的分別面積計算（除非署長同意採用有別於以下列表的住宅車位比率或數目）提供：

| 每個住宅單位面積           | 提供住宅車位的數目          |
|--------------------|--------------------|
| 少於40平方米            | 每18個住宅單位或其部分設置一個車位 |
| 不少於40平方米但少於70平方米   | 每11個住宅單位或其部分設置一個車位 |
| 不少於70平方米但少於100平方米  | 每5個住宅單位或其部分設置一個車位  |
| 不少於100平方米但少於160平方米 | 每2個住宅單位或其部分設置一個車位  |
| 不少於160平方米          | 每個住宅單位設置一個車位       |

(ii) ……

(iii) 如果該地段已建或擬建的任何一幢住宅單位大廈提供超過75個住宅單位，須按每幢該等住宅單位大廈設置五個車位的比率或署長批准的其他比率提供額外車位，用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌，並且屬於該地段已建或擬建的一或多座建築物的住宅單位住客的真正賓客、訪客或獲邀人士之車輛，但每幢該等住宅單位至少須提供三個車位。

105. 批地文件特別條款第(53)(b)條規定：

(i) 在該地段內須按以下比率（除非署長同意其他比率）提供車位，用作停泊車輛，以達至署長滿意程度：

(I) 在該地段已建或擬建的一或多座作辦公室用途的建築物的首15,000平方米總樓面面積中，每150平方米或其部分設置一個車位，而餘下作該用途的總樓面面積則為每200平方米或其部分設置一個車位；及

(II) 在該地段已建或擬建的一或多座作非工業用途（不包括倉庫、酒店、加油站、私人住宅及辦公室）的建築物的總樓面面積中，每200平方米或其部分設置一個車位。

106. 批地文件特別條款第(53)(c)條規定：

(i) 在按照特別條款第(53)條(a)及(b)款提供的車位中，承授人須按以下比率或署長同意的其他比率預留及指定車位，用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例定義的傷殘人士的車輛：

(I) 根據特別條款第(53)條(a)(i)款提供的每200個車位或其中部分（若該部分超過100個車位）不少於一個車位（至少須保留及指定一個車位）；

(II) 根據特別條款第(53)條(b)(i)(I)款提供的每200個車位或其中部分（若該部分超過100個車位）不少於一個車位（至少須保留及指定一個車位）；

(III) 根據特別條款第(53)條(b)(i)(II)款提供的每200個車位或其中部分（若該部分超過100個車位）不少於一個車位（至少須保留及指定一個車位）；及

(III) 根據特別條款第(53)條(a)(iii)款提供的車位中一個車位。

107. 批地文件特別條款第(53)(d)條規定：

(i) 在該地段內須按以下比率（除非署長同意其他比率）提供車位，用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌的電單車，以達至署長滿意程度：

(I) 根據特別條款第(53)條(a)(i)款須予提供的住宅車位總數的10%（「**住宅電單車車位**」）；

(II) 根據特別條款第(53)條(b)(i)(I)款須予提供的車位總數的10%；及

(III) 根據特別條款第(53)條(b)(i)(II)款須予提供的車位總數的10%；

但如果提供的車位數目是一個有小數點的數字，則須向上進位至下一個整數。

108. 批地文件特別條款第(54)(a)條規定：

(i) 在該地段內須按以下比率提供以下車位，用作貨車上落貨，以達至署長滿意程度：

(I) 按該地段已建或擬建的一或多座建築物每800個住宅單位或其部分設置一個裝卸車位的比率或署長批准的其他比率提供，但該地段已建或擬建的每幢住宅大廈至少須設置一個裝卸車位，該裝卸車位須位於每幢住宅大廈毗連地方或住宅大廈之內；

(II) 按該地段已建或擬建的一或多座作辦公室用途的建築物每3,000平方米總樓面面積或其部分設置一個車位的比率提供；及

AQ025

# SUMMARY OF LAND GRANT 批地文件的摘要

- (III) 按該地段已建或擬建的一或多座作非工業用途（不包括倉庫、酒店、加油站、私人住宅及辦公室）的建築物每1,200平方米總樓面面積或其部分設置一個車位的比率提供。
- (ii) 提供一個路旁停車處用作車輛（包括計程車）上落乘客，以及提供另一個路旁停車處作小型巴士及救護車上落之用，兩者的形式、標準及位置均須符合署長的要求或批准。
109. 批地文件特別條款第(59)條規定，須向署長提交一份顯示將會按照批地文件特別條款第(53)及(54)條在該地段提供的所有車位、上落客貨車位及路旁停車處的佈局並已獲署長批准的圖則，或經一名認可人士（定義見《建築物條例》、據此訂立的任何規例及任何修訂法例）核證的圖則副本。在提交前不得進行任何影響該地段或其任何部分或其上已建或擬建的建築物或其任何部分的交易（但交還園景美化行人道及公眾休憩用地、轉讓政府設施物業、根據批地文件特別條款第(48)(c)條訂立的租賃協議或租約或該租賃協議或租約的協議，以及根據批地文件特別條款第(48)(d)條訂立的建築按揭或押記除外）。在已獲批准的圖則上顯示的該等車位、上落客貨車位及路旁停車處除用作其分別在批地文件特別條款第(53)及(54)條所列之用途外，不得作任何其他用途。承授人須按照該份已獲批准的圖則保養該等車位、上落客貨車位、路旁停車處及其他地方，且未經署長事先書面同意，不得對佈局作出改動。
110. 批地文件特別條款第(63)條規定：
- (a) 如果該地段或任何政府土地現時或以往曾經為或因應該地段或其任何部分的構建、平整或發展而進行削土、移土或土地後移或堆積或堆填工程，或任何類型的斜坡整理工程，或承授人按批地文件的條件需進行的任何其他工程，或為了任何其他目的，不論有否經署長事先書面同意，承授人須自費進行及建造該等斜坡整理工程、擋土牆或其他支撐物、保護物、排水或輔助工程或現時或其後任何時候成為必要的其他工程，以便保護及支撐該地段及任何毗連或毗鄰政府土地或租用土地內的泥土，避免及防止今後發生任何泥土剝落、山泥傾瀉或土地下陷。承授人須在批地文件約定的批租期內自費保養該土地、斜坡整理工程、擋土牆或其他支撐物、保護物、排水或輔助工程或其他工程，使其保持修葺良好堅固及狀況良好，以達至署長滿意程度。
- (b) 本特別條款第(63)條(a)款的任何規定不得影響政府在批地文件的條件的權利，尤其是批地文件特別條款第(62)條下的權利。
- (c) 倘若承授人進行任何構建、平整、發展工程或任何其他工程或基於任何其他原因而在任何時候引致或引起任何泥土剝落、山泥傾瀉或土地下陷，不論是發生在或來自該地段或任何毗連或毗鄰的政府或租用土地的土地，承授人均須自費將其恢復原狀及修復以達至署長滿意程度，並且須就因此或由此而將會或可能提出、蒙受或招致的一切費用、收費、損害賠償、要求及申索，向政府、其代理及承辦商作出彌償並確保他們免責。
- (d) 除批地文件中規定在違反批地文件任何條件時享有的任何其他權利或補償外，署長有權發出書面通知要求承授人進行、建造及保養上述的土地、斜坡整理工程、擋土牆或其他支撐物、保護物、排水或輔助工程或其他工程，或將任何泥土剝落、山泥傾瀉或土地下陷恢復原狀及修復。如果承授人在通知指明的期限內忽略或沒有遵從該通知以達至署長滿意程度，署長可立即執行和進行任何必要的工程，而承授人須應要求向政府償付有關的費用，連同任何行政與專業費用及收費。
111. 批地文件特別條款第(65)條規定，如果在發展或重建該地段或其任何部分時已安裝預應力地樁，承授人須在預應力地樁的整個服務期限內自費定期保養和監察預應力地樁，以達至署長滿意程度，並在署長不時絕對酌情要求時向署長提交所有該等監察工程的報告及資料。如果承授人忽略或未能進行要求的監察工程，署長可立即執行和進行該等監察工程，而承授人須應要求付還其開支給政府。

112. 批地文件特別條款第(66)條規定：
- (a) 倘若來自該地段或受該地段任何發展項目影響的其他地方的泥土、廢石方、瓦礫、建築廢料或建築材料（「**廢物**」）被侵蝕、沖刷或傾倒到公共小巷或道路或排入道路暗渠、前灘或海床、污水渠、暴雨水渠、排水渠、明渠或其他政府物業（「**政府物業**」），承授人須自費清理該等廢物並且對政府物業所造成的任何損壞進行修復。承授人須對上述的侵蝕、沖刷或傾倒而造成私人物業的任何損壞或滋擾所產生的一切訴訟、索償及要求對政府作出彌償。
- (b) 即使特別條款第(66)條(a)款有所規定，署長可以（但無義務）應承授人的要求在政府物業清理廢物並對政府物業所造成的任何損壞進行修復，而承授人須應要求向政府支付有關的費用。
113. 批地文件特別條款第(67)條規定：
- (a) 承授人須於所有時候，特別是在進行建築、保養、翻新或維修工程（「**工程**」）時，採取或促使他人採取一切適當及充分的小心、技巧及預防措施，避免對該地段或其任何部分之上、上面、之下或毗連的任何政府或其他現有的排水渠、水路或水道、總水管、道路、行人路、街道設施、污水渠、明渠、喉管、電纜、電線、公用事業設施或任何其他工程或裝置（「**服務設施**」）造成任何損壞。
- (b) 承授人在進行任何工程之前須進行或促使他人進行適當的勘測及必要的了解，確定服務設施的現時位置及水平，並向署長提交處理任何可能被工程影響的服務設施各方面的建議書，供其審批且必須在取得署長對工程及上述建議書作出的書面批准後，才能進行該等工程。承授人須自費履行署長在審批時對服務設施作出的任何要求，包括承擔進行任何必要的改道、重鋪或恢復原狀的費用。
- (c) 承授人須自費維修、修復及復原任何因工程對該地段或任何服務設施以任何方式引起的任何損壞、干擾或阻礙（除非署長另作選擇，明渠、污水渠、暴雨水渠或總水管須由署長進行修復，而承授人須應要求向政府支付該等工程的費用），以達至署長在各方面滿意程度。如果承授人未能對該地段或其任何部分或任何服務設施進行該等必要的改道、重鋪、維修、修復或恢復原狀工程，以達至署長滿意程度，署長可進行其認為必要的或任何該等改道、重鋪、維修、修復或恢復原狀工程，而承授人須應要求向政府支付該等工程的費用。
114. 批地文件特別條款第(68)條規定：
- (a) 在署長認為必要時，承授人須自費建造及保養排水渠及渠道（不論在該地段邊界內或政府土地上），以便截斷及引導流入該地段的所有暴雨或雨水到最接近的河道、集水井、渠道或政府暴雨水渠，以達至署長滿意程度。
- (b) 連接該地段的任何排水渠和污水渠至政府的暴雨水渠及污水渠（當已鋪設及啟用）的工程可由署長進行。承授人須應要求向政府支付上述連接工程的費用。該等連接工程亦可以由承授人自費進行，以達至署長滿意程度。在此情況下，上述連接工程的任何一段若在政府土地內建造，必須由承授人自費保養，且承授人須應要求移交給政府，由政府自費負責日後的保養。承授人須應要求向政府支付有關上述連接工程的技術審查的費用。

## F. 對買方造成負擔的租用條件

115. 批地文件特別條款第(17)條規定：
- (a) (i) 除在得到署長事先書面同意的情況外，不得在以下顏色所顯示的排水保留區域之內、之上或之下興建或建造任何建築物或構築物或任何建築物或構築物的支撐物或地基：
- (I) 附錄於批地文件的圖則上以粉紅色加黑色斜線和綠點顯示及標明為” D.R.1” 的區域（以下簡稱「排水保留區域一」）；及
- (II) 附錄於批地文件的圖則上以粉紅色加綠點顯示及標明為” D.R.2” 的區域（以下簡稱「排水保留區域二」）。
- (ii) 署長在給予本特別條款(a)(i)款的任何同意時，可施加其絕對酌情認為必要的任何條件（包括但不限於禁止在排水保留區域一或排水保留區域二之內，由香港主水平基準0米及以上起興建或建造任何建築物或構築物或任何建築物或構築物的支撐物或地基）。



# SUMMARY OF LAND GRANT 批地文件的摘要

- (b) 在署長規定或授權下，政府、署長及獲其妥為授權的人員、承辦商、代理及其各自的工人（以下統稱「獲授權人士」）有權在所有時間攜同或不攜同工具、設備、機械或車輛，不受限制地出入、來回及通過該地段，以便鋪設、視察、維修及保養經過、貫穿或藏於排水保留區域一及排水保留區域二之下的排水渠、污水渠、渠道、排水設施及所有其他服務設施（以下統稱「該等設施」）。任何可能妨礙進入或接觸該等設施或導致該等設施過度負荷的物品或物料（不論性質為何），均不得放置在排水保留區域一或排水保留區域二之內。倘若署長認為（其意見為最終決定及對承授人具有約束力）排水保留區域一及排水保留區域二之內有物品或物料可能妨礙進入或接觸該等設施或導致該等設施過度負荷，署長有權發出書面通知要求承授人自費拆卸或清除該等物品或物料，以及將排水保留區域一及排水保留區域二恢復原狀，以達至署長在各方面滿意程度。如果承授人在通知指明的期限內忽略或沒有遵從該通知或在出現緊急情況時，署長可進行其認為必要的清除、拆卸或恢復原狀工程，而承授人須應要求向政府支付該等工程的費用。

(c) 除了將其行使上述權利及權力挖掘的任何溝渠恢復原狀外，政府、署長及獲授權人士毋須因獲授權人士行使本特別條款(b)款賦予不受限制的出入、來回及通過權利和鋪設、視察、維修及保養該等設施所引起或附帶引起而對承授人造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就任何該等損失、損害、滋擾或干擾向政府、署長或獲授權人士提出索償。

116. 批地文件特別條款第(18)條規定：

(a) 承授人確認於批地文件的日期，以下的區域存在部分132千伏特傳輸電纜、通訊電纜及關聯的電纜工程、構築物、設施或裝置（以下統稱「該等電纜」）：

(i) 在附錄於批地文件的圖則上以紫色線顯示之範圍內的該地段地面以下部分，並且標明為「電纜留用區」（該地段部分以下簡稱「地段內的電纜留用區」）；及

(ii) 在附錄於批地文件的圖則上以紫色線顯示之範圍內的黃色區域地面以下部分，並且標明為「電纜留用區」（該黃色區域部分以下簡稱「黃色區域內的電纜留用區」）。

(b) 承授人須自費確定該等電纜的範圍，且不得以任何方式拆卸、損壞或干擾該等電纜（署長就何謂損壞或干擾作出的決定為最終決定及對承授人具有約束力）。香港電燈有限公司（以下簡稱「港燈公司」）會將任何被拆卸、損壞或干擾的該等電纜恢復原狀、修復或糾正，費用由承授人承擔。承授人特此就或因承授人、其僱員、代理、工人及承辦商拆卸或損壞或干擾該等電纜而直接或間接引起的所有責任、索償、費用、要求、訴訟或其他法律程序，向政府、其人員、代理、承辦商、工人或其他獲妥為授權的人士作出彌償並確保其負責。

(c) 政府毋須因該等電纜的存在而對承授人或任何其他人士造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且承授人不得就或因該等電纜而直接或間接對該地段或黃色區域或承授人造成的任何損害、滋擾、煩擾、損失或傷害向政府提出任何索償。

(d) (i) 除在得到署長事先書面同意的情況外，不得在地段內的電纜留用區及黃色區域內的電纜留用區的地面或地面以上高度5.1米以內興建或建造任何建築物或構築物或任何建築物或構築物的支撐物。

(ii) 不得在構成該等電纜一部分的任何電纜由環繞其外表面起量度的1.0米距離內興建或建造任何建築物或構築物或任何建築物或構築物的支撐物或地基。

(iii) 就本特別條款而言，署長就何謂地面所作出的決定為最終決定及對承授人具有約束力。

(e) 在構成該等電纜一部分的任何電纜全部方向的3.0米距離內展開任何工程前，承授人須徵詢港燈公司意見，以確保任何該等工程不會損壞、干擾或危害該等電纜的安全運作（署長就前述各項作出的決定為最終決定）。若署長提出要求，承授人須自費採取港燈公司要求的預防措施以確保該等電纜的安全運作。

(f) 承授人須遵守當時生效及與該等電纜有關的所有條例、附例及規例，以及其任何修訂或替代法例。

(g) 承授人須自費遵守機電工程署署長及所有其他相關政府及法定機構就建造（包括所使用的物料）、維修及保養連接或接近該等電纜的建築物或構築物或該等建築物或該等構築物的任何部分的所有特別要求。

(h) (i) 為了進行該等電纜的測量、視察、維修、保養、改造、改善或發展工程，以及進行本特別條款(b)款之下的測量、視察、恢復原狀、修復及糾正工程或署長認為在地段內的電纜留用區或黃色區域內的電纜留用區或兩者之內必要的任何其他工程，承授人須准許署長、港燈公司及獲署長或港燈公司或兩者授權的人員、工人及承辦商：

(I) 在批地文件的批租年期內所有時間，出入、來回及通過該地段及其上已建或擬建的任何一或多座建築物；及

(II) 在承授人管有黃色區域或其任何部分的所有時間，出入、來回及通過黃色區域或其任何部分及在其上已建或擬建的任何一或多座構築物，

且可攜同或不攜同工具、車輛、機械或設備而毋須支付費用和收費及不受任何干擾。

(ii) 政府毋須因行使本特別條款(h)(i)款賦予的權利所引起或附帶引起而對承授人造成或令其蒙受的任何損失、損害、滋擾或干擾承擔責任，而且不得就任何該等損失、損害、滋擾或干擾向政府、港燈公司或獲政府、港燈公司或兩者授權的人員、工人及承辦商提出索償或異議。

117. 批地文件特別條款第(48)條規定，除了交還園景美化行人道及公眾休憩用地及轉讓政府設施物業外，當承授人在各方面達至署長滿意程度下符合批地文件所有條件前，除非已獲得署長事先書面同意，否則不得：

(a) 將該地段或其任何部分或其任何權益或在其上興建的任何建築物或其任何部分轉讓、放棄對其管有或以其他方式處置，或訂立任何有關的協議；

(b) ……

(c) 將該地段或在其上興建的任何建築物或其任何部分分租或訂立任何有關的協議，除非有關該地段或在其上興建的任何建築物或其任何部分的租賃協議或租約符合特別條款第(48)條(c)款的條款及條件；或

(d) 將該地段或其任何部分或其任何權益按揭或押記，但為開發之目的而按照批地文件的條件進行者除外，惟只能以建築按揭方式進行。

118. 批地文件特別條款第(57)條規定：

(a) 即使已遵守及符合批地文件的條件以達至署長滿意程度，住宅車位及住宅電單車車位不得：

(i) 轉讓，除非：

(I) 連同賦予專有權使用及管有該地段已建或擬建的一或多座建築物的一或多個住宅單位之不分割份數一併轉讓；或

(II) 承讓的人士現時已擁有具專有權使用及管有該地段已建或擬建的一或多座建築物的一或多個住宅單位之不分割份數；

(ii) 分租（除非分租予該地段已建或擬建的一或多座建築物住宅單位的住客）。

但在任何情況下，該地段已建或擬建的一或多座建築物的任何一個住宅單位之業主或住客不可承讓或承租合共多於三個住宅車位和住宅電單車車位。

(b) 即使特別條款第(57)條(a)款有任何規定，承授人可以在取得署長事先書面同意下，將所有住宅車位和住宅電單車車位整體轉讓，但只可轉讓給承授人全資擁有的附屬公司。

(c) 特別條款第(57)條(a)款的規定不適用於該地段的整體轉讓、分租、按揭或押記。

附註：

1. 附於批地文件的圖則於「公共設施及公眾休憩用地的資料」部分內複製。

2. 請查閱批地文件以了解全部詳情。完整的批地文件可於售樓處開放時間內免費查閱，並且可支付所需影印費用後取得批地文件的副本。

INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

A. Facilities that are required under the land grant to be constructed and provided for the Government, or for public use

- 1. The “Reserved Area” and “Reserved Area Structures” as referred to in Special Condition No. (3)(a) and Special Condition No. (4)(a)(i)(II) of the Conditions of Sale No.20173 (the “Land Grant”) respectively.
- 2. The “Green Areas” and “Green Areas Structures” as referred to in Special Condition No. (8)(a)(i)(I) and Special Condition No. (8)(a)(i)(II) of the Land Grant respectively.
- 3. The “Yellow Area”, the “Yellow Stippled Black Area” and the “Yellow Cross-hatched Black Area” as referred to in Special Condition No. (2) and Special Condition No.13(a) of the Land Grant.
- 4. The “Non-Building Area 1”, the “Landscaped Walkway” and the “Public Open Space” as referred to in Special Condition No. (14)(a), Special Condition No. (19)(a)(i) and Special Condition No. (20)(a)(i) of the Land Grant respectively.
- 5. The “Non-Building Area 2” as referred to in Special Condition No. (15) of the Land Grant.
- 6. The “Government Accommodation” and the “Items” as referred to in Special Condition No. (28)(a) and Special Condition No. (40)(a) of the Land Grant respectively.
- 7. The “Connection Points” as referred to in Special Condition No. (22)(a)(ii) of the Land Grant.
- 8. The “Public Coach Park” as referred to in Special Condition No. (60)(a) of the Land Grant.
- 9. The “Public Loading and Unloading Park” as referred to in Special Condition No. (61)(a) of the Land Grant.
- 10. The general public has the right to use the facilities and those parts of the land mentioned in paragraphs A3, A5, A7, A8 and A9 above in accordance with the Land Grant.

B. Facilities that are required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Phase

- 11. The “Non-Building Area 2” as referred to in Special Condition No. (15) of the Land Grant.
- 12. The “Items” as referred to in Special Condition No. (40) of the Land Grant.
- 13. The “Connection Points” as referred to in Special Condition No. (22)(a)(ii) of the Land Grant.
- 14. The “Public Coach Park” as referred to in Special Condition No. (60)(a) of the Land Grant.
- 15. The “Public Loading and Unloading Park” as referred to in Special Condition No. (61)(a) of the Land Grant.
- 16. The facilities mentioned in section B above are required to be managed, operated or maintained at the expense of the owners of the residential properties in the Phase.
- 17. The owners of the residential properties in the Phase are required to meet a proportion of the expense of managing, operating or maintaining the facilities mentioned under section B above through the management expenses apportioned to the residential properties concerned.

Remarks :  
Pursuant to the DMC, the expense of managing, operating or maintaining the facilities mentioned in paragraphs B11 and B14 above shall be borne by the owner of the Commercial Accommodation.

C. The size of any open space that is required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the Phase

- 18. Not applicable.

D. Any part of the land (on which the Phase is situated) that is dedicated to the public for the purposes of regulation 22(1) of the Building (Planning) Regulations (Cap 123 sub. leg. F).

- 19. Not applicable.

E. Plans that show the location of those facilities and open spaces, and those parts of the land, mentioned in Sections A and B above

- 20. Please refer to the Plans at the end of this section.

F. Provisions of the land grant that concern those facilities and open spaces, and those parts of the land

- 21. Please refer to Section D under the Summary of Land Grant.

G. Provisions of every deed of mutual covenant in respect of the specified residential property that concern those facilities and open spaces, and those parts of the land

Unless otherwise defined, capitalised terms below have the meaning given to them under the Deed of Mutual Covenant and Management Agreement (“DMC”) of the Development.

Definitions

“Cables” means collectively some 132kV transmission cables and communication cables and the associated cable works, structures, facilities or installations (i) below the ground level of the Cable Reserve within the lot and (ii) below the ground level of the Cable Reserve within the Yellow Area.

“Cable Reserve within the Yellow Area” means collectively those parts of the Yellow Area falling within the purple lines shown on the plan annexed to the Conditions and thereon marked “CABLE RESERVE”.

“Commercial Carpark (Phase 1B)” means those parts of the Commercial Accommodation (Phase 1B) comprising, amongst others, the Public Coach Park.

“Common Areas and Facilities” means collectively the Development Common Areas and Facilities, the Residential Common Areas and Facilities, the Residential Carpark Common Areas and Facilities, (upon execution of the Sub-Deed(s) in respect of the Commercial Accommodation) the Commercial Common Areas and Facilities and the Commercial Carpark Common Areas and Facilities and all those parts and such of the facilities of the Development designated as common areas and facilities in any Sub-Deed(s).

“Connection Points” means collectively:

- (a) such supports and connections within the Lot and the building or buildings erected or to be erected thereon to receive, connect and support the Proposed Subway provided and constructed pursuant to Special Condition No. (22)(a)(i) of the Conditions; and
- (b) a pedestrian passageway within the Lot and the building or buildings erected or to be erected thereon to link up the Proposed Subway and the Landscaped Walkway (as defined in Special Condition No.(19)(a)(i) of the Conditions) provided and constructed pursuant to Special Condition No. (22)(a)(ii) of the Conditions,



# INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

so that the Proposed Subway, if constructed, can be connected to the Lot or any building or buildings erected thereon and pedestrian access to and from the Landscaped Walkway (as defined in Special Condition No.(19)(a)(i) of the Conditions) and the North Point Mass Transit Railway Station can be gained over the Connection Points.

“**Development Common Areas and Facilities**” means and includes those parts of the Development in Phase 1 which are intended for common use and benefit of the Development including the Public Loading and Unloading Park and such parts of the Items in Phase 1.

“**Government Accommodation**” shall have the same meaning as defined in Special Condition No.(28)(a) of the Conditions comprising:

- (a) the Public Transport Interchange (as defined in Special Condition No.(28)(a)(i) of the Conditions);
- (b) the Public Toilet (as defined in Special Condition No.(28)(a)(ii) of the Conditions);
- (c) the Integrated Family Service Centre (as defined in Special Condition No.(28)(a)(iii) of the Conditions);
- (d) the Special Child Care Centre cum Early Education and Training Centre (as defined in Special Condition No.(28)(a)(iv) of the Conditions);
- (e) the District Support Centre (as defined in Special Condition No.(28)(a)(v) of the Conditions);
- (f) the Day Care Centre for the Elderly (as defined in Special Condition No.(28)(a)(vi) of the Conditions); and
- (g) the Community Hall (as defined in Special Condition No.(28)(a)(vii) of the Conditions);

(including light fixtures, ventilation plant, extract ductworks and road or floor surfaces but excluding such lifts, escalators, stairways, plant, equipment and other facilities not serving exclusively thereto as may be permitted by the Director in accordance with the Conditions, walls, columns, beams, ceilings, roof slabs, carriageway or floor slabs and any other structural elements) together with any other areas, facilities, services and installations exclusive thereto as the Director may in his absolute discretion determine (whose determination shall be conclusive and binding on all Owners) which are (in so far as they are capable of being shown on plans) for the purposes of identification only shown coloured Grey on the plans certified by the Authorized Person and annexed to the DMC or to any Sub-Deed(s).

“**Items**” has the meaning as defined in Special Condition No. (40)(a) of the Conditions namely:

- (a) the external finishes of the Government Accommodation and the structure of all walls, columns, beams, ceilings, roof slabs, carriageway or floor slabs and any other structural elements of, in, around, within, above and below the Government Accommodation;
- (b) all lifts, escalators and stairways serving the Government Accommodation and the remainder of the Development;
- (c) all building services installations, plant and equipment (including but not limited to portable and non-portable fire services installation equipment) forming part of the system serving the Government Accommodation and the remainder of the Development;
- (d) all of the structural slabs under the Government Accommodation together with the drainage systems therein and thereunder; and

- (e) all other common parts and facilities serving the Government Accommodation and the remainder of the Development.

“**Non-Building Area 1**” means the Non-Building Area 1 referred to in Special Condition No.(14)(a) of the Conditions and is shown coloured pink hatched black and pink hatched black stippled green on the plan annexed to the Conditions.

“**Non-Building Area 2**” means the Non-Building Area 2 referred to in Special Condition No.(15) of the Conditions and is shown edged blue on the plan annexed to the Conditions.

“**Proposed Subway**” means the proposed subway which is proposed to be constructed pursuant to Special Condition No.(22)(a)(i) of the Conditions.

“**Public Coach Park**” means the public coach park erected, constructed and provided at Basement 1 Floor of the Development pursuant to Special Condition No. (60)(a) of the Conditions, which is (in so far as it is capable of being shown on plans) for the purposes of identification only shown coloured Red Hatched Black on the Basement 1 Floor Plan certified by Authorized Person and annexed to the DMC.

“**Public Loading and Unloading Park**” means the public loading and unloading park erected, constructed and provided in the Development pursuant to Special Condition No. (61)(a) of the Conditions.

“**Yellow Area**” means the area shown coloured yellow on the plan annexed to the Conditions.

## Clause 8

### Obligations of the Owner of the Government Accommodation

Unless otherwise specified in the DMC, The Financial Secretary Incorporated (“FSI”) as the Owner of the Government Accommodation shall be responsible for the maintenance and management of the Government Accommodation (excluding the Items) only but not the remainder of the Development nor any areas, facilities and services outside the Development.

## Clause 9

### Rights and obligations of the Owner of the Public Coach Park

- (a) All the parking spaces within the Public Coach Park shall be made available to members of the public at all times for short-term parking of coaches, on hourly, daily or monthly basis or on such other basis as may be approved in writing by the Commissioner for Transport.
- (b) The Public Coach Park shall not be used for any purpose other than for the parking of coaches licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and in particular the Public Coach Park shall not be used for the storage, display or exhibiting of motor vehicles for sale or otherwise or for the provision of car cleaning and beauty services.
- (c) The Owner of the Public Coach Park shall not assign, mortgage, charge, demise, underlet or part with the possession of or otherwise dispose of the Public Coach Park except as a whole provided that the Owner may underlet the parking spaces in the Public Coach Park subject to the conditions provided in sub-clauses (a) and (b) above.
- (d) The Owner of the Public Coach Park shall at all times uphold, maintain, repair, operate, conduct and manage at his own expense the Public Coach Park and everything forming a portion of or pertaining to it and in all respects in accordance with all Ordinances, bye-laws and regulations relating to public vehicle parking which are or may at any time be in force in Hong Kong and to the satisfaction of the Commissioner for Transport.

## INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

### Clause 17

#### **Preparation of annual budget by Manager**

The Manager shall prepare the annual budget for the ensuing year in consultation with the Owners' Committee (if already formed). The annual budget shall be in the following parts:

- (a) The first part ("**Development Common Budget**") shall cover all expenditure which in the opinion of the Manager is to be expended for the benefit of all Owners or required for the proper management of the Development and the Development Common Areas and Facilities, including:
- (i) the maintenance, operation, repair and cleansing of all the Development Common Areas and Facilities and the lighting thereof and the provisions and operation of emergency generators and lighting for the Development Common Areas and Facilities;
  - (ii) the cultivation, irrigation and maintenance of the lawns and planters and landscaped areas on the Development Common Areas and Facilities;
  - (iii) the cost of all electricity, gas, water, telephone and other utilities serving the Development Common Areas and Facilities;
  - (iv) the provision of security guard services for the Development and the cost of employing caretakers, watchmen, cleaners, lift operators and attendants and such other staff to manage and administer the Development Common Areas and Facilities;
  - (viii) insurance of the Common Areas and Facilities and the Units up to the full new reinstatement value thereof and in particular against loss or damage by fire and/or such other perils and risks and the Manager against third party, or public and/or occupiers' liability or employees' compensation risks or any other insurance policy considered necessary by the Manager;
  - (xii) all costs incurred in connection with the Development Common Areas and Facilities;
  - (xvii) the cost and expense of upholding, repairing, maintaining and managing the Public Loading and Unloading Park; and
  - (xix) the costs of maintaining, repairing and operating the Items and any other parts of the Government Accommodation specified in the maintenance schedule agreed from time to time with the Owner of the Government Accommodation.

### Clause 19

#### **Calculation and payment of management expenses and annual budget**

- (a) The amount of the monthly or other contributions payable by each Owner shall be specified and demanded by the Manager from time to time by notice in writing PROVIDED THAT for the avoidance of doubt, no contributions shall be payable in respect of the Undivided Shares allocated to the Common Areas and Facilities and the Government Accommodation save and except provided under proviso (d) of this Clause 19;

#### Proviso (b) of Clause 19

FSI as the Owner of the Public Transport Interchange and the Public Toilet shall not be liable to contribute to any management and maintenance charges incurred by the Manager in the management and maintenance of the remainder of the Development and in particular shall not be liable for payment of any management and maintenance charges whatsoever incurred in respect of the Common Areas and Facilities, including the Items.

#### Proviso (c) of Clause 19

FSI as the Owner of the Public Transport Interchange and the Public Toilet shall not be liable for any payment of capital equipment fund, insurance premium, Special Fund, debris removal fee or payment of a like nature.

#### Proviso (d) of Clause 19

FSI as the Owner of the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall shall be liable for payment of the management and maintenance charges only in respect of facilities or services which actually serve the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall or are used by the occupier thereof, his servants, contractors, agents or visitors Provided however that the liability of FSI shall be as determined by the Government Property Administrator of the Government Property Agency ("GPA") or person nominated by the Director for this purpose and in any event shall not exceed the proportion of the management and maintenance charges which the gross floor area of the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall bears to the gross floor area of all the buildings erected or to be erected on the Lot and shall only commence from the date of the Assignment or the date of taking over of the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall, whichever is the earlier and Provided further that FSI shall incur no liability for payment of any management and maintenance charges unless and until the amount of the same shall have first been approved in writing by the GPA or person nominated by the Director for this purpose.

#### Proviso (e) of Clause 19

FSI as the Owner of the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall shall have no liability for any contribution towards any management and maintenance charges for any other part of the Development (whether Common Areas and Facilities or otherwise) or for the provision of facilities or services which do not, in the opinion of the GPA or person nominated by the Director for this purpose, directly serve or otherwise directly benefit the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall.

#### Proviso (f) of Clause 19

FSI as the Owner of the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall shall not be liable for any payment of :-

- (i) management deposits referred to in Clause 23(a);
- (ii) Special Fund save and except provided in Clause 22(d);
- (iii) insurance premium in respect of the Integrated Family Service Centre, the Special Child Care Centre cum Early Education and Training Centre, the District Support Centre, the Day Care Centre for the Elderly and the Community Hall;
- (iv) debris removal fee referred to in Clause 23(c); and
- (v) penalty charges on late payment of management and maintenance charges;

or payment of a like nature.



INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

Clause 21

Exclusion from management expenses

Notwithstanding anything contained in the DMC and for the avoidance of any doubt, the management expenses payable by the Owners in accordance with the DMC or any relevant Sub-Deed(s) shall not include :-

- (a) Any sum attributable or relating to the cost of completing the construction of the Development or any part thereof or any of the Common Areas and Facilities therein or the Government Accommodation incurred prior to the date of the DMC all of which sums shall be borne solely by the First Owner (which expression shall for the purpose of this Clause exclude its assigns);

Clause 40

Powers, functions and obligations of Manager

The management of the Lot, the Development (other than the Government Accommodation) shall be undertaken by the Manager for an initial period of not exceeding two (2) years and shall continue until terminated as provided under Clause 12 and each Owner hereby irrevocably APPOINTS the Manager as agent for all Owners in respect of any matter concerning the Common Areas and Facilities duly authorised in accordance with the provisions of the DMC and to enforce and carry into effect all provisions of the DMC subject to the Building Management Ordinance (Cap.344). In addition to the other powers expressly provided in the DMC, the Manager shall have authority to do all such acts and things as may be necessary or expedient for or in connection with the Lot, the Development (other than the Government Accommodation) and the management thereof including:

- (fff) to undertake upon the request of the Owner of the Government Accommodation the maintenance of the Government Accommodation Services whereupon the Owner of the Government Accommodation will reimburse the Manager for the costs expended in carrying out such maintenance on condition that the maintenance will not be carried out until the Manager has submitted to the Owner of the Government Accommodation an estimate of costs together with supporting documents and any other relevant information that the Owner of the Government Accommodation considers necessary, and the Owner of the Government Accommodation has approved in writing the estimated costs and the maintenance work to be carried out by the Manager;
- (ggg) Subject to Clause 78, to maintain, manage and keep in good repair and condition the Items;
- (jjj) Except with the prior written consent of the Director in accordance with the Conditions, to prohibit any building or structure or support for any building or structure to be erected or constructed within the Non-Building Area 1 except (i) the Public Open Space (as defined in Special Condition No. (20)(a)(i) of the Conditions) (including the Landscaped Walkway (as defined in Special Condition No.(19)(a)(i) of the Conditions)); and (ii) a basement floor or floors to be used solely for the parking or loading and unloading of motor vehicles or for lay-bys for the picking up and setting down of passengers or any combination thereof;
- (kkk) Except with the prior written consent of the Director in accordance with the Conditions, to prohibit any building or structure or support for any building or structure to be erected or constructed within the Non-Building Area 2 except a basement floor or floors to be used solely for the parking or loading and unloading of motor vehicles or for lay-bys for the picking up and setting down of passengers or any combination thereof;
- (III) To permit all members of the public for all lawful purposes to pass and repass on foot or by wheelchair along, to, from, through and over the Non-Building Area 2 free of cost and charges and without any interruption;

- (nnn) Except with the prior written consent of the Director in accordance with the Conditions, to prohibit any building or structure or support for any building or structure to be erected or constructed at the ground level or within a height of 5.1 metres above the ground level of the Cable Reserve within the lot and the Cable Reserve within the Yellow Area;
- (qqq) To upkeep, maintain, repair and manage the Connection Points in good and substantial repair and condition to the satisfaction of the Director;
- (uuu) To keep the Public Loading and Unloading Park open for use by all members of the public and shall ensure that all the loading and unloading spaces within the Public Loading and Unloading Park are made available to all members of the public for short-term loading and unloading of vehicles on hourly basis or such other basis as may be approved in writing by the Commissioner for Transport, at all times free of costs and charges and without any interruption;
- (vvv) To prohibit the Public Loading and Unloading Park to be used for any purpose other than for the loading and unloading of vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and in particular the Public Loading and Unloading Park shall not be used for the storage, display or exhibiting of vehicles for sale or otherwise or for the provision of car cleaning and beauty services; and
- (www) To uphold, maintain, repair, operate, conduct and manage the Public Loading and Unloading Park and everything forming a portion of or pertaining to it in all respects in accordance with all Ordinances, bye-laws and regulations relating to public vehicle loading and unloading parks which are or may at any time be in force in Hong Kong and to the satisfaction of the Commissioner for Transport.

Clause 50

Establishment of Owners’ Committee

- (a) As soon as practicable but not later than nine (9) months from the date of the DMC, the Manager shall convene a meeting of the Owners (and to call further and subsequent meetings if required) to establish an Owners’ Committee and appoint a chairman thereof or to appoint a management committee for the purpose of forming an Owners’ Corporation under the Building Management Ordinance (Cap.344). The Owners’ Committee shall consist of nine (9) members, provided that:-
  - (iv) one (1) member shall be elected from the Owner(s) of the Government Accommodation to represent them in the Owners’ Committee.

Clause 59

Resolutions

- (d) No resolution of the Owners’ Committee should adversely affect the use, operation, maintenance and management of the Government Accommodation or any part thereof.

Clause 78

Indemnity by Owners (excluding FSI as the Owner of the Government Accommodation)

All Owners of the Development (excluding FSI as the Owner of the Government Accommodation) shall indemnify and keep indemnified the Government and FSI (as the Owner of the Government Accommodation) against all liabilities, damages, expenses, claims, costs, demands, charges, actions and proceedings of whatsoever nature arising out of or as a consequence of the failure of the Owners (excluding FSI as the Owner of the Government Accommodation) or the Manager to manage and maintain the Items.



INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

Clause 79

FSI as Owner of the Government Accommodation exempted from using nominated contractor

Notwithstanding any express provision contained in the DMC, FSI as the Owner of the Government Accommodation shall be exempted from using the maintenance or service contractors nominated by the other Owners or the Manager.

Part A of the Second Schedule

4. Rights, Privileges and Easements applicable to FSI as Owner of the Government Accommodation

- (a) Notwithstanding any provisions contained in the DMC, FSI, its lessees, tenants, licensees, and persons authorized by it and the Owners or occupiers for the time being of the Government Accommodation shall have the following rights privileges and easements :-
  - (i) the right of shelter, support and protection for the Government Accommodation;
  - (ii) the right at all times of free passage and running of gas, electricity, water, sewage, air-conditioning, telephone and all other services from and to the Government Accommodation through the gutters, sewers, drains, flues, conduits, ducts, watercourses, cables, pipes, wires and other conducting media now or during the term of the Conditions laid on or running through any part of the Lot and any part of the Development;
  - (iii) the right at its own cost to alter, divert, vary, relay or reinstate any of the services and facilities serving exclusively the Government Accommodation (the “**Government Accommodation Services**”) at any time at its absolute discretion without having to obtain the approval or consent of other Owners or the Manager without any charge by the Owners PROVIDED THAT proper and adequate care and precaution shall be taken during any alteration, diversion, variation, relaying or reinstatement works of the Government Accommodation Services so as to ensure that no damage is caused to the services and facilities within the Lot and serving all those parts of the Development on the Lot other than the Government Accommodation;
  - (iv) the right to go, pass and repass over and along and to use the Common Areas and Facilities in connection with the proper use and enjoyment of the Government Accommodation or any part thereof and to use and receive the benefit of the Common Areas and Facilities;
  - (v) the right at all reasonable times with or without surveyors, contractors, workmen and others and with or without vehicles, plant, equipment, material and machinery to enter upon the Lot or any part of the Development for the purpose of extending or carrying out maintenance, repair, addition and alteration works to the Government Accommodation or any part thereof and maintenance, repair, alteration, diversion, variation, relaying and reinstatement works to the Government Accommodation Services or any part thereof;
  - (vi) of free and uninterrupted rights of way to and from the Government Accommodation or any part thereof as may be required by the Director;
  - (vii) the exclusive right to install, erect, exhibit, display, maintain, repair, remove and renew signs and advertisements on the walls, columns and other structural elements of, within, around and on the boundary of the Government Accommodation or any part thereof as FSI shall deem fit and the right of access over the Lot or any part of the Development with or without servants, workmen and others and with or without plant, equipment, machinery and material for the purposes of inspecting, installing, erecting, exhibiting, displaying, maintaining, repairing, removing and renewing such signs and advertisements;

- (viii) the right of access to the lighting conduits, such fire services, ventilation and other services, facilities, installations, fixtures, ancillary works, plants and materials fixed on in or to the roof slabs, walls and other structural elements of the Government Accommodation;
- (ix) the right to alter and run additional services to serve and benefit exclusively the Government Accommodation or any part thereof on the walls, columns, beams, ceilings, roof slabs, carriageway or floor slabs and other structural elements of, in, around, within, above and below the same and the related right of access over the Lot or any part of the Development with or without servants, workmen and others and with or without plant, equipment, machinery and material; and
- (x) such other rights privileges and easements as may be deemed necessary or desirable by the Director;

PROVIDED ALWAYS that the exercise of the easements, rights and privileges reserved in this Clause 4(a) shall not be subject to any permission, approval or consent of the Manager.

- (b) The right of the Government or FSI to alter or vary at any time the use of the Government Accommodation without having to obtain any approval or consent of other Owners or the Manager.

Part B of the Second Schedule

The following are the rights and privileges subject to which the Owner of each Undivided Share and the exclusive right to hold, use, occupy and enjoy his premises is held:

(e) Right of members of the public over the Non-Building Area 2

The right of members of the public, for all lawful purposes, at all times free of cost and charges and without any interruption to pass and repass on foot or by wheelchair along, to, from, through and over the Non-Building Area 2 in accordance with Special Condition No. (16)(a) of the Conditions.

(f) Right of members of the public over the Connection Points

When the Proposed Subway is in existence, the right of members of the public for all lawful purposes, freely and without payment of any nature whatsoever to pass and repass on foot or by wheelchair along, to, from, through, over, up and down the Connection Points in accordance with Special Condition No.(22)(d) of the Conditions, save and except that in the event of emergency, the Connection Points or any part thereof may be closed temporarily for the purpose of maintenance and/or repair of the Connection Points.

Clause 43 of the Third Schedule

Non-Building Area 1

Except with the prior written consent of the Director, no building or structure or support for any building or structure may be erected or constructed within the Non-Building Area 1 except (i) the Public Open Space (as defined in Special Condition No. (20)(a)(i) of the Conditions) (including the Landscaped Walkway (as defined in Special Condition No.(19)(a)(i) of the Conditions)); and (ii) a basement floor or floors to be used solely for the parking or loading and unloading of motor vehicles or for lay-bys for the picking up and setting down of passengers or any combination thereof.

# INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

## Clause 44 of the Third Schedule

### **Non-Building Area 2**

- (a) Except with the prior written consent of the Director, no building or structure or support for any building or structure may be erected or constructed within the Non-Building Area 2 except a basement floor or floors to be used solely for the parking or loading and unloading of motor vehicles or for lay-bys for the picking up and setting down of passengers or any combination thereof.
- (b) The Owners shall at all times permit all members of the public for all lawful purposes to pass and repass on foot or by wheelchair along, to, from, through and over the Non-Building Area 2 free of cost and charges and without any interruption.

## Clause 46 of the Third Schedule

### **Cables**

- (b) Except with the prior written consent of the Director, no building or structure or support for any building or structure shall be erected or constructed at the ground level or within a height of 5.1 metres above the ground level of the Cable Reserve within the lot and the Cable Reserve within the Yellow Area.

## Clause 48 of the Third Schedule

### **Connection Points**

When the Proposed Subway is in existence, the Owners shall permit all members of the public for all lawful purposes freely and without payment of any nature whatsoever to pass and repass on foot or by wheelchair along, to, from, through, over, up and down the Connection Points and for such purpose, to have ingress, egress or regress to, from and through the Lot and any building or buildings erected or to be erected thereon, save and except that in the event of emergency, the Connection Points or any part thereof may be closed temporarily for the purpose of maintenance and/or repair of the Connection Points.

## Clause 53 of the Third Schedule

### **Public Loading and Unloading Park**

The Public Loading and Unloading Park shall not be used for any purpose other than for the loading and unloading of vehicles licensed under the Road Traffic Ordinance, any regulations made thereunder and any amending legislation and in particular the Public Loading and Unloading Park shall not be used for the storage, display or exhibiting of vehicles for sale or otherwise or for the provision of car cleaning and beauty services.

INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

A. 根據批地文件規定須興建並提供予政府或供公眾使用的設施

- 1. 第20173號賣地條件（「**批地文件**」）的特別條款第(3)(a)條及特別條款第(4)(a)(i)(II)條分別所指的「保留區域」及「保留區域構築物」。
- 2. 批地文件特別條款第(8)(a)(i)(I)條及特別條款第(8)(a)(i)(II)條分別所指的「綠色區域」及「綠色區域構築物」。
- 3. 批地文件特別條款第(2)條及特別條款第(13)(a)條所指的「黃色區域」、「黃色加黑點區域」及「黃色加黑色交叉斜線區域」。
- 4. 批地文件特別條款第(14)(a)條、特別條款第(19)(a)(i)條及特別條款第(20)(a)(i)條分別所指的「非建築用地一」、「園景美化行人道」及「公眾休憩用地」。
- 5. 批地文件特別條款第(15)條所指的「非建築用地二」。
- 6. 批地文件特別條款第(28)(a)條及特別條款第(40)(a)條分別所指的「政府設施物業」及「該等物件」。
- 7. 批地文件特別條款第(22)(a)(ii) 條所指的「連接點」。
- 8. 批地文件特別條款第(60)(a)條所指的「公眾旅遊車停車場」。
- 9. 批地文件特別條款第(61)(a)條所指的「公眾上落貨停車場」。
- 10. 公眾有權按照批地文件使用上述A3段、A5段、A7段、A8段及A9段提及之該等設施及土地中的該等部分。

B. 根據批地文件規定須由期數中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的設施

- 11. 批地文件特別條款第(15)條所指的「非建築用地二」。
- 12. 批地文件特別條款第(40)條所指的「該等物件」。
- 13. 批地文件特別條款第(22)(a)(ii)條所指的「連接點」。
- 14. 批地文件特別條款第(60)(a)條所指的「公眾旅遊車停車場」。
- 15. 批地文件特別條款第(61)(a)條所指的「公眾上落貨停車場」。
- 16. 就上述B部分提及的設施按規定須由期數中的住宅物業的擁有人出資管理、營運或維持。
- 17. 期數中的住宅物業的擁有人按規定須以由有關住宅物業分攤的管理開支，應付管理、營運或維持上述B部分提及的設施的部分開支。

備註：  
根據公契，於上述B11及B14段提及之各項設施的管理、營運或維持開支須由商業物業業主負責。

C. 根據批地文件規定須由期數中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何休憩用地的大小

- 18. 不適用。

D. 期數所位於的土地中為施行《建築物（規劃）規例》（第123章，附屬法例F）第22(1)條而撥供公眾用途的任何部分

- 19. 不適用。

E. 顯示上述A部分及B部分提及的設施及休憩用地及土地中的該等部分的位置的圖則

- 20. 請參閱在本節最後部分的圖則。

F. 批地文件中關於該等設施、休憩用地及土地中的該等部分的條文

- 21. 請參閱批地文件的摘要D部。

G. 指明住宅物業的每一公契中關於該等設施及休憩用地及土地中的該等部分的條文

除另有定義外，以下詞語具有發展項目的公共契約及管理協議（「**公契**」）中賦予的含意。

定義

「**該等電纜**」合指(i)地段內的電纜留用區的地面以下及(ii)黃色區域內的電纜留用區的地面以下的大約132千伏特傳輸電纜、通訊電纜及關聯的電纜工程、構築物、設施或裝置。

「**黃色區域內的電纜留用區**」合指黃色區域在附錄於賣地條件的圖則上以紫色線顯示內的部分，並且標明為「電纜留用區」。

「**商用停車場(第1B期)**」是指商業物業(第1B期)的部分，其中包括公眾旅遊車停車場。

「**公用地方及設施**」合指發展項目公用地方及設施、住宅公用地方及設施、住宅停車場公用地方及設施、(於就商業物業的分公契簽立後)商業公用地方及設施和商用停車場公用地方及設施，以及在任何分公契中指定為公用地方及設施的發展項目所有有關部分及設施。

「**連接點**」是以下各項的統稱：

- (a) 該地段及該地段上已建或擬建的一或多幢建築物內的支撐物及連接物，用以接收、連接及支撐根據賣地條件特別條款第(22)(a)(i)條提供及建造的擬建地下通道；及
- (b) 該地段及該地段上已建或擬建的一或多幢建築物內的一條行人通道，用以連接根據賣地條件特別條款第(22)(a)(ii)條提供及建造的擬建地下通道及園景美化行人道（在賣地條件特別條款第(19)(a)(i)條定義），

以便擬建地下通道落成後可連接至該地段或該地段上興建的任何一或多幢建築物，以及讓行人從連接點往返園景美化行人道（在賣地條件特別條款第(19)(a)(i) 條定義）及北角港鐵站。

「**發展項目公用地方及設施**」是指及包括在發展項目期數一當中擬供發展項目共用及享用的部分，包括公眾上落貨停車場及期數一中的該等物件部分。

「**政府設施物業**」具有賣地條件特別條款第(28)(a)條定義中的相同含意，包括：

- (a) 公共運輸交匯處（在賣地條件特別條款第(28)(a)(i)條定義）；
- (b) 公廁（在賣地條件特別條款第(28)(a)(ii)條定義）；
- (c) 綜合家庭服務中心（在賣地條件特別條款第(28)(a)(iii)條定義）；
- (d) 特殊幼兒中心連早期教育及訓練中心（在賣地條件特別條款第(28)(a)(iv)條定義）；
- (e) 區域支援中心（在賣地條件特別條款第(28)(a)(v)條定義）；
- (f) 長者日間護理中心（在賣地條件特別條款第(28)(a)(vi)條定義）；及



INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

(g) 社區會堂（在賣地條件特別條款第 (28)(a)(vii) 條定義）；

（包括照明裝置、通風機、抽風管道系統及路面或樓面，但不包括按照賣地條件條款的規定，並非專為其提供服務並獲署長批准的升降機、扶手電梯、樓梯、機械、設備及其他設施、及包括牆壁、支柱、樑、天花、天台板、行車道或地台板及任何其他結構項件），連同署長單獨酌情決定（其決定為最終決定及對所有業主具有約束力）為其專屬的任何其他地方、設施及裝置，其位置（若可在圖則上顯示）在附錄於公契或任何分公契的圖則上用灰色顯示僅作識別之用並經由認可人士核證。

「**該等物件**」具有賣地條件特別條款第(40)(a)條定義的含意，即：

(a) 政府設施物業的外部裝修物料及在政府設施物業、其中、周圍、其內、其上及其下的所有牆壁、支柱、樑、天花、天台板、行車道或地台板及任何其他結構項件；

(b) 所有服務政府設施物業及發展項目其餘部分的升降機、扶手電梯及樓梯；

(c) 所有構成服務政府設施物業及發展項目其餘部分的系統之一部分的屋宇裝備裝置、機器及設備（包括但不限於可攜或不可攜式消防裝置及設備）；

(d) 政府設施物業下的所有結構板及其內及其下的排水系統；及

(e) 所有其他服務政府設施物業及發展項目其餘部分的公用部分和設施。

「**非建築用地一**」是指賣地條件特別條款第(14)(a)條所指的**非建築用地一**，並在附錄於賣地條件的圖則上以粉紅色加黑色斜線及粉紅色加黑色斜線和綠點顯示。

「**非建築用地二**」是指賣地條件特別條款第(15)條所指的**非建築用地二**，並在附錄於賣地條件的圖則上以藍色邊顯示。

「**擬建地下通道**」是指擬根據賣地條件特別條款第(22)(a)(i)條興建的擬建地下通道。

「**公眾旅遊車停車場**」是指根據賣地條件特別條款第(60)(a)條的規定，在發展項目第一層地庫興建、建造及提供的公眾旅遊車停車場，其位置（若可在圖則上顯示）在附錄於公契的圖則上用紅色加黑色斜線顯示僅作識別之用並經由認可人士核證。

「**公眾上落貨停車場**」是指根據賣地條件特別條款第(61)(a)條的規定，在發展項目興建、建造及提供的公眾上落貨停車場。

「**黃色區域**」是指在附錄於賣地條件的圖則上以黃色顯示的區域。

第8條

政府設施物業業主的義務

除公契另有規定外，作為政府設施物業業主的財政司司長法團只負責政府設施物業（該等物件除外）的保養及管理，毋須負責發展項目餘下部分及發展項目以外任何地方、設施和服務。

第9條

公眾旅遊車停車場業主的權利與義務

(a) 須於所有時候向所有公眾人士提供公眾旅遊車停車場內所有車位用作旅遊車短期停泊，不論按小時、按日或按月或按運輸署署長書面批准的其他方式。

(b) 公眾旅遊車停車場除用作停泊根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌的旅遊車外，不得用作任何其他用途，公眾旅遊車停車場尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。

(c) 公眾旅遊車停車場業主不得將公眾旅遊車停車場轉讓、按揭、押記、批租、分租、放棄對其管有或以其他方式處置，除非整體地進行轉讓、按揭、押記、批租、分租、放棄對其管有或以其他方式處置，但公眾旅遊車停車場業主可根據上述(a)及(b)款規定的條款分租公眾旅遊車停車場的車位。

(d) 公眾旅遊車停車場業主須於所有時候在各方面按照香港目前或任何時候生效的所有與公共車輛停泊有關的條例、附例及規例，自費維護、保養、維修、運作、經營及管理公眾旅遊車停車場及其各個組成或相關部分，以達至運輸署署長滿意程度。

第17條

管理人製作周年預算

管理人須在諮詢業主委員會（若已成立）後製作下一年度的周年預算。周年預算須包括以下各部分：

(a) 第一部分（「**發展項目公用部分預算**」）須包括管理人為了全體業主的利益或為了恰當地管理發展項目和發展項目公用地方及設施而認為必須動用的一切開支，包括：-

(i) 保養、運作、維修和清潔所有發展項目公用地方及設施及其照明，以及為發展項目公用地方及設施提供及運作緊急發電機和照明；

(ii) 在發展項目公用地方及設施栽種、灌溉和保養草坪、花槽及園景區；

(iii) 所有服務發展項目公用地方及設施的電力、煤氣、供水、電話及其他公用事業設施的費用；

(iv) 為發展項目提供保安護衛服務以及僱用管理員、看更、清潔工人、升降機操作員與服務員及其他負責發展項目公用地方及設施管理和行政工作的職工的費用；

(viii) 為公用地方及設施、各單位購買保險，該等保險須按十足的新重置價值購買，尤其是針對火災或其他危險及/ 或風險及管理人造成的損失或損毀、針對第三者或公共及/ 或佔用人法律責任或僱員補償風險或管理人認為必要的任何其他保險；

(xii) 就發展項目公用地方及設施所產生的所有費用；

(xvii) 維護、維修、保養及管理公眾上落貨停車場的費用及開支；及

(xix) 保養、維修及運作該等物件，以及在與政府設施物業業主不時協定的任何保養時間表中指明的政府設施物業任何其他部分的費用及開支。

第19條

計算及支付管理開支和周年預算

(a) 管理人應不時發出書面通知指定和要求每名業主繳付其應攤付的每月管理開支或其他攤付款項。為免存疑，除第19條但書(d)規定外，公用地方及設施和政府設施物業之不可分割份數毋須攤付任何上述供款；

第19條但書(b)

作為公共運輸交匯處及公廁業主的財政司司長法團，毋須分擔管理人為了保養及管理發展項目餘下部分所產生的任何保養及管理費用，尤其是毋須支付任何就公用地方及設施（包括該等物件）所產生的保養及管理費用。

# INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

## 第19條但書(c)

作為公共運輸交匯處及公廁業主的財政司司長法團，毋須支付任何資本設施基金、保險費、特別基金、泥頭清理費或類似性質的付款。

## 第19條但書(d)

作為綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂擁有人的財政司司長法團，只負責支付實際服務綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂或其佔用人、其傭僕、承辦商、代理或訪客使用的設施或服務的保養及管理費用，但財政司司長法團的責任須由政府產業署或署長就此目的而提名的人士決定，而且在任何情況下不得超過綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂的總樓面面積在該地段上已建或擬建的一或多座建築物的總樓面面積中所佔比例的保養及管理費用，並且由轉讓契的日期或接收綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂的日期（以較早日期為準）才開始，且除非及直至政府產業署或署長就此目的而提名的人士已經以書面方式批准該筆金額，否則財政司司長法團無責任支付任何保養及管理費用。

## 第19條但書(e)

作為綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂擁有人的財政司司長法團，毋須分擔發展項目任何其他部分（不論是公用地方及設施或其他）或政府產業署或署長就此目的而提名的人士認為並非直接服務或直接惠及綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂而提供的設施或服務的任何保養及管理費用。

## 第19條但書(f)

作為綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂擁有人的財政司司長法團，毋須支付：-

- (i) 第23(a)條所指的管理費按金；
- (ii) 特別基金，但第22(d)條有所規定者除外；
- (iii) 有關綜合家庭服務中心、特殊幼兒中心連早期教育及訓練中心、區域支援中心、長者日間護理中心及社區會堂的保險費；
- (iv) 第23(c)條所指的泥頭清理費；及
- (v) 遲繳管理及保養費用的罰款；

或類似性質的付款。

## 第21條

### 不計入管理開支之項目

儘管公契另有規定，為免存疑，公契或任何相關分公契訂明業主應繳的管理開支並不包括以下項目：

- (a) 關於或關乎完成發展項目或其任何部分或該處任何公用地方及設施或政府設施物業建築工程而在公契訂立日前招致之費用。此等費用由「第一業主」（於本條「第一業主」之釋義不包括其受讓人）獨力承擔；

## 第40條

### 管理人的權力、職能及義務

管理人負責該地段及發展項目（政府設施物業除外）的管理，其最初任期不超過兩(2)年，其後續任至根據第12條的規定終止。每名業主特此不可撤銷地委任管理人為全體業主之代理人，處理涉及公用地方及設施且按照公契條文妥為授權的任何事宜，以在《建築物管理條例》（香港法例第344章）條文的規限下，執行公契的所有條文並令其生效。除公契明確規定的其他權力外，管理人有權就或關乎該地段及發展項目（政府設施物業除外）的管理事宜，採取及辦理其認為必要或適當的所有行動及事項，包括：-

- (fff) 在政府設施物業業主要求時，對政府設施物業服務進行保養，而政府設施物業業主將會向管理人補還進行該保養所產生的開支，但管理人須已向政府設施物業業主提交成本預算，並連同支持文件和政府設施物業業主認為必要的任何其他相關資料，且政府設施物業業主已書面批准該成本預算和管理人擬進行的保養工程後才可進行該保養工程；

- (ggg) 在第78條的規限下，保養、管理及保持該等物件，使其保持修葺良好堅固和狀況良好；

- (jjj) 除在按照批地文件得到署長事先書面同意的情況外，禁止在非建築用地一內興建或建設任何建築物或構築物或任何建築物或構築物的支撐物，但(i)公眾休憩用地(在批地文件特別條款第(20)(a)(i)條定義)(包括園景美化行人道(在批地文件特別條款第(19)(a)(i)條定義))；及(ii)用作車輛停泊或上落客貨或用作路旁停車處上落乘客或其任何組合用途的一或多層地庫除外；

- (kkk) 除在按照批地文件得到署長事先書面同意的情況外，禁止在非建築用地二內興建或建造任何建築物或構築物或任何建築物或構築物的支撐物，但只用作車輛停泊或上落客貨或用作路旁停車處上落乘客或其任何組合用途的一或多層地庫除外；

- (lll) 准許所有公眾人士為了所有合法目的而免費及在不受任何阻礙的情況下，徒步或乘坐輪椅往復經過、途經、通過及越過非建築用地二；

- (nnn) 除在按照批地文件得到署長事先書面同意的情況外，禁止在地段內的電纜留用區及黃色區域內的電纜留用區的地面或地面以上高度5.1米以內興建或建造任何建築物或構築物或任何建築物或構築物的支撐物；

- (qqq) 維護、保養、維修及管理連接點，使其保持修葺良好堅固和狀況良好，以達至署長滿意程度；

- (uuu) 開放公眾上落貨停車場予所有公眾人士使用，並確保公眾上落貨停車場內所有上落客貨車位可供所有公眾人士用作車輛短期上落客貨，不論按小時或按運輸署署長書面批准的其他方式而毋須支付任何費用及收費及不受任何干擾；

- (vvv) 禁止公眾上落貨停車場用作除根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌的車輛上落客貨外任何其他用途，公眾上落貨停車場尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務；及

- (www) 在各方面按照香港目前或任何時候生效的所有與公眾車輛上落客貨停車場有關的條例、附例及規例，維護、保養、維修、運作、經營及管理公眾上落貨停車場及其各個組成或相關部分，以達至運輸署署長滿意程度。

## 第50條

### 成立「業主委員會」

- (a) 管理人必須盡快在公契訂立日後九(9)個月內召開「業主」會議(以及如有需要召開其後和繼後會議)，以組成「業主委員會」及選舉「業主委員會」主席，或委任管理委員會以根據《建築物管理條例》(香港法例第344章)組成「業主立案法團」。業主委員會的委員人數為九(9)名，然而：

- (iv) 政府設施物業業主應選出不超過一(1)名代表加入業主委員會。

## 第59條

### 決議案

- (d) 業主委員會之決議案不得不利地影響政府設施物業或其任何部分的使用、運作、保養及管理。

## 第78條

### 業主（不包括作為政府設施物業業主的財政司司長法團）的賠償責任

所有業主（不包括作為政府設施物業業主的財政司司長法團）須就業主（不包括作為政府設施物業業主的財政司司長法團）或管理人未盡責管理及保養該等物件所導致或引起的一切責任、損害、開支、索償、訟費、索求、收費、訴訟或法律程序而不論其性質，向政府及財政司司長法團（作為政府設施物業的業主）作出賠償並確保其免責。



# INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

## 第79條

### 作為政府設施物業業主的財政司司長法團獲豁免聘用被提名的承辦商

儘管公契另有明文規定，作為政府設施物業業主的財政司司長法團獲豁免聘用其他業主或管理人提名的保養或服務承辦商。

## 附件二甲部

### 4. 適用於作為政府設施物業業主的財政司司長法團的權利、特權和地役權

- (a) 儘管公契另有規定，財政司司長法團、其租客、租戶、獲許可人及獲其授權的人士和政府設施物業當時的業主或佔用人享有以下權利、特權和地役權：-
- (i) 為政府設施物業取得遮蓋、支撐及保護的權利；
- (ii) 於所有時候經現時或賣地條件的年期內鋪設於或穿過該地段任何部分及發展項目任何部分的溝渠、污水渠、排水渠、排煙管、管道、槽、水路、電纜、喉管、電線及其他傳導媒介，自由傳送及輸送煤氣、電力、食水、污水排放、空調、電話及所有其他服務至政府設施物業及離開政府設施物業的權利；
- (iii) 於任何時候在其絕對酌情決定下自費將任何專門服務政府設施物業的服務與設施（「**政府設施物業服務**」）進行改動、改道、修改、重鋪或恢復原狀而毋須取得其他業主或管理人批准或同意，亦毋須向彼等支付任何費用的權利，但對政府設施物業服務進行任何改動、改道、修改、重鋪或恢復原狀工程期間必須採取適當及充分的預防措施，以確保不會導致位於該地段內及服務該地段的發展項目所有部分（政府設施物業除外）的服務與設施受損；
- (iv) 為了正當使用及享用政府設施物業或其任何部分而前往、經過及使用公用地方及設施，以及使用和取得公用地方及設施的利益的權利；
- (v) 於所有合理時間進入該地段或發展項目任何部分，不論是否隨同測量師、承辦商、工人及其他人士，亦不論是否駕駛汽車、攜帶機械、設備、物料及機器，以便在政府設施物業或其任何部分持續執行或進行保養、維修、增建及改動工程，並且對政府設施物業服務或其任何部分進行保養、維修、改動、改道、改建、重鋪及恢復原狀工程的權利；
- (vi) 按署長的要求自由及不受限制地進出政府設施物業或其任何部分的通行權；
- (vii) 在財政司司長法團視為適當時，於政府設施物業或其任何部分的範圍內、周圍及邊界的牆壁、支柱及其他結構項件安裝、搭建、展示、陳列、保養、維修、拆除及更新招牌及廣告的專有權利，以及為檢查、安裝、搭建、展示、陳列、保養、維修、拆除及更新此等招牌及廣告之目的前往該地段或發展項目任何部分的權利，不論是否隨同傭僕、工人及其他人士，亦不論是否攜帶機械、設備、機器及物料；
- (viii) 到達固定於政府設施物業的天台板、牆壁及其他結構項件的照明管道、消防、通風及其他服務、設施、裝置、固定裝置、輔助工程、機械及物料的權利；
- (ix) 於政府設施物業或其任何部分之中、周圍、之內、之上及之下的牆壁、支柱、樑、天花板、天台板、行車道或地台板及其他結構項件上改動和運作專供政府設施物業或其任何部分使用及享用的附加服務的權利，以及相關的前往該地段或發展項目任何部分的權利，不論是否隨同傭僕、工人及其他人士，亦不論是否攜帶機械、設備、機器及物料；及
- (x) 署長視為必要或恰當的其他權利、特權和地役權；

但在行使本第4(a)條保留的地役權、權利和特權時，毋須取得管理人任何准許、批准或同意。

- (b) 政府或財政司司長法團有權在任何時候變更或更改政府設施物業的用途，毋須取得其他業主或管理人任何批准或同意。

## 附件二乙部

每份不分割份數及對持有、使用、佔用和享用本身物業享有專有權的業主受以下權利及特權規限：

### (e) 公眾人士對非建築用地二的權利

賣地條件特別條款第(16)(a)條規定，公眾人士有權在所有時候為了所有合法目的而免費及在不受任何阻礙的情況下，徒步或乘坐輪椅往復經過、途經、通過及越過非建築用地二。

### (f) 公眾人士對連接點的權利

賣地條件特別條款第(22)(d)條規定，在擬建地下通道存在期間，公眾人士有權為了所有合法目的而在毋須繳付任何性質的費用下，自由地徒步或乘坐輪椅往復經過、途經、越過、通過及上落連接點，但連接點或其任何部分可在緊急情況下暫時關閉以進行保養及/或維修。

## 附件三第43條

### 非建築用地一

除在得到署長事先書面同意的情況外，不得在非建築用地一內興建或建設任何建築物或構築物或任何建築物或構築物的支撐物，但(i)公眾休憩用地(在批地文件特別條款第(20)(a)(i)條定義)(包括園景美化行人道(在批地文件特別條款第(19)(a)(i)條定義))；及(ii)用作車輛停泊或上落客貨或用作路旁停車處上落乘客或其任何組合用途的一或多層地庫除外。

## 附件三第44條

### 非建築用地二

- (a) 除在得到署長事先書面同意的情況外，不得在非建築用地二內興建或建造任何建築物或構築物或任何建築物或構築物的支撐物，但只用作車輛停泊或上落客貨或用作路旁停車處上落乘客或其任何組合用途的一或多層地庫除外。

- (b) 業主須在所有時候准許所有公眾人士為了所有合法目的而免費及在不受任何阻礙的情況下，徒步或乘坐輪椅往復經過、途經、通過及越過非建築用地二。

## 附件三第46條

### 該等電纜

- (b) 除在按照批地文件得到署長事先書面同意的情況外，不得在地段內的電纜留用區及黃色區域內的電纜留用區的地面或地面以上高度5.1米以內興建或建造任何建築物或構築物或任何建築物或構築物的支撐物。

## 附件三第48條

### 連接點

在擬建地下通道存在期間，業主須准許所有公眾人士為了所有合法目的而在毋須繳付任何性質的費用下，自由地徒步或乘坐輪椅往復經過、途經、越過、通過及上落連接點，並且為該目的而往復經過、途經、越過及通過該地段或該地段上已建或擬建的任何建築物，但連接點或其任何部分可在緊急情況下暫時關閉以進行保養及/或維修。


## 附件三第53條

### 公眾上落貨停車場


公眾上落貨停車場除用作根據《道路交通條例》、據此訂立的任何規例及任何修訂法例獲發牌的車輛上落客貨外，不得用作任何其他用途，公眾上落貨停車場尤其不得作存放、展示或展覽車輛以供出售或作他用或用作提供車輛清潔及車輛美容服務。



INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料




G/F 地下



B2/F 地庫2層


- |                                |  |                   |   |  |                          |
|--------------------------------|--|-------------------|---|--|--------------------------|
| PINK HATCHED BLACK<br>粉紅色加黑色斜線 | PINK HATCHED BROWN STIPPLED RED<br>粉紅色加啡色斜線及紅點   | EDGED BLUE<br>藍色邊 | YELLOW<br>黃色                            | YELLOW STIPPLED BLACK<br>黃色加黑點         | PECKED BLUE LINE<br>藍色斷線 |
| PINK STIPPLED RED<br>粉紅色加紅點    | PINK HATCHED BLACK STIPPLED GREEN<br>粉紅色加黑色斜線及綠點 | GREEN<br>綠色       | YELLOW CROSS-HATCHED BLACK<br>黃色加黑色交叉斜線 | BOUNDARY OF THE DEVELOPMENT<br>發展項目的界線 | PURPLE LINE<br>紫色線       |

NOTE : IT IS NOT PRACTICABLE TO SHOW THE RESERVED AREA STRUCTURES, THE GREEN AREAS STRUCTURES AND ITEMS ON THE ABOVE PLAN  
註 : 在切實可行範圍內未能於上圖顯示保留區域構築物、綠色區域構築物及該等物件



NOTE : THIS PLAN IS EXTRACTED FROM PLAN ANNEXED TO THE LAND GRANT  
註 : 此圖摘錄自附於批地文件的圖則。

INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料







INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

B1/F FLOOR PLAN  
地庫1層平面圖

- PUBLIC COACH PARK AT B1/F  
地庫1層公眾旅遊車停車場
- PUBLIC LOADING AND UNLOADING PARK AT B1/F  
地庫1層公眾上落貨停車場

A PASSAGEWAY TO LINK UP THE 4 SPACES OF PUBLIC LOADING AND UNLOADING PARK AND THE YELLOW AREA FOR THE PURPOSE OF GOODS DELIVERY IN CONNECTION WITH THE USE OF THE SAID 4 SPACES  
一條連接公眾上落貨停車場的四個車位及黃色區域的通道，藉以將該四個車位用作運送貨物



SCALE 0 40 80M(米)  
比例



# WARNING TO PURCHASERS 對買方的警告

- (a) The purchaser is recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for the purchaser in relation to the transaction.

(b) If the purchaser instructs such separate firm of solicitors to act for the purchaser in relation to the transaction, that firm will be able to give independent advice to the purchaser.

(c) If the purchaser instructs the firm of solicitors acting for the owner to act for the purchaser as well, and a conflict of interest arises between the owner and the purchaser,

(i) that firm may not be able to protect the purchaser’s interests; and

(ii) the purchaser may have to instruct a separate firm of solicitors; and

(iii) in the case of paragraph (c)(ii), the total solicitors’ fees payable by the purchaser may be higher than the fees that would have been payable if the purchaser had instructed a separate firm of solicitors in the first place.
- (a) 現建議買方聘用一間獨立的律師事務所 (代表擁有人行事者除外)，以在交易中代表買方行事。

(b) 如買方聘用上述的獨立的律師事務所，以在交易中代表買方行事，該律師事務所將會能夠向買方提供獨立意見。

(c) 如買方聘用代表擁有人行事的律師事務所同時代表買方行事，而擁有人與買方之間出現利益衝突—

(i) 該律師事務所可能不能夠保障買方的利益；及

(ii) 買方可能要聘用一間獨立的律師事務所；及

(iii) 如屬 (c)(ii) 段的情況，買方須支付的律師費用總數，可能高於如買方自一開始即聘用一間獨立的律師事務所便須支付的費用。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE 期數中的建築物的橫截面圖

CROSS-SECTION PLAN A-A  
橫截面圖 A-A



Note:

- The part of Kam Hong Street and Tin Chiu Street adjacent to the building is 4.20 metres above the Hong Kong Principal Datum.
- The part of Emergency Vehicular Access (E.V.A.) adjacent to the building is 15.675 metres above the Hong Kong Principal Datum.
- Dotted line denotes the lowest residential floor.

備註：

- 毗連建築物的一段琴行街及電照街為香港主水平基準以上4.20米。
- 毗連建築物的一段緊急車輛通道為香港主水平基準以上15.675米。
- 虛線為最低住宅樓層水平。


KEY PLAN 指示圖




CROSS-SECTION PLAN OF BUILDING IN THE PHASE 期數中的建築物的橫截面圖

CROSS-SECTION PLAN B-B  
橫截面圖 B-B

- Note:
  - The part of Kam Hong Street and Tin Chiu Street adjacent to the building is 4.20 metres above the Hong Kong Principal Datum.
  - Dotted line denotes the lowest residential floor.
- 備註：
  - 毗連建築物的一段琴行街及電照街為香港主水平基準以上4.20米。
  - 虛線為最低住宅樓層水平。




KEY PLAN 指示圖






CROSS-SECTION PLAN C-C  
橫截面圖 C-C

— — — Boundary of the Development  
發展項目的界線


 Phase 1B of the Development  
發展項目第1B期

 Subsequent Phases of the Development  
發展項目的後續期數

▽ Height (in metres)  
above the Hong Kong Principal Datum  
香港主水平基準以上的高度(米)



CROSS-SECTION PLAN D-D  
橫截面圖 D-D



CROSS-SECTION PLAN OF BUILDING IN THE PHASE 期數中的建築物的橫截面圖

CROSS-SECTION PLAN E-E  
橫截面圖 E-E

Note:

- The part of Java Road adjacent to the building is 4.20 metres above the Hong Kong Principal Datum.

- The part of pavement adjacent to the building is 4.30 metres above the Hong Kong Principal Datum.



- Dotted line denotes the lowest residential floor.
- 備註：

- 毗連建築物的一段渣華道為香港主水平基準以上4.20米。

- 毗連建築物的一段行人路為香港主水平基準以上4.30米。

- 虛線為最低住宅樓層水平。

KEY PLAN 指示圖





CROSS-SECTION PLAN F-F  
橫截面圖 F-F



- 毗連建築物的一段渣華道為香港主水平基準以上4.20米。
- 毗連建築物的一段緊急車輛通道為香港主水平基準以上15.675米。
- 毗連建築物的一段行人路為香港主水平基準以上4.30米。
- 虛線為最低住宅樓層水平。

Site plan of the proposed development at Tin Chiu Street. The plan shows a large rectangular site bounded by Java Road to the west, Tin Chiu Street to the east, and Kam Hong Street to the north. The site is divided into several building footprints. A red dashed line outlines a specific area within the site. Labels include 'TOWER 1 第1座', 'TOWER 2 第2座', 'TOWER 3 第3座', 'TOWER 5 第5座', 'TOWER 5A 第5A座', and 'TOWER 6 第6座'. A north arrow is located in the bottom left corner.



ELEVATION PLAN 立面圖

KEY PLAN 指示圖



ELEVATION A 立面圖 A



ELEVATION B 立面圖 B

- Boundary of the Development  
發展項目的界線
- Phase 1B of the Development  
發展項目第1B期
- Subsequent Phases of the Development  
發展項目的後續期數

Authorized person for the Phase  
certified that the elevations shown on  
this plan:  
(a) are prepared on the basis of the  
approved building plans for the  
Phase as of 8th June 2018; and  
(b) are in general accordance with the  
outward appearance of the Phase.


期數的認可人士證明本圖顯示的  
立面：  
(a) 以2018年06月08日的情況為準的期數  
的經批准的建築圖則為基礎擬備；及  
(b) 大致上與期數的外觀一致。

ELEVATION PLAN 立面圖

TOWER 1  
第1座

TOWER 2  
第2座

KEY PLAN 指示圖



- Boundary of the Development  
發展項目的界線
- Phase 1B of the Development  
發展項目第1B期
- Subsequent Phases of the Development  
發展項目的後續期數

Authorized person for the Phase  
certified that the elevations shown on  
this plan:

- (a) are prepared on the basis of the  
approved building plans for the  
Phase as of 10th April 2018; and
- (b) are in general accordance with the  
outward appearance of the Phase.

期數的認可人士證明本圖顯示的  
立面：

- (a) 以2018年04月10日的情況為準的期數  
的經批准的建築圖則為基礎擬備；及
- (b) 大致上與期數的外觀一致。

ELEVATION C 立面圖 C

ELEVATION D 立面圖 D



ELEVATION PLAN 立面圖




ELEVATION E 立面圖 E



ELEVATION F 立面圖 F

KEY PLAN 指示圖





- Boundary of the Development  
發展項目的界線
- Phase 1B of the Development  
發展項目第1B期
- Subsequent Phases of the Development  
發展項目的後續期數

Authorized person for the Phase  
certified that the elevations shown on  
this plan:  
(a) are prepared on the basis of the  
approved building plans for the  
Phase as of 8th June 2018; and  
(b) are in general accordance with the  
outward appearance of the Phase.

期數的認可人士證明本圖顯示的  
立面：  
(a) 以2018年06月08日的情況為準的期數  
的經批准的建築圖則為基礎擬備；及  
(b) 大致上與期數的外觀一致。

ELEVATION PLAN 立面圖

KEY PLAN 指示圖



ELEVATION G 立面圖 G



ELEVATION H 立面圖 H

- Boundary of the Development  
發展項目的界線
- Phase 1B of the Development  
發展項目第1B期
- Subsequent Phases of the Development  
發展項目的後續期數


Authorized person for the Phase  
certified that the elevations shown on  
this plan:

- (a) are prepared on the basis of the  
approved building plans for the  
Phase as of 8th June 2018; and
- (b) are in general accordance with the  
outward appearance of the Phase.


期數的認可人士證明本圖顯示的  
立面:

- (a) 以2018年06月08日的情況為準的期數  
的經批准的建築圖則為基礎擬備;及
- (b) 大致上與期數的外觀一致。

ELEVATION PLAN 立面圖



ELEVATION J 立面圖 J



ELEVATION K 立面圖 K

Authorized person for the Phase  
certified that the elevations shown on  
this plan:


- (a) are prepared on the basis of the  
approved building plans for the  
Phase as of 10th April 2018; and
- (b) are in general accordance with the  
outward appearance of the Phase.

期數的認可人士證明本圖顯示的  
立面：  
(a) 以2018年04月10日的情況為準的期數  
的經批准的建築圖則為基礎擬備；及  
(b) 大致上與期數的外觀一致。




ELEVATION PLAN 立面圖

TOWER 5A  
第5A座




ELEVATION M 立面圖 M

TOWER 5A  
第5A座



ELEVATION N 立面圖 N

KEY PLAN 指示圖



- Boundary of the Development  
發展項目的界線
- Phase 1B of the Development  
發展項目第1B期
- Subsequent Phases of the Development  
發展項目的後續期數

Authorized person for the Phase  
certified that the elevations shown on  
this plan:


- (a) are prepared on the basis of the  
approved building plans for the  
Phase as of 10th April 2018; and
- (b) are in general accordance with the  
outward appearance of the Phase.

期數的認可人士證明本圖顯示的  
立面：

- (a) 以2018年04月10日的情況為準的期數  
的經批准的建築圖則為基礎擬備；及
- (b) 大致上與期數的外觀一致。

ELEVATION PLAN 立面圖

KEY PLAN 指示圖




TOWER 6  
第6座



ELEVATION P 立面圖 P

TOWER 6  
第6座



ELEVATION Q 立面圖 Q

- Boundary of the Development  
發展項目的界線
- Phase 1B of the Development  
發展項目第1B期
- Subsequent Phases of the Development  
發展項目的後續期數

Authorized person for the Phase  
certified that the elevations shown on  
this plan:


- (a) are prepared on the basis of the  
approved building plans for the  
Phase as of 8th June 2018; and
- (b) are in general accordance with the  
outward appearance of the Phase.

期數的認可人士證明本圖顯示的  
立面：

- (a) 以2018年06月08日的情況為準的期數  
的經批准的建築圖則為基礎擬備；及
- (b) 大致上與期數的外觀一致。

ELEVATION PLAN 立面圖

TOWER 6  
第6座




ELEVATION R 立面圖 R

TOWER 6  
第6座



ELEVATION S 立面圖 S

KEY PLAN 指示圖



- Boundary of the Development  
發展項目的界線
- Phase 1B of the Development  
發展項目第1B期
- Subsequent Phases of the Development  
發展項目的後續期數

Authorized person for the Phase  
certified that the elevations shown on  
this plan:

- (a) are prepared on the basis of the  
approved building plans for the  
Phase as of 8th June 2018; and
- (b) are in general accordance with the  
outward appearance of the Phase.

期數的認可人士證明本圖顯示的  
立面：

- (a) 以2018年06月08日的情況為準的期數  
的經批准的建築圖則為基礎擬備；及
- (b) 大致上與期數的外觀一致。



INFORMATION ON COMMON FACILITIES IN THE PHASE 期數中的公用設施的資料

| Description<br>描述  |             | Covered<br>有上蓋遮蓋 | Uncovered<br>無上蓋遮蓋 | Total Area<br>總面積 |
|--|-------------|------------------|--------------------|-------------------|
| Residents' Clubhouse (including any recreational facilities for residents' use)<br>住客會所（包括供住客使用的任何康樂設施）  | sq. ft. 平方呎 | 14301            | 14627              | 28928             |
|  | sq. m. 平方米  | 1328.559         | 1358.886           | 2687.445          |
| Communal garden or play area for residents' use on the roof, or on any floor between the roof and the lowest residential floor, of a building in the Phase (whether known as a communal sky garden or otherwise)<br>位於期數中的建築物的天台或在天台和最低一層住宅樓層之間的任何一層的、供住客使用的公用花園或遊樂地方（不論是稱為公用空中花園或有其他名稱） | sq. ft. 平方呎 | N/A<br>不適用       | N/A<br>不適用         | N/A<br>不適用        |
|  | sq. m. 平方米  | N/A<br>不適用       | N/A<br>不適用         | N/A<br>不適用        |
| Communal garden or play area for residents' use below the lowest residential floor of a building in the Phase (whether known as a covered and landscaped play area or otherwise)<br>位於期數中的建築物的最低一層住宅樓層以下的、供住客使用的公用花園或遊樂地方（不論是稱為有蓋及園景的遊樂場或有其他名稱）  | sq. ft. 平方呎 | 4821             | 24477              | 29298             |
|  | sq. m. 平方米  | 447.927          | 2273.923           | 2721.850          |

Note:  
Areas in square feet are converted at a rate of 1 square metre to 10.764 square feet and rounded off to the nearest square foot.

備註：  
以平方呎顯示之面積均依據1平方米=10.764平方呎換算，並以四捨五入至整數平方呎。

# INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT 閱覽圖則及公契

1. A copy of the outline zoning plan relating to the development is available at [www.ozp.tpb.gov.hk](http://www.ozp.tpb.gov.hk).

2. A copy of the latest draft of every deed of mutual covenant in respect of the residential property as at the date on which the residential property is offered to be sold is available for inspection at the place at which the residential property is offered to be sold.

3. The inspection is free of charge.
1. 備有關乎本發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為[www.ozp.tpb.gov.hk](http://www.ozp.tpb.gov.hk)。

2. 關於住宅物業的每一公契在將住宅物業提供出售的日期的最新擬稿存放在住宅物業的售樓處，以供閱覽。

3. 無須為閱覽付費。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

1. Exterior Finishes

| Item |                                | Description                 |   |  |
|------|--------------------------------|-----------------------------|---|--|
| a.   | External wall                  | Type of finishes            | Podium  | Glass wall, curtain wall, glass cladding, tiles, aluminium cladding, natural stone cladding, aluminium grille, aluminium louvre, vertical greenery, metal grille |
|      |                                |                             | Residential Towers  | Curtain wall, glass cladding, aluminium window, tiles, aluminium cladding, natural stone cladding, aluminium grille, aluminium louvre                            |
| b.   | Window                         | Material of frame           | Fluorocarbon coated aluminium frame   |  |
|      |                                | Material of glass           | Tempered glass, heat strengthened glass, acid etched tempered glass   |  |
| c.   | Bay window                     | Material of bay window      | Not applicable  |  |
|      |                                | Finishes of window sill     | Not applicable  |  |
| d.   | Planter                        | Type of finishes            | Tiles, natural stone  |  |
| e.   | Verandah or balcony            | Type of finishes of Balcony | Balcony : Installed with laminated tempered glass balustrade with aluminium railing and natural stone coping<br>Floor : Natural stone<br>Wall : Aluminium cladding<br>Ceiling : Aluminium ceiling panel |  |
|      |                                | Whether Balcony is covered  | Balcony is covered  |  |
|      |                                | Verandah                    | Not applicable  |  |
| f.   | Drying facilities for clothing | Type                        | Not applicable  |  |
|      |                                | Material                    | Not applicable  |  |

1. 外部裝修物料

| 細項 |       | 描述        |   |   |
|----|-------|-----------|---|---|
| a. | 外牆    | 裝修物料的類型   | 基座  | 玻璃牆、玻璃幕牆、玻璃覆蓋層、瓦、鋁質覆蓋層、天然石料覆蓋層、鋁質格柵、鋁質百葉、垂直綠化牆、金屬格柵 |
|    |       |           | 住宅大廈  | 玻璃幕牆、玻璃覆蓋層、鋁窗、瓦、鋁質覆蓋層、天然石料覆蓋層、鋁質格柵、鋁質百葉             |
| b. | 窗     | 框的用料      | 氟碳噴塗鋁質框   |   |
|    |       | 玻璃的用料     | 鋼化玻璃、半鋼化玻璃、酸蝕面鋼化玻璃  |   |
| c. | 窗台    | 窗台的用料     | 不適用   |   |
|    |       | 窗台板的裝修物料  | 不適用   |   |
| d. | 花槽    | 裝修物料的類型   | 瓦、天然石   |   |
| e. | 陽台或露台 | 露台裝修物料的類型 | 露台：裝有夾層鋼化玻璃連鋁質欄杆及天然石料蓋頂<br>地台：天然石<br>牆身：鋁質覆蓋層<br>天花：鋁質天花板 |   |
|    |       | 露台是否有蓋    | 露台有蓋  |   |
|    |       | 陽台        | 不適用   |   |
| f. | 乾衣設施  | 類型        | 不適用   |   |
|    |       | 用料        | 不適用   |   |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

2. Interior Finishes

| Item |       | Description  |   |               |  |
|------|-------|--|---|---------------|--|
|      |       |  | Wall  | Floor         | Ceiling  |
| a.   | Lobby | Finishes of B2/F, G/F and 2/F residential shuttle lift lobby | Natural stone, mirror panel and leather panel with stainless steel frame  | Natural stone | Gypsum board with emulsion paint and wall paper finish   |
|      |       | Finishes of each fireman’s lift lobby                        | Ceramic tile (Applicable to 9/F and floors above)<br><br>Emulsion paint (Applicable to 3/F, 5/F-8/F)  | Ceramic tile  | Not applicable   |
|      |       | Finishes of lobby  | Natural stone, mirror finish with stainless steel frame on exposed surfaces. (Applicable to Towers 1,2,3,5)   | Natural stone | Gypsum board with emulsion paint (Applicable to Towers 1,2,3,5)  |
|      |       | Finishes of lift lobby                                       | Natural stone, aluminium metal screen, resin panel, vinyl panel, laminated glass and mirror finish with stainless steel frame. (Applicable to Towers 5A, 6) | Natural stone | Gypsum board with emulsion paint, mirror, stainless steel and aluminium false ceiling. (Applicable to Towers 5A, 6 only) |
|      |       | Finishes of 2/F entrance lift lobby of each Tower            | Natural stone, wall paper finish, laminated glass, mirror finish and leather panel with stainless steel frame   | Natural stone | Gypsum board with emulsion paint, wall paper, mirror finish and stainless steel finish                                   |

2. 室內裝修物料

| 細項 |    | 描述                             |   |     |                                      |
|----|----|--------------------------------|---|-----|--------------------------------------|
|    |    |                                | 牆壁  | 地板  | 天花板                                  |
| a. | 大堂 | 地庫 2 層、地下及 2 樓住宅穿梭升降機大堂裝修物料的類型 | 天然石、鏡飾板及皮革飾板連不銹鋼框                                 | 天然石 | 石膏板面髹上乳膠漆及牆紙飾面                       |
|    |    | 各層消防員升降機大堂裝修物料的類型              | 瓷磚 (適用於 9 樓及以上樓層)<br><br>乳膠漆 (適用於 3 樓、5 樓至 8 樓)   | 瓷磚  | 不適用                                  |
|    |    | 大堂裝修物料的類型                      | 於外露位置鋪砌天然石、鏡飾面連不銹鋼框 (適用於第 1、2、3、5 座)              | 天然石 | 石膏板面髹上乳膠漆 (適用於第 1、2、3、5 座)           |
|    |    | 升降機大堂裝修物料的類型                   | 天然石、鋁質金屬屏風、塗樹脂板、仿皮革飾板、夾層玻璃及鏡飾面連不銹鋼框 (適用於第 5A、6 座) | 天然石 | 石膏板面髹上乳膠漆、鏡面、不銹鋼及鋁質假天花 (適用於第 5A、6 座) |
|    |    | 各座 2 樓入口升降機大堂裝修物料的類型           | 天然石、牆紙飾面、夾層玻璃、鏡飾面及皮革飾板連不銹鋼框                       | 天然石 | 石膏板面髹上乳膠漆、牆紙、鏡飾面及不銹鋼飾面               |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

2. Interior Finishes

| Item |                           | Description          |  |  |
|------|---------------------------|----------------------|--|--|
|      |                           |                      | Wall   | Ceiling  |
| b.   | Internal wall and ceiling | Living Room finishes | Emulsion paint<br><br>For following flats, partially finished with timber veneered panel :<br>Tower 5A : Flat A on 3/F, 5/F-12/F,15/F-21/F<br>Tower 6 : Flat C on 3/F, 5/F-12/F,15/F-21/F; Flat F,G,H on 3/F, 5/F-12/F, 15/F-23/F  | Emulsion paint where exposed and gypsum board bulkhead finished with emulsion paint  |
|      |                           | Dining Room finishes | Emulsion paint<br><br>For following flats, partially finished with natural stones, mirror panel and high gloss lacquer paint panel :<br>Tower 1 : Flat A on 17/F-18/F<br>Tower 2 : Flat A on 19/F-20/F<br>Tower 3 : Flat A on 21/F-22/F<br>Tower 5 : Flat A on 21/F-22/F | Emulsion paint where exposed and gypsum board bulkhead finished with emulsion paint<br><br>For following flats, partially finished with timber veneered panel & gypsum board with emulsion paint:<br>Tower 1 : Flat A on 17/F-18/F<br>Tower 2 : Flat A on 19/F-20/F<br>Tower 3 : Flat A on 21/F-22/F<br>Tower 5 : Flat A on 21/F-22/F  |
|      |                           | Bedroom finishes     | Emulsion paint<br><br>For following flats, partially finished with timber veneered panel in Master Bedroom :<br>Tower 5A : Flat C on 3/F, 5/F-12/F, 15/F-20/F  | Emulsion paint where exposed and gypsum board bulkhead finished with emulsion paint<br><br>For the bedroom 4 of the following flats, the gypsum board bulkhead finished with emulsion paint and aluminium ceiling:<br>Tower 1 : Flat A on 3/F, 5/F-12/F,15/F-16/F<br>Tower 2 : Flat A,B on 3/F, 5/F-12/F,15/F-18/F<br>Tower 3 : Flat A on 3/F, 5/F-12/F,15/F-20/F<br>Tower 5 : Flat A,B on 3/F, 5/F-12/F,15/F-20/F |

2. 室內裝修物料

| 細項 |        | 描述        |  |   |
|----|--------|-----------|--|---|
|    |        |           | 牆壁   | 天花板   |
| b. | 內牆及天花板 | 客廳裝修物料的類型 | 乳膠漆<br><br>以下單位之部份牆身位置設有木皮飾面板：<br>第 5A 座：3 樓、5 樓至 12 樓、15 樓至 21 樓 A 單位<br>第 6 座： 3 樓、5 樓至 12 樓、15 樓至 21 樓 C 單位；3 樓、5 樓至 12 樓、15 樓至 23 樓 F、G、H 單位 | 外露天花髹上乳膠漆及石膏板假樑髹上乳膠漆  |
|    |        | 飯廳裝修物料的類型 | 乳膠漆<br><br>以下單位之部份牆身位置鋪砌天然石材，鏡飾面板及高光烤漆飾面板：<br>第 1 座：17 樓至 18 樓 A 單位<br>第 2 座：19 樓至 20 樓 A 單位<br>第 3 座：21 樓至 22 樓 A 單位<br>第 5 座：21 樓至 22 樓 A 單位   | 外露天花髹上乳膠漆及石膏板假樑髹上乳膠漆<br><br>以下單位之部份假天花位置設有木皮飾面板及髹上乳膠漆之石膏板：<br>第 1 座：17 樓至 18 樓 A 單位<br>第 2 座：19 樓至 20 樓 A 單位<br>第 3 座：21 樓至 22 樓 A 單位<br>第 5 座：21 樓至 22 樓 A 單位  |
|    |        | 睡房裝修物料的類型 | 乳膠漆<br><br>以下單位之主人睡房部份牆身位置設有木皮飾面板：<br>第 5A 座：3 樓、5 樓至 12 樓、15 樓至 20 樓 C 單位   | 外露天花髹上乳膠漆及石膏板假樑髹上乳膠漆<br><br>以下單位之睡房 4 的石膏板假樑髹上乳膠漆及鋁質天花：<br>第 1 座：3 樓、5 樓至 12 樓、15 樓至 16 樓 A 單位<br>第 2 座：3 樓、5 樓至 12 樓、15 樓至 18 樓 A、B 單位<br>第 3 座：3 樓、5 樓至 12 樓、15 樓至 20 樓 A 單位<br>第 5 座：3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位 |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

2. Interior Finishes

| Item |                | Description             |  |  |
|------|----------------|-------------------------|--|--|
|      |                |                         | Floor  | Skirting   |
| c.   | Internal floor | Material of Living Room | Engineered oak timber flooring, natural stone border provided between living room and balcony door<br>Tower 1 : Flat A on 3/F; Flat A,B on 5/F-12/F, 15/F-16/F<br>Tower 2 : Flat A,B on 5/F-12/F, 15/F-18/F<br>Tower 3 : Flat A,B on 5/F-12/F, 15/F-20/F<br>Tower 5 : Flat A on 3/F; Flat A,B on 5/F-12/F, 15/F-20/F | Engineered wood and natural stone skirting       |
|      |                |                         | Engineered oak timber flooring, natural stone border provided between living room and flat roof door<br>Tower 1 : Flat B on 3/F<br>Tower 2 : Flat A,B on 3/F<br>Tower 3 : Flat A,B on 3/F<br>Tower 5 : Flat B on 3/F   |  |
|      |                |                         | Natural stone<br>Tower 1 : Flat A on 17/F-18/F<br>Tower 2 : Flat A on 19/F-20/F<br>Tower 3 : Flat A on 21/F-22/F<br>Tower 5 : Flat A on 21/F-22/F<br>Tower 5A : Flat B on 21/F; Flat A on 22/F<br>Tower 6 : Flat A,B on 22/F-23/F  | Natural stone skirting                           |
|      |                |                         | Reconstituted stone<br>Tower 5A : Flat A,B,C,D,E,F on 3/F, 5/F-12/F,15/F-20/F; Flat A,D,E,F on 21/F; Flat D,E,F on 22/F<br><br>Tower 6 : Flat A,B,C,D,E,F,G,H on 3/F,5/F-12/F,15/F-21/F; Flat E,F,G,H on 22/F-23/F   | Engineered wood and reconstituted stone skirting |

2. 室內裝修物料

| 細項 |      | 描述    |  |               |
|----|------|-------|--|---------------|
|    |      |       | 地板   | 牆腳線           |
| c. | 內部地板 | 客廳的用料 | 白橡木複合木地板，客廳與露台門之間鋪砌天然石分隔<br>第 1 座： 3 樓 A 單位; 5 樓至 12 樓、15 樓至 16 樓 A、B 單位<br>第 2 座： 5 樓至 12 樓、15 樓至 18 樓 A、B 單位<br>第 3 座： 5 樓至 12 樓、15 樓至 20 樓 A、B 單位<br>第 5 座： 3 樓 A 單位; 5 樓至 12 樓、15 樓至 20 樓 A、B 單位 | 複合木牆腳線及天然石牆腳線 |
|    |      |       | 白橡木複合木地板，客廳與平台門之間鋪砌天然石分隔<br>第 1 座：3 樓 B 單位<br>第 2 座：3 樓 A、B 單位<br>第 3 座：3 樓 A、B 單位<br>第 5 座：3 樓 B 單位   |               |
|    |      |       | 天然石<br>第 1 座：17 樓至 18 樓 A 單位<br>第 2 座：19 樓至 20 樓 A 單位<br>第 3 座：21 樓至 22 樓 A 單位<br>第 5 座：21 樓至 22 樓 A 單位<br>第 5A 座： 21 樓 B 單位; 22 樓 A 單位<br>第 6 座：22 樓至 23 樓 A、B 單位                                   | 天然石牆腳線        |
|    |      |       | 人造石<br>第 5A 座：3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B、C、D、E、F 單位; 21 樓 A、D、E、F 單位; 22 樓 D、E、F 單位<br><br>第 6 座：3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B、C、D、E、F、G、H 單位; 22 樓至 23 樓 E、F、G、H 單位                                | 複合木牆腳線及人造石牆腳線 |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

2. Interior Finishes

| Item |                | Description             |  |                          |
|------|----------------|-------------------------|--|--------------------------|
|      |                |                         | Floor  | Skirting                 |
| c.   | Internal floor | Material of Dining Room | Engineered oak timber flooring, natural stone border provided between dining room and utility platform door<br>Tower 1 : Flat A,B on 5/F-12/F, 15/F-16/F<br>Tower 2 : Flat A,B on 5/F-12/F, 15/F-18/F<br>Tower 3 : Flat A,B on 5/F-12/F, 15/F-20/F<br>Tower 5 : Flat A on 3/F; Flat A,B on 5/F-12/F, 15/F-20/F | Engineered wood skirting |
|      |                |                         | Engineered oak timber flooring, natural stone border provided between dining room and flat roof door<br>Tower 1 : Flat A,B on 3/F<br>Tower 2 : Flat A,B on 3/F<br>Tower 3 : Flat A,B on 3/F<br>Tower 5 : Flat B on 3/F   |                          |
|      |                |                         | Natural stone<br>Tower 1 : Flat A on 17/F-18/F<br>Tower 2 : Flat A on 19/F-20/F<br>Tower 3 : Flat A on 21/F-22/F<br>Tower 5 : Flat A on 21/F-22/F<br>Tower 5A : Flat B on 21/F; Flat A on 22/F<br>Tower 6 : Flat A,B on 22/F-23/F  | Natural stone skirting   |
|      |                |                         | Reconstituted stone<br>Tower 5A : Flat C on 3/F, 5/F-12/F,15/F-20/F<br>Tower 6 : Flat A,B on 3/F, 5/F-12/F,15/F-21/F   | Engineered wood skirting |

2. 室內裝修物料

| 細項 |      | 描述    |  |        |
|----|------|-------|--|--------|
|    |      |       | 地板   | 牆腳線    |
| c. | 內部地板 | 飯廳的用料 | 白橡木複合木地板，飯廳與工作平台門之間鋪砌天然石分隔<br>第 1 座： 5 樓至 12 樓、15 樓至 16 樓 A、B 單位<br>第 2 座： 5 樓至 12 樓、15 樓至 18 樓 A、B 單位<br>第 3 座： 5 樓至 12 樓、15 樓至 20 樓 A、B 單位<br>第 5 座： 3 樓 A 單位; 5 樓至 12 樓、15 樓至 20 樓 A、B 單位 | 複合木牆腳線 |
|    |      |       | 白橡木複合木地板，飯廳與平台門之間鋪砌天然石分隔<br>第 1 座： 3 樓 A、B 單位<br>第 2 座： 3 樓 A、B 單位<br>第 3 座： 3 樓 A、B 單位<br>第 5 座： 3 樓 B 單位   |        |
|    |      |       | 天然石<br>第 1 座：17 樓至 18 樓 A 單位<br>第 2 座：19 樓至 20 樓 A 單位<br>第 3 座：21 樓至 22 樓 A 單位<br>第 5 座：21 樓至 22 樓 A 單位<br>第 5A 座：21 樓 B 單位; 22 樓 A 單位<br>第 6 座：22 樓至 23 樓 A、B 單位                            | 天然石牆腳線 |
|    |      |       | 人造石<br>第 5A 座：3 樓、5 樓至 12 樓、15 樓至 20 樓 C 單位<br>第 6 座： 3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B 單位  | 複合木牆腳線 |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

2. Interior Finishes

| Item |                | Description         |   |                          |
|------|----------------|---------------------|---|--------------------------|
|      |                |                     | Floor   | Skirting                 |
| c.   | Internal floor | Material of Bedroom | Engineered oak timber flooring  | Engineered wood skirting |
|      |                |                     | For following flats, natural stone border provided between Bedroom 2 and flat roof door<br>Tower 1 : Flat A on 17/F<br>Tower 2 : Flat A on 19/F<br>Tower 3 : Flat A on 21/F<br>Tower 5 : Flat A on 21/F |                          |
|      |                |                     | For following flats, reconstituted stone border provided between Master Bedroom and utility platform door<br>Tower 6 : Flat E on 3/F, 5/F-12/F, 15/F-23/F   |                          |
|      |                |                     | For following flats, natural stone border provided between Master Bedroom and balcony door<br>Tower 5A : Flat B on 21/F<br>Tower 6 : Flat A,B on 22/F-23/F  |                          |
|      |                |                     |   |                          |
|      |                |                     |   |                          |

2. 室內裝修物料

| 細項 |      | 描述    |   |        |
|----|------|-------|---|--------|
|    |      |       | 地板  | 牆腳線    |
| c. | 內部地板 | 睡房的用料 | 白橡木複合木地板  | 複合木牆腳線 |
|    |      |       | 以下單位之睡房 2 與平台門之間鋪砌天然石分隔<br>第 1 座： 17 樓 A 單位<br>第 2 座： 19 樓 A 單位<br>第 3 座： 21 樓 A 單位<br>第 5 座： 21 樓 A 單位 |        |
|    |      |       | 以下單位之主人睡房與工作平台門之間鋪砌人造石分隔<br>第 6 座： 3 樓、5 樓至 12 樓、15 樓至 23 樓 E 單位  |        |
|    |      |       | 以下單位之主人睡房與露台門之間鋪砌天然石分隔<br>第 5A 座： 21 樓 B 單位<br>第 6 座： 22 樓至 23 樓 A、B 單位                                 |        |
|    |      |       |   |        |
|    |      |       |   |        |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

2. Interior Finishes

| Item |          | Description                                     |  |               |  |
|------|----------|---|--|---------------|--|
|      |          |   | Wall   | Floor         | Ceiling  |
| d.   | Bathroom | Type of finishes                                | <p>Natural stone, laminated glass finish with stainless steel frame on exposed surfaces</p> <p>Walls behind vanity counters are finished with ceramic tiles</p> <p>For the bathroom of the following flats, mirror panel with stainless steel frame is equipped on exposed surfaces :</p> <p><u>Bathroom 2</u><br/>Tower 1 : Flat A,B on 3/F, 5/F-12/F, 15/F-16/F; Flat A on 18/F<br/>Tower 2 : Flat A,B on 3/F, 5/F-12/F, 15/F-18/F<br/>Tower 3 : Flat A,B on 3/F, 5/F-12/F, 15/F-20/F; Flat A on 22/F<br/>Tower 5 : Flat A,B on 3/F, 5/F-12/F, 15/F-20/F<br/>Tower 5A : Flat B on 21/F; Flat A on 22/F<br/>Tower 6 : Flat A on 22/F-23/F</p> <p><u>Master Bathroom</u><br/>Tower 5A : Flat A,B,C,D,E,F on 3/F, 5/F-12/F, 15/F-20/F; Flat A,B,D,E,F on 21/F; Flat A,D,E,F on 22/F<br/>Tower 6 : Flat A,B,C,D,E,F,G,H on 3/F, 5/F-12/F, 15/F-21/F; Flat A,B,E,F,G,H on 22/F-23/F</p> | Natural stone | <p>Gypsum board finished with emulsion paint and aluminium ceiling</p> <p>For Master Bathroom of the following flats, partially finished with natural stone :</p> <p>Tower 1 : Flat A on 3/F, 5/F-12/F, 15/F-18/F<br/>Tower 2 : Flat A on 3/F, 5/F-12/F, 15/F-20/F<br/>Tower 3 : Flat A on 3/F, 5/F-12/F, 15/F-22/F<br/>Tower 5 : Flat A on 3/F, 5/F-12/F, 15/F-22/F</p> |
|      |          | Whether the wall finishes run up to the ceiling | Up to level of false ceiling   |               |  |

2. 室內裝修物料

| 細項 |    | 描述             |  |     |  |
|----|----|----------------|--|-----|--|
|    |    |                | 牆壁   | 地板  | 天花板  |
| d. | 浴室 | 裝修物料的類型        | <p>於外露位置鋪砌天然石、夾層玻璃飾面連不銹鋼框</p> <p>浴室地櫃背之牆身鋪砌瓷磚</p> <p>以下單位之浴室於外露位置裝設鏡飾面板連不銹鋼框：</p> <p><u>浴室 2</u><br/>第 1 座:3 樓、5 樓至 12 樓、15 樓至 16 樓 A、B 單位; 18 樓 A 單位<br/>第 2 座:3 樓、5 樓至 12 樓、15 樓至 18 樓 A、B 單位<br/>第 3 座:3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位; 22 樓 A 單位<br/>第 5 座:3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位<br/>第 5A 座:21 樓 B 單位; 22 樓 A 單位<br/>第 6 座:22 至 23 樓 A 單位</p> <p><u>主人浴室</u><br/>第 5A 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B、C、D、E、F 單位; 21 樓 A、B、D、E、F 單位; 22 樓 A、D、E、F 單位<br/>第 6 座 3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B、C、D、E、F、G、H 單位; 22 樓至 23 樓 A、B、E、F、G、H 單位</p> | 天然石 | <p>石膏板面髹上乳膠漆及鋁質天花</p> <p>以下單位之主人浴室部份天花鋪砌天然石：<br/>第 1 座：3 樓、5 樓至 12 樓、15 樓至 18 樓 A 單位<br/>第 2 座：3 樓、5 樓至 12 樓、15 樓至 20 樓 A 單位<br/>第 3 座：3 樓、5 樓至 12 樓、15 樓至 22 樓 A 單位<br/>第 5 座：3 樓、5 樓至 12 樓、15 樓至 22 樓 A 單位</p> |
|    |    | 牆壁的裝修物料是否鋪至天花板 | 鋪至假天花底   |     |  |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

2. Interior Finishes

| Item |         | Description                                     |  |   |   |                            |
|------|---------|---|--|---|---|----------------------------|
|      |         |   | Wall   | Floor   | Ceiling   | Cooking bench              |
| e.   | Kitchen | Type of finishes                                | <p>Natural stone, stainless steel panel and mirror finish on exposed surfaces (Applicable to Towers 1,2,3,5)</p> <p>Natural stone and sandblasted mirror finish on exposed surfaces (Applicable to Towers 5A : Flat B on 21/F; Flat A on 22/F<br/>Tower 6 : Flat A,B on 22/F-23/F)</p> <p>Laminated glass and mirror panel on exposed surfaces (Applicable to Towers 5A : Flat A,B,C,D,E,F on 3/F, 5/F-12/F, 15/F-20/F; Flat A,D,E,F on 21/F; Flat D,E,F on 22/F<br/>Tower 6 : Flat A,B,C,D,E,F,G,H on 3/F, 5/F-12/F, 15/F-21/F; Flat E,F,G,H on 22/F-23/F)</p> <p>Walls behind kitchen cabinets are finished with ceramic tiles (Applicable to Towers 1,2,3,5,5A,6)</p> | <p>Natural stone</p> <p>Reconstituted stone</p> | <p>Gypsum board with emulsion paint and aluminium ceiling (Aluminium ceiling not applicable to Tower 5A : Flat B on 21/F; Flat A on 22/F<br/>Tower 6 : Flat B, E on 3/F, 5/F-12/F, 15/F-23/F; Flat A 22/F-23/F)</p> | <p>Reconstituted stone</p> |
|      |         | Whether the wall finishes run up to the ceiling | Up to level of false ceiling   |   |   |                            |

2. 室內裝修物料

| 細項 |    | 描述      |   |                       |  |            |
|----|----|---------|---|-----------------------|--|------------|
|    |    |         | 牆壁  | 地板                    | 天花板  | 灶台         |
| e. | 廚房 | 裝修物料的類型 | <p>於外露位置鋪砌天然石, 不銹鋼板及鏡飾面 (適用於第 1、2、3、5 座)</p> <p>於外露位置鋪砌天然石, 磨砂鏡飾面 (適用於第 5A 座: 21 樓 B 單位; 22 樓 A 單位<br/>第 6 座: 22 至 23 樓 A、B 單位)</p> <p>於外露位置裝設夾層玻璃及鏡飾面板 (適用於第 5A 座: 3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B、C、D、E、F 單位; 21 樓 A、D、E、F 單位; 22 樓 D、E、F 單位<br/>第 6 座: 3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B、C、D、E、F、G、H 單位; 22 樓 至 23 樓 E、F、G、H 單位)</p> <p>廚櫃背之牆身鋪砌瓷磚 (適用於第 1、2、3、5、5A、6 座)</p> | <p>天然石</p> <p>人造石</p> | <p>石膏板面髹上乳膠漆及鋁質天花 (鋁質天花不適用於第 5A 座: 21 樓 B 單位; 22 樓 A 單位<br/>第 6 座: 3 樓、5 樓至 12 樓、15 樓至 23 樓 B、E 單位; 22 樓至 23 樓 A 單位)</p> | <p>人造石</p> |
|    |    |         | 牆壁的裝修物料是否鋪至天花板  | 鋪至假天花底                |  |            |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 1)

| Item |       | Description          |   |  |  |
|------|-------|----------------------|---|--|--|
|      |       |                      | Material  | Finishes   | Accessories  |
| a.   | Doors | Main Entrance door   | Fire-rated solid core timber door   | Timber veneered , semi gloss lacquer paint panel | Door viewer, door closer, lockset and door stopper |
|      |       | Back door            | Fire-rated solid core timber door   | Timber veneered                                  | Door viewer, door closer, lockset and door stopper |
|      |       | Master Bedroom door  | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 2 door       | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 3 door       | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 4 door       | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Master Bathroom door | Solid core timber door (Applicable to Flat A,B on 3/F, 5/F-12/F, 15/F-16/F)               | Timber veneered                                  | Lockset and door stopper                           |
|      |       |                      | Laminated glass panel with aluminium metal frame door (Applicable to Flat A on 17/F-18/F) | Laminated glass panel and aluminium metal frame  | Door stopper                                       |
|      |       | Bathroom 2 door      | Solid core timber door (Applicable to Flat A,B on 3/F, 5/F-12/F, 15/F-16/F)               | Timber veneered                                  | Lockset and door stopper                           |
|      |       |                      | Solid core timber door with louvre (Applicable to Flat A on 17/F-18/F)                    |  |  |
|      |       | Bathroom 3 door      | Solid core timber door with louvre  | Timber veneered                                  | Lockset and door stopper                           |

3. 室內裝置 (第 1 座)

| 細項 |   | 描述     |  |                |              |
|----|---|--------|--|----------------|--------------|
|    |   |        | 用料   | 裝修物料           | 配件           |
| a. | 門 | 單位大門   | 防火實心木門                                     | 木皮飾面 、半高光烤漆飾面板 | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 單位後門   | 防火實心木門                                     | 木皮飾面           | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 主人睡房門  | 實心木門                                       | 木皮飾面           | 門鎖及門擋        |
|    |   | 睡房 2 門 | 實心木門                                       | 木皮飾面           | 門鎖及門擋        |
|    |   | 睡房 3 門 | 實心木門                                       | 木皮飾面           | 門鎖及門擋        |
|    |   | 睡房 4 門 | 實心木門                                       | 木皮飾面           | 門鎖及門擋        |
|    |   | 主人浴室門  | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 16 樓 A、B 單位) | 木皮飾面           | 門鎖及門擋        |
|    |   |        | 鋁質金屬框配夾層玻璃飾門板 (適用於 17 樓至 18 樓 A 單位)        | 鋁質金屬框配夾層玻璃飾面板  | 門擋           |
|    |   | 浴室 2 門 | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 16 樓 A、B 單位) | 木皮飾面           | 門鎖及門擋        |
|    |   |        | 實心木門連百葉 (適用於 17 樓至 18 樓 A 單位)              |                |              |
|    |   | 浴室 3 門 | 實心木門連百葉                                    | 木皮飾面           | 門鎖及門擋        |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 1)

| Item |       | Description           |  |   |                                       |
|------|-------|-----------------------|--|---|---------------------------------------|
|      |       |                       | Material   | Finishes  | Accessories                           |
| a.   | Doors | Powder Room door      | Solid core timber door   | Timber veneered, high gloss lacquer paint panel   | Lockset and door stopper              |
|      |       | Kitchen door          | Fire-rated solid core timber door with fire-rated glass vision panel | Timber veneered with glass vision panel           | Door closer and door stopper          |
|      |       | Utility door          | Solid core timber door   | Mirror panel with metal frame and timber veneered | Lockset, door closer and door stopper |
|      |       | Lavatory door         | Aluminium frame with tempered glass door                             | Aluminium frame with acid-etched tempered glass   | Lockset                               |
|      |       | Store Room door       | Timber door  | Emulsion paint                                    | Magnetic touch door catch             |
|      |       | Balcony door          | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |
|      |       | Utility Platform door | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |
|      |       | Flat Roof door        | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |
|      |       | Roof door             | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |

3. 室內裝置 (第 1 座)

| 細項 |   | 描述    |               |              |          |
|----|---|-------|---------------|--------------|----------|
|    |   |       | 用料            | 裝修物料         | 配件       |
| a. | 門 | 化妝間門  | 實心木門          | 木皮飾面及高光烤漆飾面板 | 門鎖及門擋    |
|    |   | 廚房門   | 防火實心木門配防火玻璃視窗 | 木皮飾面配玻璃視窗    | 門鼓及門擋    |
|    |   | 工作間門  | 實心木門          | 鏡飾板連金屬框及木皮飾面 | 門鎖、門鼓及門擋 |
|    |   | 洗手間門  | 鋁質框配鋼化玻璃門     | 鋁質框配酸蝕刻鋼化玻璃  | 門鎖       |
|    |   | 儲物房門  | 木門            | 乳膠漆飾面        | 磁石門掣     |
|    |   | 露台門   | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 工作平台門 | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 平台門   | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 天台門   | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 2)

| Item |       | Description          |  |  |  |
|------|-------|----------------------|--|--|--|
|      |       |                      | Material   | Finishes   | Accessories  |
| a.   | Doors | Main Entrance door   | Fire-rated solid core timber door  | Timber veneered , semi gloss lacquer paint panel | Door viewer, door closer, lockset and door stopper |
|      |       | Back door            | Fire-rated solid core timber door  | Timber veneered                                  | Door viewer, door closer, lockset and door stopper |
|      |       | Master Bedroom door  | Solid core timber door   | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 2 door       | Solid core timber door   | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 3 door       | Solid core timber door   | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 4 door       | Solid core timber door   | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Master Bathroom door | Solid core timber door (Applicable to Flat A ,B on 3/F, 5/F-12/F, 15/F-18/F)                             | Timber veneered                                  | Lockset and door stopper                           |
|      |       |                      | Laminated glass panel with aluminium metal frame door (Applicable to Flat A on 19/F-20/F)                | Laminated glass panel with aluminium metal frame | Door stopper                                       |
|      |       | Bathroom 2 door      | Solid core timber door (Applicable to Flat A on 3/F, 5/F-12/F, 15/F-18/F)                                | Timber veneered                                  | Lockset and door stopper                           |
|      |       |                      | Solid core timber door with louvre (Applicable to Flat B on 3/F,5/F-12/F,15/F-18/F, Flat A on 19/F-20/F) |  |  |

3. 室內裝置 (第 2 座)

| 細項 |   | 描述     |  |               |              |
|----|---|--------|--|---------------|--------------|
|    |   |        | 用料   | 裝修物料          | 配件           |
| a. | 門 | 單位大門   | 防火實心木門   | 木皮飾面、半高光烤漆飾面板 | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 單位後門   | 防火實心木門   | 木皮飾面          | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 主人睡房門  | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 2 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 3 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 4 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 主人浴室門  | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 18 樓 A、B 單位)                 | 木皮飾面          | 門鎖及門擋        |
|    |   |        | 鋁質金屬框配夾層玻璃飾板門 (適用於 19 樓至 20 樓 A 單位)                        | 鋁質金屬框配夾層玻璃飾面板 | 門擋           |
|    |   | 浴室 2 門 | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 18 樓 A 單位)                   | 木皮飾面          | 門鎖及門擋        |
|    |   |        | 實心木門連百葉 (適用於 3 樓、5 樓至 12 樓、15 至 18 樓 B 單位，19 樓至 20 樓 A 單位) |               |              |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 2)

| Item |       | Description           |  |   |                                       |
|------|-------|-----------------------|--|---|---------------------------------------|
|      |       |                       | Material   | Finishes  | Accessories                           |
| a.   | Doors | Bathroom 3 door       | Solid core timber door with louvre                                   | Timber veneered                                 | Lockset and door stopper              |
|      |       | Powder Room door      | Solid core timber door   | Timber veneered, high gloss lacquer paint panel | Lockset and door stopper              |
|      |       | Kitchen door          | Fire-rated solid core timber door with fire-rated glass vision panel | Timber veneered with glass vision panel         | Door closer and door stopper          |
|      |       | Utility door          | Solid core timber door   | Mirror panel with metal and timber veneered     | Lockset, door closer and door stopper |
|      |       | Lavatory door         | Aluminium frame with tempered glass door                             | Aluminium frame with acid-etched tempered glass | Lockset                               |
|      |       | Store Room door       | Timber door  | Emulsion paint                                  | Magnetic touch door catch             |
|      |       | Balcony door          | Aluminium frame with glass door                                      | Glass and aluminium frame                       | Lockset and door stopper              |
|      |       | Utility Platform door | Aluminium frame with glass door                                      | Glass and aluminium frame                       | Lockset and door stopper              |
|      |       | Flat Roof door        | Aluminium frame with glass door                                      | Glass and aluminium frame                       | Lockset and door stopper              |
|      |       | Roof door             | Aluminium frame with glass door                                      | Glass and aluminium frame                       | Lockset and door stopper              |

3. 室內裝置 (第 2 座)

| 細項 |   | 描述     |               |              |          |
|----|---|--------|---------------|--------------|----------|
|    |   |        | 用料            | 裝修物料         | 配件       |
| a. | 門 | 浴室 3 門 | 實心木門連百葉       | 木皮飾面         | 門鎖及門擋    |
|    |   | 化妝間門   | 實心木門          | 木皮飾面、高光烤漆飾面板 | 門鎖及門擋    |
|    |   | 廚房門    | 防火實心木門配防火玻璃視窗 | 木皮飾面配玻璃視窗    | 門鼓及門擋    |
|    |   | 工作間門   | 實心木門          | 鏡飾板連金屬及木皮飾面  | 門鎖、門鼓及門擋 |
|    |   | 洗手間門   | 鋁質框配鋼化玻璃門     | 鋁質框配酸蝕刻鋼化玻璃  | 門鎖       |
|    |   | 儲物房門   | 木門            | 乳膠漆飾面        | 磁石門掣     |
|    |   | 露台門    | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 工作平台門  | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 平台門    | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 天台門    | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 3)

| Item |       | Description          |   |  |  |
|------|-------|----------------------|---|--|--|
|      |       |                      | Material  | Finishes   | Accessories  |
| a.   | Doors | Main Entrance door   | Fire-rated solid core timber door   | Timber veneered , semi gloss lacquer paint panel | Door viewer, door closer, lockset and door stopper |
|      |       | Back door            | Fire-rated solid core timber door   | Timber veneered                                  | Door viewer, door closer, lockset and door stopper |
|      |       | Master Bedroom door  | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 2 door       | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 3 door       | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Bedroom 4 door       | Solid core timber door  | Timber veneered                                  | Lockset and door stopper                           |
|      |       | Master Bathroom door | Solid core timber door (Applicable to Flat A,B on 3/F, 5/F-12/F, 15/F-20/F)                   | Timber veneered                                  | Lockset and door stopper                           |
|      |       |                      | Laminated glass panel with aluminium metal frame door (Applicable to Flat A on 21/F-22/F)     | Laminated glass panel with aluminium metal frame | Door stopper                                       |
|      |       | Bathroom 2 door      | Solid core timber door (Applicable to Flat B on 3/F, 5/F-12/F, 15/F-20/F)                     | Timber veneered                                  | Lockset and door stopper                           |
|      |       |                      | Solid core timber door with louvre (Applicable to Flat A on 3/F,5/F-12/F,15/F-20/F,21/F-22/F) |  |  |

3. 室內裝置 (第 3 座)

| 細項 |   | 描述     |  |               |              |
|----|---|--------|--|---------------|--------------|
|    |   |        | 用料   | 裝修物料          | 配件           |
| a. | 門 | 單位大門   | 防火實心木門   | 木皮飾面、半高光烤漆飾面板 | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 單位後門   | 防火實心木門   | 木皮飾面          | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 主人睡房門  | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 2 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 3 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 4 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 主人浴室門  | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位)             | 木皮飾面          | 門鎖及門擋        |
|    |   |        | 鋁質金屬框配夾層玻璃飾板門 (適用於 21 樓至 22 樓 A 單位)                    | 鋁質金屬框配夾層玻璃飾面板 | 門擋           |
|    |   | 浴室 2 門 | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓 B 單位)               | 木皮飾面          | 門鎖及門擋        |
|    |   |        | 實心木門連百葉 (適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓、21 樓至 22 樓 A 單位) |               |              |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 3)

| Item |       | Description           |  |   |                                       |
|------|-------|-----------------------|--|---|---------------------------------------|
|      |       |                       | Material   | Finishes  | Accessories                           |
| a.   | Doors | Bathroom 3 door       | Solid core timber door with louvre                                   | Timber veneered                                   | Lockset and door stopper              |
|      |       | Powder Room door      | Solid core timber door   | Timber veneered, high gloss lacquer paint panel   | Lockset and door stopper              |
|      |       | Kitchen door          | Fire-rated solid core timber door with fire-rated glass vision panel | Timber veneered with glass vision panel           | Door closer and door stopper          |
|      |       | Utility door          | Solid core timber door   | Mirror panel with metal frame and timber veneered | Lockset, door closer and door stopper |
|      |       | Lavatory door         | Aluminium frame with tempered glass door                             | Aluminium frame with acid-etched tempered glass   | Lockset                               |
|      |       | Store Room door       | Timber door  | Emulsion paint                                    | Magnetic touch door catch             |
|      |       | Balcony door          | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |
|      |       | Utility Platform door | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |
|      |       | Flat Roof door        | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |
|      |       | Roof door             | Aluminium frame with glass door                                      | Glass and aluminium frame                         | Lockset and door stopper              |

3. 室內裝置 (第 3 座)

| 細項 |   | 描述     |               |              |          |
|----|---|--------|---------------|--------------|----------|
|    |   |        | 用料            | 裝修物料         | 配件       |
| a. | 門 | 浴室 3 門 | 實心木門連百葉       | 木皮飾面         | 門鎖及門擋    |
|    |   | 化妝間門   | 實心木門          | 木皮飾面、高光烤漆飾面板 | 門鎖及門擋    |
|    |   | 廚房門    | 防火實心木門配防火玻璃視窗 | 木皮飾面配玻璃視窗    | 門鼓及門擋    |
|    |   | 工作間門   | 實心木門          | 鏡飾板連金屬框及木皮飾面 | 門鎖、門鼓及門擋 |
|    |   | 洗手間門   | 鋁質框配鋼化玻璃門     | 鋁質框配酸蝕刻鋼化玻璃  | 門鎖       |
|    |   | 儲物房門   | 木門            | 乳膠漆飾面        | 磁石門掣     |
|    |   | 露台門    | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 工作平台門  | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 平台門    | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |
|    |   | 天台門    | 鋁質框配玻璃門       | 玻璃及鋁質框       | 門鎖及門擋    |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 5)

| Item |       | Description         |                                   |   |  |
|------|-------|---------------------|-----------------------------------|---|--|
|      |       |                     | Material                          | Finishes  | Accessories  |
| a.   | Doors | Main Entrance door  | Fire-rated solid core timber door | Timber veneered, semi gloss lacquer paint panel | Door viewer, door closer, lockset and door stopper |
|      |       | Back door           | Fire-rated solid core timber door | Timber veneered                                 | Door viewer, door closer, lockset and door stopper |
|      |       | Master Bedroom door | Solid core timber door            | Timber veneered                                 | Lockset and door stopper                           |
|      |       | Bedroom 2 door      | Solid core timber door            | Timber veneered                                 | Lockset and door stopper                           |
|      |       | Bedroom 3 door      | Solid core timber door            | Timber veneered                                 | Lockset and door stopper                           |
|      |       | Bedroom 4 door      | Solid core timber door            | Timber veneered                                 | Lockset and door stopper                           |

3. 室內裝置 (第 5 座)

| 細項 |   | 描述     |        |               |              |
|----|---|--------|--------|---------------|--------------|
|    |   |        | 用料     | 裝修物料          | 配件           |
| a. | 門 | 單位大門   | 防火實心木門 | 木皮飾面、半高光烤漆飾面板 | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 單位後門   | 防火實心木門 | 木皮飾面          | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 主人睡房門  | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 2 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 3 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |
|    |   | 睡房 4 門 | 實心木門   | 木皮飾面          | 門鎖及門擋        |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 5)

| Item |       | Description          |   |   |  |
|------|-------|----------------------|---|---|--|
|      |       |                      | Material  | Finishes  | Accessories                                  |
| a.   | Doors | Master Bathroom door | Solid core timber door (Applicable to Flat A,B on 3/F, 5/F-12/F, 15/F-20/F)<br><br>Laminated glass panel with aluminium metal frame door (Applicable to Flat A on 21/F-22/F)              | Timber veneered<br><br>Laminated glass panel with aluminium metal frame | Lockset and door stopper<br><br>Door stopper |
|      |       | Bathroom 2 door      | Solid core timber door (Applicable to Flat A on 3/F, 5/F-12/F, 15/F-20/F)<br><br>Solid core timber door with louvre (Applicable to Flat B on 3/F,5/F-12/F,15/F-20/F, Flat A on 21/F-22/F) | Timber veneered   | Lockset and door stopper                     |
|      |       | Bathroom 3 door      | Solid core timber door with louvre  | Timber veneered   | Lockset and door stopper                     |
|      |       | Powder Room door     | Solid core timber door  | Timber veneered, high gloss lacquer paint panel                         | Lockset and door stopper                     |
|      |       | Kitchen door         | Fire-rated solid core timber door with fire-rated glass vision panel  | Timber veneered with glass vision panel                                 | Door closer and door stopper                 |
|      |       | Utility door         | Solid core timber door  | Mirror panel with metal frame and timber veneered                       | Lockset, door closer and door stopper        |

3. 室內裝置 (第 5 座)

| 細項 |   | 描述     |  |                           |                 |
|----|---|--------|--|---------------------------|-----------------|
|    |   |        | 用料   | 裝修物料                      | 配件              |
| a. | 門 | 主人浴室門  | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位)<br><br>鋁質金屬框配夾層玻璃飾板門 (適用於 21 樓至 22 樓 A 單位)                        | 木皮飾面<br><br>鋁質金屬框配夾層玻璃飾面板 | 門鎖及門擋<br><br>門擋 |
|    |   | 浴室 2 門 | 實心木門 (適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓 A 單位 )<br><br>實心木門連百葉 (適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓 B 單位，21 樓至 22 樓 A 單位) | 木皮飾面                      | 門鎖及門擋           |
|    |   | 浴室 3 門 | 實心木門連百葉  | 木皮飾面                      | 門鎖及門擋           |
|    |   | 化妝間門   | 實心木門   | 木皮飾面、高光烤漆飾面板              | 門鎖及門擋           |
|    |   | 廚房門    | 防火實心木門配防火玻璃視窗  | 木皮飾面配玻璃視窗                 | 門鼓及門擋           |
|    |   | 工作間門   | 實心木門   | 鏡飾板連金屬框及木皮飾面              | 門鎖、門鼓及門擋        |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 5)

| Item |       | Description           |  |   |                           |
|------|-------|-----------------------|--|---|---------------------------|
|      |       |                       | Material                                 | Finishes  | Accessories               |
| a.   | Doors | Lavatory door         | Aluminium frame with tempered glass door | Aluminium frame with acid-etched tempered glass | Lockset                   |
|      |       | Store Room door       | Timber door                              | Emulsion paint                                  | Magnetic touch door catch |
|      |       | Balcony door          | Aluminium frame with glass door          | Glass and aluminium frame                       | Lockset and door stopper  |
|      |       | Utility Platform door | Aluminium frame with glass door          | Glass and aluminium frame                       | Lockset and door stopper  |
|      |       | Flat Roof door        | Aluminium frame with glass door          | Glass and aluminium frame                       | Lockset and door stopper  |
|      |       | Roof door             | Aluminium frame with glass door          | Glass and aluminium frame                       | Lockset and door stopper  |

3. 室內裝置 (第 5 座)

| 細項 |   | 描述    |           |             |       |
|----|---|-------|-----------|-------------|-------|
|    |   |       | 用料        | 裝修物料        | 配件    |
| a. | 門 | 洗手間門  | 鋁質框配鋼化玻璃門 | 鋁質框配酸蝕刻鋼化玻璃 | 門鎖    |
|    |   | 儲物房門  | 木門        | 乳膠漆飾面       | 磁石門掣  |
|    |   | 露台門   | 鋁質框配玻璃門   | 玻璃及鋁質框      | 門鎖及門擋 |
|    |   | 工作平台門 | 鋁質框配玻璃門   | 玻璃及鋁質框      | 門鎖及門擋 |
|    |   | 平台門   | 鋁質框配玻璃門   | 玻璃及鋁質框      | 門鎖及門擋 |
|    |   | 天台門   | 鋁質框配玻璃門   | 玻璃及鋁質框      | 門鎖及門擋 |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 5A)

| Item |       | Description          |  |                           |  |
|------|-------|----------------------|--|---------------------------|--|
|      |       |                      | Material   | Finishes                  | Accessories  |
| a.   | Doors | Main Entrance door   | Fire-rated solid core timber door  | Timber veneered           | Door viewer, door closer, lockset and door stopper |
|      |       | Master Bedroom door  | Solid core timber door   | Timber veneered           | Lockset and door stopper                           |
|      |       | Bedroom 2 door       | Solid core timber door   | Timber veneered           | Lockset and door stopper                           |
|      |       | Master Bathroom door | Solid core timber door with louvre<br>(Applicable to Flat A,B,D,E,F on 3/F, 5/F-12/F, 15/F-21/F, Flat A,D,E,F on 22/F)<br><br>Solid core timber door<br>(Applicable to Flat C on 3/F,5/F-12/F,15/F-20/F) | Timber veneered           | Lockset and door stopper                           |
|      |       | Bathroom 2 door      | Solid core timber door with louvre   | Timber veneered           | Lockset and door stopper                           |
|      |       | Corridor door        | Solid core timber door<br>(Applicable to Flat C on 3/F, 5/F-12/F, 15/F-20/F)   | Timber veneered           | Lockset  |
|      |       | Store Room door      | Solid core timber door   | Timber veneered           | Lockset and door stopper                           |
|      |       | Balcony door         | Aluminium frame with glass door  | Glass and aluminium frame | Lockset and door stopper                           |
|      |       | Flat Roof door       | Aluminium frame with glass door  | Glass and aluminium frame | Lockset and door stopper                           |

3. 室內裝置 (第 5A 座)

| 細項 |   | 描述     |   |        |              |
|----|---|--------|---|--------|--------------|
|    |   |        | 用料  | 裝修物料   | 配件           |
| a. | 門 | 單位大門   | 防火實心木門  | 木皮飾面   | 防盜眼、門鼓、門鎖及門擋 |
|    |   | 主人睡房門  | 實心木門  | 木皮飾面   | 門鎖及門擋        |
|    |   | 睡房 2 門 | 實心木門  | 木皮飾面   | 門鎖及門擋        |
|    |   | 主人浴室門  | 實心木門連百葉<br>(適用於 3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B、D、E、F 單位，22 樓 A、D、E、F 單位)<br><br>實心木門<br>(適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓 C 單位) | 木皮飾面   | 門鎖及門擋        |
|    |   | 浴室 2 門 | 實心木門連百葉   | 木皮飾面   | 門鎖及門擋        |
|    |   | 走廊門    | 實心木門<br>(適用於 3 樓、5 樓至 12 樓、15 樓至 20 樓 C 單位)   | 木皮飾面   | 門鎖           |
|    |   | 儲物房門   | 實心木門  | 木皮飾面   | 門鎖及門擋        |
|    |   | 露台門    | 鋁質框配玻璃門   | 玻璃及鋁質框 | 門鎖及門擋        |
|    |   | 平台門    | 鋁質框配玻璃門   | 玻璃及鋁質框 | 門鎖及門擋        |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 6)

| Item |       | Description          |   |  |  |
|------|-------|----------------------|---|--|--|
|      |       |                      | Material  | Finishes   | Accessories  |
| a.   | Doors | Main Entrance door   | Fire-rated solid core timber door   | Timber veneered  | Door viewer, door closer, lockset and door stopper |
|      |       | Master Bedroom door  | Solid core timber door  | Timber veneered  | Lockset and door stopper                           |
|      |       | Bedroom 2 door       | Solid core timber door  | Timber veneered  | Lockset and door stopper                           |
|      |       | Bedroom 3 door       | Solid core timber door  | Timber veneered  | Lockset and door stopper                           |
|      |       | Master Bathroom door | Solid core timber door with louvre<br>(Applicable to Flat A, B, C,D,E,F,G,H on 3/F,5/F-12/F,15/F-21/F, Flat A,B,E,F,G,H on 22/F-23/F)<br><br>Solid core timber door<br>(Applicable to Flat A,B on 3/F, 5/F-12/F, 15/F-21/F) | Timber veneered  | Lockset and door stopper                           |
|      |       | Bathroom 2 door      | Solid core timber door with louvre  | Timber veneered  | Lockset and door stopper                           |
|      |       | Kitchen door         | Fire-rated solid core timber door with fire-rated glass vision panel<br>(Applicable to Flat A on 22/F-23/F)<br><br>Aluminium frame with tempered glass<br>(Applicable to Flat B on 22/F-23/F)                               | Timber veneered with glass vision panel<br><br>Aluminium frame with tempered glass | Door closer and door stopper<br><br>Door stopper   |

3. 室內裝置 (第 6 座)

| 細項 |   | 描述     |   |                           |                 |
|----|---|--------|---|---------------------------|-----------------|
|    |   |        | 用料  | 裝修物料                      | 配件              |
| a. | 門 | 單位大門   | 防火實心木門  | 木皮飾面                      | 防盜眼、門鼓、門鎖及門擋    |
|    |   | 主人睡房門  | 實心木門  | 木皮飾面                      | 門鎖及門擋           |
|    |   | 睡房 2 門 | 實心木門  | 木皮飾面                      | 門鎖及門擋           |
|    |   | 睡房 3 門 | 實心木門  | 木皮飾面                      | 門鎖及門擋           |
|    |   | 主人浴室門  | 實心木門連百葉<br>(適用於 3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B、C、D、E、F、G、H 單位，22 樓至 23 樓 A、B、E、F、G、H 單位)<br><br>實心木門<br>(適用於 3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B 單位) | 木皮飾面                      | 門鎖及門擋           |
|    |   | 浴室 2 門 | 實心木門連百葉   | 木皮飾面                      | 門鎖及門擋           |
|    |   | 廚房門    | 防火實心木門配防火玻璃視窗<br>(適用於 22 樓至 23 樓 A 單位)<br><br>鋁質框配鋼化玻璃門<br>(適用於 22 樓至 23 樓 B 單位)  | 木皮飾面配玻璃視窗<br><br>鋁質框配鋼化玻璃 | 門鼓及門擋<br><br>門擋 |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings (Tower 6)

| Item |       | Description           |  |  |                                       |
|------|-------|-----------------------|--|--|---------------------------------------|
|      |       |                       | Material   | Finishes   | Accessories                           |
| a.   | Doors | Utility door          | Fire-rated solid core timber door with fire-rated glass vision panel | Timber veneered and mirror panel with vision panel | Door closer, lockset and door stopper |
|      |       | Lavatory door         | Aluminium frame with tempered glass door                             | Aluminium frame with acid-etched tempered glass    | Lockset                               |
|      |       | Store Room door       | Solid core timber door   | Timber veneered                                    | Lockset and door stopper              |
|      |       | Balcony door          | Aluminium frame with glass door                                      | Glass and aluminium frame                          | Lockset and door stopper              |
|      |       | Utility Platform door | Aluminium frame with glass door                                      | Glass and aluminium frame                          | Lockset and door stopper              |
|      |       | Flat Roof door        | Aluminium frame with glass door                                      | Glass and aluminium frame                          | Lockset and door stopper              |

3. 室內裝置 (第 6 座)

| 細項 |   | 描述    |               |               |          |
|----|---|-------|---------------|---------------|----------|
|    |   |       | 用料            | 裝修物料          | 配件       |
| a. | 門 | 工作間門  | 防火實心木門配防火玻璃視窗 | 木皮飾面及鏡飾板配玻璃視窗 | 門鼓、門鎖及門擋 |
|    |   | 洗手間門  | 鋁質框配鋼化玻璃門     | 鋁質框配酸蝕刻鋼化玻璃   | 門鎖       |
|    |   | 儲物房門  | 實心木門          | 木皮飾面          | 門鎖及門擋    |
|    |   | 露台門   | 鋁質框配玻璃門       | 玻璃及鋁質框        | 門鎖及門擋    |
|    |   | 工作平台門 | 鋁質框配玻璃門       | 玻璃及鋁質框        | 門鎖及門擋    |
|    |   | 平台門   | 鋁質框配玻璃門       | 玻璃及鋁質框        | 門鎖及門擋    |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings

| Item |           | Description  |                   |                    |  |
|------|-----------|--|-------------------|--------------------|--|
|      |           | Fittings & Equipment   |                   | Type               | Material   |
| b.   | Bathrooms | (i)<br>Type and material of fittings and equipment (if applicable)                             | Cabinet           | Basin countertop   | Natural stone  |
|      |           |  |                   | Basin cabinet      | Wooden cabinet with plastic laminate, mirror panel with stainless steel frame, stainless steel and glass panel |
|      |           |  |                   | Mirror cabinet     | Wooden cabinet with mirror panel, stainless steel, metal frame and plastic laminated finish                    |
|      |           |  | Bathroom fittings | Wash basin mixer   | Chrome plated  |
|      |           |  |                   | Water closet       | Vitreous china   |
|      |           |  |                   | Wash basin         | Vitreous china   |
|      |           |  |                   | Shower set         | Chrome plated  |
|      |           |  |                   | Shower compartment | Tempered glass   |
|      |           |  |                   | Towel bar          | Chrome plated  |
|      |           |  |                   | Paper holder       | Chrome plated  |
|      |           |  |                   | Robe hook          | Chrome plated  |
|      |           | (ii)<br>Type and material of water supply system   | Cold water supply |                    | Copper water pipes with thermal insulation   |
|      |           |  | Hot water supply  |                    | Copper water pipes with thermal insulation   |
|      |           | (iii)<br>Type and material of bathing facilities (including shower or bath tub, if applicable) | Shower            | Shower set         | Chrome plated  |
|      |           |  | Bath tub          | Bath tub           | Please see description 3b(iv) below  |

3. 室內裝置

| 細項 |    | 描述                               |      |        |                          |
|----|----|----------------------------------|------|--------|--------------------------|
|    |    | 裝置及設備                            |      | 類型     | 用料                       |
| b. | 浴室 | (i)<br>裝置及設備的類型及用料 (如適用)         | 櫃    | 洗手盆檯面  | 天然石                      |
|    |    |                                  |      | 洗手盆櫃   | 膠板、鏡飾面板連不銹鋼框、不銹鋼及玻璃飾面木製櫃 |
|    |    |                                  |      | 鏡櫃     | 鏡飾面板、不銹鋼飾面、金屬框及膠板裝飾面木製櫃  |
|    |    |                                  | 浴室裝置 | 洗手盆水龍頭 | 鍍鉻                       |
|    |    |                                  |      | 坐廁     | 瓷                        |
|    |    |                                  |      | 洗手盆    | 瓷                        |
|    |    |                                  |      | 花灑套裝   | 鍍鉻                       |
|    |    |                                  |      | 淋浴間    | 鋼化玻璃                     |
|    |    |                                  |      | 毛巾棍    | 鍍鉻                       |
|    |    |                                  |      | 廁紙架    | 鍍鉻                       |
|    |    |                                  |      | 掛勾     | 鍍鉻                       |
|    |    | (ii)<br>供水系統的類型及用料               | 冷水供應 |        | 配有隔熱層之銅喉                 |
|    |    |                                  | 熱水供應 |        | 配有隔熱層之銅喉                 |
|    |    | (iii)<br>沐浴設施類型及用料 (包括花灑或浴缸，如適用) | 花灑   | 花灑套裝   | 鍍鉻                       |
|    |    |                                  | 浴缸   | 浴缸     | 請參閱下文 3b (iv) 之描述        |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings

| Item |          | Description           |  |
|------|----------|-----------------------|--|
|      |          | Fittings & Equipment  | Size   |
| b.   | Bathroom | (iv) Size of bath tub | <u>Enameled cast-iron bathtub</u><br><u>1700mm(L) x 800mm(W) x 460mm(H)</u><br>Master Bathroom of Flat A on 3/F, 5/F-12/F, 15/F-16/F of Tower 1<br>Master Bathroom of Flat A on 3/F, 5/F-12/F, 15/F-18/F of Tower 2<br>Master Bathroom of Flat A on 3/F, 5/F-12/F, 15/F-20/F of Tower 3<br>Master Bathroom of Flat A on 3/F, 5/F-12/F, 15/F-20/F of Tower 5<br><br><u>Enameled cast-iron bathtub</u><br><u>1600mm(L) x 750mm(W) x 460mm(H)</u><br>Master Bathroom of Flat B on 3/F, 5/F-12/F, 15/F-16/F of Tower 1<br>Master Bathroom of Flat B on 3/F, 5/F-12/F, 15/F-18/F of Tower 2<br>Master Bathroom of Flat B on 3/F, 5/F-12/F, 15/F-20/F of Tower 3<br>Master Bathroom of Flat B on 3/F, 5/F-12/F, 15/F-20/F of Tower 5<br>Master Bathroom of Flat B on 21/F and Flat A on 22/F of Tower 5A<br>Master Bathroom of Flat A,B on 22/F-23/F of Tower 6<br><br><u>Enameled cast-iron bathtub</u><br><u>1500mm(L) x 750mm(W) x 460mm(H)</u><br>Bathroom 2 of Flat A,B on 3/F,5/F-12/F,15/F-16/F of Tower 1<br><br>Bathroom 2 of Flat A,B on 3/F,5/F-12/F,15/F-18/F of Tower 2<br><br>Bathroom 2 of Flat A,B on 3/F,5/F-12/F,15/F-20/F of Tower 3<br><br>Bathroom 2 of Flat A,B on 3/F,5/F-12/F,15/F-20/F of Tower 5 |

3. 室內裝置

| 細項 |    | 描述        |  |
|----|----|-----------|--|
|    |    | 裝置及設備     | 尺寸   |
| b. | 浴室 | (iv) 浴缸大小 | <u>搪瓷鑄鐵浴缸</u><br><u>1700 毫米(長) x 800 毫米(闊) x 460 毫米(高)</u><br>第 1 座 3 樓、5 樓至 12 樓、15 樓至 16 樓 A 單位主人浴室<br><br>第 2 座 3 樓、5 樓至 12 樓、15 樓至 18 樓 A 單位主人浴室<br><br>第 3 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 A 單位主人浴室<br><br>第 5 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 A 單位主人浴室<br><br><u>搪瓷鑄鐵浴缸</u><br><u>1600 毫米(長) x 750 毫米(闊) x 460 毫米(高)</u><br>第 1 座 3 樓、5 樓至 12 樓、15 樓至 16 樓 B 單位主人浴室<br><br>第 2 座 3 樓、5 樓至 12 樓、15 樓至 18 樓 B 單位主人浴室<br><br>第 3 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 B 單位主人浴室<br><br>第 5 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 B 單位主人浴室<br><br>第 5A 座 21 樓 B 單位及 22 樓 A 單位主人浴室<br><br>第 6 座 22 樓至 23 樓 A、B 單位主人浴室<br><br><u>搪瓷鑄鐵浴缸</u><br><u>1500 毫米(長) x 750 毫米(闊) x 460 毫米(高)</u><br>第 1 座 3 樓、5 樓至 12 樓、15 樓至 16 樓 A、B 單位浴室 2<br><br>第 2 座 3 樓、5 樓至 12 樓、15 樓至 18 樓 A、B 單位浴室 2<br><br>第 3 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位浴室 2<br><br>第 5 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位浴室 2 |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings

| Item |          | Description           |   |
|------|----------|-----------------------|---|
|      |          | Fittings & Equipment  | Size  |
| b.   | Bathroom | (iv) Size of bath tub | <u>Enameled cast-iron bathtub</u><br><u>1800mm(L) x 850mm(W) x 455mm(H)</u><br>Master Bathroom of Flat A on 19/F of Tower 2<br><br>Master Bathroom of Flat A on 21/F of Tower 5   |
|      |          |                       | <u>Enameled cast-iron bathtub</u><br><u>1500mm(L) x 750mm(W) x 460mm(H)</u><br>Bathroom 3 of Flat A on 17/F-18/F of Tower 1<br><br>Bathroom 3 of Flat A on 19/F-20/F of Tower 2<br><br>Bathroom 3 of Flat A on 21/F-22/F of Tower 3<br><br>Bathroom 3 of Flat A on 21/F-22/F of Tower 5           |
|      |          |                       | <u>Quaryl bathtub</u><br><u>1900mm(L) x 950mm(W) x 830mm(H) to 672mm(H)</u><br>Master Bathroom of Flat A on 17/F-18/F of Tower 1<br><br>Master Bathroom of Flat A on 20/F of Tower 2<br><br>Master Bathroom of Flat A on 21/F-22/F of Tower 3<br><br>Master Bathroom of Flat A on 22/F of Tower 5 |
|      |          |                       |   |
|      |          |                       |   |
|      |          |                       |   |
|      |          |                       |   |
|      |          |                       |   |
|      |          |                       |   |
|      |          |                       |   |
|      |          |                       |   |

3. 室內裝置

| 細項 |    | 描述        |  |
|----|----|-----------|--|
|    |    | 裝置及設備     | 尺寸   |
| b. | 浴室 | (iv) 浴缸大小 | <u>搪瓷鑄鐵浴缸</u><br><u>1800 毫米(長) x 850 毫米(闊) x 455 毫米(高)</u><br>第 2 座 19 樓 A 單位主人浴室<br><br>第 5 座 21 樓 A 單位主人浴室   |
|    |    |           | <u>搪瓷鑄鐵浴缸</u><br><u>1500 毫米(長) x 750 毫米(闊) x 460 毫米(高)</u><br>第 1 座 17 樓至 18 樓 A 單位浴室 3<br><br>第 2 座 19 樓至 20 樓 A 單位浴室 3<br><br>第 3 座 21 樓至 22 樓 A 單位浴室 3<br><br>第 5 座 21 樓至 22 樓 A 單位浴室 3 |
|    |    |           | <u>圭力浴缸</u><br><u>1900 毫米(長) x 950 毫米(闊) x 830 毫米(高) 至 672 毫米(高)</u><br>第 1 座 17 樓至 18 樓 A 單位主人浴室<br><br>第 2 座 20 樓 A 單位主人浴室<br><br>第 3 座 21 樓至 22 樓 A 單位主人浴室<br><br>第 5 座 22 樓 A 單位主人浴室   |
|    |    |           |  |
|    |    |           |  |
|    |    |           |  |
|    |    |           |  |
|    |    |           |  |
|    |    |           |  |
|    |    |           |  |
|    |    |           |  |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings

| Item |         | Description                                   |   |  |
|------|---------|---|---|--|
|      |         |   | Material  |  |
| c.   | Kitchen | (i) Sink Unit                                 | Stainless steel   |  |
|      |         | (ii) Water supply system                      | Copper water pipes with thermal insulation for cold water supply and hot water supply |  |
|      |         |   | Material  | Finishes   |
|      |         | (iii) Kitchen cabinet                         | Wooden cabinet fitted with wooden door panel  | High gloss lacquer paint panel and aluminium door panel<br>(Applicable to all flats of Tower 1,2,3,5; Flat B on 21/F of Tower 5A; Flat A on 22/F of Tower 5A; Flat A,B on 22/F-23/F of Tower 6)<br><br>High gloss lacquer paint panel and laminated glass door panel<br>(Applicable to Flat A,B,C,D,E,F on 3/F, 5/F-12/F, 15/F-20/F; Flat A,D,E,F on 21/F, Flat D,E,F on 22/F of Tower 5A)<br><br>(Applicable to Flat A,B,C,D,E,F,G,H on 3/F, 5/F-12/F, 15/F-21/F, Flat E,F,G,H on 22/F-23/F of Tower 6) |
|      |         | (iv) Type of all other fittings and equipment | Other fittings  | Chrome plated sink mixer   |
|      |         |   | Other equipment   | All units with open kitchen are fitted with the following fire services installations and equipment: sprinkler heads in the open kitchen and addressable smoke detectors with sounder base near open kitchen.  |

3. 室內裝置

| 細項 |    | 描述                |                    |   |
|----|----|-------------------|--------------------|---|
|    |    |                   | 用料                 |   |
| c. | 廚房 | (i) 洗滌盆           | 不銹鋼                |   |
|    |    | (ii) 供水系統         | 冷水喉及熱水喉均採用配有隔熱層之銅喉 |   |
|    |    |                   | 用料                 | 裝修物料  |
|    |    | (iii) 廚櫃          | 木製櫃連木門板            | 高光烤漆飾面板及鋁質門板<br>(適用於第 1、2、3、5 座所有單位；第 5A 座 21 樓 B 單位及 22 樓 A 單位；第 6 座 22 樓至 23 樓 A、B 單位)<br><br>高光烤漆飾面板及夾層玻璃飾面門板<br>(適用於第 5A 座 3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B、C、D、E、F 單位，21 樓 A、D、E、F 單位，22 樓 D、E、F 單位)<br><br>(適用於第 6 座 3 樓、5 樓至 12 樓、15 樓至 21 樓 A、B、C、D、E、F、G、H 單位，22 樓至 23 樓 E、F、G、H 單位) |
|    |    | (iv) 所有其他裝置及設備的類型 | 其他裝置               | 鍍鉻冷熱水龍頭   |
|    |    |                   | 其他設備               | 所有有開放式廚房的單位配置以下消防裝置及設備：開放式廚房內的消防花灑頭及開放式廚房附近的可定位消防蜂鳴式煙霧探測器。  |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings

| Item |                          | Description  |   |  |
|------|--------------------------|--|---|--|
|      |                          |  | Type  | Material   |
| d.   | Bedroom                  | Type and material of fittings (Including built-in wardrobe)          | Built-in wardrobe<br><br>(Applicable to Master Bedroom of Tower 1 : Flat A,B on 3/F, 5/F-12/F, 15/F-16/F; Flat A on 17/F-18/F<br>Tower 2 : Flat A,B on 3/F, 5/F-12/F, 15/F-18/F; Flat A on 19/F-20/F<br>Tower 3 : Flat A,B on 3/F, 5/F-12/F, 15/F-20/F; Flat A on 21/F-22/F<br>Tower 5 : Flat A,B on 3/F, 5/F-12/F, 15/F-20/F; Flat A on 21/F-22/F) | Wooden wardrobe with tinted glass with aluminium painted frame and handle, plastic laminate and vinyl finish (Vinyl finish not applicable to Tower 3 : Flat B on 3/F, 5/F-12/F, 15/F-20/F) |
| e.   | Telephone                | Location and number of connection points                             | Please refer to the "Schedule for Mechanical & Electrical Provisions"   |  |
| f.   | Aerials                  | Location and number of connection points                             | Please refer to the "Schedule for Mechanical & Electrical Provisions"   |  |
| g.   | Electrical installations | (i) Electrical fittings (Including safety devices)                   | Electrical fittings   | Faceplate for all switches and power sockets   |
|      |                          |  | Safety devices  | Three phases electricity supply with miniature circuit breaker distribution board is provided in all flats   |
|      |                          | (ii) Whether conduits are concealed or exposed                       | Conduits are partly concealed and partly exposed <sup>1</sup>   |  |
|      |                          | (iii) Location and number of power points and air-conditioner points | Please refer to the "Schedule for Mechanical & Electrical Provisions"   |  |
| h.   | Gas supply               | Type   | Towngas (Not applicable to Towers 5A,6)   |  |
|      |                          | System   | Gas supply pipe is provided and connected to gas hob and gas water heater for all flats (Not applicable to Towers 5A,6)   |  |
|      |                          | Location   | For the location of gas connection points, please refer to the "Schedule for Mechanical & Electrical Provisions"  |  |

Remarks:

- Other than those parts of the conduits concealed within concrete, the rest of them are exposed. The exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.
- Other than those parts of water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

3. 室內裝置

| 細項 |      | 描述                     |  |   |
|----|------|------------------------|--|---|
|    |      |                        | 類型   | 用料  |
| d. | 睡房   | 裝置 (包括嵌入式衣櫃) 的類型及用料    | 嵌入式衣櫃<br><br>(適用於以下之主人睡房:<br>第 1 座:3 樓、5 樓至 12 樓、15 樓至 16 樓 A、B 單位; 17 樓至 18 樓 A 單位<br>第 2 座:3 樓、5 樓至 12 樓、15 樓至 18 樓 A、B 單位; 19 樓至 20 樓 A 單位<br>第 3 座:3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位; 21 樓至 22 樓 A 單位<br>第 5 座:3 樓、5 樓至 12 樓、15 樓至 20 樓 A、B 單位; 21 樓至 22 樓 A 單位) | 顏色玻璃配鋁質噴漆金屬框連手柄、膠板及仿皮革飾面木製櫃 (仿皮革飾面不適用於第 3 座: 3 樓、5 樓至 12 樓、15 樓至 20 樓 B 單位) |
| e. | 電話   | 接駁點的位置及數目              | 請參考「機電裝置說明表」   |   |
| f. | 天線   | 接駁點的位置及數目              | 請參考「機電裝置說明表」   |   |
| g. | 電力裝置 | (i) 供電附件 (包括安全裝置)      | 供電附件   | 提供電制及插座之面板  |
|    |      |                        | 安全裝置   | 三相電力並裝妥微型斷路器提供於所有單位   |
|    |      | (ii) 導管是隱藏或外露          | 導管是部分隱藏及部分外露 <sup>1</sup>  |   |
|    |      | (iii) 電插座及空調機接駁點的位置及數目 | 請參閱「機電裝置說明表」   |   |
| h. | 氣體供應 | 類型                     | 煤氣 (不適用於第 5A、6 座)  |   |
|    |      | 系統                     | 所有單位的煤氣喉接駁煤氣煮食爐及煤氣熱水爐 (不適用於第 5A、6 座)   |   |
|    |      | 位置                     | 煤氣接駁點的位置請參閱「機電裝置說明表」   |   |

備註：

- 除部分隱藏於混凝土內之導管外，其他部分的導管均為外露。外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或暗藏。
- 除部分隱藏於混凝土內之水管外，其他部分的水管均為外露。外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或暗藏。



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. Interior Fittings

| Item |                                  | Description                                  |  |
|------|----------------------------------|--|--|
| i.   | Washing machine connection point | Location                                     | Please refer to the "Schedule for Mechanical & Electrical Provisions"                              |
|      |                                  | Design                                       | Drain point and water point are provided for washer dryer  |
| j.   | Water supply                     | Material of water pipes                      | Copper water pipes with thermal insulation are provided for cold water supply and hot water supply |
|      |                                  | Whether water pipes are concealed or exposed | Water pipes are partly concealed and partly exposed <sup>2</sup>                                   |
|      |                                  | Whether hot water is available               | Hot water supply to kitchen, bathroom, powder room and lavatory                                    |

Remarks:

- Other than those parts of the conduits concealed within concrete, the rest of them are exposed. The exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.
- Other than those parts of water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

3. 室內裝置

| 細項 |        | 描述       |                           |
|----|--------|----------|---------------------------|
| i. | 洗衣機接駁點 | 位置       | 請參閱「機電裝置說明表」              |
|    |        | 設計       | 設有洗衣乾衣機來、去水接駁喉位           |
| j. | 供水     | 水管的用料    | 冷水喉及熱水喉均採用配有隔熱層之銅喉        |
|    |        | 水管是隱藏或外露 | 水管是部分隱藏及部分外露 <sup>2</sup> |
|    |        | 有否熱水供應   | 廚房、浴室、化妝間及洗手間有熱水供應        |

備註：

- 除部分隱藏於混凝土內之導管外，其他部分的導管均為外露。外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或暗藏。
- 除部分隱藏於混凝土內之水管外，其他部分的水管均為外露。外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或暗藏。

## FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

## 4. Miscellaneous

| Item |                   | Description                     |  |  |
|------|-------------------|---------------------------------|--|--|
|      |                   |                                 | Residential lift   |  |
| a.   | Lifts             | (i) Brand name and model number | Brand Name   | OTIS   |
|      |                   |                                 | Model Number   | Lift No. T-L4,5,7,8,10,11,13,14 : OH5000<br>Lift No. T-L3,6,9,12,15 : ELEX<br>Lift No. T-L1,2,16,17 : GeN2-MR<br>Lift No. P-L1,2,4,5,6,7,8,9,10 : Gen2-REGEN (P-L3 is omitted)   |
|      |                   | (ii) Number of Lifts            | 26   |  |
|      |                   | (iii) Floors served by them     | Common   | Lift No. P-L7: B2/F, B1/F, G/F<br>Lift No. P-L8: B2/F, B1/F, G/F   |
|      |                   |                                 | Car Park / Retail  | Lift No. P-L4: B2/F, B1/F, G/F<br>Lift No. P-L5: B2/F, B1/F, G/F<br>Lift No. P-L9: B2/F, B1/F<br>Lift No. P-L10: B2/F, B1/F  |
|      |                   |                                 | Shuttle lift access to podium (2/F)  | Lift No. P-L1: B2/F, G/F, 2/F<br>Lift No. P-L2: B2/F, G/F, 2/F<br>Lift No. P-L6: B2/F, B1/F, G/F, 2/F  |
|      |                   |                                 | Tower  | Lift No. T-L1: 2/F-23/F (Tower 6)<br>Lift No. T-L2: 2/F-23/F (Tower 6)<br>Lift No. T-L3: 2/F-R/F (Tower 6)<br>Lift No. T-L4: 2/F-16/F (Tower 1)<br>Lift No. T-L5: 2/F-18/F (Tower 1)<br>Lift No. T-L6: 2/F-18/F (Tower 1)<br>Lift No. T-L7: 2/F-20/F (Tower 2)<br>Lift No. T-L8: 2/F-18/F (Tower 2)<br>Lift No. T-L9: 2/F-20/F (Tower 2)<br>Lift No. T-L10: 2/F-20/F (Tower 3)<br>Lift No. T-L11: 2/F-22/F (Tower 3)<br>Lift No. T-L12: 2/F-22/F (Tower 3)<br>Lift No. T-L13: 2/F-22/F (Tower 5)<br>Lift No. T-L14: 2/F-20/F (Tower 5)<br>Lift No. T-L15: 2/F-22/F (Tower 5)<br>: 2/F-R/F (Tower 5A)<br>Lift No. T-L16: 2/F-22/F (Tower 5A)<br>Lift No. T-L17: 2/F-22/F (Tower 5A) |
| b.   | Letter box        | Material                        | Stainless steel  |  |
| c.   | Refuse collection | (i) Means of refuse collection  | Collected by cleaners  |  |
|      |                   | (ii) Location of refuse room    | Refuse Storage and Material Recovery Room is provided in the common area of each residential floor. Refuse Storage and Material Recovery Chamber is provided on B1/F |  |

#### 4. 雜項

| 細項 |  | 描述             |  |   |
|----|--|----------------|--|---|
|    |  | 住宅升降機          |  |   |
| a. | 升降機  | (i) 品牌名稱及產品型號  | 品牌名稱                                   | 奧的斯   |
|    |  |                | 產品型號                                   | T-L4、5、7、8、10、11、13、14 號升降機：OH5000<br>T-L3、6、9、12、15 號升降機：ELEX<br>T-L1、2、16、17 號升降機：Gen2-MR<br>P-L1、2、4、5、6、7、8、9、10 號升降機：Gen2-REGEN (P-L3 被略去) |
|    |  | (ii) 升降機的數目    | 26                                     |   |
|    |  | (iii) 升降機到達的樓層 | 公眾                                     | P-L7 號升降機：地庫 2 層、地庫 1 層、地下<br>P-L8 號升降機：地庫 2 層、地庫 1 層、地下  |
|    |  |                | 停車場 / 商店                               | P-L4 號升降機：地庫 2 層、地庫 1 層、地下<br>P-L5 號升降機：地庫 2 層、地庫 1 層、地下<br>P-L9 號升降機：地庫 2 層、地庫 1 層<br>P-L10 號升降機：地庫 2 層、地庫 1 層                                 |
|    |  |                | 通往平台 (2 樓) 之穿梭升降機                      | P-L1 號升降機：地庫 2 層、地下、2 樓<br>P-L2 號升降機：地庫 2 層、地下、2 樓<br>P-L6 號升降機：地庫 2 層、地庫 1 層、地下、2 樓  |
| 大廈 | T-L1 號升降機：2 樓至 23 樓 (第 6 座)<br>T-L2 號升降機：2 樓至 23 樓 (第 6 座)<br>T-L3 號升降機：2 樓至天台 (第 6 座)<br>T-L4 號升降機：2 樓至 16 樓 (第 1 座)<br>T-L5 號升降機：2 樓至 18 樓 (第 1 座)<br>T-L6 號升降機：2 樓至 18 樓 (第 1 座)<br>T-L7 號升降機：2 樓至 20 樓 (第 2 座)<br>T-L8 號升降機：2 樓至 18 樓 (第 2 座)<br>T-L9 號升降機：2 樓至 20 樓 (第 2 座)<br>T-L10 號升降機：2 樓至 20 樓 (第 3 座)<br>T-L11 號升降機：2 樓至 22 樓 (第 3 座)<br>T-L12 號升降機：2 樓至 22 樓 (第 3 座)<br>T-L13 號升降機：2 樓至 22 樓 (第 5 座)<br>T-L14 號升降機：2 樓至 20 樓 (第 5 座)<br>T-L15 號升降機：2 樓至 22 樓 (第 5 座)<br>：2 樓至天台 (第 5A 座)<br>T-L16 號升降機：2 樓至 22 樓 (第 5A 座)<br>T-L17 號升降機：2 樓至 22 樓 (第 5A 座) |                |  |   |
| b. | 信箱   | 用料             | 不銹鋼                                    |   |
| c. | 垃圾收集   | (i) 垃圾收集的方法    | 由清潔工人收集垃圾                              |   |
|    |  | (ii) 垃圾房的位置    | 各住宅層之公用地方均設有垃圾及物料回收房。另垃圾及物料回收站設於地庫 1 層 |   |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

4. Miscellaneous

| Item |  | Description  |  |  |  |
|------|--|--------------|--|--|--|
|      |  |              | Water meter  | Electricity meter  | Gas meter  |
| d.   | Water meter, electricity meter and gas meter | (i) Location | <p><u>Tower 1:</u><br/>Meters for 3/F &amp; 5/F inside Water Meter Cabinet on 5/F</p> <p>Meters for 6/F &amp; 7/F inside Water Meter Cabinet on 7/F</p> <p>Meters for 8/F &amp; 9/F inside Water Meter Cabinet on 9/F</p> <p>Meters for 10/F &amp; 11/F inside Water Meter Cabinet on 11/F</p> <p>Meters for 12/F &amp; 15/F inside Water Meter Cabinet on 15/F</p> <p>Meters for 16/F,17/F &amp; 18/F inside Water Meter Cabinet on 17/F</p>  | Inside Electric Meter Room on each floor (except meters for 18/F is located on 17/F of Tower 1 & meter for 22/F is located on 21/F of Tower 3) | Inside Kitchen (Not applicable to all flats in Towers 5A, 6) |
|      |  |              | <p><u>Tower 2:</u><br/>Meters for 3/F &amp; 5/F inside Water Meter Cabinet on 5/F</p> <p>Meters for 6/F &amp; 7/F inside Water Meter Cabinet on 7/F</p> <p>Meters for 8/F &amp; 9/F inside Water Meter Cabinet on 9/F</p> <p>Meters for 10/F &amp; 11/F inside Water Meter Cabinet on 11/F</p> <p>Meters for 12/F &amp; 15/F inside Water Meter Cabinet on 15/F,</p> <p>Meters for 16/F &amp; 17/F inside Water Meter Cabinet on 17/F,</p> <p>Meters for 18/F,19/F &amp; 20/F inside Water Meter Cabinet on 19/F</p> |  |  |

4. 雜項

| 細項 |           | 描述     |   |  |                           |
|----|-----------|--------|---|--|---------------------------|
|    |           |        | 水錶  | 電錶   | 氣體錶                       |
| d. | 水錶、電錶及氣體錶 | (i) 位置 | <p><u>第 1 座:</u><br/>3 樓及 5 樓水錶設於 5 樓水錶櫃</p> <p>6 樓及 7 樓水錶設於 7 樓水錶櫃</p> <p>8 樓及 9 樓水錶設於 9 樓水錶櫃</p> <p>10 樓及 11 樓水錶設於 11 樓水錶櫃</p> <p>12 樓及 15 樓水錶設於 15 樓水錶櫃</p> <p>16 樓、17 樓及 18 樓水錶設於 17 樓水錶櫃</p>                               | 設於每層之電錶房 (除第 1 座 18 樓電錶設於第 1 座 17 樓及第 3 座 22 樓電錶設於第 3 座 21 樓外) | 設於各廚房內 (不適用於第 5A、6 座所有單位) |
|    |           |        | <p><u>第 2 座:</u><br/>3 樓及 5 樓水錶設於 5 樓水錶櫃</p> <p>6 樓及 7 樓水錶設於 7 樓水錶櫃</p> <p>8 樓及 9 樓水錶設於 9 樓水錶櫃</p> <p>10 樓及 11 樓水錶設於 11 樓水錶櫃</p> <p>12 樓及 15 樓水錶設於 15 樓水錶櫃</p> <p>16 樓及 17 樓水錶設於 17 樓水錶櫃</p> <p>18 樓、19 樓及 20 樓水錶設於 19 樓水錶櫃</p> |  |                           |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

4. Miscellaneous

| Item |  | Description  |   |   |   |
|------|--|--|---|---|---|
|      |  |  | Water meter   | Electricity meter   | Gas meter   |
| d.   | Water meter, electricity meter and gas meter | (i) Location   | <u>Tower 3:</u><br>Meter for 3/F inside Water Meter Cabinet on 3/F<br><br>Meters for 5/F & 6/F inside Water Meter Cabinet on 6/F<br>Meters for 7/F & 8/F inside Water Meter Cabinet on 8/F<br>Meters for 9/F & 10/F inside Water Meter Cabinet on 10/F<br>Meters for 11/F & 12/F inside Water Meter Cabinet on 12/F<br>Meters for 15/F & 16/F inside Water Meter Cabinet on 16/F<br>Meters for 17/F & 18/F inside Water Meter Cabinet on 18/F<br>Meters for 19/F & 20/F inside Water Meter Cabinet on 20/F<br>Meters for 21/F & 22/F inside Water Meter Cabinet on 21/F<br><br><u>Tower 5 &amp; 5A, 6:</u><br>Meters for all flats inside Water Meter Cabinet on each floor | Inside Electric Meter Room on each floor (except meter for 18/F is located on 17/F of Tower 1 & meter for 22/F is located on 21/F of Tower 3) | Inside Kitchen (Not applicable to all flats in Towers 5A,6) |
|      |  | (ii) Whether they are separate or communal meters for residential properties | Separate meter  | Separate meter  | Separate meter  |

4. 雜項

| 細項 |           | 描述                    |   |  |                           |
|----|-----------|-----------------------|---|--|---------------------------|
|    |           |                       | 水錶  | 電錶   | 氣體錶                       |
| d. | 水錶、電錶及氣體錶 | (i) 位置                | <u>第 3 座:</u><br>3 樓水錶設於 3 樓水錶櫃<br><br>5 樓及 6 樓水錶設於 6 樓水錶櫃<br><br>7 樓及 8 樓水錶設於 8 樓水錶櫃<br><br>9 樓及 10 樓水錶設於 10 樓水錶櫃<br><br>11 樓及 12 樓水錶設於 12 樓水錶櫃<br><br>15 樓及 16 樓水錶設於 16 樓水錶櫃<br><br>17 樓及 18 樓水錶設於 18 樓水錶櫃<br><br>19 樓及 20 樓水錶設於 20 樓水錶櫃<br><br>21 樓及 22 樓水錶設於 21 樓水錶櫃<br><br><br><u>第 5 和 5A、6 座:</u><br>各單位水錶設於每層之水錶櫃 | 設於每層之電錶房 (除第 1 座 18 樓電錶設於第 1 座 17 樓及第 3 座 22 樓電錶設於第 3 座 21 樓外) | 設於各廚房內 (不適用於第 5A、6 座所有單位) |
|    |           | (ii) 就住宅單位而言是獨立抑或公用的錶 | 獨立錶   | 獨立錶  | 獨立錶                       |



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

5. Security Facilities

| Item                          | Description   |  |
|-------------------------------|---|--|
| Security system and equipment | Access control and security system  | Visitor panel with access card reader are installed at G/F & 2/F residential entrance shuttle lift lobby, clubhouse and lift cars for resident access. Colour display screen video door phone is provided in all residential units |
|                               | CCTV  | CCTV cameras are provided at residential entrance lobby, roofs and all lifts connecting directly to the 2/F residential entrance lobby counter   |
|                               | Color display screen for control video door phone is connecting to 2/F residential entrance counter installed in each flat. |  |

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

5. 保安設施

| 細項      | 描述                               |  |
|---------|----------------------------------|--|
| 保安系統及設備 | 入口通道控制及保安系統                      | 地下及 2 樓住宅入口大堂、住客會所及住客升降機 裝有視像對講機及智能讀咭機。各住宅單位內裝配彩色屏幕作為訪客視像對講機操作 |
|         | 閉路電視                             | 住宅入口大堂、天台及各升降機均裝有閉路電視連接二樓住宅入口前台                                |
|         | 各住宅單位均裝配彩色屏幕控制視像對講機，連接 2 樓住宅入口前台 |  |

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 1) 設備說明表 (第 1 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|--------------|--------------|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                                   |                                      |              |                               |                     | A                       | B | A   | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                   |                                      |              | FDXS50CVMA                    | RXS50FVMA           | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
|                                   |                                      |              | FDXS60CVMA                    | RXS60FVMA           | -                       | - | -   | - | ✓            | ✓            |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | -            | -            |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | -            | -            |
|                                   |                                      |              | FTXS50EVMA8                   | RXS50FVMA           | -                       | - | -   | - | ✓            | ✓            |
| Bedroom 3<br>睡房 3                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | -            | -            |
|                                   |                                      |              | FTXS35EVMA8                   | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之( ✓ ) 符號代表 “有提供”  
上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”  
上表內之( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 1) 設備說明表 (第 1 座)

| Location<br>位置    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|--------------|--------------|
|                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                   |                                      |              |                               |                     | A                       | B | A   | B | A            | A            |
| Bedroom 4<br>睡房 4 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS35EVMA8                   | 4MXS100AA ( * )     | ✓                       |   | ✓   |   | ✓            | ✓            |
| Utility<br>工作間    | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                   |                                      |              |                               | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | ✓            | ✓            |
| Kitchen<br>廚房     | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS25FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 1) 設備說明表 (第 1 座)

| Location<br>位置 | Appliances<br>設備              | Brand<br>品牌    | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|-------------------------------|----------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                |                               |                |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                |                               |                |                               | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  | Induction Hob<br>電磁爐          | Miele          | CS 1212-1 i                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Steam Oven<br>蒸爐              | Miele          | DG6401                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Steam Combination Oven<br>蒸焗爐 | Miele          | DG6400                        | -                       | - | -   | - | ✓            | ✓            |
|                | Oven<br>焗爐                    | Miele          | H2661B                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Miele          | H6260B                        | -                       | - | -   | - | ✓            | ✓            |
|                | Wine Cellar<br>酒櫃             | Miele          | KWT 6321 UG                   | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Refrigerator<br>雪櫃            | Siemens<br>西門子 | KI34NP60HK                    | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Siemens<br>西門子 | KI26DA20FF                    | -                       | ✓ | -   | ✓ | -            | -            |
|                |                               | Miele          | KFNS 37232 iD                 | -                       | - | -   | - | ✓            | ✓            |
|                | Video Door phone<br>視像對講機     | Urmet          | Nexo                          | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Hob<br>煤氣煮食爐              | Miele          | CS 1018                       | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               | Miele          | CS 1013-1                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Cooker Hood<br>抽油煙機           | Miele          | DA 5320W                      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Dishwasher<br>洗碟機             | Miele          | G6260 SCVi                    | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Water Heater<br>煤氣熱水爐     | TGC            | TNJW221TFQL                   | ✓                       | - | ✓   | - | ✓            | ✓            |
|                | Exhaust Fan<br>抽氣扇            | Panasonic      | FV-04NU1H (For Kitchen 用於廚房)  | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               |                | FV-02NU1H (For Lobby 用於大堂)    | ✓                       | ✓ | ✓   | ✓ | -            | -            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之( ✓ ) 符號代表 “有提供”  
上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”  
上表內之( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 1) 設備說明表 (第 1 座)

| Location<br>位置                       | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                                      |                                 |                        |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                                      |                                 |                        |                               | A                       | B | A   | B | A            | A            |
| Master Bathroom<br>主人浴室              | Floor Heating System<br>地暖系統    | Danfoss                | -                             | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-05NU1H                     | ✓                       | - | ✓   | - | ✓            | ✓            |
|                                      |                                 | Panasonic              | FV-04NU1H                     | -                       | ✓ | -   | ✓ | -            | -            |
| Bathroom 2<br>浴室 2                   | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | ✓ | ✓   | ✓ | -            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Bathroom 3<br>浴室 3                   | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | -                       |   | -   |   | ✓            | -            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       |   | ✓   |   | ✓            | ✓            |
| Powder Room<br>化妝間                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     |                         |   |   |   | ✓            | ✓            |
|                                      | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          |                         |   |   |   | ✓            | ✓            |
| Lavatory<br>洗手間                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H                     | -                       | ✓ | -   | ✓ | -            | -            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-15WH308                    | ✓                       | - | ✓   | - | ✓            | ✓            |
|                                      | Gas Water Heater<br>煤氣熱水爐       | TGC                    | TNJW221TFQL                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Utility<br>工作間                       | Washer Dryer<br>洗衣乾衣機           | Miele                  | WTH 120 WPM                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Walk-in Closet<br>衣帽間                | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | ✓                       |   | ✓   |   | ✓            | ✓            |
| Living Room, Dining<br>Room<br>客廳，飯廳 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | -                       | - | -   | - | ✓            | ✓            |
|                                      | Wine Cellar<br>酒櫃               | Miele                  | KWT 1612 Vi                   | -                       | - | -   | - | ✓            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H (For Lobby 用於大堂)    | -                       | - | -   | - | ✓            | ✓            |
| Jacuzzi<br>按摩缸                       | Jacuzzi<br>按摩缸                  | Jacuzzi                | Delfi Pro                     |                         |   |   |   | ✓            |              |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之( ✓ ) 符號代表 “有提供”  
上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”  
上表內之( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 2) 設備說明表 (第 2 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|--------------|--------------|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                                   |                                      |              |                               |                     | A                       | B | A   | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                   |                                      |              | FDXS50CVMA                    | RXS50FVMA           | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
|                                   |                                      |              | FDXS60CVMA                    | RXS60FVMA           | -                       | - | -   | - | ✓            | ✓            |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | -            | -            |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | -            | -            |
|                                   |                                      |              | FTXS35EVMA8                   | 4MXS100AA ( * )     | -                       | ✓ | -   | ✓ | -            | -            |
|                                   |                                      |              | FTXS50EVMA8                   | RXS50FVMA           | -                       | - | -   | - | ✓            | -            |
|                                   |                                      |              | FTXS60EVMA8                   | RXS60FVMA           | -                       | - | -   | - | -            | ✓            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 2) 設備說明表 (第 2 座)

| Location<br>位置    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|--------------|--------------|
|                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                   |                                      |              |                               |                     | A                       | B | A   | B | A            | A            |
| Bedroom 3<br>睡房 3 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA ( * )     | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                   |                                      |              | FTXS35EVMA8                   | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | -            |
|                   |                                      |              | FTXS50EVMA8                   | 4MXS100AA ( * )     | -                       | - | -   | - | -            | ✓            |
| Bedroom 4<br>睡房 4 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS35EVMA8                   | 4MXS100AA ( * )     | ✓                       | ✓ | ✓   | ✓ | ✓            | -            |
|                   |                                      |              | FTXS50EVMA8                   | 4MXS100AA ( * )     | -                       | - | -   | - | -            | ✓            |
| Utility<br>工作間    | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                   |                                      |              |                               | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | ✓            | ✓            |
| Kitchen<br>廚房     | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS25FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 2) 設備說明表 (第 2 座)

| Location<br>位置 | Appliances<br>設備              | Brand<br>品牌    | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|-------------------------------|----------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                |                               |                |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                |                               |                |                               | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  | Induction Hob<br>電磁爐          | Miele          | CS 1212-1 i                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Steam Oven<br>蒸爐              | Miele          | DG6401                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Steam Combination Oven<br>蒸焗爐 | Miele          | DGC 6400                      | -                       | - | -   | - | ✓            | ✓            |
|                | Oven<br>焗爐                    | Miele          | H2661B                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Miele          | H6260B                        | -                       | - | -   | - | ✓            | ✓            |
|                | Wine Cellar<br>酒櫃             | Miele          | KWT 6321 UG                   | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Refrigerator<br>雪櫃            | Siemens<br>西門子 | KI34NP60HK                    | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Miele          | KFNS 37232 iD                 | -                       | - | -   | - | ✓            | ✓            |
|                | Video Door Phone<br>視像對講機     | Urmet          | Nexo                          | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Hob<br>煤氣煮食爐              | Miele          | CS 1018                       | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               | Miele          | CS 1013-1                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Cooker Hood<br>抽油煙機           | Miele          | DA 5320W                      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Dishwasher<br>洗碟機             | Miele          | G6260 SCVi                    | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Water Heater<br>煤氣熱水爐     | TGC            | TNJW221TFQL                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Exhaust Fan<br>抽氣扇            | Panasonic      | FV-04NU1H (For Kitchen 用於廚房)  | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               |                | FV-02NU1H (For Lobby 用於大堂)    | ✓                       | ✓ | ✓   | ✓ | -            | -            |

Note :

The symbol ( ✓ ) as shown in the above table denotes “Provided”.

The symbol ( - ) as shown in the above table denotes “Not provided”.

The symbol ( / ) as shown in the above table denotes ”Not applicable”.

The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註:

上表內之 ( ✓ ) 符號代表 “有提供”

上表內之 ( - ) 符號代表 “沒有提供”

上表內之 ( / ) 符號代表 “不適用”

上表內之 ( \* ) 符號代表 “共用室外機”

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 2) 設備說明表 (第 2 座)

| Location<br>位置                       | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                                      |                                 |                        |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                                      |                                 |                        |                               | A                       | B | A   | B | A            | A            |
| Master Bathroom<br>主人浴室              | Floor Heating System<br>地暖系統    | Danfoss                | -                             | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-05NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                      | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | -                       | - | -   | - | -            | ✓            |
| Bathroom 2<br>浴室 2                   | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | ✓ | ✓   | ✓ | -            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Bathroom 3<br>浴室 3                   | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | -                       | - | -   | - | ✓            | -            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Powder room<br>化妝間                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | /                       | / | /   | / | ✓            | ✓            |
|                                      | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | /                       | / | /   | / | ✓            | ✓            |
| Lavatory<br>洗手間                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H                     | -                       | ✓ | -   | ✓ | -            | -            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-15WH308                    | ✓                       | - | ✓   | - | ✓            | ✓            |
|                                      | Gas Water Heater<br>煤氣熱水爐       | TGC                    | TNJW221TFQL                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Utility<br>工作間                       | Washer Dryer<br>洗衣乾衣機           | Miele                  | WTH 120 WPM                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Walk-in Closet<br>衣帽間                | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | ✓                       | / | ✓   | / | ✓            | -            |
| Master Bedroom<br>主人睡房               | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | -                       | ✓ | -   | ✓ | -            | -            |
| Living Room, Dining<br>Room<br>客廳，飯廳 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | -                       | - | -   | - | ✓            | ✓            |
|                                      | Wine Cellar<br>酒櫃               | Miele                  | KWT 1612 Vi                   | -                       | - | -   | - | ✓            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H (For Lobby 用於大堂)    | -                       | - | -   | - | ✓            | ✓            |
| Jacuzzi<br>按摩缸                       | Jacuzzi<br>按摩缸                  | Jacuzzi                | Delfi Pro                     | /                       | / | /   | / | ✓            | /            |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之（ ✓ ）符號代表 “有提供”  
上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”  
上表內之（ \* ）符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 3) 設備說明表 (第 3 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|--------------|--------------|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                                   |                                      |              |                               |                     | A                       | B | A   | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                   |                                      |              | FDXS50CVMA                    | RXS50FVMA           | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
|                                   |                                      |              | FDXS60CVMA                    | RXS60FVMA           | -                       | - | -   | - | ✓            | ✓            |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | -            | -            |
|                                   |                                      |              | FTXS50EVMA8                   | RXS50FVMA           | -                       | - | -   | - | ✓            | ✓            |
| Bedroom 3<br>睡房 3                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | -            | -            |
|                                   |                                      |              | FTXS35EVMA8                   | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
| Bedroom 4<br>睡房 4                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS35EVMA8                   | 4MXS100AA ( * )     | ✓                       |   | ✓   |   | ✓            | ✓            |
| Utility<br>工作間                    | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | ✓            |
| Kitchen<br>廚房                     | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS25FV2C                    | 3MXS80AA            | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之( ✓ ) 符號代表 “有提供”  
上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”  
上表內之( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 3) 設備說明表 (第 3 座)

| Location<br>位置 | Appliances<br>設備              | Brand<br>品牌    | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|-------------------------------|----------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                |                               |                |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                |                               |                |                               | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  | Induction Hob<br>電磁爐          | Miele          | CS 1212-1 i                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Steam Oven<br>蒸爐              | Miele          | DG6401                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Steam Combination Oven<br>蒸焗爐 | Miele          | DGC 6400                      | -                       | - | -   | - | ✓            | ✓            |
|                | Oven<br>焗爐                    | Miele          | H2661B                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Miele          | H6260B                        | -                       | - | -   | - | ✓            | ✓            |
|                | Wine Cellar<br>酒櫃             | Miele          | KWT 6321 UG                   | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Refrigerator<br>雪櫃            | Siemens<br>西門子 | KI34NP60HK                    | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Siemens<br>西門子 | KI26DA20FF                    | -                       | ✓ | -   | ✓ | -            | -            |
|                |                               | Miele          | KFNS 37232 iD                 | -                       | - | -   | - | ✓            | ✓            |
|                | Video Door Phone<br>視像對講機     | Urmet          | Nexo                          | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Hob<br>煤氣煮食爐              | Miele          | CS 1018                       | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               | Miele          | CS 1013-1                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Cooker Hood<br>抽油煙機           | Miele          | DA 5320W                      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Dishwasher<br>洗碟機             | Miele          | G6260 SCVi                    | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Water Heater<br>煤氣熱水爐     | TGC            | TNJW221TFQL                   | ✓                       | - | ✓   | - | ✓            | ✓            |
|                | Exhaust Fan<br>抽氣扇            | Panasonic      | FV-04NU1H (For Kitchen 用於廚房)  | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               |                | FV-02NU1H (For Lobby 用於大堂)    | ✓                       | ✓ | ✓   | ✓ | -            | -            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註:  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 3) 設備說明表 (第 3 座)

| Location<br>位置                    | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                                   |                                 |                        |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                                   |                                 |                        |                               | A                       | B | A   | B | A            | A            |
| Master Bathroom<br>主人浴室           | Floor Heating System<br>地暖系統    | Danfoss                | -                             | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-05NU1H                     | ✓                       | - | ✓   | - | ✓            | ✓            |
|                                   |                                 | Panasonic              | FV-04NU1H                     | -                       | ✓ | -   | ✓ | -            | -            |
| Bathroom 2<br>浴室 2                | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | ✓ | ✓   | ✓ | -            | ✓            |
|                                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Bathroom 3<br>浴室 3                | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | -                       | / | -   | / | ✓            | -            |
|                                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | / | ✓   | / | ✓            | ✓            |
| Powder Room<br>化妝間                | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | /                       | / | /   | / | ✓            | ✓            |
|                                   | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | /                       | / | /   | / | ✓            | ✓            |
| Lavatory<br>洗手間                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H                     | -                       | ✓ | -   | ✓ | -            | -            |
|                                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-15WH308                    | ✓                       | - | ✓   | - | ✓            | ✓            |
|                                   | Gas Water Heater<br>煤氣熱水爐       | TGC                    | TNJW221TFQL                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Utility<br>工作間                    | Washer Dryer<br>洗衣乾衣機           | Miele                  | WTH 120 WPM                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Walk-in Closet<br>衣帽間             | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | /                       | / | /   | / | ✓            | ✓            |
| Master Bedroom<br>主人睡房            | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | ✓                       | - | ✓   | - | -            | -            |
| Living Room, Dining Room<br>客廳，飯廳 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | -                       | - | -   | - | ✓            | ✓            |
|                                   | Wine Cellar<br>酒櫃               | Miele                  | KWT 1612 Vi                   | -                       | - | -   | - | ✓            | ✓            |
|                                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H (For Lobby 用於大堂)    | -                       | - | -   | - | ✓            | ✓            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5) 設備說明表 (第 5 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |              |   |              |              |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|--------------|---|--------------|--------------|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-19/F<br>5 樓至 12 樓、15 樓至 19 樓 |   | 20/F<br>20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                                   |                                      |              |                               |                     | A                       | B | A   | B | A            | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓ | ✓            | ✓            |
|                                   |                                      |              | FDXS50CVMA                    | RXS50FVMA           | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓ | -            | -            |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | -                       | - | -   | - | -            | - | ✓            | ✓            |
|                                   |                                      |              | FDXS60CVMA                    | RXS60FVMA           | -                       | - | -   | - | -            | - | ✓            | ✓            |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | ✓ | -            | -            |
|                                   |                                      |              |                               | 4MXS100AA ( * )     | -                       | - | -   | - | -            | - | ✓            | ✓            |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | ✓            | - | -            | -            |
|                                   |                                      |              | FTXS25EVMA8                   | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | - | -            | -            |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA ( * )     | ✓                       | - | ✓   | - |              | - | -            | -            |
|                                   |                                      |              | FTXS35EVMA8                   | 4MXS100AA ( * )     | -                       | ✓ | -   | ✓ |              | ✓ | -            | -            |
|                                   |                                      |              | FTXS50EVMA8                   | RXS50FVMA           | -                       | - | -   | - |              | - | ✓            | -            |
|                                   |                                      |              | FTXS60EVMA8                   | RXS60FVMA           | -                       | - | -   | - |              | - | -            | ✓            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5) 設備說明表 (第 5 座)

| Location<br>位置    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|--------------|--------------|
|                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                   |                                      |              |                               |                     | A                       | B | A   | B | A            | A            |
| Bedroom 3<br>睡房 3 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA ( * )     | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                   |                                      |              | FTXS35EVMA8                   | 4MXS100AA ( * )     | -                       | - | -   | - | ✓            | -            |
|                   |                                      |              | FTXS50EVMA8                   | 4MXS100AA ( * )     | -                       | - | -   | - | -            | ✓            |
| Bedroom 4<br>睡房 4 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS35EVMA8                   | 4MXS100AA ( * )     | ✓                       | ✓ | ✓   | ✓ | ✓            | -            |
|                   |                                      |              | FTXS50EVMA8                   | 4MXS100AA ( * )     | -                       | - | -   | - | -            | ✓            |
| Utility<br>工作間    | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      | -                       | ✓ | -   | ✓ | -            | -            |
|                   |                                      |              |                               | 4MXS100AA ( * )     | ✓                       | - | ✓   | - | ✓            | ✓            |
| Kitchen<br>廚房     | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS25FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5) 設備說明表 (第 5 座)

| Location<br>位置 | Appliances<br>設備              | Brand<br>品牌    | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|-------------------------------|----------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                |                               |                |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                |                               |                |                               | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  | Induction Hob<br>電磁爐          | Miele          | CS 1212-1 i                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Steam Oven<br>蒸爐              | Miele          | DG6401                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Steam Combination Oven<br>蒸焗爐 | Miele          | DGC 6400                      | -                       | - | -   | - | ✓            | ✓            |
|                | Oven<br>焗爐                    | Miele          | H2661B                        | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Miele          | H6260B                        | -                       | - | -   | - | ✓            | ✓            |
|                | Wine Cellar<br>酒櫃             | Miele          | KWT 6321 UG                   | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                | Refrigerator<br>雪櫃            | Siemens<br>西門子 | KI34NP60HK                    | ✓                       | ✓ | ✓   | ✓ | -            | -            |
|                |                               | Miele          | KFNS 37232 iD                 | -                       | - | -   | - | ✓            | ✓            |
|                | Video Door Phone<br>視像對講機     | Urmet          | Nexo                          | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Hob<br>煤氣煮食爐              | Miele          | CS 1018                       | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               | Miele          | CS 1013-1                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Cooker Hood<br>抽油煙機           | Miele          | DA 5320W                      | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Dishwasher<br>洗碟機             | Miele          | G6260 SCVi                    | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Gas Water Heater<br>煤氣熱水爐     | TGC            | TNJW221TFQL                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                | Exhaust Fan<br>抽氣扇            | Panasonic      | FV-04NU1H (For Kitchen 用於廚房)  | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                |                               |                | FV-02NU1H (For Lobby 用於大堂)    | ✓                       | ✓ | ✓   | ✓ | -            | -            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註:  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5) 設備說明表 (第 5 座)

| Location<br>位置                       | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|--------------|--------------|
|                                      |                                 |                        |                               | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                                      |                                 |                        |                               | A                       | B | A   | B | A            | A            |
| Master Bathroom<br>主人浴室              | Floor Heating System<br>地暖系統    | Danfoss                | -                             | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-05NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                      | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | -                       | - | -   | - | -            | ✓            |
| Bathroom 2<br>浴室 2                   | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | ✓ | ✓   | ✓ | -            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Bathroom 3<br>浴室 3                   | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | -                       | - | -   | - | ✓            | -            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Powder Room<br>化妝間                   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | /                       | / | /   | / | ✓            | ✓            |
|                                      | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | /                       | / | /   | / | ✓            | ✓            |
| Lavatory<br>洗手間                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H                     | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
|                                      | Gas Water Heater<br>煤氣熱水爐       | TGC                    | TNJW221TFQL                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Utility<br>工作間                       | Washer Dryer<br>洗衣乾衣機           | Miele                  | WTH 120 WPM                   | ✓                       | ✓ | ✓   | ✓ | ✓            | ✓            |
| Walk-in Closet<br>衣帽間                | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | ✓                       | / | ✓   | / | ✓            | -            |
| Master Bedroom<br>主人睡房               | Cosmetic Cooler<br>化妝品雪櫃        | Biszet                 | b7                            | -                       | ✓ | -   | ✓ | -            | -            |
| Living Room, Dining<br>Room<br>客廳，飯廳 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | -                       | - | -   | - | ✓            | ✓            |
|                                      | Wine Cellar<br>酒櫃               | Miele                  | KWT 1602 Vi                   | -                       | - | -   | - | ✓            | ✓            |
|                                      | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-02NU1H (For Lobby 用於大堂)    | -                       | - | -   | - | ✓            | ✓            |
| Jacuzzi<br>按摩缸                       | Jacuzzi<br>按摩缸                  | Jacuzzi                | Delfi Pro                     | /                       | / | /   | / | ✓            | /            |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5A) 設備說明表 (第 5A 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|---|---|---|---|---|---|---|---|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   |   |   |   |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   |
|                                   |                                      |              |                               |                     | A                       | B | C | D | E | F | A   | B | C | D | E | F |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | ✓                       | ✓ | - | ✓ | ✓ | - | ✓   | ✓ | - | ✓ | ✓ | - |
|                                   |                                      |              | FDXS50CVMA                    | RXS50FVMA           | -                       | - | ✓ | - | - | - | -   | - | ✓ | - | - | - |
|                                   |                                      |              | FTXS50EVMA8                   |                     | -                       | - | - | - | - | ✓ | -   | - | - | - | - | ✓ |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      | ✓                       | - | - | ✓ | ✓ |   | ✓   | - | - | ✓ | ✓ |   |
|                                   |                                      |              | FTXS35EVMA8                   |                     | -                       | ✓ | - | - | - |   | -   | ✓ | - | - | - |   |
|                                   |                                      |              | CDXS50FV2C                    |                     | -                       | - | ✓ | - | - |   | -   | - | ✓ | - | - |   |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      |                         |   | ✓ |   |   |   |   |   | ✓ |   |   |   |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5A) 設備說明表 (第 5A 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |   |              |   |   |   |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|---|--------------|---|---|---|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 21/F<br>21 樓            |   |   |   |   | 22/F<br>22 樓 |   |   |   |
|                                   |                                      |              |                               |                     | A                       | B | D | E | F | A            | D | E | F |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 4MXS100AA ( * )     | -                       | ✓ | - | - | - | ✓            | - | - | - |
|                                   |                                      |              | CDXS60FV2C                    | 4MXS100AA ( * )     | ✓                       | - | ✓ | ✓ | - | -            | ✓ | ✓ | - |
|                                   |                                      |              | FTXS50EVMA8                   | RXS50FVMA           | -                       | - | - | - | ✓ | -            | - | - | - |
|                                   |                                      |              | FTXS60EVMA8                   | RXS60FVMA           | -                       | - | - | - | - | -            | - | - | ✓ |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA ( * )      | -                       | ✓ | - | - |   | ✓            | - | - |   |
|                                   |                                      |              | FTXS25EVMA8                   | 4MXS100AA ( * )     | ✓                       | - | ✓ | ✓ |   | -            | ✓ | ✓ |   |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA ( * )      |                         | ✓ |   |   |   | ✓            |   |   |   |

Note :   The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
          The symbol ( - ) as shown in the above table denotes “Not provided”.  
          The symbol ( / ) as shown in the above table denotes “Not applicable”.  
          The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
          The vendor undertakes that if lifts or appliances of the specified brand name or  
          model number are not installed in Phase, lifts or appliances of comparable quality  
          will be installed

備註：   上表內之 ( ✓ ) 符號代表 “有提供”  
          上表內之 ( - ) 符號代表 “沒有提供”  
          上表內之 ( / ) 符號代表 “不適用”  
          上表內之 ( \* ) 符號代表 “共用室外機”  
          賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或  
          設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5A) 設備說明表 (第 5A 座)

| Location<br>位置          | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|---|---|---|---|---|---|---|---|
|                         |                                 |                        |                               | 3/F<br>3 樓              |   |   |   |   |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   |
|                         |                                 |                        |                               | A                       | B | C | D | E | F | A   | B | C | D | E | F |
| Open Kitchen<br>開放式廚房   | Induction Hob<br>電磁爐            | Gaggenau               | VI230 134                     | -                       | - | - | - | - | ✓ | -   | - | - | - | - | ✓ |
|                         |                                 | Gaggenau               | CI261 113                     | ✓                       | ✓ | ✓ | ✓ | ✓ | - | ✓   | ✓ | ✓ | ✓ | ✓ | - |
|                         | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM6                          | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Video Door Phone<br>視像對講機       | Urmet                  | Nexo                          | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Steam Combination Oven<br>蒸焗爐   | Gaggenau               | BSP 250 110                   | -                       | - | ✓ | - | - | - | -   | - | ✓ | - | - | - |
|                         | Microwave Oven<br>微波爐           | Gaggenau               | BMP 225 110                   | ✓                       | - | - | - | - | ✓ | ✓   | - | - | - | - | ✓ |
|                         |                                 |                        | BMP 224 110                   | -                       | ✓ | - | - | - | - | -   | ✓ | - | - | - | - |
|                         | Wine Cellar<br>酒櫃               | Vintec                 | V20SGES3                      | ✓                       | ✓ | ✓ | ✓ | ✓ | - | ✓   | ✓ | ✓ | ✓ | ✓ | - |
|                         | Refrigerator<br>雪櫃              | Siemens<br>西門子         | KI34NP60HK                    | ✓                       | ✓ | ✓ | - | - | - | ✓   | ✓ | ✓ | - | - | - |
|                         | Cooker Hood<br>抽油煙機             | Gaggenau               | AF210 160                     | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Washer Dryer<br>洗衣乾衣機           | Siemens<br>西門子         | WK14D321HK                    | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ |
| Living Room<br>客廳       | Microwave Oven<br>微波爐           | Gaggenau               | BMP 224 110                   | -                       | - | - | ✓ | ✓ | - | -   | - | - | ✓ | ✓ | - |
|                         | Refrigerator<br>雪櫃              | Siemens<br>西門子         | KI26DA20FF                    | -                       | - | - | - | - | ✓ | -   | - | - | - | - | ✓ |
|                         |                                 |                        | KI34NP60HK                    | -                       | - | - | ✓ | ✓ | - | -   | - | - | ✓ | ✓ | - |
| Master Bathroom<br>主人浴室 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHB-E 27 SLi                  | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5A) 設備說明表 (第 5A 座)

| Location<br>位置        | Appliances<br>設備                   | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |   |              |   |   |   |
|-----------------------|------------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|---|--------------|---|---|---|
|                       |                                    |                        |                               | 21/F<br>21 樓            |   |   |   |   | 22/F<br>22 樓 |   |   |   |
|                       |                                    |                        |                               | A                       | B | D | E | F | A            | D | E | F |
| Open Kitchen<br>開放式廚房 | Induction Hob<br>電磁爐               | Gaggenau               | VI230 134                     | -                       | - | - | - | ✓ | -            | - | - | ✓ |
|                       |                                    | Gaggenau               | CI261 113                     | ✓                       | - | ✓ | ✓ | - | -            | ✓ | ✓ | - |
|                       |                                    | Miele                  | KM6115                        | -                       | ✓ | - | - | - | ✓            | - | - | - |
|                       | Electrical Water Heater<br>電熱水爐    | Stiebel Eltron<br>斯寶亞創 | DHM6                          | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓            | ✓ | ✓ | ✓ |
|                       | Video Door Phone<br>視像對講機          | Urmet                  | Nexo                          | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓            | ✓ | ✓ | ✓ |
|                       | Microwave Oven<br>微波爐              | Gaggenau               | BMP 225 110                   | ✓                       | - | - | - | ✓ | -            | - | - | ✓ |
|                       | Wine Cellar<br>酒櫃                  | Vintec                 | V20SGES3                      | ✓                       | ✓ | ✓ | ✓ | - | ✓            | ✓ | ✓ | - |
|                       | Refrigerator<br>雪櫃                 | Siemens<br>西門子         | KI34NP60HK                    | ✓                       | - | - | - | - | -            | - | - | - |
|                       |                                    | Miele                  | KFNS 37232 iD                 | -                       | ✓ | - | - | - | ✓            | - | - | - |
|                       | Cooker Hood<br>抽油煙機                | Gaggenau               | AF210 160                     | ✓                       | - | ✓ | ✓ | ✓ | -            | ✓ | ✓ | ✓ |
|                       |                                    | Miele                  | DA 3466 SPECIAL               | -                       | ✓ | - | - | - | ✓            | - | - | - |
|                       | Washer Dryer<br>洗衣乾衣機              | Siemens<br>西門子         | WK14D321HK                    | ✓                       | - | ✓ | ✓ | ✓ | -            | ✓ | ✓ | ✓ |
|                       |                                    | Miele                  | WT2798i                       | -                       | ✓ | - | - | - | ✓            | - | - | - |
|                       | Microwave Combination Oven<br>微波焗爐 | Miele                  | H 6200 BM                     | -                       | ✓ | - | - | - | ✓            | - | - | - |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之 ( ✓ ) 符號代表 “有提供”  
上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”  
上表內之 ( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 5A) 設備說明表 (第 5A 座)

| Location<br>位置          | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |   |              |   |   |   |
|-------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|---|--------------|---|---|---|
|                         |                                 |                        |                               | 21/F<br>21 樓            |   |   |   |   | 22/F<br>22 樓 |   |   |   |
|                         |                                 |                        |                               | A                       | B | D | E | F | A            | D | E | F |
| Living Room<br>客廳       | Refrigerator<br>雪櫃              | Siemens<br>西門子         | KI34NP60HK                    | -                       | - | ✓ | ✓ | ✓ | -            | ✓ | ✓ | ✓ |
|                         | Microwave Oven<br>微波爐           | Gaggenau               | BMP 224 110                   | -                       | - | ✓ | ✓ | - | -            | ✓ | ✓ | - |
| Master Bathroom<br>主人浴室 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHB-E 27 SLi                  | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓            | ✓ | ✓ | ✓ |
|                         | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | - | ✓ | ✓ | ✓ | -            | ✓ | ✓ | ✓ |
|                         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-05NU1H                     | -                       | - | - | - | - | ✓            | - | - | - |
|                         |                                 | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓ | ✓ | ✓ | -            | ✓ | ✓ | ✓ |
|                         | Floor Heating System<br>地暖系統    | Danfoss                | -                             | -                       | ✓ | - | - | - | ✓            | - | - | - |
| Bathroom 2<br>浴室 2      | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | /                       | ✓ | / | / | / | ✓            | / | / | / |
|                         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | /                       | ✓ | / | / | / | ✓            | / | / | / |
|                         | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHB-E 27 SLi                  | /                       | ✓ | / | / | / | ✓            | / | / | / |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之（ ✓ ）符號代表 “有提供”  
上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”  
上表內之（ \* ）符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 6) 設備說明表 (第 6 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 3/F<br>3 樓              |   |   |   |   |   |   |   | 5/F-12/F, 15/F-21/F<br>5 樓至 12 樓、15 樓至 21 樓 |   |   |   |   |   |   |   |
|                                   |                                      |              |                               |                     | A                       | B | C | D | E | F | G | H | A   | B | C | D | E | F | G | H |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA( * )       | -                       | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | -   | - | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                                   |                                      |              | CDXS60FV2C                    | RXS60FVMA           | ✓                       | ✓ | - | - | - | - | - | - | ✓   | ✓ | - | - | - | - | - | - |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS35FV2C                    | 3MXS80AA( * )       | -                       | ✓ | - | - | - | - | - | - | -   | ✓ | - | - | - | - | - | - |
|                                   |                                      |              |                               | 4MXS100AA( * )      | ✓                       | - | - | - | - | - | - | - | ✓   | - | - | - | - | - | - | - |
|                                   |                                      |              | FTXS25EVMA8                   | 3MXS80AA( * )       | -                       | - | ✓ | - | - | ✓ | ✓ | - | -   | - | ✓ | - | - | ✓ | ✓ | - |
|                                   |                                      |              | FTXS35EVMA8                   |                     | -                       | - | - | ✓ | ✓ | - | - | ✓ | -   | - | - | ✓ | ✓ | - | - | ✓ |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA( * )       | -                       | ✓ | / | / | / | / | / | / | -   | ✓ | / | / | / | / | / | / |
|                                   |                                      |              |                               | 4MXS100AA( * )      | ✓                       | - | / | / | / | / | / | / | ✓   | - | / | / | / | / | / | / |
| Store Room<br>儲物房                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA( * )      | ✓                       | / | / | / | / | / | / | / | ✓   | / | / | / | / | / | / | / |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之( ✓ ) 符號代表 “有提供”  
上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”  
上表內之( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 6) 設備說明表 (第 6 座)

| Location<br>位置                    | Appliances<br>設備                     | Brand<br>品牌  | Model No. (if any)<br>型號 (如有) |                     | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|-----------------------------------|--------------------------------------|--------------|-------------------------------|---------------------|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                                   |                                      |              | Indoor Unit<br>室內機            | Outdoor Unit<br>室外機 | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                                   |                                      |              |                               |                     | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Living Room, Dining Room<br>客廳，飯廳 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS50FV2C                    | 3MXS80AA( * )       | ✓                       | - | - | ✓ | ✓ | - | ✓            | - | - | - | - | - |
|                                   |                                      |              | CDXS50FV2C                    | 4MXS100AA( * )      | -                       | ✓ | ✓ | - | - | ✓ | -            | ✓ | - | - | - | - |
|                                   |                                      |              | CDXS60FV2C                    |                     | -                       | - | - | - | - | - | -            | - | ✓ | ✓ | ✓ | ✓ |
| Master Bedroom<br>主人睡房            | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA( * )       | -                       | - | - | ✓ | ✓ | - | -            | - | - | - | - | - |
|                                   |                                      |              | CDXS50FV2C                    | 4MXS100AA( * )      | ✓                       | ✓ | - | - | - | - | ✓            | ✓ | - | - | - | - |
|                                   |                                      |              | FTXS25EVMA8                   |                     | -                       | - | - | - | - | - | -            | - | ✓ | ✓ | - |   |
|                                   |                                      |              | FTXS35EVMA8                   |                     | -                       | - | ✓ | - | - | ✓ | -            | - | ✓ | - | - | - |
|                                   |                                      |              | FTXS50EVMA8                   |                     | -                       | - | - | - | - | - | -            | - | - | - | - | ✓ |
| Bedroom 2<br>睡房 2                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA( * )      | ✓                       | ✓ | / | / | / | / | ✓            | ✓ | / | / | / | / |
| Bedroom 3<br>睡房 3                 | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 4MXS100AA( * )      | ✓                       | ✓ | / | / | / | / | ✓            | ✓ | / | / | / | / |
| Kitchen<br>廚房                     | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | CDXS25FV2C                    | 3MXS80AA ( * )      | ✓                       | / | / | / | / | / | ✓            | / | / | / | / | / |
| Utility<br>工作間                    | Split Type Air-Conditioner<br>分體式冷氣機 | Daikin<br>大金 | FTXS25EVMA8                   | 3MXS80AA( * )       | ✓                       | / | / | / | / | / | ✓            | / | / | / | / | / |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.

The symbol ( - ) as shown in the above table denotes “Not provided”.

The symbol ( / ) as shown in the above table denotes “Not applicable”.

The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之( ✓ ) 符號代表 “有提供”

上表內之( - ) 符號代表 “沒有提供”

上表內之( / ) 符號代表 “不適用”

上表內之( \* ) 符號代表 “共用室外機”

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 6) 設備說明表 (第 6 座)

| Location<br>位置          | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         |                                 |                        |                               | 3/F<br>3 樓              |   |   |   |   |   |   |   | 5/F-12/F, 15/F-21/F<br>5 樓至 12 樓、15 樓至 21 樓 |   |   |   |   |   |   |   |
|                         |                                 |                        |                               | A                       | B | C | D | E | F | G | H | A   | B | C | D | E | F | G | H |
| Open Kitchen<br>開放式廚房   | Induction Hob<br>電磁爐            | Gaggenau               | CI261 113                     | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM 6                         | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Video Door Phone<br>視像對講機       | Urmet                  | Nexo                          | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Steam Combination Oven<br>蒸焗爐   | Gaggenau               | BSP 250 110                   | ✓                       | ✓ | - | - | - | - | - | - | ✓   | ✓ | - | - | - | - | - | - |
|                         | Wine Cellar<br>酒櫃               | Vintec                 | V20SGES3                      | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Refrigerator<br>雪櫃              | Siemens<br>西門子         | KI34NP60HK                    | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Cooker Hood<br>抽油煙機             | Gaggenau               | AF210 160                     | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Washer Dryer<br>洗衣乾衣機           | Siemens<br>西門子         | WK14D321HK                    | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Microwave Oven<br>微波爐           | Gaggenau               | BMP 225 110                   | -                       | - | - | ✓ | ✓ | ✓ | - | - | -   | - | - | ✓ | ✓ | ✓ | - | - |
|                         |                                 | Gaggenau               | BMP 224 110                   | -                       | - | ✓ | - | - | - | ✓ | ✓ | -   | - | ✓ | - | - | - | ✓ | ✓ |
|                         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | -                       | - | - | ✓ | - | - | - | - | -   | - | - | ✓ | - | - | - | - |
| Master Bathroom<br>主人浴室 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHB-E 27 SLi                  | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓   | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

Note :  
The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.  
The symbol ( \* ) as shown in the above table denotes “Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註：  
上表內之( ✓ ) 符號代表 “有提供”  
上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”  
上表內之( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 6) 設備說明表 (第 6 座)

| Location<br>位置                          | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|---|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|   |                                 |                        |                               | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|   |                                 |                        |                               | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Open Kitchen<br>/ Kitchen<br>開放式廚房 / 廚房 | Induction Hob<br>電磁爐            | Gaggenau               | CI261 113                     | -                       | - | ✓ | ✓ | ✓ | ✓ | -            | - | ✓ | ✓ | ✓ | ✓ |
|   |                                 | Miele                  | KM6115                        | ✓                       | ✓ | - | - | - | - | ✓            | ✓ | - | - | - | - |
|   | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHM 6                         | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓            | ✓ | ✓ | ✓ | ✓ | ✓ |
|   | Video Door Phone<br>視像對講機       | Urmet                  | Nexo                          | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓            | ✓ | ✓ | ✓ | ✓ | ✓ |
|   | Steam Oven<br>蒸爐                | Miele                  | DGC 6400                      | ✓                       | - | - | - | - | - | ✓            | - | - | - | - | - |
|   | Oven<br>焗爐                      | Miele                  | H6260B                        | ✓                       | - | - | - | - | - | ✓            | - | - | - | - | - |
|   | Wine Cellar<br>酒櫃               | Vintec                 | V20SGES3                      | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓            | ✓ | ✓ | ✓ | ✓ | ✓ |
|   | Refrigerator<br>雪櫃              | Siemens<br>西門子         | KI34NP60HK                    | -                       | - | ✓ | ✓ | ✓ | ✓ | -            | - | ✓ | ✓ | ✓ | ✓ |
|   |                                 | Miele                  | KFNS 37232 iD                 | ✓                       | ✓ | - | - | - | - | ✓            | ✓ | - | - | - | - |
|   | Cooker Hood<br>抽油煙機             | Gaggenau               | AF210 160                     | -                       | - | ✓ | ✓ | ✓ | ✓ | -            | - | ✓ | ✓ | ✓ | ✓ |
|   |                                 | Miele                  | DA 3466 SPECIAL               | ✓                       | ✓ | - | - | - | - | ✓            | ✓ | - | - | - | - |
|   | Washer Dryer<br>洗衣乾衣機           | Siemens<br>西門子         | WK14D321HK                    | -                       | - | ✓ | ✓ | ✓ | ✓ | -            | - | ✓ | ✓ | ✓ | ✓ |
|   |                                 | Miele                  | WT2798i                       | ✓                       | ✓ | - | - | - | - | ✓            | ✓ | - | - | - | - |
|   | Microwave Oven<br>微波爐           | Gaggenau               | BMP 225 110                   | -                       | - | ✓ | ✓ | - | - | -            | - | ✓ | ✓ | - | - |
|   |                                 | Gaggenau               | BMP 224 110                   | -                       | - | - | - | ✓ | ✓ | -            | - | - | - | ✓ | ✓ |
|   |                                 | Miele                  | H 6200 BM                     | -                       | ✓ | - | - | - | - | -            | ✓ | - | - | - | - |
|   | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | - | - | - | - | - | ✓            | - | - | - | - | - |

Note :

The symbol ( ✓ ) as shown in the above table denotes “Provided”.

The symbol ( - ) as shown in the above table denotes “Not provided”.

The symbol ( / ) as shown in the above table denotes ”Not applicable”.

The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註:

上表內之( ✓ ) 符號代表 “有提供”

上表內之( - ) 符號代表 “沒有提供”

上表內之( / ) 符號代表 “不適用”

上表內之( \* ) 符號代表 “共用室外機”

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

6. Appliances Schedule (Tower 6) 設備說明表 (第 6 座)

| Location<br>位置          | Appliances<br>設備                | Brand<br>品牌            | Model No. (if any)<br>型號 (如有) | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|-------------------------|---------------------------------|------------------------|-------------------------------|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                         |                                 |                        |                               | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                         |                                 |                        |                               | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Master Bathroom<br>主人浴室 | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHB-E 27 SLi                  | ✓                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓            | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | -                       | - | ✓ | ✓ | ✓ | ✓ | -            | - | ✓ | ✓ | ✓ | ✓ |
|                         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-05NU1H                     | ✓                       | - | - | - | - | - | ✓            | - | - | - | - | - |
|                         |                                 | Panasonic              | FV-04NU1H                     | -                       | ✓ | ✓ | ✓ | ✓ | ✓ | -            | ✓ | ✓ | ✓ | ✓ | ✓ |
|                         | Floor Heating System<br>地暖系統    | Danfoss                | -                             | ✓                       | ✓ | - | - | - | - | ✓            | ✓ | - | - | - | - |
| Bathroom 2<br>浴室 2      | Dehumidifier<br>抽濕機             | Cold Magic<br>高美       | CDH-22R2B                     | ✓                       | ✓ | / | / | / | / | ✓            | ✓ | / | / | / | / |
|                         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | ✓ | / | / | / | / | ✓            | ✓ | / | / | / | / |
|                         | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHB-E 27 SLi                  | ✓                       | ✓ | / | / | / | / | ✓            | ✓ | / | / | / | / |
| Lavatory<br>洗手間         | Exhaust Fan<br>抽氣扇              | Panasonic              | FV-04NU1H                     | ✓                       | / | / | / | / | / | ✓            | / | / | / | / | / |
|                         | Electrical Water Heater<br>電熱水爐 | Stiebel Eltron<br>斯寶亞創 | DHB-E 27 SLi                  | ✓                       | / | / | / | / | / | ✓            | / | / | / | / | / |

Note : The symbol ( ✓ ) as shown in the above table denotes “Provided”.  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.  
The symbol ( \* ) as shown in the above table denotes ”Multiple type outdoor unit ”.  
The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in Phase, lifts or appliances of comparable quality will be installed

備註： 上表內之( ✓ ) 符號代表 “有提供”  
上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”  
上表內之( \* ) 符號代表 “共用室外機”  
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置                    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                                   |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                                   |  |  | A                       | B | A   | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | 2                       | 2 | 2   | 2 | -            | -            |
|                                   | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                                   | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 6            | 6            |
|                                   | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                                   | 1 Gang 2 Way Lighting Switch<br>單位兩控燈掣                   |  | 1                       | - | 1   | - | 1            | 2            |
|                                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                                   | TV and FM Outlet<br>電視及電台天線插座                            |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Telephone Outlet<br>電話插座                                 |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Single Socket Outlet<br>單位插座                             |  | 2                       | 1 | 2   | 1 | 7            | 7            |
|                                   | Twin Socket Outlet<br>雙位插座                               |  | 6                       | 6 | 6   | 6 | 5            | 5            |
|                                   | Lighting Point<br>燈位                                     |  | 8                       | 7 | 8   | 7 | 16           | 22           |
|                                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 1                       | 1 | 1   | 1 | 4            | 6            |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣                           | 2                       | 2 | 2   | 2 | 4            | 4            |
|                                   |  | Socket Outlet for Wine Cellar<br>酒櫃插座                  | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Electrical Water Heater<br>電熱水爐開關掣            |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣                 |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Lobby Exhaust Fan<br>大堂抽氣扇接線座      | -                       | - | -   | - | 1            | 1            |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
                 The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：    上表內之 ( - ) 符號代表 “沒有提供”  
                 上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置         | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                        |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                        |  |  | A                       | B | A   | B | A            | A            |
| Lobby<br>大堂            | Lighting Point<br>燈位                                     |  | 4                       | 4 | 4   | 4 | 4            | 4            |
|                        | Single Socket Outlet<br>單位插座                             |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座   | 1                       | 1 | 1   | 1 | 1            | 1            |
| Master Bedroom<br>主人睡房 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                        | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | 1                       | - | 1   | - | -            | -            |
|                        | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                        | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | -                       | 1 | -   | 1 | -            | -            |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Telephone Outlet<br>電話插座                                 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Single Socket Outlet<br>單位插座                             |  | 1                       | 1 | 1   | 1 | 3            | 3            |
|                        |  | Single Socket Outlet<br>單位插座                 | -                       | 1 | -   | 1 | -            | -            |
|                        | Twin Socket Outlet<br>雙位插座                               |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                        |  | Switch for A/C Unit<br>冷氣開關掣                 | 1                       | 1 | 1   | 1 | 2            | 2            |
|                        | Lighting Point<br>燈位                                     |  | 2                       | 2 | 2   | 2 | 2            | 2            |
|                        | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        |  | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座 | -                       | 1 | -   | 1 | -            | -            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置        | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                       |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                       |  |  | A                       | B | A   | B | A            | A            |
| Walk-in Closet<br>衣帽間 | Lighting Point<br>燈位                                     |  | 3                       |   | 3   |   | 3            | 3            |
|                       | Single Socket Outlet<br>單位插座                             |  | 1                       |   | 1   |   | 1            | 1            |
|                       |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座 | 1                       |   | 1   |   | 1            | 1            |
|                       |  | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座 | 1                       |   | 1   |   | 1            | 1            |
| Bedroom 2<br>睡房 2     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 2            | 2            |
|                       | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                       | TV and FM Outlet<br>電視及電台天線插座                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Telephone Outlet<br>電話插座                                 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Single Socket Outlet<br>單位插座                             |  | -                       | - | -   | - | 2            | 1            |
|                       | Twin Socket Outlet<br>雙位插座                               |  | 2                       | 2 | 2   | 2 | 3            | 4            |
|                       | Switch for A/C Unit<br>冷氣開關掣                             |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Lighting Point<br>燈位                                     |  | 1                       | 1 | 1   | 1 | 2            | 2            |
|                       | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | -                       | - | -   | - | 2            | 2            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                   |  |                          | A                       | B | A   | B | A            | A            |
| Bedroom 3<br>睡房 3 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       | - | -   | - | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | 2   | 2 | 1            | 1            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       | - | -   | - | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                   |  |                          | A                       | B | A   | B | A            | A            |
| Bedroom 4<br>睡房 4 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |                          | 1                       |   | 1   |   | -            | -            |
|                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | -                       |   | -   |   | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       |   | 1   |   | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       |   | 1   |   | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       |   | -   |   | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       |   | 2   |   | 1            | 1            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       |   | 1   |   | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 2                       |   | 2   |   | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       |   | -   |   | 1            | 1            |
| Kitchen<br>廚房     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |                          | 2                       | 2 | 2   | 2 | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 3                       | 3 | 3   | 3 | 3            | 3            |
|                   | Switch for Exhaust Fan<br>抽氣扇開關掣                         |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 7                       | 7 | 7   | 7 | 6            | 6            |
|                   | Door Bell<br>門鐘  |                          | 1                       | 1 | 1   | 1 | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置 | Exposed Type<br>外露型                      | Non-exposed Type<br>非外露型                             | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                |  |  | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  |  | Socket Outlet for Refrigerator<br>雪櫃插座               | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Socket Outlet for Wine Cellar<br>酒櫃插座                | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Socket Outlet for Dishwasher<br>洗碟機插座                | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Steam Oven<br>蒸爐接線座              | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Connection Unit for Steam Combination Oven<br>蒸焗爐接線座 | -                       | - | -   | - | 1            | 1            |
|                |  | Connection Unit for Oven<br>焗爐接線座                    | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座           | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Gas Hob<br>煤氣煮食爐接線座              | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Gas Connection Point for Gas Hob<br>煤氣煮食爐接駁點         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Induction Hob<br>電磁爐接線座          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Switch for A/C Unit<br>冷氣開關掣                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座            | 1                       | 1 | 1   | 1 | 1            | 1            |
|                | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣 |  | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Fused Spur Unit for lobby Exhaust Fan<br>大堂抽氣扇接線座    | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座     | 1                       | - | 1   | - | 1            | 1            |
|                |  | Single Socket Outlet<br>單位插座                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | TV/FM Outlet<br>電視/電台天線座                             | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座  | 1                       | 1 | 1   | 1 | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置  | Exposed Type<br>外露型   | Non-exposed Type<br>非外露型                         | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------|---|--|-------------------------|---|---|---|--------------|--------------|
|                 |   |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                 |   |  | A                       | B | A   | B | A            | A            |
| Utility<br>工作間  | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | TV/FM Outlet<br>電視/電台天線座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Single Socket Outlet<br>單位插座                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Twin Socket Outlet<br>雙位插座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for A/C Unit<br>冷氣開關掣                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 2                       | 1 | 2   | 1 | 2            | 2            |
|                 | Distribution Board<br>配電箱   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                         |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Water Point and Drainage Point<br>for Washer Dryer<br>洗衣乾衣機來去水接駁點 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Gas Water Heater<br>煤氣熱水爐電源開關掣                         |  | 3                       | 2 | 3   | 2 | 3            | 3            |
|                 | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣           |  | 1                       | 1 | 1   | 1 | 1            | 1            |
| Lavatory<br>洗手間 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Exhaust Fan<br>抽氣扇開關掣                                  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座        | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座 | 2                       | 2 | 2   | 2 | 2            | 2            |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之( - ) 符號代表 “沒有提供”  
              上表內之( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置          | Exposed Type<br>外露型                        | Non-exposed Type<br>非外露型                                   | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                         |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                         |  |  | A                       | B | A   | B | A            | A            |
| Master Bathroom<br>主人浴室 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣     |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣     |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣           |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Lighting Point<br>燈位                       |  | 9                       | 9 | 9   | 9 | 8            | 8            |
|                         | Single Socket Outlet<br>單位插座               |  | 2                       | 2 | 2   | 2 | 2            | 2            |
|                         | USB Socket Outlet<br>USB 插座                |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Switch for Floor Heating System<br>地暖系統開關掣 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座   | 2                       | 1 | 2   | 1 | 1            | 1            |
|                         |  | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣    | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Floor Heating System<br>地暖系統接線座        | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Temperature Controller for Floor Heating System<br>地暖系統溫度掣 | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Single Socket Outlet<br>單位插座                               | 1                       | - | 1   | - | 1            | 1            |
|                         |  | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座             | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Fused Spur Unit<br>接線座                     |  | 1                       | 1 | 1   | 1 | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置     | Exposed Type<br>外露型                                     | Non-exposed Type<br>非外露型                                | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------|---|---|-------------------------|---|---|---|--------------|--------------|
|                    |   |   | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                    |   |   | A                       | B | A   | B | A            | A            |
| Bathroom 2<br>浴室 2 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                  |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣                        |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣                       |   | 1                       | 1 | 1   | 1 | -            | 1            |
|                    | Lighting Point<br>燈位                                    |   | 6                       | 6 | 6   | 6 | 4            | 4            |
|                    | Single Socket Outlet<br>單位插座                            |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | 1                       | 1 | 1   | 1 | -            | 1            |
|                    |   | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                                  |   | -                       | - | -   | - | 1            | 1            |
| Bathroom 3<br>浴室 3 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                  |   | 1                       |   | 1   |   | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣                        |   | 1                       |   | 1   |   | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣                       |   | -                       |   | -   |   | 1            | -            |
|                    | Lighting Point<br>燈位                                    |   | 4                       |   | 4   |   | 6            | 6            |
|                    | Single Socket Outlet<br>單位插座                            |   | 1                       |   | 1   |   | 1            | 1            |
|                    | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 |   | 1                       |   | 1   |   | -            | -            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       |   | 1   |   | 1            | 1            |
|                    |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | -                       |   | -   |   | 1            | -            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       |   | 1   |   | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                                  |   | -                       |   | -   |   | 1            | 1            |
|                    |   | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | -                       |   | -   |   | 1            | 1            |
|                    |   |   |                         |   |   |   |              |              |

Note :  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：  
上表內之（ - ）符號代表“沒有提供”  
上表內之（ / ）符號代表“不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置           | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |    |   |   |              |              |
|--------------------------|---|--|-------------------------|----|---|---|--------------|--------------|
|                          |   |  | 3/F<br>3 樓              |    | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                          |   |  | A                       | B  | A   | B | A            | A            |
| Powder Room<br>化妝間       | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  |                         |    |   |   | 1            | 1            |
|                          | Switch for Exhaust Fan<br>抽氣扇開關掣              |  |                         |    |   |   | 1            | 1            |
|                          | Lighting Point<br>燈位                          |  |                         |    |   |   | 2            | 2            |
|                          | Single Socket Outlet<br>單位插座                  |  |                         |    |   |   | 1            | 1            |
|                          | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  |                         |    |   |   | 1            | 1            |
|                          |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座              |                         |    |   |   | 1            | 1            |
|                          |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 |                         |    |   |   | 1            | 1            |
|                          |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             |                         |    |   |   | 1            | 1            |
|                          | Fused Spur Unit<br>接線座                        |  |                         |    |   |   | 1            | 1            |
| Flat Roof<br>平台          | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |  | -                       | -  |   |   | 2            |              |
|                          | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  | 1                       | 2  |   |   | -            |              |
|                          | Lighting Point<br>燈位                          |  | 5                       | 15 |   |   | 6            |              |
|                          | Waterproof Single Socket Outlet<br>防水單位插座     |  | 1                       | 2  |   |   | 4            |              |
| Balcony<br>露台            | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |  | 1                       |    | 1   | 1 |              |              |
|                          | Lighting Point<br>燈位                          |  | 1                       |    | 1   | 1 |              |              |
| Utility Platform<br>工作平台 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |  |                         |    | 1   | 1 | 1            | 1            |
|                          | Lighting Point<br>燈位                          |  |                         |    | 1   | 1 | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 1) 機電裝置說明表 (第 1 座)

| Location<br>位置    | Exposed Type<br>外露型                       | Non-exposed Type<br>非外露型       | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|---|--------------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |   |                                | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-16/F<br>5 樓至 12 樓、15 樓至 16 樓 |   | 17/F<br>17 樓 | 18/F<br>18 樓 |
|                   |   |                                | A                       | B | A   | B | A            | A            |
| Jacuzzi<br>按摩池    | Switch for Jacuzzi<br>按摩池開關掣              |                                |                         |   |   |   | 1            |              |
|                   |   | Isolator for Jacuzzi<br>按摩池開關掣 |                         |   |   |   | 1            |              |
|                   | Lighting Point<br>燈位                      |                                |                         |   |   |   | 3            |              |
| Roof<br>天台        | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣    |                                |                         |   |   |   |              | 1            |
|                   | Lighting Point<br>燈位                      |                                |                         |   |   |   |              | 15           |
|                   | Waterproof Single Socket Outlet<br>防水單位插座 |                                |                         |   |   |   |              | 3            |
| Store Room<br>儲物房 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                |                         |   |   |   |              | 1            |
|                   | Lighting Point<br>燈位                      |                                |                         |   |   |   |              | 1            |
|                   | Single Socket Outlet<br>單位插座              |                                |                         |   |   |   |              | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表“沒有提供”  
上表內之（ / ）符號代表“不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置                    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                                   |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                                   |  |  | A                       | B | A   | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | 2                       | 2 | 2   | 2 | -            | -            |
|                                   | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                                   | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 6            | 6            |
|                                   | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                                   | 1 Gang 2 Way Lighting Switch<br>單位兩控燈掣                   |  | 1                       | 1 | 1   | 1 | 1            | 2            |
|                                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                                   | TV and FM Outlet<br>電視及電台天線插座                            |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Telephone Outlet<br>電話插座                                 |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Single Socket Outlet<br>單位插座                             |  | 2                       | 1 | 2   | 1 | 7            | 7            |
|                                   | Twin Socket Outlet<br>雙位插座                               |  | 6                       | 6 | 6   | 6 | 4            | 5            |
|                                   | Lighting Point<br>燈位                                     |  | 8                       | 8 | 8   | 8 | 16           | 22           |
|                                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 1                       | 1 | 1   | 1 | 5            | 6            |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣                           | 2                       | 2 | 2   | 2 | 4            | 4            |
|                                   |  | Socket Outlet for Wine Cellar<br>酒櫃插座                  | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Electrical Water Heater<br>電熱水爐開關掣            |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣                 |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Lobby Exhaust Fan<br>大堂抽氣扇接線座      | -                       | - | -   | - | 1            | 1            |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之( - ) 符號代表 “沒有提供”  
              上表內之( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置         | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                        |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                        |  |  | A                       | B | A   | B | A            | A            |
| Lobby<br>大堂            | Lighting Point<br>燈位                                     |  | 4                       | 4 | 4   | 4 | 4            | 4            |
|                        | Single Socket Outlet<br>單位插座                             |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座   | 1                       | 1 | 1   | 1 | 1            | 1            |
| Master Bedroom<br>主人睡房 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | -                       | - | -   | - | 1            | -            |
|                        | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | 1                       | - | 1   | - | -            | -            |
|                        | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 1            | 2            |
|                        | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | -                       | 1 | -   | 1 | -            | -            |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Telephone Outlet<br>電話插座                                 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Single Socket Outlet<br>單位插座                             |  | 1                       | - | 1   | - | 3            | 2            |
|                        | Twin Socket Outlet<br>雙位插座                               |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                        |  | Switch for A/C Unit<br>冷氣開關掣                 | 1                       | 1 | 1   | 1 | 2            | 2            |
|                        | Lighting Point<br>燈位                                     |  | 2                       | 2 | 2   | 2 | 5            | 1            |
|                        | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 2                       | 1 | 2   | 1 | 1            | 1            |
|                        |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座 | -                       | 1 | -   | 1 | -            | -            |
|                        |  | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座 | -                       | 1 | -   | 1 | -            | -            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置        | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                                 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                       |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                       |  |  | A                       | B | A   | B | A            | A            |
| Walk-in Closet<br>衣帽間 | Lighting Point<br>燈位                                     |  | 3                       |   | 3   |   | 3            | 3            |
|                       | Single Socket Outlet<br>單位插座                             |  | 1                       |   | 1   |   | 1            | 2            |
|                       |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座             | 1                       |   | 1   |   | 1            | -            |
|                       |  | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座             | 1                       |   | 1   |   | 1            | 1            |
|                       |  | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 | -                       |   | -   |   | -            | 1            |
| Bedroom 2<br>睡房 2     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 2            | 2            |
|                       | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                       | TV and FM Outlet<br>電視及電台天線插座                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Telephone Outlet<br>電話插座                                 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Single Socket Outlet<br>單位插座                             |  | -                       | - | -   | - | 2            | 2            |
|                       | Twin Socket Outlet<br>雙位插座                               |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                       | Switch for A/C Unit<br>冷氣開關掣                             |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Lighting Point<br>燈位                                     |  | 1                       | 1 | 1   | 1 | 2            | 2            |
|                       | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | -                       | - | -   | - | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                   |  |                          | A                       | B | A   | B | A            | A            |
| Bedroom 3<br>睡房 3 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       | - | -   | - | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | 2   | 2 | 2            | 2            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       | - | -   | - | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                   |  |                          | A                       | B | A   | B | A            | A            |
| Bedroom 4<br>睡房 4 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |                          | 1                       | 1 | 1   | 1 | -            | -            |
|                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | -                       | - | -   | - | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       | - | -   | - | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | 2   | 2 | 2            | 2            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 2                       | 2 | 2   | 2 | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       | - | -   | - | 1            | 1            |
| Kitchen<br>廚房     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |                          | 2                       | 2 | 2   | 2 | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 3                       | 3 | 3   | 3 | 3            | 3            |
|                   | Switch for Exhaust Fan<br>抽氣扇開關掣                         |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 7                       | 7 | 7   | 7 | 6            | 6            |
|                   | Door Bell<br>門鐘  |                          | 1                       | 1 | 1   | 1 | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置 | Exposed Type<br>外露型                      | Non-exposed Type<br>非外露型                             | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                |  |  | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  |  | Socket Outlet for Refrigerator<br>雪櫃插座               | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Socket Outlet for Wine Cellar<br>酒櫃插座                | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Socket Outlet for Dishwasher<br>洗碟機插座                | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Steam Oven<br>蒸爐接線座              | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Connection Unit for Steam Combination Oven<br>蒸焗爐接線座 | -                       | - | -   | - | 1            | 1            |
|                |  | Connection Unit for Oven<br>焗爐接線座                    | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座           | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Gas Hob<br>煤氣煮食爐接線座              | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Gas Connection Point for Gas Hob<br>煤氣煮食爐接駁點         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Induction Hob<br>電磁爐接線座          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Switch for A/C Unit<br>冷氣開關掣                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座            | 1                       | 1 | 1   | 1 | 1            | 1            |
|                | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣 |  | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Fused Spur Unit for lobby Exhaust Fan<br>大堂抽氣扇接線座    | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座     | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Single Socket Outlet<br>單位插座                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | TV/FM Outlet<br>電視/電台天線座                             | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座  | 1                       | 1 | 1   | 1 | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置  | Exposed Type<br>外露型   | Non-exposed Type<br>非外露型                         | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------|---|--|-------------------------|---|---|---|--------------|--------------|
|                 |   |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                 |   |  | A                       | B | A   | B | A            | A            |
| Utility<br>工作間  | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | TV/FM Outlet<br>電視/電台天線座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Single Socket Outlet<br>單位插座                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Twin Socket Outlet<br>雙位插座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for A/C Unit<br>冷氣開關掣                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 1                       | 2 | 1   | 2 | 1            | 1            |
|                 | Distribution Board<br>配電箱   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                         |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Water Point and Drainage Point<br>for Washer Dryer<br>洗衣乾衣機來去水接駁點 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Gas Water Heater<br>煤氣熱水爐電源開關掣                         |  | 3                       | 3 | 3   | 3 | 3            | 3            |
|                 | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣           |  | 1                       | 1 | 1   | 1 | 1            | 1            |
| Lavatory<br>洗手間 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Exhaust Fan<br>抽氣扇開關掣                                  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座        | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座 | 2                       | 2 | 2   | 2 | 2            | 2            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置          | Exposed Type<br>外露型                        | Non-exposed Type<br>非外露型                                   | Flat Applicable<br>適用單位 |    |   |    |              |              |
|-------------------------|--|--|-------------------------|----|---|----|--------------|--------------|
|                         |  |  | 3/F<br>3 樓              |    | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |    | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                         |  |  | A                       | B  | A   | B  | A            | A            |
| Master Bathroom<br>主人浴室 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣     |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣     |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣      |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣           |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Lighting Point<br>燈位                       |  | 9                       | 10 | 9   | 10 | 10           | 8            |
|                         | Single Socket Outlet<br>單位插座               |  | 2                       | 2  | 2   | 2  | 2            | 2            |
|                         | USB Socket Outlet<br>USB 插座                |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Switch for Floor Heating System<br>地暖系統開關掣 |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座   | 2                       | 2  | 2   | 2  | 2            | 1            |
|                         |  | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣    | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Floor Heating System<br>地暖系統接線座        | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Temperature Controller for Floor Heating System<br>地暖系統溫度掣 | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Single Socket Outlet<br>單位插座                               | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座             | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座               | -                       | -  | -   | -  | -            | 1            |
|                         |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Fused Spur Unit<br>接線座                     |  | 1                       | 1  | 1   | 1  | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置     | Exposed Type<br>外露型                    | Non-exposed Type<br>非外露型                                | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------|--|---|-------------------------|---|---|---|--------------|--------------|
|                    |  |   | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                    |  |   | A                       | B | A   | B | A            | A            |
| Bathroom 2<br>浴室 2 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣 |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣       |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣      |   | 1                       | 1 | 1   | 1 | -            | 1            |
|                    | Lighting Point<br>燈位                   |   | 6                       | 6 | 6   | 6 | 4            | 3            |
|                    | Single Socket Outlet<br>單位插座           |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |  | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | 1                       | 1 | 1   | 1 | -            | 1            |
|                    |  | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                 |   | -                       | - | -   | - | 1            | 1            |

Note :  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：  
上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置     | Exposed Type<br>外露型                                     | Non-exposed Type<br>非外露型                                | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------|---|---|-------------------------|---|---|---|--------------|--------------|
|                    |   |   | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                    |   |   | A                       | B | A   | B | A            | A            |
| Bathroom 3<br>浴室 3 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                  |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣                        |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣                       |   | -                       | - | -   | - | 1            | -            |
|                    | Lighting Point<br>燈位                                    |   | 4                       | 4 | 4   | 4 | 6            | 6            |
|                    | Single Socket Outlet<br>單位插座                            |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 |   | 1                       | 1 | 1   | 1 | -            | -            |
|                    |   | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | -                       | - | -   | - | 1            | 1            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | -                       | - | -   | - | 1            | -            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                                  |   | -                       | - | -   | - | 1            | 1            |
| Powder Room<br>化妝間 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                  |   | /                       | / | /   | / | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣                        |   | /                       | / | /   | / | 1            | 1            |
|                    | Lighting Point<br>燈位                                    |   | /                       | / | /   | / | 2            | 2            |
|                    | Single Socket Outlet<br>單位插座                            |   | /                       | / | /   | / | 1            | 1            |
|                    | Switch for Electrical Water Heater<br>電熱水爐開關掣           |   | /                       | / | /   | / | 1            | 1            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | /                       | / | /   | / | 1            | 1            |
|                    |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座  | /                       | / | /   | / | 1            | 1            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | /                       | / | /   | / | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                                  |   | /                       | / | /   | / | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 2) 機電裝置說明表 (第 2 座)

| Location<br>位置           | Exposed Type<br>外露型                       | Non-exposed Type<br>非外露型       | Flat Applicable<br>適用單位 |    |   |   |              |              |
|--------------------------|---|--------------------------------|-------------------------|----|---|---|--------------|--------------|
|                          |   |                                | 3/F<br>3 樓              |    | 5/F-12/F, 15/F-18/F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 19/F<br>19 樓 | 20/F<br>20 樓 |
|                          |   |                                | A                       | B  | A   | B | A            | A            |
| Flat Roof<br>平台          | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣    |                                | 2                       | 2  |   |   | -            |              |
|                          | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                | -                       | -  |   |   | 2            |              |
|                          | Lighting Point<br>燈位                      |                                | 20                      | 23 |   |   | 6            |              |
|                          | Waterproof Single Socket Outlet<br>防水單位插座 |                                | 2                       | 2  |   |   | 4            |              |
| Balcony<br>露台            | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                |                         |    | 1   | 1 |              |              |
|                          | Lighting Point<br>燈位                      |                                |                         |    | 1   | 1 |              |              |
| Utility Platform<br>工作平台 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                |                         |    | 1   | 1 | 1            | 1            |
|                          | Lighting Point<br>燈位                      |                                |                         |    | 1   | 1 | 1            | 1            |
| Store Room<br>儲物房        | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                |                         |    |   |   |              | 1            |
|                          | Lighting Point<br>燈位                      |                                |                         |    |   |   |              | 1            |
|                          | Single Socket Outlet<br>單位插座              |                                |                         |    |   |   |              | 1            |
| Jacuzzi<br>按摩池           | Switch for Jacuzzi<br>按摩池開關掣              |                                |                         |    |   |   | 1            |              |
|                          |   | Isolator for Jacuzzi<br>按摩池開關掣 |                         |    |   |   | 1            |              |
|                          | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                |                         |    |   |   | 1            |              |
|                          | Lighting Point<br>燈位                      |                                |                         |    |   |   | 3            |              |
| Roof<br>天台               | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣    |                                |                         |    |   |   |              | 1            |
|                          | Lighting Point<br>燈位                      |                                |                         |    |   |   |              | 17           |
|                          | Waterproof Single Socket Outlet<br>防水單位插座 |                                |                         |    |   |   |              | 3            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置                    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                                   |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                                   |  |  | A                       | B | A   | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | 2                       | 2 | 2   | 2 | -            | -            |
|                                   | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                                   | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 6            | 6            |
|                                   | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                                   | 1 Gang 2 Way Lighting Switch<br>單位兩控燈掣                   |  | -                       | - | -   | - | 1            | 2            |
|                                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                                   | TV and FM Outlet<br>電視及電台天線插座                            |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Telephone Outlet<br>電話插座                                 |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Single Socket Outlet<br>單位插座                             |  | 1                       | 1 | 1   | 1 | 7            | 8            |
|                                   | Twin Socket Outlet<br>雙位插座                               |  | 6                       | 6 | 6   | 6 | 5            | 5            |
|                                   | Lighting Point<br>燈位                                     |  | 8                       | 7 | 8   | 7 | 21           | 23           |
|                                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 1                       | 1 | 1   | 1 | 4            | 6            |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣                           | 2                       | 2 | 2   | 2 | 4            | 6            |
|                                   |  | Socket Outlet for Wine Cellar<br>酒櫃插座                  | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Electrical Water Heater<br>電熱水爐開關掣            |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣                 |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Lobby Exhaust Fan<br>大堂抽氣扇接線座      | -                       | - | -   | - | 1            | 1            |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：    上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置         | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                        |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                        |  |  | A                       | B | A   | B | A            | A            |
| Lobby<br>大堂            | Lighting Point<br>燈位                                     |  | 4                       | 4 | 4   | 4 | 4            | 4            |
|                        | Single Socket Outlet<br>單位插座                             |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座   | 1                       | 1 | 1   | 1 | 1            | 1            |
| Master Bedroom<br>主人睡房 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                        | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                        | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Telephone Outlet<br>電話插座                                 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Single Socket Outlet<br>單位插座                             |  | -                       | 1 | -   | 1 | 2            | 2            |
|                        |  | Single Socket Outlet<br>單位插座                 | -                       | 1 | -   | 1 | -            | -            |
|                        | Twin Socket Outlet<br>雙位插座                               |  | 2                       | 2 | 2   | 2 | 3            | 4            |
|                        |  | Switch for A/C Unit<br>冷氣開關掣                 | 1                       | 1 | 1   | 1 | 2            | 2            |
|                        | Lighting Point<br>燈位                                     |  | 2                       | 2 | 2   | 2 | 2            | 2            |
|                        | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座 | 1                       | - | 1   | - | -            | -            |
|                        |  | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座 | 1                       | 1 | 1   | 1 | -            | -            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置        | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                       |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                       |  |  | A                       | B | A   | B | A            | A            |
| Walk-in Closet<br>衣帽間 | Lighting Point<br>燈位                                     |  | /                       | / | /   | / | 3            | 3            |
|                       | Single Socket Outlet<br>單位插座                             |  | /                       | / | /   | / | 1            | 1            |
|                       |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座 | /                       | / | /   | / | 1            | 1            |
|                       |  | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座 | /                       | / | /   | / | 1            | 1            |
| Bedroom 2<br>睡房 2     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 2            | 2            |
|                       | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                       | TV and FM Outlet<br>電視及電台天線插座                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Telephone Outlet<br>電話插座                                 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Single Socket Outlet<br>單位插座                             |  | 1                       | - | 1   | - | 2            | 1            |
|                       | Twin Socket Outlet<br>雙位插座                               |  | 1                       | 2 | 1   | 2 | 3            | 4            |
|                       | Switch for A/C Unit<br>冷氣開關掣                             |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                       | Lighting Point<br>燈位                                     |  | 1                       | 1 | 1   | 1 | 2            | 2            |
|                       | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | -                       | - | -   | - | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                   |  |                          | A                       | B | A   | B | A            | A            |
| Bedroom 3<br>睡房 3 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       | - | -   | - | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | 2   | 2 | 1            | 1            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       | - | -   | - | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                   |  |                          | A                       | B | A   | B | A            | A            |
| Bedroom 4<br>睡房 4 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |                          | 1                       |   | 1   |   | -            | -            |
|                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | -                       |   | -   |   | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       |   | 1   |   | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       |   | 1   |   | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       |   | -   |   | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       |   | 2   |   | 1            | 1            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       |   | 1   |   | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 2                       |   | 2   |   | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       |   | -   |   | 1            | 1            |
| Kitchen<br>廚房     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |                          | 2                       | 2 | 2   | 2 | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 3                       | 3 | 3   | 3 | 3            | 3            |
|                   | Switch for Exhaust Fan<br>抽氣扇開關掣                         |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 7                       | 6 | 7   | 6 | 6            | 6            |
|                   | Door Bell<br>門鐘  |                          | 1                       | 1 | 1   | 1 | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置 | Exposed Type<br>外露型                      | Non-exposed Type<br>非外露型                             | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                |  |  | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  |  | Socket Outlet for Refrigerator<br>雪櫃插座               | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Socket Outlet for Wine Cellar<br>酒櫃插座                | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Socket Outlet for Dishwasher<br>洗碟機插座                | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Steam Oven<br>蒸爐接線座              | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Connection Unit for Steam Combination Oven<br>蒸焗爐接線座 | -                       | - | -   | - | 1            | 1            |
|                |  | Connection Unit for Oven<br>焗爐接線座                    | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座           | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Gas Hob<br>煤氣煮食爐接線座              | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Gas Connection Point for Gas Hob<br>煤氣煮食爐接駁點         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Induction Hob<br>電磁爐接線座          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Switch for A/C Unit<br>冷氣開關掣                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座            | 1                       | 1 | 1   | 1 | 1            | 1            |
|                | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣 |  | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Fused Spur Unit for lobby Exhaust Fan<br>大堂抽氣扇接線座    | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座     | 1                       | - | 1   | - | 1            | 1            |
|                |  | Single Socket Outlet<br>單位插座                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | TV/FM Outlet<br>電視/電台天線座                             | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座  | 1                       | 1 | 1   | 1 | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置  | Exposed Type<br>外露型   | Non-exposed Type<br>非外露型                         | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------|---|--|-------------------------|---|---|---|--------------|--------------|
|                 |   |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                 |   |  | A                       | B | A   | B | A            | A            |
| Utility<br>工作間  | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | TV/FM Outlet<br>電視/電台天線座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Single Socket Outlet<br>單位插座                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Twin Socket Outlet<br>雙位插座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for A/C Unit<br>冷氣開關掣                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 2                       | 1 | 2   | 1 | 2            | 2            |
|                 | Distribution Board<br>配電箱   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                         |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Water Point and Drainage Point<br>for Washer Dryer<br>洗衣乾衣機來去水接駁點 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Gas Water Heater<br>煤氣熱水爐電源開關掣                         |  | 3                       | 2 | 3   | 2 | 3            | 3            |
|                 | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣           |  | 1                       | 1 | 1   | 1 | 1            | 1            |
| Lavatory<br>洗手間 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Exhaust Fan<br>抽氣扇開關掣                                  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座        | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座 | 2                       | 2 | 2   | 2 | 2            | 2            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置          | Exposed Type<br>外露型                        | Non-exposed Type<br>非外露型                                   | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                         |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                         |  |  | A                       | B | A   | B | A            | A            |
| Master Bathroom<br>主人浴室 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣     |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣     |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣           |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Lighting Point<br>燈位                       |  | 9                       | 9 | 9   | 9 | 8            | 8            |
|                         | Single Socket Outlet<br>單位插座               |  | 2                       | 2 | 2   | 2 | 2            | 2            |
|                         | USB Socket Outlet<br>USB 插座                |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Switch for Floor Heating System<br>地暖系統開關掣 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座   | 2                       | 1 | 2   | 1 | 1            | 1            |
|                         |  | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣    | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Floor Heating System<br>地暖系統接線座        | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Temperature Controller for Floor Heating System<br>地暖系統溫度掣 | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Single Socket Outlet<br>單位插座                               | 1                       | - | 1   | - | 1            | 1            |
|                         |  | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座             | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | 1                       | 1 | 1   | 1 | 1            | 1            |
|                         | Fused Spur Unit<br>接線座                     |  | 1                       | 1 | 1   | 1 | 1            | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置     | Exposed Type<br>外露型                    | Non-exposed Type<br>非外露型                                | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------|--|---|-------------------------|---|---|---|--------------|--------------|
|                    |  |   | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                    |  |   | A                       | B | A   | B | A            | A            |
| Bathroom 2<br>浴室 2 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣 |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣       |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣      |   | 1                       | 1 | 1   | 1 | -            | 1            |
|                    | Lighting Point<br>燈位                   |   | 6                       | 6 | 6   | 6 | 4            | 4            |
|                    | Single Socket Outlet<br>單位插座           |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |  | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | 1                       | 1 | 1   | 1 | -            | 1            |
|                    |  | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                 |   | -                       | - | -   | - | 1            | 1            |
| Bathroom 3<br>浴室 3 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣 |   | 1                       |   | 1   |   | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣       |   | 1                       |   | 1   |   | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣      |   | -                       |   | -   |   | 1            | -            |
|                    | Lighting Point<br>燈位                   |   | 4                       |   | 4   |   | 6            | 6            |
|                    | Single Socket Outlet<br>單位插座           |   | 1                       |   | 1   |   | 1            | 1            |
|                    |  | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | 1                       |   | 1   |   | 1            | 1            |
|                    |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       |   | 1   |   | 1            | 1            |
|                    |  | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | -                       |   | -   |   | 1            | -            |
|                    |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       |   | 1   |   | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                 |   | -                       |   | -   |   | 1            | 1            |

Note :  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：  
上表內之（ - ）符號代表“沒有提供”  
上表內之（ / ）符號代表“不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置     | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |    |   |   |              |              |
|--------------------|---|--|-------------------------|----|---|---|--------------|--------------|
|                    |   |  | 3/F<br>3 樓              |    | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                    |   |  | A                       | B  | A   | B | A            | A            |
| Powder Room<br>化妝間 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  |                         |    |   |   | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣              |  |                         |    |   |   | 1            | 1            |
|                    | Lighting Point<br>燈位                          |  |                         |    |   |   | 2            | 2            |
|                    | Single Socket Outlet<br>單位插座                  |  |                         |    |   |   | 1            | 1            |
|                    | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  |                         |    |   |   | 1            | 1            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座              |                         |    |   |   | 1            | 1            |
|                    |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 |                         |    |   |   | 1            | 1            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             |                         |    |   |   | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                        |  |                         |    |   |   | 1            | 1            |
| Flat Roof<br>平台    | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |  | -                       | -  |   |   | 2            |              |
|                    | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  | 2                       | 2  |   |   | -            |              |
|                    | Lighting Point<br>燈位                          |  | 14                      | 19 |   |   | 10           |              |
|                    | Waterproof Single Socket Outlet<br>防水單位插座     |  | 2                       | 2  |   |   | 4            |              |
| Balcony<br>露台      | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |  |                         |    | 1   | 1 |              |              |
|                    | Lighting Point<br>燈位                          |  |                         |    | 1   | 1 |              |              |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 3) 機電裝置說明表 (第 3 座)

| Location<br>位置           | Exposed Type<br>外露型                       | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------------|---|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                          |   |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                          |   |                          | A                       | B | A   | B | A            | A            |
| Utility Platform<br>工作平台 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                          |                         |   | 1   | 1 | 1            | 1            |
|                          | Lighting Point<br>燈位                      |                          |                         |   | 1   | 1 | 1            | 1            |
| Roof<br>天台               | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣    |                          |                         |   |   |   |              | 1            |
|                          | Lighting Point<br>燈位                      |                          |                         |   |   |   |              | 17           |
|                          | Waterproof Single Socket Outlet<br>防水單位插座 |                          |                         |   |   |   |              | 3            |
| Store Room<br>儲物房        | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                          |                         |   |   |   |              | 1            |
|                          | Lighting Point<br>燈位                      |                          |                         |   |   |   |              | 1            |
|                          | Single Socket Outlet<br>單位插座              |                          |                         |   |   |   |              | 1            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置                    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                                   |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                                   |  |  | A                       | B | A   | B | A            | A            |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | 2                       | 2 | 2   | 2 | -            | -            |
|                                   | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                                   | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 6            | 6            |
|                                   | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | 1                       | 1 | 1   | 1 | -            | -            |
|                                   | 1 Gang 2 Way Lighting Switch<br>單位兩控燈掣                   |  | 1                       | - | 1   | - | 1            | 2            |
|                                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |  | -                       | - | -   | - | 1            | 1            |
|                                   | TV and FM Outlet<br>電視及電台天線插座                            |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Telephone Outlet<br>電話插座                                 |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                                   | Single Socket Outlet<br>單位插座                             |  | 2                       | 1 | 2   | 1 | 6            | 7            |
|                                   | Twin Socket Outlet<br>雙位插座                               |  | 6                       | 6 | 6   | 6 | 4            | 4            |
|                                   | Lighting Point<br>燈位                                     |  | 8                       | 8 | 8   | 8 | 16           | 22           |
|                                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 1                       | 1 | 1   | 1 | 4            | 6            |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣                           | 2                       | 2 | 2   | 2 | 4            | 4            |
|                                   |  | Socket Outlet for Wine Cellar<br>酒櫃插座                  | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Electrical Water Heater<br>電熱水爐開關掣            |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             | -                       | - | -   | - | 1            | 1            |
|                                   | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣                 |  | -                       | - | -   | - | 1            | 1            |
|                                   |  | Fused Spur Unit for Lobby Exhaust Fan<br>大堂抽氣扇接線座      | -                       | - | -   | - | 1            | 1            |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之（ - ）符號代表 “沒有提供”  
              上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置         | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                     | Flat Applicable<br>適用單位 |   |   |   |              |              |
|------------------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                        |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                        |  |  | A                       | B | A   | B | A            | A            |
| Lobby<br>大堂            | Lighting Point<br>燈位                                     |  | 4                       | 4 | 4   | 4 | 4            | 4            |
|                        | Single Socket Outlet<br>單位插座                             |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座   | 1                       | 1 | 1   | 1 | 1            | 1            |
| Master Bedroom<br>主人睡房 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | -                       | - | -   | - | 1            | -            |
|                        | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | 1                       | - | 1   | - | -            | -            |
|                        | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -                       | - | -   | - | 1            | 2            |
|                        | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | -                       | 1 | -   | 1 | -            | -            |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Telephone Outlet<br>電話插座                                 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        | Single Socket Outlet<br>單位插座                             |  | 1                       | - | 1   | - | 3            | 1            |
|                        | Twin Socket Outlet<br>雙位插座                               |  | 2                       | 2 | 2   | 2 | 3            | 3            |
|                        |  | Switch for A/C Unit<br>冷氣開關掣                 | 1                       | 1 | 1   | 1 | 2            | 2            |
|                        | Lighting Point<br>燈位                                     |  | 2                       | 2 | 2   | 2 | 4            | 1            |
|                        | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                        |  | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座 | -                       | 1 | -   | 1 | -            | -            |
|                        |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座 | -                       | 1 | -   | 1 | -            | -            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置        | Exposed Type<br>外露型   | Non-exposed Type<br>非外露型                                 | Flat Applicable<br>適用單位 |   |   |   |              |   |              |              |
|-----------------------|---|--|-------------------------|---|---|---|--------------|---|--------------|--------------|
|                       |   |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-19/F<br>5 樓至 12 樓、15 樓至 19 樓 |   | 20/F<br>20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                       |   |  | A                       | B | A   | B | A            | B | A            | A            |
| Walk-in Closet<br>衣帽間 | Single Socket Outlet<br>單位插座                                |  | 1                       | / | 1   | / | 1            | / | 1            | 2            |
|                       | Lighting Point<br>燈位  |  | 3                       | / | 3   | / | 3            | / | 3            | 3            |
|                       |   | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座             | 1                       | / | 1   | / | 1            | / | 1            | -            |
|                       |   | Fused Spur Unit for Wardrobe Light<br>衣櫃燈接線座             | 1                       | / | 1   | / | 1            | / | 1            | 1            |
|                       |   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 | -                       | / | -   | / | -            | / | -            | 1            |
| Bedroom 2<br>睡房 2     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                      |  | -                       | - | -   | - | /            | - | 2            | 2            |
|                       | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                      |  | 1                       | 1 | 1   | 1 | /            | 1 | -            | -            |
|                       | TV and FM Outlet<br>電視及電台天線插座                               |  | 1                       | 1 | 1   | 1 | /            | 1 | 1            | 1            |
|                       | Telephone Outlet<br>電話插座                                    |  | 1                       | 1 | 1   | 1 | /            | 1 | 1            | 1            |
|                       | Single Socket Outlet<br>單位插座                                |  | -                       | - | -   | - | /            | - | 2            | 2            |
|                       | Twin Socket Outlet<br>雙位插座                                  |  | 2                       | 2 | 2   | 2 | /            | 2 | 3            | 3            |
|                       | Switch for A/C Unit<br>冷氣開關掣                                |  | 1                       | 1 | 1   | 1 | /            | 1 | 1            | 1            |
|                       | Lighting Point<br>燈位  |  | 1                       | 1 | 1   | 1 | /            | 1 | 2            | 2            |
|                       | Fused Spur Unit for Electrical Window<br>Curtain<br>電動窗簾接線座 |  | -                       | - | -   | - | /            | - | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|---|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                   |  |                          | A                       | B | A   | B | A            | A            |
| Bedroom 3<br>睡房 3 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       | - | -   | - | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | 2   | 2 | 2            | 2            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       | - | -   | - | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |  |   |              |              |
|-------------------|--|--------------------------|-------------------------|---|--|---|--------------|--------------|
|                   |  |                          | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20F<br>5 樓至 12 樓、15 樓至 18 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                   |  |                          | A                       | B | A  | B | A            | A            |
| Bedroom 4<br>睡房 4 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |                          | 1                       | 1 | 1  | 1 | -            | -            |
|                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | -                       | - | -  | - | 1            | 1            |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       | 1 | 1  | 1 | 1            | 1            |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | 1  | 1 | 1            | 1            |
|                   | Single Socket Outlet<br>單位插座                             |                          | -                       | - | -  | - | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | 2  | 2 | 2            | 2            |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | 1  | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 2                       | 2 | 2  | 2 | 1            | 1            |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | -                       | - | -  | - | 1            | 1            |
| Kitchen<br>廚房     | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |                          | 2                       | 2 | 2  | 2 | 2            | 2            |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 3                       | 3 | 3  | 3 | 3            | 3            |
|                   | Single Socket Outlet<br>單位插座                             |                          | 1                       | 1 | 1  | 1 | -            | -            |
|                   | Switch for Exhaust Fan<br>抽氣扇開關掣                         |                          | 1                       | 1 | 1  | 1 | 1            | 1            |
|                   | Lighting Point<br>燈位                                     |                          | 8                       | 8 | 8  | 8 | 5            | 5            |
|                   | Door Bell<br>門鐘  |                          | 1                       | 1 | 1  | 1 | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置 | Exposed Type<br>外露型                      | Non-exposed Type<br>非外露型                             | Flat Applicable<br>適用單位 |   |   |   |              |              |
|----------------|--|--|-------------------------|---|---|---|--------------|--------------|
|                |  |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                |  |  | A                       | B | A   | B | A            | A            |
| Kitchen<br>廚房  |  | Socket Outlet for Refrigerator<br>雪櫃插座               | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Socket Outlet for Wine Cellar<br>酒櫃插座                | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Socket Outlet for Dishwasher<br>洗碟機插座                | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Steam Oven<br>蒸爐接線座              | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Connection Unit for Steam Combination Oven<br>蒸焗爐接線座 | -                       | - | -   | - | 1            | 1            |
|                |  | Connection Unit for Oven<br>焗爐接線座                    | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座           | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Gas Hob<br>煤氣煮食爐接線座              | 2                       | 2 | 2   | 2 | 2            | 2            |
|                |  | Gas Connection Point for Gas Hob<br>煤氣煮食爐接駁點         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Connection Unit for Induction Hob<br>電磁爐接線座          | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Switch for A/C Unit<br>冷氣開關掣                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座            | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座     | 2                       | 1 | 2   | 1 | 2            | 2            |
|                |  | Single Socket Outlet<br>單位插座                         | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | TV/FM Outlet<br>電視/電台天線座                             | 1                       | 1 | 1   | 1 | 1            | 1            |
|                |  | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                | Switch for Lobby Exhaust Fan<br>大堂抽氣扇開關掣 |  | 1                       | 1 | 1   | 1 | -            | -            |
|                |  | Fused Spur Unit for Lobby Exhaust Fan<br>大堂抽氣扇接線座    | 1                       | 1 | 1   | 1 | -            | -            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower5) 機電裝置說明表 (第 5 座)

| Location<br>位置  | Exposed Type<br>外露型   | Non-exposed Type<br>非外露型                         | Flat Applicable<br>適用單位 |   |   |   |              |              |
|-----------------|---|--|-------------------------|---|---|---|--------------|--------------|
|                 |   |  | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                 |   |  | A                       | B | A   | B | A            | A            |
| Utility<br>工作間  | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | TV/FM Outlet<br>電視/電台天線座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Single Socket Outlet<br>單位插座                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Twin Socket Outlet<br>雙位插座  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for A/C Unit<br>冷氣開關掣                                      |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Distribution Board<br>配電箱   |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                         |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Water Point and Drainage Point<br>for Washer Dryer<br>洗衣乾衣機來去水接駁點 |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Gas Water Heater<br>煤氣熱水爐電源開關掣                         |  | 3                       | 3 | 3   | 3 | 3            | 3            |
|                 | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣           |  | 1                       | 1 | 1   | 1 | 1            | 1            |
| Lavatory<br>洗手間 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                            |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Lighting Point<br>燈位  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 | Switch for Exhaust Fan<br>抽氣扇開關掣                                  |  | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座        | 1                       | 1 | 1   | 1 | 1            | 1            |
|                 |   | Fused Spur Unit for Gas Water Heater<br>煤氣熱水爐接線座 | 1                       | 2 | 1   | 2 | 1            | 1            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置          | Exposed Type<br>外露型                        | Non-exposed Type<br>非外露型                                   | Flat Applicable<br>適用單位 |    |   |    |              |              |
|-------------------------|--|--|-------------------------|----|---|----|--------------|--------------|
|                         |  |  | 3/F<br>3 樓              |    | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |    | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                         |  |  | A                       | B  | A   | B  | A            | A            |
| Master Bathroom<br>主人浴室 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣     |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣     |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣      |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣           |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Lighting Point<br>燈位                       |  | 9                       | 10 | 9   | 10 | 10           | 8            |
|                         | Single Socket Outlet<br>單位插座               |  | 2                       | 2  | 2   | 2  | 2            | 2            |
|                         | USB Socket Outlet<br>USB 插座                |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Switch for Floor Heating System<br>地暖系統開關掣 |  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座   | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣    | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Floor Heating System<br>地暖系統接線座        | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Temperature Controller for Floor Heating System<br>地暖系統溫度掣 | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Single Socket Outlet<br>單位插座                               | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座             | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Socket Outlet for Cosmetic Cooler<br>化妝品雪櫃插座               | -                       | -  | -   | -  | -            | 1            |
|                         |  | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | 1                       | 1  | 1   | 1  | 1            | 1            |
|                         | Fused Spur Unit<br>接線座                     |  | 1                       | 1  | 1   | 1  | 1            | 1            |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之（ - ）符號代表 “沒有提供”  
              上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置     | Exposed Type<br>外露型                                     | Non-exposed Type<br>非外露型                                | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------|---|---|-------------------------|---|---|---|--------------|--------------|
|                    |   |   | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                    |   |   | A                       | B | A   | B | A            | A            |
| Bathroom 2<br>浴室 2 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                  |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣                        |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣                       |   | 1                       | 1 | 1   | 1 | -            | 1            |
|                    | Lighting Point<br>燈位                                    |   | 6                       | 6 | 6   | 6 | 5            | 3            |
|                    | Single Socket Outlet<br>單位插座                            |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | 1                       | 1 | 1   | 1 | -            | 1            |
|                    |   | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | 1                       | 1 | 1   | 1 | 1            | -            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                                  |   | -                       | - | -   | - | 1            | 1            |
| Bathroom 3<br>浴室 3 | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 |   | -                       | - | -   | - | -            | 1            |
|                    | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                  |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣                        |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Switch for Dehumidifier<br>抽濕機開關掣                       |   | -                       | - | -   | - | 1            | -            |
|                    | Lighting Point<br>燈位                                    |   | 4                       | 4 | 4   | 4 | 6            | 5            |
|                    | Single Socket Outlet<br>單位插座                            |   | 1                       | 1 | 1   | 1 | 1            | 1            |
|                    | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 |   | 1                       | 1 | 1   | 1 | -            | -            |

Note :  
The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：  
上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置     | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                                | Flat Applicable<br>適用單位 |    |   |   |              |              |
|--------------------|---|---|-------------------------|----|---|---|--------------|--------------|
|                    |   |   | 3/F<br>3 樓              |    | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                    |   |   | A                       | B  | A   | B | A            | A            |
| Bathroom 3<br>浴室 3 |   | Temperature Controller for Gas Water Heater<br>煤氣熱水爐溫度掣 | -                       | -  | -   | - | 1            | 1            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | 1                       | 1  | 1   | 1 | 1            | 1            |
|                    |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座              | -                       | -  | -   | - | 1            | -            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | 1                       | 1  | 1   | 1 | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                        |   | -                       | -  | -   | - | 1            | 1            |
| Powder Room<br>化妝間 | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |   | /                       | /  | /   | / | 1            | 1            |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣              |   | /                       | /  | /   | / | 1            | 1            |
|                    | Lighting Point<br>燈位                          |   | /                       | /  | /   | / | 2            | 2            |
|                    | Single Socket Outlet<br>單位插座                  |   | /                       | /  | /   | / | 1            | 1            |
|                    | Switch for Electrical Water Heater<br>電熱水爐開關掣 |   | /                       | /  | /   | / | 1            | 1            |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座               | /                       | /  | /   | / | 1            | 1            |
|                    |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座  | /                       | /  | /   | / | 1            | 1            |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座              | /                       | /  | /   | / | 1            | 1            |
|                    | Fused Spur Unit<br>接線座                        |   | /                       | /  | /   | / | 1            | 1            |
| Flat Roof<br>平台    | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |   | /                       | -  | /   | / | 2            | /            |
|                    | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |   | /                       | 2  | /   | / | -            | /            |
|                    | Lighting Point<br>燈位                          |   | /                       | 19 | /   | / | 5            | /            |
|                    | Waterproof Single Socket Outlet<br>防水單位插座     |   | /                       | 2  | /   | / | 4            | /            |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5) 機電裝置說明表 (第 5 座)

| Location<br>位置           | Exposed Type<br>外露型                       | Non-exposed Type<br>非外露型       | Flat Applicable<br>適用單位 |   |   |   |              |              |
|--------------------------|---|--------------------------------|-------------------------|---|---|---|--------------|--------------|
|                          |   |                                | 3/F<br>3 樓              |   | 5/F-12/F, 15/F-20/F<br>5 樓至 12 樓、15 樓至 20 樓 |   | 21/F<br>21 樓 | 22/F<br>22 樓 |
|                          |   |                                | A                       | B | A   | B | A            | A            |
| Balcony<br>露台            | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                | 1                       |   | 1   | 1 |              |              |
|                          | Lighting Point<br>燈位                      |                                | 1                       |   | 1   | 1 |              |              |
| Utility Platform<br>工作平台 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                | 1                       |   | 1   | 1 | 1            | 1            |
|                          | Lighting Point<br>燈位                      |                                | 1                       |   | 1   | 1 | 1            | 1            |
| Jacuzzi<br>按摩池           | Switch for Jacuzzi<br>按摩池開關掣              |                                |                         |   |   |   | 1            |              |
|                          |   | Isolator for Jacuzzi<br>按摩池開關掣 |                         |   |   |   | 1            |              |
|                          | Lighting Point<br>燈位                      |                                |                         |   |   |   | 3            |              |
| Store Room<br>儲物房        | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |                                |                         |   |   |   |              | 1            |
|                          | Lighting Point<br>燈位                      |                                |                         |   |   |   |              | 1            |
|                          | Single Socket Outlet<br>單位插座              |                                |                         |   |   |   |              | 1            |
| Roof<br>天台               | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣    |                                |                         |   |   |   |              | 1            |
|                          | Lighting Point<br>燈位                      |                                |                         |   |   |   |              | 18           |
|                          | Waterproof Single Socket Outlet<br>防水單位插座 |                                |                         |   |   |   |              | 3            |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置                    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                   | Flat Applicable<br>適用單位                              |   |   |   |   |   |              |   |   |   |   |
|-----------------------------------|--|--|--|---|---|---|---|---|--------------|---|---|---|---|
|                                   |  |  | 3/F, 5/F-12/F, 15/F-20/F<br>3 樓、5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   | 21/F<br>21 樓 |   |   |   |   |
|                                   |  |  | A  | B | C | D | E | F | A            | B | D | E | F |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |  | 2  | 2 | 2 | - | - | - | 2            | 2 | - | - | - |
|                                   | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |  | -  | - | - | 1 | 1 | - | -            | - | 1 | 1 | - |
|                                   | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |  | -  | - | - | - | - | - | -            | 1 | - | - | - |
|                                   | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |  | -  | - | - | - | - | 1 | -            | - | - | - | 1 |
|                                   | Lighting Point<br>燈位                                     |  | 4  | 4 | 6 | 4 | 4 | 3 | 4            | 5 | 4 | 4 | 3 |
|                                   | TV and FM Outlet<br>電視及電台天線插座                            |  | 1  | 1 | 2 | 1 | 1 | 1 | 1            | 2 | 1 | 1 | 1 |
|                                   | Telephone Outlet<br>電話插座                                 |  | 1  | 1 | 2 | 1 | 1 | 1 | 1            | 2 | 1 | 1 | 1 |
|                                   | Single Socket Outlet<br>單位插座                             |  | 1  | 1 | 2 | 1 | 1 | - | 1            | 1 | 1 | 1 | - |
|                                   | Twin Socket Outlet<br>雙位插座                               |  | 3  | 3 | 4 | 2 | 2 | 3 | 3            | 3 | 2 | 2 | 3 |
|                                   | Switch for A/C Unit<br>冷氣開關掣                             |  | -  | - | - | - | - | 1 | -            | - | - | - | 1 |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣               | 1  | 1 | 1 | 1 | 1 | - | 1            | 2 | 1 | 1 | - |
|                                   |  | Distribution Board<br>配電箱                  | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                                   | Door Bell<br>門鐘  |  | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                                   |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座 | 1  | 1 | 1 | - | - | - | 1            | 1 | - | - | - |
|                                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |  | -  | - | - | - | - | - | -            | 2 | - | - | - |
|                                   |  | Socket Outlet for Refrigerator<br>雪櫃插座     | -  | - | - | 1 | 1 | 1 | -            | - | 1 | 1 | 1 |
|                                   |  | Socket Outlet for Microwave Oven<br>微波爐插座  | -  | - | - | 1 | 1 | - | -            | - | 1 | 1 | - |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置         | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型     | Flat Applicable<br>適用單位                              |   |   |   |   |   |              |   |   |   |   |  |
|------------------------|--|------------------------------|--|---|---|---|---|---|--------------|---|---|---|---|--|
|                        |  |                              | 3/F, 5/F-12/F, 15/F-20/F<br>3 樓、5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   | 21/F<br>21 樓 |   |   |   |   |  |
|                        |  |                              | A  | B | C | D | E | F | A            | B | D | E | F |  |
| Master Bedroom<br>主人睡房 | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |                              | -  | - | - | - | - |   | -            | 2 | - | - |   |  |
|                        | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                              | 1  | 1 | 1 | 1 | 1 |   | 1            | - | 1 | 1 |   |  |
|                        | Lighting Point<br>燈位                                     |                              | 1  | 1 | 1 | 1 | 1 |   | 1            | 2 | 1 | 1 |   |  |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |                              | 1  | 1 | 1 | 1 | 1 |   | 1            | 1 | 1 | 1 |   |  |
|                        | Telephone Outlet<br>電話插座                                 |                              | 1  | 1 | 1 | 1 | 1 |   | 1            | 1 | 1 | 1 |   |  |
|                        | Single Socket Outlet<br>單位插座                             |                              | -  | - | 1 | - | - |   | -            | 2 | - | - |   |  |
|                        | Twin Socket Outlet<br>雙位插座                               |                              | 2  | 2 | 2 | 2 | 2 |   | 2            | 3 | 2 | 2 |   |  |
|                        | Switch for A/C Unit<br>冷氣開關掣                             |                              | 1  | 1 | - | 1 | 1 |   | 1            | - | 1 | 1 |   |  |
|                        |  | Switch for A/C Unit<br>冷氣開關掣 |  | - | - | 1 | - | - |              | - | 1 | - | - |  |
|                        | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                              | -  | - | - | - | - |   | -            | 1 | - | - |   |  |
| Bedroom 2<br>睡房 2      | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                              |  |   | 1 |   |   |   |              | 1 |   |   |   |  |
|                        | Lighting Point<br>燈位                                     |                              |  |   | 1 |   |   |   |              | 1 |   |   |   |  |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置          | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位                              |   |   |   |   |   |              |   |   |   |   |   |
|-------------------------|--|--------------------------|--|---|---|---|---|---|--------------|---|---|---|---|---|
|                         |  |                          | 3/F, 5/F-12/F, 15/F-20/F<br>3 樓、5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   | 21/F<br>21 樓 |   |   |   |   |   |
|                         |  |                          | A  | B | C | D | E | F | A            | B | D | E | F |   |
| Bedroom 2<br>睡房 2       | TV and FM Outlet<br>電視及電台天線插座                            |                          | /  | / | 1 | / | / | / | /            | / | 1 | / | / | / |
|                         | Telephone Outlet<br>電話插座                                 |                          | /  | / | 1 | / | / | / | /            | / | 1 | / | / | / |
|                         | Single Socket Outlet<br>單位插座                             |                          | /  | / | - | / | / | / | /            | / | 2 | / | / | / |
|                         | Twin Socket Outlet<br>雙位插座                               |                          | /  | / | 2 | / | / | / | /            | / | 2 | / | / | / |
|                         | Switch for A/C Unit<br>冷氣開關掣                             |                          | /  | / | 1 | / | / | / | /            | / | 1 | / | / | / |
|                         | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | /  | / | - | / | / | / | /            | / | 1 | / | / | / |
| Master Bathroom<br>主人浴室 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |                          | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Lighting Point<br>燈位                                     |                          | 4  | 4 | 4 | 4 | 4 | 4 | 4            | 4 | 4 | 4 | 4 | 4 |
|                         | Single Socket Outlet<br>單位插座                             |                          | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 2 | 1 | 1 | 1 | 1 |
|                         | USB Socket Outlet<br>USB 插座                              |                          | -  | - | - | - | - | - | -            | - | 1 | - | - | - |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣                         |                          | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Dehumidifier<br>抽濕機開關掣                        |                          | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | - | 1 | 1 | 1 |
|                         | Switch for Electrical Water Heater<br>電熱水爐開關掣            |                          | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣                    |                          | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Floor Heating System<br>地暖系統開關掣               |                          | -  | - | - | - | - | - | -            | - | 1 | - | - | - |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置          | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                                   | Flat Applicable<br>適用單位                              |   |   |   |   |   |              |   |   |   |   |
|-------------------------|---|--|--|---|---|---|---|---|--------------|---|---|---|---|
|                         |   |  | 3/F, 5/F-12/F, 15/F-20/F<br>3 樓、5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   | 21/F<br>21 樓 |   |   |   |   |
|                         |   |  | A  | B | C | D | E | F | A            | B | D | E | F |
| Master Bathroom<br>主人浴室 |   | Fused Spur Unit for Floor Heating System<br>地暖系統接線座        | -  | - | - | - | - | - | -            | 1 | - | - | - |
|                         |   | Temperature Controller for Floor Heating System<br>地暖系統溫度掣 | -  | - | - | - | - | - | -            | 1 | - | - | - |
|                         |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座                 | 1  | 1 | 1 | 1 | 1 | 1 | 1            | - | 1 | 1 | 1 |
|                         |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座     | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座             | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit<br>接線座                                     | -  | - | - | - | - | - | -            | 1 | - | - | - |
| Bathroom 2<br>浴室 2      | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         | Lighting Point<br>燈位                          |  | /  | / | / | / | / | / | /            | 5 | / | / | / |
|                         | Single Socket Outlet<br>單位插座                  |  | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         | Switch for Dehumidifier<br>抽濕機開關掣             |  | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座                 | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座     | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | /  | / | / | / | / | / | /            | 1 | / | / | / |
|                         |   | Fused Spur Unit<br>接線座                                     | /  | / | / | / | / | / | /            | 1 | / | / | / |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註： 上表內之( - ) 符號代表 “沒有提供”  
上表內之( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置        | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                             | Flat Applicable<br>適用單位                              |   |   |   |   |   |              |   |   |   |   |
|-----------------------|---|--|--|---|---|---|---|---|--------------|---|---|---|---|
|                       |   |  | 3/F, 5/F-12/F, 15/F-20/F<br>3 樓、5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   | 21/F<br>21 樓 |   |   |   |   |
|                       |   |  | A  | B | C | D | E | F | A            | B | D | E | F |
| Open Kitchen<br>開放式廚房 | Lighting Point<br>燈位                          |  | 3  | 3 | 5 | 3 | 3 | 2 | 3            | 5 | 3 | 3 | 2 |
|                       | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | 1  | 1 | 1 | 1 | 1 | - | 1            | - | 1 | 1 | - |
|                       | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  | -  | - | - | - | - | 1 | -            | 1 | - | - | 1 |
|                       | Single Socket Outlet<br>單位插座                  |  | 1  | 1 | 1 | 1 | 1 | - | 1            | - | 1 | 1 | - |
|                       | Twin Socket Outlet<br>雙位插座                    |  | 1  | 1 | 1 | 2 | 2 | 1 | 1            | 2 | 2 | 2 | 1 |
|                       | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                       |   | Socket Outlet for Refrigerator<br>雪櫃插座               | 1  | 1 | 1 | - | - | - | 1            | 1 | - | - | - |
|                       |   | Socket Outlet for Microwave Oven<br>微波爐插座            | 1  | 1 | - | - | - | 1 | 1            | - | - | - | 1 |
|                       |   | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座  | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                       |   | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座           | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                       |   | Socket Outlet for Steam Combination Oven<br>蒸焗爐插座    | -  | - | 1 | - | - | - | -            | 1 | - | - | - |
|                       |   | Single Socket Outlet<br>單位插座                         | -  | - | - | - | - | - | -            | 1 | - | - | - |
|                       |   | TV/FM Outlet<br>電視/電台天線座                             | -  | - | - | - | - | - | -            | 1 | - | - | - |
|                       |   | Socket Unit for Microwave Combination Oven<br>微波焗爐插座 | -  | - | - | - | - | - | -            | 1 | - | - | - |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置        | Exposed Type<br>外露型                       | Non-exposed Type<br>非外露型                                       | Flat Applicable<br>適用單位                              |   |   |   |   |   |              |   |   |   |   |
|-----------------------|---|--|--|---|---|---|---|---|--------------|---|---|---|---|
|                       |   |  | 3/F, 5/F-12/F, 15/F-20/F<br>3 樓、5 樓至 12 樓、15 樓至 20 樓 |   |   |   |   |   | 21/F<br>21 樓 |   |   |   |   |
|                       |   |  | A  | B | C | D | E | F | A            | B | D | E | F |
| Open Kitchen<br>開放式廚房 |   | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                      | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                       |   | Socket Outlet for Wine Cellar<br>酒櫃插座                          | 1  | 1 | 1 | 1 | 1 | - | 1            | 1 | 1 | 1 | - |
|                       |   | Connection Unit for Induction Hob<br>電磁爐接線座                    | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                       |   | Water Point and Drainage Point for Washer Dryer<br>洗衣乾衣機來去水接駁點 | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                       |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座         | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
| Balcony<br>露台         | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |  | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
|                       | Lighting Point<br>燈位                      |  | 1  | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 |
| Flat Roof<br>平台       | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |  |  |   |   |   |   |   |              | 1 |   |   |   |
|                       | Lighting Point<br>燈位                      |  |  |   |   |   |   |   |              | 4 |   |   |   |
|                       | Waterproof Single Socket Outlet<br>防水單位插座 |  |  |   |   |   |   |   |              | 2 |   |   |   |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
              上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置                    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                  | Flat Applicable<br>適用單位 |   |   |   |
|-----------------------------------|--|---|-------------------------|---|---|---|
|                                   |  |   | 22/F<br>22 樓            |   |   |   |
|                                   |  |   | A                       | D | E | F |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |   | 2                       | - | - | - |
|                                   | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣                   |   | -                       | 1 | 1 | - |
|                                   | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |   | 1                       | - | - | 1 |
|                                   | Lighting Point<br>燈位                                     |   | 5                       | 4 | 4 | 3 |
|                                   | TV and FM Outlet<br>電視及電台天線插座                            |   | 3                       | 1 | 1 | 1 |
|                                   | Telephone Outlet<br>電話插座                                 |   | 2                       | 1 | 1 | 1 |
|                                   | Single Socket Outlet<br>單位插座                             |   | 1                       | 1 | 1 | - |
|                                   | Twin Socket Outlet<br>雙位插座                               |   | 6                       | 2 | 2 | 3 |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣              | 2                       | 1 | 1 | - |
|                                   | Switch for A/C Unit<br>冷氣開關掣                             |   | -                       | - | - | 1 |
|                                   |  | Distribution Board<br>配電箱                 | 1                       | 1 | 1 | 1 |
|                                   | Door Bell<br>門鐘  |   | 1                       | 1 | 1 | 1 |
|                                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |   | 3                       | - | - | - |
|                                   |  | Socket Outlet for Refrigerator<br>雪櫃插座    | -                       | 1 | 1 | 1 |
|                                   |  | Socket Outlet for Microwave Oven<br>微波爐插座 | -                       | 1 | 1 | - |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置         | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型     | Flat Applicable<br>適用單位 |   |   |   |
|------------------------|--|------------------------------|-------------------------|---|---|---|
|                        |  |                              | 22/F<br>22 樓            |   |   |   |
|                        |  |                              | A                       | D | E | F |
| Master Bedroom<br>主人睡房 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                              | -                       | 1 | 1 |   |
|                        | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |                              | 2                       | - | - |   |
|                        | Lighting Point<br>燈位                                     |                              | 2                       | 1 | 1 |   |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |                              | 1                       | 1 | 1 |   |
|                        | Telephone Outlet<br>電話插座                                 |                              | 1                       | 1 | 1 |   |
|                        | Single Socket Outlet<br>單位插座                             |                              | 2                       | - | - |   |
|                        | Twin Socket Outlet<br>雙位插座                               |                              | 3                       | 2 | 2 |   |
|                        | Switch for A/C Unit<br>冷氣開關掣                             |                              | -                       | 1 | 1 |   |
|                        |  | Switch for A/C Unit<br>冷氣開關掣 | 1                       | - | - |   |
|                        | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                              | 1                       | - | - |   |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |
|-------------------|--|--------------------------|-------------------------|---|---|---|
|                   |  |                          | 22/F<br>22 樓            |   |   |   |
|                   |  |                          | A                       | D | E | F |
| Bedroom 2<br>睡房 2 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | 1                       |   |   |   |
|                   | Lighting Point<br>燈位                                     |                          | 1                       |   |   |   |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       |   |   |   |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       |   |   |   |
|                   | Single Socket Outlet<br>單位插座                             |                          | 2                       |   |   |   |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       |   |   |   |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       |   |   |   |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | 1                       |   |   |   |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置          | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                                   | Flat Applicable<br>適用單位 |   |   |   |
|-------------------------|---|--|-------------------------|---|---|---|
|                         |   |  | 22/F<br>22 樓            |   |   |   |
|                         |   |  | A                       | D | E | F |
| Master Bathroom<br>主人浴室 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | 1                       | 1 | - | - |
|                         | Lighting Point<br>燈位                          |  | 4                       | 4 | 4 | 4 |
|                         | Single Socket Outlet<br>單位插座                  |  | 2                       | 1 | 1 | 1 |
|                         | USB Socket Outlet<br>USB 插座                   |  | 1                       | - | - | - |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | 1                       | 1 | 1 | 1 |
|                         | Switch for Dehumidifier<br>抽濕機開關掣             |  | -                       | 1 | 1 | 1 |
|                         | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | 1 | 1 | 1 |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣         |  | 1                       | 1 | 1 | 1 |
|                         | Switch for Floor Heating System<br>地暖系統開關掣    |  | 1                       | - | - | - |
|                         |   | Fused Spur Unit for Floor Heating System<br>地暖系統接線座        | 1                       | - | - | - |
|                         |   | Temperature Controller for Floor Heating System<br>地暖系統溫度掣 | 1                       | - | - | - |
|                         |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | 1                       | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座                 | -                       | 1 | 1 | 1 |
|                         |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座     | 1                       | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座             | 1                       | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | 1                       | 1 | 1 | 1 |
|                         | Fused Spur Unit<br>接線座                        |  | 1                       | - | - | - |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之（ - ）符號代表 “沒有提供”  
              上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置     | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |
|--------------------|---|--|-------------------------|---|---|---|
|                    |   |  | 22/F<br>22 樓            |   |   |   |
|                    |   |  | A                       | D | E | F |
| Bathroom 2<br>浴室 2 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | 1                       |   |   |   |
|                    | Lighting Point<br>燈位                          |  | 5                       |   |   |   |
|                    | Single Socket Outlet<br>單位插座                  |  | 1                       |   |   |   |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | 1                       |   |   |   |
|                    | Switch for Dehumidifier<br>抽濕機開關掣             |  | 1                       |   |   |   |
|                    | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       |   |   |   |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座              | 1                       |   |   |   |
|                    |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座             | 1                       |   |   |   |
|                    |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | 1                       |   |   |   |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             | 1                       |   |   |   |
|                    | Fused Spur Unit<br>接線座                        |  | 1                       |   |   |   |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置        | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                                       | Flat Applicable<br>適用單位 |   |   |   |
|-----------------------|---|--|-------------------------|---|---|---|
|                       |   |  | 22/F<br>22 樓            |   |   |   |
|                       |   |  | A                       | D | E | F |
| Open Kitchen<br>開放式廚房 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣        |  | 1                       | - | - | - |
|                       | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | -                       | 1 | 1 | - |
|                       | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  | -                       | - | - | 1 |
|                       | Lighting Point<br>燈位                          |  | 4                       | 3 | 3 | 2 |
|                       | Single Socket Outlet<br>單位插座                  |  | -                       | 1 | 1 | - |
|                       | Twin Socket Outlet<br>雙位插座                    |  | 2                       | 2 | 2 | 1 |
|                       |   | Socket Outlet for Refrigerator<br>雪櫃插座                         | 1                       | - | - | - |
|                       |   | Socket Outlet for Microwave Oven<br>微波爐插座                      | -                       | - | - | 1 |
|                       |   | Connection Unit for Microwave Combination Oven<br>微波焗爐接線座      | 1                       | - | - | - |
|                       |   | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座            | 1                       | 1 | 1 | 1 |
|                       |   | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座                     | 1                       | 1 | 1 | 1 |
|                       |   | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                      | 1                       | 1 | 1 | 1 |
|                       |   | Socket Outlet for Wine Cellar<br>酒櫃插座                          | 1                       | 1 | 1 | - |
|                       |   | Connection Unit for Induction Hob<br>電磁爐接線座                    | 1                       | 1 | 1 | 1 |
|                       |   | Water Point and Drainage Point for Washer Dryer<br>洗衣乾衣機來去水接駁點 | 1                       | 1 | 1 | 1 |
|                       |   | TV and FM Outlet<br>電視及電台天線插座                                  | 1                       | - | - | - |
|                       |   | Single Socket Outlet<br>單位插座                                   | 1                       | - | - | - |
|                       | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | 1 | 1 | 1 |
|                       |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座         | 1                       | 1 | 1 | 1 |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之( - ) 符號代表 “沒有提供”  
              上表內之( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 5A) 機電裝置說明表 (第 5A 座)

| Location<br>位置   | Exposed Type<br>外露型                                 | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |
|------------------|---|--------------------------|-------------------------|---|---|---|
|                  |   |                          | 22/F<br>22 樓            |   |   |   |
|                  |   |                          | A                       | D | E | F |
| Sore Room<br>儲物室 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣              |                          | 1                       |   |   |   |
|                  | Lighting Point<br>燈位                                |                          | 1                       |   |   |   |
|                  | Twin Socket Outlet<br>雙位插座                          |                          | 1                       |   |   |   |
|                  | TV and FM Outlet<br>電視及電台天線插座                       |                          | 1                       |   |   |   |
| Balcony<br>露台    | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣              |                          | 1                       | 1 | 1 | 1 |
|                  | Lighting Point<br>燈位                                |                          | 1                       | 1 | 1 | 1 |
| Flat Roof<br>平台  | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣              |                          | 1                       |   |   |   |
|                  | Lighting Point<br>燈位                                |                          | 12                      |   |   |   |
|                  | Waterproof Single Socket Outlet<br>防水單位插座           |                          | 2                       |   |   |   |
| Roof<br>天台       | Lighting Point<br>燈位                                |                          | 7                       | 5 | 6 | 5 |
|                  | Waterproof 1 Gang 1 Way Lighting Switch<br>防水單位單控燈掣 |                          | 1                       | 1 | 1 | 1 |
|                  | Waterproof Single Socket Outlet<br>防水單位插座           |                          | 2                       | 1 | 1 | 1 |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置                    | Exposed Type<br>外露型                    | Non-exposed Type<br>非外露型                   | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------------------------|--|--|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                                   |  |  | 3/F<br>3 樓              |   |   |   |   |   |   |   | 5/F-12/F, 15/F-21/F<br>5 樓至 12 樓、15 樓至 21 樓 |   |   |   |   |   |   |   |
|                                   |  |  | A                       | B | C | D | E | F | G | H | A   | B | C | D | E | F | G | H |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣 |  | 2                       | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 2   | 2 | 2 | 1 | 1 | 2 | 2 | 2 |
|                                   | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣 |  | -                       | - | - | 1 | 1 | - | - | - | -   | - | - | 1 | 1 | - | - | - |
|                                   | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣 |  | -                       | - | - | 1 | - | - | - | - | -   | - | - | 1 | - | - | - | - |
|                                   | Lighting Point<br>燈位                   |  | 5                       | 4 | 4 | 5 | 3 | 4 | 4 | 4 | 5   | 4 | 4 | 5 | 3 | 4 | 4 | 4 |
|                                   | TV and FM Outlet<br>電視及電台天線插座          |  | 2                       | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2   | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
|                                   | Telephone Outlet<br>電話插座               |  | 2                       | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2   | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
|                                   | Single Socket Outlet<br>單位插座           |  | 1                       | - | 1 | 1 | 1 | 1 | 1 | 1 | 1   | - | 1 | 1 | 1 | 1 | 1 | 1 |
|                                   | Twin Socket Outlet<br>雙位插座             |  | 3                       | 4 | 3 | 3 | 2 | 3 | 3 | 3 | 3   | 4 | 3 | 3 | 2 | 3 | 3 | 3 |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣               | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                                   |  | Distribution Board<br>配電箱                  | 1                       | 1 | 1 | - | 1 | 1 | 1 | 1 | 1   | 1 | 1 | - | 1 | 1 | 1 | 1 |
|                                   |  | Single Socket Outlet<br>單位插座               | 1                       | 1 | - | - | 1 | - | - | - | 1   | 1 | - | - | 1 | - | - | - |
|                                   | Door Bell<br>門鐘                        |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                                   |  | Fused Spur Unit for Cabinet Light<br>櫃燈接線座 | -                       | - | 1 | - | - | 1 | 1 | 1 | -   | - | 1 | - | - | 1 | 1 | 1 |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置         | Exposed Type<br>外露型                    | Non-exposed Type<br>非外露型                  | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------|--|---|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                        |  |   | 3/F<br>3 樓              |   |   |   |   |   |   |   | 5/F-12/F, 15/F-21/F<br>5 樓至 12 樓、15 樓至 21 樓 |   |   |   |   |   |   |   |
|                        |  |   | A                       | B | C | D | E | F | G | H | A   | B | C | D | E | F | G | H |
| Master Bedroom<br>主人睡房 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣 |   | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                        | Lighting Point<br>燈位                   |   | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                        | TV and FM Outlet<br>電視及電台天線插座          |   | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                        | Telephone Outlet<br>電話插座               |   | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                        | Single Socket Outlet<br>單位插座           |   | -                       | - | - | - | 1 | - | - | - | -   | - | - | - | 1 | - | - | - |
|                        | Twin Socket Outlet<br>雙位插座             |   | 2                       | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 2   | 2 | 2 | 2 | 1 | 2 | 2 | 2 |
|                        | Switch for A/C Unit<br>冷氣開關掣           |   | -                       | - | 1 | 1 | 1 | 1 | 1 | 1 | -   | - | 1 | 1 | 1 | 1 | 1 | 1 |
|                        |  | Fused Spur Unit for for A/C Unit<br>冷氣接線座 | 1                       | 1 | - | - | - | - | - | - | 1   | 1 | - | - | - | - | - | - |
| Bedroom 2<br>睡房 2      | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣 |   | 1                       | 1 | / | / | / | / | / | / | 1   | 1 | / | / | / | / | / | / |
|                        | Lighting Point<br>燈位                   |   | 1                       | 1 | / | / | / | / | / | / | 1   | 1 | / | / | / | / | / | / |
|                        | TV and FM Outlet<br>電視及電台天線插座          |   | 1                       | 1 | / | / | / | / | / | / | 1   | 1 | / | / | / | / | / | / |
|                        | Telephone Outlet<br>電話插座               |   | 1                       | 1 | / | / | / | / | / | / | 1   | 1 | / | / | / | / | / | / |
|                        | Twin Socket Outlet<br>雙位插座             |   | 2                       | 2 | / | / | / | / | / | / | 2   | 2 | / | / | / | / | / | / |
|                        | Switch for A/C Unit<br>冷氣開關掣           |   | 1                       | 1 | / | / | / | / | / | / | 1   | 1 | / | / | / | / | / | / |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表“沒有提供”  
上表內之（ / ）符號代表“不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置          | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---|--|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         |   |  | 3/F<br>3 樓              |   |   |   |   |   |   |   | 5/F-12/F, 15/F-21/F<br>5 樓至 12 樓、15 樓至 21 樓 |   |   |   |   |   |   |   |
|                         |   |  | A                       | B | C | D | E | F | G | H | A   | B | C | D | E | F | G | H |
| Master Bathroom<br>主人浴室 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣        |  | 2                       | 2 | - | - | - | - | - | - | 2   | 2 | - | - | - | - | - | - |
|                         | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | -                       | - | 1 | 1 | 1 | 1 | 1 | 1 | -   | - | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | Lighting Point 燈位                             |  | 3                       | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3   | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                         | Single Socket Outlet<br>單位插座                  |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Dehumidifier<br>抽濕機開關掣             |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣         |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座              | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座             | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座         | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
                 The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之 ( - ) 符號代表 “沒有提供”  
                 上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置        | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                                       | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------------|---|--|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                       |   |  | 3/F<br>3 樓              |   |   |   |   |   |   |   | 5/F-12/F, 15/F-21/F<br>5 樓至 12 樓、15 樓至 21 樓 |   |   |   |   |   |   |   |
|                       |   |  | A                       | B | C | D | E | F | G | H | A   | B | C | D | E | F | G | H |
| Open Kitchen<br>開放式廚房 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | -                       | - | 1 | - | - | 1 | 1 | 1 | -   | - | 1 | - | - | 1 | 1 | 1 |
|                       | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  | -                       | 1 | - | 1 | 1 | - | - | - | -   | 1 | - | 1 | 1 | - | - | - |
|                       | 1 Gang 2 Way Lighting Switch<br>單位兩控燈掣        |  | 1                       | - | - | - | - | - | - | - | 1   | - | - | - | - | - | - | - |
|                       | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣        |  | 1                       | - | - | - | - | - | - | - | 1   | - | - | - | - | - | - | - |
|                       | Lighting Point<br>燈位                          |  | 4                       | 5 | 3 | 3 | 3 | 3 | 3 | 3 | 4   | 5 | 3 | 3 | 3 | 3 | 3 | 3 |
|                       | Single Socket Outlet<br>單位插座                  |  | 1                       | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
|                       | Twin Socket Outlet<br>雙位插座                    |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Distribution Board<br>配電箱                                      | -                       | - | - | 1 | - | - | - | - | -   | - | - | 1 | - | - | - | - |
|                       |   | Socket Outlet for Refrigerator<br>雪櫃插座                         | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Socket Outlet for Microwave Oven<br>微波爐插座                      | -                       | - | 1 | 1 | 1 | 1 | 1 | 1 | -   | - | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座            | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Socket Outlet for Steam Combination Oven<br>蒸焗爐插座              | 1                       | 1 | - | - | - | - | - | - | 1   | 1 | - | - | - | - | - | - |
|                       |   | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座                     | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                      | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Socket Outlet for Wine Cellar<br>酒櫃插座                          | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Connection Unit for Induction Hob<br>電磁爐接線座                    | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Water Point and Drainage Point for Washer Dryer<br>洗衣乾衣機來去水接駁點 | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                       |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座         | 1                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：    上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置           | Exposed Type<br>外露型                       | Non-exposed Type<br>非外露型                  | Flat Applicable<br>適用單位 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------|---|---|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                          |   |   | 3/F<br>3 樓              |   |   |   |   |   |   |   | 5/F-12/F, 15/F-21/F<br>5 樓至 12 樓、15 樓至 21 樓 |   |   |   |   |   |   |   |
|                          |   |   | A                       | B | C | D | E | F | G | H | A   | B | C | D | E | F | G | H |
| Open Kitchen<br>開放式廚房    | Switch for Exhaust Fan<br>抽氣扇開關掣          |   | -                       | - | - | 1 | - | - | - | - | -   | - | - | 1 | - | - | - | - |
|                          |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座 | -                       | - | - | 1 | - | - | - | - | -   | - | - | 1 | - | - | - | - |
| Store Room<br>儲物室        | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |   | 1                       | / | / | / | / | / | / | / | 1   | / | / | / | / | / | / | / |
|                          | Lighting Point<br>燈位                      |   | 1                       | / | / | / | / | / | / | / | 1   | / | / | / | / | / | / | / |
|                          | TV and FM Outlet<br>電視及電台天線插座             |   | 1                       | / | / | / | / | / | / | / | 1   | / | / | / | / | / | / | / |
|                          | Twin Socket Outlet<br>雙位插座                |   | 2                       | / | / | / | / | / | / | / | 2   | / | / | / | / | / | / | / |
|                          | Switch for A/C Unit<br>冷氣開關掣              |   | 1                       | / | / | / | / | / | / | / | 1   | / | / | / | / | / | / | / |
| Balcony<br>露台            | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |   | /                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                          | Lighting Point<br>燈位                      |   | /                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1   | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Utility Platform<br>工作平台 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣    |   | /                       | / | / | 1 | 1 | / | / | / | /   | / | / | 1 | 1 | / | / | / |
|                          | Lighting Point<br>燈位                      |   | /                       | / | / | 1 | 1 | / | / | / | /   | / | / | 1 | 1 | / | / | / |
| Flat Roof<br>平台          | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣    |   | 1                       | / | / | / | / | / | / | / | /   | / | / | / | / | / | / | / |
|                          | Lighting Point<br>燈位                      |   | 8                       | / | / | / | / | / | / | / | /   | / | / | / | / | / | / | / |
|                          | Waterproof Single Socket Outlet<br>防水單位插座 |   | 1                       | / | / | / | / | / | / | / | /   | / | / | / | / | / | / | / |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
              The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之（ - ）符號代表 “沒有提供”  
              上表內之（ / ）符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置                    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                            | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|-----------------------------------|--|---|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                                   |  |   | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                                   |  |   | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Living Room, Dining Room<br>客廳，飯廳 | 3 Gang 2 Way Lighting Switch<br>三位兩控燈掣                   |   | 2                       | 2 | 1 | 2 | 2 | 2 | 2            | 2 | 1 | 2 | 2 | 2 |
|                                   | 1 Gang 2 Way Lighting Switch<br>單位兩控燈掣                   |   | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |
|                                   | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |   | -                       | - | 1 | - | - | - | -            | - | 1 | - | - | - |
|                                   | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣                   |   | -                       | 1 | - | - | - | - | -            | 1 | - | - | - | - |
|                                   | Switch for Electrical Water Heater<br>電熱水爐開關掣            |   | 1                       | 1 | 1 | 1 | 1 | 1 | -            | - | 1 | 1 | 1 | 1 |
|                                   | Lighting Point<br>燈位                                     |   | 9                       | 5 | 3 | 4 | 4 | 4 | 10           | 5 | 3 | 4 | 4 | 4 |
|                                   | TV and FM Outlet<br>電視及電台天線插座                            |   | 2                       | 2 | 1 | 1 | 1 | 1 | 2            | 2 | 1 | 1 | 1 | 1 |
|                                   | Telephone Outlet<br>電話插座                                 |   | 2                       | 1 | 1 | 1 | 1 | 1 | 2            | 1 | 1 | 1 | 1 | 1 |
|                                   | Single Socket Outlet<br>單位插座                             |   | 4                       | 1 | 1 | 1 | 1 | 1 | 4            | 1 | 1 | 1 | 1 | 1 |
|                                   | Twin Socket Outlet<br>雙位插座                               |   | 4                       | 5 | 2 | 3 | 3 | 3 | 4            | 5 | 2 | 3 | 3 | 3 |
|                                   |  | Switch for A/C Unit<br>冷氣開關掣                        | 2                       | 2 | 1 | 1 | 1 | 1 | 2            | 2 | 1 | 1 | 1 | 1 |
|                                   |  | Distribution Board<br>配電箱                           | -                       | 1 | 1 | 1 | 1 | 1 | -            | 1 | 1 | 1 | 1 | 1 |
|                                   |  | Single Socket Outlet<br>單位插座                        | 1                       | 1 | 1 | - | - | - | -            | - | 1 | - | - | - |
|                                   | Door Bell<br>門鐘  |   | -                       | - | 1 | 1 | 1 | 1 | -            | - | 1 | 1 | 1 | 1 |
|                                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |   | 2                       | 1 | - | - | - | - | 2            | 1 | - | - | - | - |
|                                   |  | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座 | -                       | - | - | 1 | 1 | 1 | -            | - | - | 1 | 1 | 1 |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置         | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型                  | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|------------------------|--|---|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                        |  |   | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                        |  |   | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Master Bedroom<br>主人睡房 | 2 Gang 2 Way Lighting Switch<br>兩位兩控燈掣                   |   | 2                       | 2 | - | - | - | - | 2            | 2 | - | - | - | - |
|                        | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |   | -                       | - | 1 | 1 | 1 | 1 | -            | - | 1 | 1 | 1 | 1 |
|                        | Lighting Point<br>燈位                                     |   | 2                       | 2 | 1 | 1 | 1 | 1 | 2            | 2 | 1 | 1 | 1 | 1 |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |   | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                        | Telephone Outlet<br>電話插座                                 |   | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                        | Single Socket Outlet<br>單位插座                             |   | 1                       | 2 | 1 | - | - | - | 1            | 2 | 1 | - | - | - |
|                        | Twin Socket Outlet<br>雙位插座                               |   | 5                       | 3 | 1 | 2 | 2 | 2 | 5            | 3 | 1 | 2 | 2 | 2 |
|                        | Switch for A/C Unit<br>冷氣開關掣                             |   | -                       | - | 1 | 1 | 1 | 1 | -            | - | 1 | 1 | 1 | 1 |
|                        | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |   | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |
|                        |  | Single Socket Outlet<br>單位插座              | -                       | - | - | - | - | - | 1            | - | - | - | - | - |
|                        |  | Fused Spur Unit for for A/C Unit<br>冷氣接線座 | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |
| Bedroom 2<br>睡房 2      | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |   | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                        | Lighting Point<br>燈位                                     |   | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                        | TV and FM Outlet<br>電視及電台天線插座                            |   | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表 “沒有提供”  
上表內之（ / ）符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置    | Exposed Type<br>外露型                                      | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|-------------------|--|--------------------------|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                   |  |                          | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                   |  |                          | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Bedroom 2<br>睡房 2 | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                   | Single Socket Outlet<br>單位插座                             |                          | 2                       | 2 | / | / | / | / | 2            | 2 | / | / | / | / |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | / | / | / | / | 2            | 2 | / | / | / | / |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
| Bedroom 3<br>睡房 3 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣                   |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                   | Lighting Point<br>燈位                                     |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                   | TV and FM Outlet<br>電視及電台天線插座                            |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                   | Telephone Outlet<br>電話插座                                 |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                   | Single Socket Outlet<br>單位插座                             |                          | 2                       | 2 | / | / | / | / | 2            | 2 | / | / | / | / |
|                   | Twin Socket Outlet<br>雙位插座                               |                          | 2                       | 2 | / | / | / | / | 2            | 2 | / | / | / | / |
|                   | Switch for A/C Unit<br>冷氣開關掣                             |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                   | Fused Spur Unit for Electrical Window Curtain<br>電動窗簾接線座 |                          | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置          | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                                   | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|-------------------------|---|--|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                         |   |  | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                         |   |  | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Master Bathroom<br>主人浴室 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Lighting Point<br>燈位                          |  | 6                       | 4 | 3 | 3 | 3 | 3 | 6            | 4 | 3 | 3 | 3 | 3 |
|                         | Single Socket Outlet<br>單位插座                  |  | 2                       | 2 | 1 | 1 | 1 | 1 | 2            | 2 | 1 | 1 | 1 | 1 |
|                         | USB Socket Outlet<br>USB 插座                   |  | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |
|                         | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Dehumidifier<br>抽濕機開關掣             |  | -                       | - | 1 | 1 | 1 | 1 | -            | - | 1 | 1 | 1 | 1 |
|                         | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Mirror Defogster<br>防霧鏡開關掣         |  | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Switch for Floor Heating System<br>地暖系統開關掣    |  | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |
|                         |   | Fused Spur Unit for Floor Heating System<br>地暖系統接線座        | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |
|                         |   | Temperature Controller for Floor Heating System<br>地暖系統溫度掣 | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |
|                         |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                  | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座                 | -                       | - | 1 | 1 | 1 | 1 | -            | - | 1 | 1 | 1 | 1 |
|                         |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座     | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Mirror Defogster<br>防霧鏡接線座             | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座                 | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                         | Fused Spur Unit<br>接線座                        |  | 1                       | 1 | - | - | - | - | 1            | 1 | - | - | - | - |

Note :    The symbol ( - ) as shown in the above table denotes “Not provided”.  
                 The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：    上表內之( - ) 符號代表 “沒有提供”  
                 上表內之( / ) 符號代表 “不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置     | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|--------------------|---|--|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                    |   |  | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                    |   |  | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Bathroom 2<br>浴室 2 | 3 Gang 1 Way Lighting Switch<br>三位單控燈掣        |  | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    | Lighting Point<br>燈位                          |  | 4                       | 3 | / | / | / | / | 4            | 3 | / | / | / | / |
|                    | Single Socket Outlet<br>單位插座                  |  | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    | Switch for Dehumidifier<br>抽濕機開關掣             |  | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座              | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    |   | Fused Spur Unit for Dehumidifier<br>抽濕機接線座             | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    |   | Fused Spur Unit for Cabinet Light<br>櫃燈接線座             | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |
|                    | Fused Spur Unit<br>接線座                        |  | 1                       | 1 | / | / | / | / | 1            | 1 | / | / | / | / |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置        | Exposed Type<br>外露型                    | Non-exposed Type<br>非外露型                                       | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|-----------------------|--|--|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                       |  |  | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                       |  |  | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Open Kitchen<br>開放式廚房 | Lighting Point<br>燈位                   |  | /                       | 2 | 3 | 3 | 3 | - | /            | 2 | 3 | 3 | 3 | 3 |
|                       | 3 Gang 1 Way Lighting Switch<br>兩位單控燈掣 |  | /                       | - | - | 1 | 1 | 1 | /            | - | - | 1 | 1 | 1 |
|                       | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣 |  | /                       | 1 | 1 | - | - | - | /            | 1 | 1 | - | - | - |
|                       | Single Socket Outlet<br>單位插座           |  | /                       | 1 | 1 | 1 | 1 | 1 | /            | - | 1 | 1 | 1 | 1 |
|                       | Twin Socket Outlet<br>雙位插座             |  | /                       | 2 | 1 | 1 | 1 | 1 | /            | 2 | 1 | 1 | 1 | 1 |
|                       | Door Bell<br>門鐘                        |  | /                       | 1 | - | - | - | - | /            | 1 | - | - | - | - |
|                       |  | Socket Outlet for Refrigerator<br>雪櫃插座                         | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Socket Outlet for Microwave Oven<br>微波爐插座                      | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座            | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座                     | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座                      | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Socket Outlet for Wine Cellar<br>酒櫃插座                          | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Connection Unit for Induction Hob<br>電磁爐接線座                    | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Connection Unit for Electrical Water Heater<br>電熱水爐接線座         | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Water Point and Drainage Point for Washer Dryer<br>洗衣乾衣機來去水接駁點 | /                       | 1 | 1 | 1 | 1 | 1 | /            | 1 | 1 | 1 | 1 | 1 |
|                       |  | Single Socket Outlet<br>單位插座                                   | /                       | 1 | - | - | - | - | /            | 1 | - | - | - | - |
|                       |  | TV/FM Outlet<br>電視/電台天線座                                       | /                       | 1 | - | - | - | - | /            | 1 | - | - | - | - |

Note : The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註： 上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置 | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                               | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|----------------|---|--|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                |   |  | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                |   |  | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Kitchen<br>廚房  | 2 Gang 1 Way Lighting Switch<br>兩位單控燈掣        |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                | Twin Socket Outlet<br>雙位插座                    |  | 3                       | / | / | / | / | / | 3            | / | / | / | / | / |
|                | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                | Lighting Point<br>燈位                          |  | 7                       | / | / | / | / | / | 7            | / | / | / | / | / |
|                | Door Bell<br>門鐘                               |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Socket Outlet for Refrigerator<br>雪櫃插座                 | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Fused Spur Unit for Kitchen Cabinet Light<br>廚櫃燈接線座    | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Fused Spur Unit for Cooker Hood<br>抽油煙機接線座             | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Fused Spur Unit for Cooker<br>煮食爐接線座                   | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Connection Unit for Oven<br>焗爐接線座                      | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Connection Unit for Steam Oven<br>蒸焗爐插座                | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Socket Outlet for Wine Cellar<br>酒櫃插座                  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Single Socket Outlet<br>單位插座                           | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | TV/FM Outlet<br>電視/電台天線座                               | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Socket Outlet for Washer Dryer<br>洗衣乾衣機插座              | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座              | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座 | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |

Note : The symbol ( - ) as shown in the above table denotes "Not provided".  
The symbol ( / ) as shown in the above table denotes "Not applicable".

備註：上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置  | Exposed Type<br>外露型                           | Non-exposed Type<br>非外露型                                       | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|-----------------|---|--|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                 |   |  | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                 |   |  | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Kitchen<br>廚房   |   | Connection Unit for Induction Hob<br>電磁爐接線座                    | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 |   | Water Point and Drainage Point for Washer Dryer<br>洗衣乾衣機來去水接駁點 | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
| Utility<br>工作間  | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | TV/FM Outlet<br>電視/電台天線座                      |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | Twin Socket Outlet<br>雙位插座                    |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | Switch for A/C Unit<br>冷氣開關掣                  |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | Lighting Point<br>燈位                          |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | Distribution Board<br>配電箱                     |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
| Lavatory<br>洗手間 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣        |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | Lighting Point<br>燈位                          |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | Switch for Electrical Water Heater<br>電熱水爐開關掣 |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 | Switch for Exhaust Fan<br>抽氣扇開關掣              |  | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 |   | Fused Spur Unit for Exhaust Fan<br>抽氣扇接線座                      | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |
|                 |   | Connection Unit for Electrical Water Heater<br>電熱水爐接線座         | 1                       | / | / | / | / | / | 1            | / | / | / | / | / |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes ”Not applicable”.

備註：   上表內之（ - ）符號代表“沒有提供”  
上表內之（ / ）符號代表“不適用”



FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

7. Schedule for Mechanical & Electrical Provisions (Tower 6) 機電裝置說明表 (第 6 座)

| Location<br>位置           | Exposed Type<br>外露型                                 | Non-exposed Type<br>非外露型 | Flat Applicable<br>適用單位 |   |   |   |   |   |              |   |   |   |   |   |
|--------------------------|---|--------------------------|-------------------------|---|---|---|---|---|--------------|---|---|---|---|---|
|                          |   |                          | 22/F<br>22 樓            |   |   |   |   |   | 23/F<br>23 樓 |   |   |   |   |   |
|                          |   |                          | A                       | B | E | F | G | H | A            | B | E | F | G | H |
| Balcony<br>露台            | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣              |                          | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
|                          | Lighting Point<br>燈位                                |                          | 1                       | 1 | 1 | 1 | 1 | 1 | 1            | 1 | 1 | 1 | 1 | 1 |
| Utility Platform<br>工作平台 | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣              |                          | /                       | 1 | 1 | / | / | / | /            | 1 | 1 | / | / | / |
|                          | Lighting Point<br>燈位                                |                          | /                       | 1 | 1 | / | / | / | /            | 1 | 1 | / | / | / |
| Flat Roof<br>平台          | 1 Gang 1 Way Lighting Switch<br>單位單控燈掣              |                          | 1                       | / | / | / | / | / | /            | / | / | / | / | / |
|                          | Lighting Point<br>燈位                                |                          | 2                       | / | / | / | / | / | /            | / | / | / | / | / |
| Roof<br>天台               | Waterproof 1 Gang 1 Way Lighting Switch<br>防水單位單控燈掣 |                          | /                       | / | / | / | / | / | 1            | 1 | 1 | 1 | 1 | / |
|                          | Lighting Point<br>燈位                                |                          | /                       | / | / | / | / | / | 10           | 8 | 3 | 4 | 4 | / |
|                          | Waterproof Single Socket Outlet<br>防水單位插座           |                          | /                       | / | / | / | / | / | 2            | 2 | 2 | 2 | 2 | / |

Note :   The symbol ( - ) as shown in the above table denotes “Not provided”.  
The symbol ( / ) as shown in the above table denotes “Not applicable”.

備註：   上表內之 ( - ) 符號代表 “沒有提供”  
上表內之 ( / ) 符號代表 “不適用”

## SERVICE AGREEMENTS 服務協議

- Potable and flushing water is supplied by Water Supplies Department.
  - Electricity is supplied by The Hongkong Electric Co., Ltd.
  - Towngas is supplied by The Hong Kong and China Gas Company Limited.
- 食水及沖廁水由水務署供應。
  - 電力由香港電燈有限公司供應。
  - 煤氣由香港中華煤氣有限公司供應。

## GOVERNMENT RENT 地稅

The owner of a specified residential property is liable for the Government rent payable for that specified residential property up to and including the date of completion of the sale and purchase of that specified residential property

指明住宅物業擁有人有法律責任繳付該指明住宅物業直至該指明住宅物業買賣完成日（包括該日）為止之地稅。

MISCELLANEOUS PAYMENTS BY PURCHASER 買方的雜項付款

1.

On the delivery of the vacant possession of the residential property to the purchaser, the purchaser is liable to reimburse the owner for the deposits for water, electricity and gas.
2.

On that delivery, the purchaser is not liable to pay to the owner a debris removal fee.

Remark:

1.

The purchaser shall in fact pay the deposits for water, electricity and gas to the manager of the Phase.

2.

The purchaser shall in fact pay the debris removal fee to the manager of the Phase.

1.

在向買方交付住宅物業空置情況下的管有權時，買方須負責向擁有人補還水、電力及氣體的按金。
2.

在交付時，買方無須向擁有人支付清理廢料的費用。

備註：

1.

買方事實上須向期數的管理人支付水、電力及氣體的按金。

2.

買方事實上須向期數的管理人支付清理廢料的費用。

DEFECT LIABILITY WARRANTY PERIOD 欠妥之處的保養責任期

Defects liability warranty period for the specified residential property and the fittings, finishes and appliances as provided in the agreement for sale and purchase is within six (6) months from the date of completion of the sale and purchase.

按買賣合約規定，指明住宅物業及其裝置、裝修物料及設備之欠妥之處的保養責任期為住宅物業之買賣完成日起計六(6)個月內。

MAINTENANCE OF SLOPES 斜坡維修

Not applicable.

不適用。

MODIFICATION 修訂

No application to the Government for a modification of the Land Grant for the Phase is underway.

期數現時並沒有向政府提出申請修訂批地文件。

# RELEVANT INFORMATION 有關資料

## 1. Noise mitigation measures

The following measures to mitigate road traffic noise impact from Island Eastern Corridor, Java Road, etc. will be provided in the Phase:

- a) Acoustic fins
- b) Acoustic balcony
- c) Window/ sliding door with sliding panel behind (each of the said measures is a form of acoustic window)

### Location of acoustic fins

Acoustic fins mean the vertical architectural fins designated as noise mitigation measures.

Please refer to “Floor Plans of Residential Properties in the Phase” section of this sales brochure on pages AL001 to AL066 for details on the location of acoustic fins.

### Location of acoustic balcony

Acoustic balcony means a balcony of a residential unit with ceiling provided with sound absorptive material and designated as a noise mitigation measure.

- At living room of Flat B, 3/F to 21/F, Tower 5A
- At living room of Flat C, 3/F to 20/F, Tower 5A
- At living room of Flat D, 3/F to 22/F, Tower 5A
- At living room of Flat A, 22/F, Tower 5A

### Location of window/ sliding door with sliding panel behind

Window with sliding panel behind means a window of a residential unit with sliding panel behind designated as a noise mitigation measure.

Sliding door with sliding panel behind means a balcony door of a residential unit with sliding panel behind and designated as a noise mitigation measure.

Please refer to “Floor Plans of Residential Properties in the Phase” section of this sales brochure on pages AL001 to AL066 for details on the location of window/ sliding door with sliding panel behind.

No owner shall (i) alter, interfere with or remove, or permit or suffered to be altered, interfered with or removed any acoustic balcony (if any), any window with sliding panel behind (if any) or any sliding door with sliding panel behind (if any) which form part of his residential unit except in accordance with the building plans or (ii) alter, interfere with or remove the acoustic fins.

## 2. Maintenance window

Maintenance window is openable for maintenance only.

Please refer to “Floor Plans of Residential Properties in the Phase” section of this sales brochure on pages AL001 to AL066 for details on the location of maintenance window.

## 1. 噪音緩解措施

期數將提供以下措施以緩解東區走廊、渣華道等帶來的道路交通噪音影響：

- a) 隔聲鰭
- b) 減音露台
- c) 背面裝設滑動嵌板的窗戶 / 趟門 ( 前述每一種措施均為減音窗 )

### 隔聲鰭位置

隔聲鰭是指指定為噪音緩解措施的垂直建築鰭。

有關隔聲鰭位置的詳情，請參閱本售樓說明書第AL001至AL066頁「期數的住宅物業的樓面平面圖」一節。

### 減音露台位置

減音露台是指其天花裝設吸音物料並且指定為噪音緩解措施的住宅單位露台。

- 設於第5A座3至21樓B單位的客廳
- 設於第5A座3至20樓C單位的客廳
- 設於第5A座3至22樓D單位的客廳
- 設於第5A座22樓A單位的客廳

### 背面裝設滑動嵌板的窗戶 / 趟門的位置

背面裝設滑動嵌板的窗戶是指背面裝設滑動嵌板並且指定為噪音緩解措施的住宅單位窗戶。

背面裝設滑動嵌板的趟門是指背面裝設滑動嵌板並且指定為噪音緩解措施的住宅單位露台門。

有關背面裝設滑動嵌板的窗戶 / 趟門位置的詳情，請參閱本售樓說明書第AL001至AL066頁「期數的住宅物業的樓面平面圖」一節。

任何業主不可(i)(除非根據建築圖則)更改、干擾或移除或准許他人更改、干擾或移除其住宅單位的任何減音露台 ( 如有 )、任何背面裝設滑動嵌板的窗戶 ( 如有 ) 或任何背面裝設滑動嵌板的趟門 ( 如有 ) 或(ii) 更改、干擾或移除隔聲鰭。

## 2. 維修窗戶

維修窗戶只能在作維修時開啓。

有關維修窗戶位置的詳情，請參閱本售樓說明書第AL001至AL066頁「期數的住宅物業的樓面平面圖」一節。



RELEVANT INFORMATION 有關資料

3. Gondola

During the necessary maintenance of the external walls of Towers 1 to 3, Tower 5 & 5A and Tower 6 arranged by the Manager of the Phase, the gondola will be operating in the airspace outside windows and above the roof / flat roof / the parapet walls of units in such Towers.

4. FM / UHF antenna / Lightning rod

| Description      | Location                        |
|------------------|---------------------------------|
| FM / UHF antenna | Upper roof of Tower 3           |
| Lightning rod    | Upper roof of Tower 3 & Tower 6 |

Prospective purchasers should note the impact (if any) of the above facilities on individual units.

5. External wall lighting

LED lighting on the external walls of the Phase may be turned on.

Prospective purchasers should note the impact of the illumination of the LED lighting on individual units.

6. External walls at lower levels of the Phase

There may be backlit signage and decorative lighting at the external wall of the commercial accommodation at lower levels of the Phase below each tower in the Phase. The locations of such signage and lighting may be changed from time to time. Prospective purchasers should note the possible impact (if any) of the illumination of the said features on individual units.

7. Exhaust devices at lower levels of the Phase

There may be exhaust devices at lower levels of the Phase (including restaurant, if any). The alignment and position of the exhaust devices may be changed from time to time and are subject to compliance with the relevant statutory requirements and/or directions from the relevant government authorities. Prospective purchasers should note the possible impact (if any) of such exhaust devices on individual residential properties.

8. Construction of subsequent Phase(s)

There may be special traffic arrangement including but not limited to alteration of vehicular access route during the construction of subsequent phase(s) of the Development. Construction vehicles may also enter the carpark for construction of subsequent phase(s). Such construction works and arrangement may materially affect the enjoyment of the residential properties in the Phase in terms of views, noise, dust and/or other aspects of the surrounding environment.

3. 吊船

在期數管理人安排之第1至3座，第5和5A座及第6座外牆之必要維修進行期間，吊船將在該等住宅大廈單位之窗戶外及天台 / 平台 / 彼等之護牆上之空間運作。

4. 公共天線 / 避雷針

| 說明   | 位置              |
|------|-----------------|
| 公共天線 | 第 3 座上層天台       |
| 避雷針  | 第 3 座及第 6 座上層天台 |

請準買家注意上述設施對個別單位造成的影響 ( 如有 )。

5. 外牆裝飾燈

期數外牆 LED 裝飾燈可能開啟。

準買家請注意 LED 裝飾燈之燈光對個別單位造成之影響。

6. 期數低層的外牆

期數內的每座大廈下方的低層商業物業的外牆可能設有背光標誌及裝飾照明。該等標誌及裝飾照明的位置可能不時改變。請準買家注意上述特色裝置的照明對個別單位造成的影響 ( 如有 )。

7. 期數低層的排氣設備

期數低層或會有排氣設備 ( 包括餐廳 ( 如有 ) )。排氣設備的排列及位置或會不時更改，並須符合相關法例要求及有關政府部門的指引。準買家請注意上述排氣設備對個別住宅物業造成的影響 ( 如有 )。

8. 後續期數的施工

發展項目的後續期數施工期間可能會制定特別交通安排，包括但不限於更改行車通道，建築車輛亦可進入停車場以進行後續期數的施工，施工期間可能對期數內住宅物業之享用，諸如景觀、噪音、沙塵及 / 或周邊地區環境之其他方面，造成實質影響。

WEBSITE ADDRESS 互聯網網站的網址

The website address designated by the Vendor for the Phase:  
www.victoriaharbour.com.hk

賣方就期數指定的互聯網網站的網址:  
www.victoriaharbour.com.hk

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

Breakdown of GFA Concessions Obtained for ALL Features

- Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the development.

|   |   | Area (m²)<br>面積 (平方米) |
|---|---|-----------------------|
| Disregarded GFA under Building (Planning) Regulations 23(3)(b)<br>根據《建築物（規劃）規例》第23 (3) (b) 條不計算的總樓面面積 |   |                       |
| 1. (#)  | Carpark and loading/unloading area excluding public transport terminus<br>停車場及上落客貨地方（公共交通總站除外）  | 10208.105             |
| 2.  | Plant rooms and similar services<br>機房及相類設施   |                       |
| 2.1 (#)   | Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, refuse storage and material recovery chamber, etc.<br>所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等 | 1383.332              |
| 2.2 (#)   | Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installation (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc.<br>所佔面積不受任何《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如僅供消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等  | 5603.981              |
| 2.3   | Non-mandatory or non-essential plant room such as air-conditioning plant room, air handling unit (AHU) room, etc.<br>非強制性或非必要機房，例如空調機房、風櫃房等   | N/A<br>不適用            |
| Green Features under Joint Practice Notes 1 and 2<br>根據聯合作業備考第1及第2號提供的環保設施                            |   |                       |
| 3.  | Balcony<br>露台   | 491.383               |
| 4.  | Wider common corridor and lift lobby<br>加闊的公用走廊及升降機大堂   | 124.854               |
| 5.  | Communal sky garden<br>公用空中花園   | N/A<br>不適用            |
| 6. (#)  | Acoustic fin<br>隔聲鰭   | 7.635                 |

獲寬免總樓面面積的設施分項

- 於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有（#）號的資料可以由認可人士提供的資料作為基礎，直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

|  |   | Area (m²)<br>面積 (平方米) |
|--|---|-----------------------|
| Green Features under Joint Practice Notes 1 and 2<br>根據聯合作業備考第1及第2號提供的環保設施 |   |                       |
| 7.   | Wing wall, wind catcher and funnel<br>翼牆、捕風器及風斗   | N/A<br>不適用            |
| 8.   | Non-structural prefabricated external wall<br>非結構預製外牆   | 141.972               |
| 9.   | Utility platform<br>工作平台  | 119.250               |
| 10.  | Noise barrier<br>隔音屏障   | N/A<br>不適用            |
| Amenity Features<br>適意設施   |   |                       |
| 11.  | Counter, office, store, guard room and lavatory for watchman and management staff, Owners' Corporation Office<br>供保安人員和管理處員工使用的櫃枱、辦公室、儲物室、警衛室和廁所、業主立案法團辦公室  | 26.893                |
| 12.  | Residential Recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway etc serving solely the recreational facilities<br>住宅康樂設施，包括僅供康樂設施使用的中空、機房、游泳池的濾水器機房、有蓋人行道等 | 1328.559              |
| 13.  | Covered landscaped and play area<br>有上蓋的園景區及遊樂場   | 447.927               |
| 14. (#)  | Horizontal screens/covered walkways, trellis<br>橫向屏障 / 有蓋人行道、花棚   | 194.309               |
| 15.  | Larger lift shaft<br>擴大升降機井道  | 689.581               |
| 16.  | Chimney shaft<br>煙囪管道   | N/A<br>不適用            |
| 17. (#)  | Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room<br>其他非強制性或非必要機房，例如鍋爐房、衛星電視共用天線房  | 1.745                 |

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

Breakdown of GFA Concessions Obtained for ALL Features

|                              |   | Area (m²)<br>面積 (平方米) |
|------------------------------|---|-----------------------|
| Amenity Features<br>適意設施     |   |                       |
| 18.(#)                       | Pipe duct, air duct for mandatory feature or essential plant room<br>強制性設施或必要機房所需的管槽、氣槽   | 854.469               |
| 19.                          | Pipe duct, air duct for non-mandatory or non-essential plant room<br>非強制性設施或非必要機房所需的管槽、氣槽   | N/A<br>不適用            |
| 20.                          | Plant room, pipe duct, air duct for environmentally friendly system and feature<br>環保系統及設施所需的機房、管槽及氣槽   | N/A<br>不適用            |
| 21.                          | Void in duplex domestic flat and house<br>複式住宅單位及洋房的中空  | N/A<br>不適用            |
| 22.                          | Projections such as air-conditioning box and platform with a projection of more than 750mm from the external wall<br>伸出物，如空調機箱及伸出外牆超過750毫米的平台                     | N/A<br>不適用            |
| Other Exempted Items<br>其他項目 |   |                       |
| 23.                          | Refuge floor including refuge floor cum sky garden<br>庇護層，包括庇護層兼空中花園  | N/A<br>不適用            |
| 24.                          | Other projections<br>其他伸出物  | N/A<br>不適用            |
| 25.                          | Public transport terminus<br>公共交通總站   | N/A<br>不適用            |
| 26.                          | Party structure and common staircase<br>共用構築物及樓梯  | N/A<br>不適用            |
| 27.(#)                       | Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA<br>僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積 | 3306.390              |
| 28.                          | Public passage<br>公眾通道  | N/A<br>不適用            |
| 29.                          | Covered set back area<br>因建築物後移導致的覆蓋面積  | N/A<br>不適用            |
| Bonus GFA<br>額外總樓面面積         |   |                       |
| 30.                          | Bonus GFA<br>額外總樓面面積  | N/A<br>不適用            |

獲寬免總樓面面積的設施分項

- Note:**
- The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.
- 註：
- 上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM 2規定的需求而制定的。屋宇署會按實際需要不時更改有關要求。

Environmental Assessment of the Building  
建築物的環境評估



INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

Estimated Energy Performance or Consumption for the Common Parts of the Development

發展項目的公用部分的預計能量表現或消耗

- Latest information on the estimated energy performance or consumption for the common parts of the development as submitted to the Building Authority prior to the printing of the sales brochures:
- 於印製售樓說明書前呈交予建築事務監督發展項目的公用部份的預計能量表現或消耗的最近期資料:

| Part I<br>第 I 部分  |   |
|---|---|
| Provision of Central Air Conditioning<br>提供中央空調         | YES 是   |
| Provision of Energy Efficient Features<br>提供具能源效益的設施    | YES 是   |
| Energy Efficient Features proposed:-<br>擬安裝的具能源效益的設施: – | 1. High COP VRV Unit for Club house<br>供會所使用的高效能多聯分體式空調<br>2. Demand Control Ventilation for Carpark<br>供停車場通風使用的按需控制系統 |

| Part II : The predicted annual energy use of the proposed building / part of building (Note 1)<br>第 II 部分: 擬興建樓宇/部分樓宇預計每年能源消耗量（註腳1） |  |   |  |  |  |
|---|--|---|--|--|--|
| Location<br>位置  | Internal Floor Area Served (m <sup>2</sup> )<br>使用有關裝置的內部樓面面積（平方米） | Annual Energy Use of Baseline Building (Note 2)<br>基線樓宇每年能源消耗量（註腳2） |  | Annual Energy Use of Proposed Building<br>擬興建樓宇每年能源消耗量       |  |
|   |  | Electricity<br>kWh/m <sup>2</sup> /annum<br>電力<br>千瓦小時/平方米/年        | Town Gas/LPG<br>unit/m <sup>2</sup> /annum<br>煤氣/石油氣<br>用量單位/平方米/年 | Electricity<br>kWh/m <sup>2</sup> /annum<br>電力<br>千瓦小時/平方米/年 | Town Gas/LPG<br>unit/m <sup>2</sup> /annum<br>煤氣/石油氣<br>用量單位/平方米/年 |
| Area served by central building services installation (Note 3)<br>有使用中央屋宇裝備裝置（註腳3）的部分   | 6895 (Residential Common Area)<br>（住宅公用地方）                         | 101.5   | 0  | 86.4   | 0  |

| Part III : The following installation(s) are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD)<br>第 III 部分: 以下裝置乃按機電工程署公布的相關實務守則設計 |       |      |         |
|--|-------|------|---------|
| Type of Installations<br>裝置類型  | YES 是 | NO 否 | N/A 不適用 |
| Lighting Installations<br>照明裝置   | ✓     |      |         |
| Air Conditioning Installations<br>空調裝置   | ✓     |      |         |
| Electrical Installations<br>電力裝置   | ✓     |      |         |
| Lift & Escalator Installations<br>升降機及自動梯的裝置   | ✓     |      |         |
| Performance-based Approach<br>以總能源為本的方法  | ✓     |      |         |



# INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

## Estimated Energy Performance or Consumption for the Common Parts of the Development

發展項目的公用部分的預計能量表現或消耗

### Notes:

1. In general, the lower the estimate "Annual Energy Use" of the building, the more efficient of the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicated use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

The predicted annual energy use, in terms of electricity consumption (kWh/m<sup>2</sup>/annum) and town gas/LPG consumption (unit/m<sup>2</sup>/annum), of the development by the internal floor areas served, where:-

- (a) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version); and
- (b) "internal floor area", in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.

2. "Baseline Building" has the same meaning as "Baseline Building Model (Zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New building (current version).
3. "Central Building Services Installation" has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installations issued by the Electrical and Mechanical Services Department.

### 註:

1. 一般而言，一棟樓宇的預計“每年能源消耗量”愈低，其節約能源的效益愈高。如一棟樓宇預計的“每年能源消耗量”低於該樓宇的“基線樓宇每年能源消耗量”，則代表預計該樓宇的能源應用較其基線樓宇有效，削減幅度愈大則代表有關樓宇能源節約的效益愈高。

預計每年能源消耗量〔以耗電量(千瓦小時/平方米/年)及煤氣/石油氣消耗量(用量單位/平方米/年)計算〕，指將發展項目的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商，其中：-

- (a) “每年能源消耗量”與新建樓宇BEAM Plus 標準（現行版本）第4節及附錄8中的「年能源消耗」具有相同涵義；及
- (b) 樓宇、空間或單位的“內部樓面面積”，指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。

2. “基線樓宇”與新建樓宇BEAM Plus 標準（現行版本）第4節中及附錄8中的“基準建築模式(零分標準)”具有相同涵義。
3. “中央屋宇裝備裝置”與機電工程署發出的屋宇裝備裝置能源效益實務守則中的涵義相同。

## INFORMATION REQUIRED BY THE DIRECTOR OF LANDS TO BE SET OUT IN THE SALES BROCHURE AS A CONDITION FOR GIVING THE PRESALE CONSENT 地政總署署長作為給予預售樓花同意書的條件而規定列於售樓說明書的資料

1. The purchaser is required to agree with the Vendor in the Agreement for Sale and Purchase (the “**Agreement**”) to the effect that other than entering into a mortgage or charge, the purchaser will not nominate any person to take up the Assignment of the residential unit or the parking space specified in the Agreement, sub-sell that residential unit or parking space or transfer the benefit of the Agreement of that residential unit or parking space in any manner whatsoever or enter into any agreement so to do before completion of the sale and purchase and execution of the Assignment.
2. If the Vendor, at the request of the purchaser under an Agreement, agrees (at its own discretion) to cancel the Agreement or the obligations of the purchaser under the Agreement, the Vendor is entitled to retain a sum of 5% of the total purchase price of the residential unit and the parking space specified in the Agreement and the purchaser will in addition pay or reimburse (as the case may be) to the Vendor all legal costs, charges and disbursements (including any stamp duty) in connection with the cancellation of the Agreement.
3. The Vendor will pay or has paid (as the case may be) all outstanding Government rent in respect of the land on which the Development is in the course of being erected, from the date of the Land Grant up to and including the date of the respective Assignments to the purchasers.
4. The purchaser who has signed an Agreement has the right of access to and will, upon his request, be provided with a hard copy of an updated record of information as to the total construction costs and the total professional fees to complete the Phase as well as the total construction costs and the total professional fees expended and paid as at the end of the calendar month preceding the month at which the request is made subject to payment of a nominal fee of not more than HK\$100 per request.
5. Information on the Reserved Area (as referred to in Special Condition Nos. (3), (4), (5), (6) and (7) of the Land Grant) is set out in full under the Summary of Land Grant section of this sales brochure.
6. Information on the Green Areas (as referred to in Special Condition Nos. (8), (9), (10) and (11) of the Land Grant) is set out in full under the Summary of Land Grant section of this sales brochure.
7. Information on the Yellow Area, the Yellow Stippled Black Area and the Yellow Cross-hatched Black Area (as referred to in Special Condition No. (13) of the Land Grant) is set out in full under the Summary of Land Grant section of this sales brochure.
8. Information on the Non-Building Area 2 and the public access over the Non-Building Area 2 (as referred to in Special Condition Nos. (15) and (16) of the Land Grant) is set out in full under the Summary of Land Grant section of this sales brochure.
9. Special Condition No. (27)(h) of the Land Grant stipulates that the total number of residential units erected or to be erected on the Lot at any time shall not be less than 700.
10. Clause 46 of Section 5 of the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-

“The Manager shall deposit in the management office the record provided by the Director or any other Government authority in place of him from time to time of the information relating to the consent referred to in Clause 1(b) of the Third Schedule for inspection by all Owners free of costs and for taking copies at their own expenses and on payment of a reasonable charge, all charges received to be credited to the Special Fund. ”
11. Clause 1(b) of the Third Schedule to the approved form of Deed of Mutual Covenant and Management Agreement for the Development provides as follows:-

“No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which will result in such Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.”
12. A total number of 355 residential units are provided in the Phase.

## INFORMATION REQUIRED BY THE DIRECTOR OF LANDS TO BE SET OUT IN THE SALES BROCHURE AS A CONDITION FOR GIVING THE PRESALE CONSENT 地政總署署長作為給予預售樓花同意書的條件而規定列於售樓說明書的資料

1. 買方須於正式買賣合約(「**買賣合約**」)下與賣方約定，除訂立按揭或押記外，在買賣完成及簽署轉讓契前，買方不得提名任何人士接受買賣合約指明之住宅單位或停車位之轉讓、轉售該住宅單位或停車位或以任何形式轉移該住宅單位或停車位之買賣合約之權益、或訂立任何有關上述提名、轉售或轉移權益之協議。
2. 若賣方應買賣合約下買方要求同意(同意與否賣方有酌情權決定)取消買賣合約或買賣合約下買方之責任，賣方有權保留等同買賣合約指明之住宅單位及停車位總售價5%之金額，另買方須向賣方額外繳付或補還(視屬何情況而定)所有與取消買賣合約有關之法律費用、收費及開銷(包括任何印花稅)。
3. 賣方將會或已經(視屬何情況而定)支付所有有關發展項目在其上興建之土地於批地文件日期起計至相關買家轉讓契日期(包括簽署轉讓契當日)期間之未付地稅。
4. 已簽署買賣合約之買方，如已支付不多於港幣\$100之象徵式費用(按每次要求計)，有權獲取(而當其要求時將獲提供)以下資料之最新紀錄印本：完成期數的總建築費用及總專業費用及截至該要求作出當月前之月份完結時已支出和繳付之總建築費用及總專業費用。
5. 有關「保留區域」(在批地文件特別條款第(3)、(4)、(5)、(6)及(7)條提及)的資料在本售樓說明書的「批地文件的摘要」中全面列出。
6. 有關「綠色區域」(在批地文件特別條款第(8)、(9)、(10)及(11)條提及)的資料該在本售樓說明書的「批地文件的摘要」中全面列出。
7. 有關「黃色區域」、「黃色加黑點區域」及「黃色加黑色交叉斜線區域」(在批地文件特別條款第(13)條提及)的資料在本售樓說明書的「批地文件的摘要」中全面列出。
8. 有關「非建築用地二」及「非建築用地二」的公眾使用權(在批地文件特別條款第(15)及(16)條提及)的資料在本售樓說明書的「批地文件的摘要」中全面列出。
9. 批地文件特別條款第(27)(h)條規定，該地段已建或擬建的住宅單位總數在任何時候不得少於700個。
10. 發展項目的大廈公共契約及管理合約的經批准格式的第5章第46條規定：

「管理人須於管理處備存署長或不時代替他的任何其他政府當局提供有關附表3第1(b)段所述同意的資料記錄，以供所有業主免費查閱及在繳付合理的費用後取得該記錄之副本，而收取的所有費用將撥入特別基金。」
11. 發展項目的大廈公共契約及管理合約的經批准格式的附表3第 1(b) 條規定：

「除非獲署長或不時代替他的任何其他政府當局事先書面同意，否則任何業主不得進行或允許或容許進行任何涉及任何住宅單位的工程，包括但不限於拆除或改動任何間隔牆或任何地板或天台樓板或任何間隔構築物，以導致該單位的內部連接至任何毗鄰或毗連住宅單位及可從任何毗鄰或毗連住宅單位通往該單位，而且署長可絕對酌情決定是否給予同意；若給予同意，則可能須受其絕對酌情決定下所訂的條款及條件（包括支付費用）限制。」
12. 期數的住宅單位總數為355個。

DATE OF PRINTING OF SALES BROCHURE 售樓說明書印製日期

Date of printing of this Sales Brochure: 10th November 2017

本售樓說明書印製日期：2017年11月10日

POSSIBLE FUTURE CHANGE 日後可能出現改變

There may be future changes to the Phase and the surrounding areas.

期數及其周邊地區日後可能出現改變。

EXAMINATION RECORD 檢視紀錄

| Examination / Revision Date<br>檢視/修改日期 | Revision Made<br>所作修改   |  |
|--|---|--|
|  | Page Number<br>頁次   | Revision Made<br>所作修改  |
| 29th November 2017<br>2017年11月29日      | AH001   | Location Plan of the Development is updated.<br>已更新發展項目的所在位置圖。   |
|  | AX003, AX004, AX005, AX008  | Fittings, Finishes and Appliances are updated.<br>已更新裝置、裝修物料及設備。   |
| 12th February 2018<br>2018年2月12日       | AH001   | Location Plan of the Development is updated.<br>已更新發展項目的所在位置圖。   |
|  | AI001   | Aerial Photograph of the Phase is updated.<br>已更新期數的鳥瞰照片。  |
| 10th May 2018<br>2018年5月10日            | AH001   | Location Plan of the Development is updated.<br>已更新發展項目的所在位置圖。   |
|  | AI001   | Aerial Photograph of the Phase is updated.<br>已更新期數的鳥瞰照片。  |
|  | AL003, AL011, AL013, AL015, AL017, AL023, AL025, AL027, AL029, AL031, AL033, AL035, AL037, AL039, AL041, AL043, AL045, AL051, AL053, AL057, AL063 | Floor Plans of Residential Properties in the Phase are updated.<br>已更新期數的住宅物業的樓面平面圖。                         |
|  | AU001 – AU008   | Elevation Plans are updated.<br>已更新立面圖。  |
|  | BG001, BG002  | Information in Application for Concession on Gross Floor Area of Building is updated.<br>已更新申請建築物總樓面面積寬免的資料。 |
| 27th June 2018<br>2018年6月27日           | AH001   | Location Plan of the Development is updated.<br>已更新發展項目的所在位置圖。   |
|  | AX002, AX007-AX008  | Fittings, Finishes and Appliances are updated.<br>已更新裝置、裝修物料及設備。   |



EXAMINATION RECORD 檢視紀錄

| Examination / Revision Date<br>檢視/修改日期 | Revision Made<br>所作修改             |  |
|--|-----------------------------------|--|
|  | Page Number<br>頁次                 | Revision Made<br>所作修改  |
| 21st September 2018<br>2018年9月21日      | AC001                             | Information on the Phase is updated.<br>已更新期數的資料。  |
|  | AD001                             | Information on Vendor and Others Involved in the Phase is updated.<br>已更新賣方及有參與期數的其他人的資料。                    |
|  | AF001 – AF008                     | Information on Design of the Phase is updated.<br>已更新期數的設計的資料。   |
|  | AH001                             | Location Plan of the Development is updated.<br>已更新發展項目的所在位置圖。   |
|  | AK001                             | Layout Plan of the Development is updated.<br>已更新發展項目的布局圖。   |
|  | AL023, AL045                      | Floor Plans of Residential Properties in the Phase are updated.<br>已更新期數的住宅物業的樓面平面圖。                         |
|  | AN001, AN003                      | Floor Plans of Parking Spaces in the Phase are updated.<br>已更新期數中的停車位的樓面平面圖。                                 |
|  | AR012, AR013                      | Information on Public Facilities and Public Open Spaces are updated.<br>已更新公共設施及公眾休憩用地的資料。                   |
|  | AT001 – AT006                     | Cross-Section Plan of Buildings in the Phase are updated.<br>已更新期數中的建築物的橫截面圖。                                |
|  | AU001 – AU008                     | Elevation Plans are updated.<br>已更新立面圖。  |
|  | AX021, AX024, AX025, AX085, AX096 | Fittings, Finishes and Appliances are updated.<br>已更新裝置、裝修物料及設備。   |
|  | BG001                             | Information in Application for Concession on Gross Floor Area of Building is updated.<br>已更新申請建築物總樓面面積寬免的資料。 |







