


Block 1  
Enna Boulevard  
茵娜大道 第1座




G/F Plan 地面層平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

Staircase Part Plan  
樓梯部分平面圖




Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Enna Boulevard  
茵娜大道 第1座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 1  
Enna Boulevard  
茵娜大道 第1座



2/F Plan 二樓平面圖



Note: The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Enna Boulevard  
茵娜大道 第1座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 1  
Enna Boulevard  
茵娜大道 第1座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Enna Boulevard  
茵娜大道 第1座



R/F Plan 天台平面圖

0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


Block 2  
Enna Boulevard  
茵娜大道 第2座



Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

Staircase Part Plan  
樓梯部分平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Enna Boulevard  
茵娜大道 第2座



1/F Plan 一樓平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Enna Boulevard  
茵娜大道 第2座



2/F Plan 二樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Enna Boulevard  
茵娜大道 第2座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 2  
Enna Boulevard  
茵娜大道 第2座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.


請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Enna Boulevard  
茵娜大道 第2座



R/F Plan 天台平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Enna Boulevard  
茵娜大道 第3座




0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Enna Boulevard  
茵娜大道 第3座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 3  
Enna Boulevard  
茵娜大道 第3座



2/F Plan 二樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 3  
Enna Boulevard  
茵娜大道 第3座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 3  
Enna Boulevard  
茵娜大道 第3座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 3  
Enna Boulevard  
茵娜大道 第3座



R/F Plan 天台平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Ferentino Boulevard  
菲利提諾大道 第1座




Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

Staircase Part Plan  
樓梯部分平面圖

G/F Plan 地面層平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Ferentino Boulevard  
菲利提諾大道 第1座



1/F Plan 一樓平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 1  
Ferentino Boulevard  
菲利提諾大道 第1座



2/F Plan 二樓平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Ferentino Boulevard  
菲利提諾大道 第1座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 1  
Ferentino Boulevard  
菲利提諾大道 第1座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.


請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Ferentino Boulevard  
菲利提諾大道 第1座



R/F Plan 天台平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Ferentino Boulevard  
菲利提諾大道 第2座




Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

Staircase Part Plan  
樓梯部分平面圖

G/F Plan 地面層平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Ferentino Boulevard  
菲利提諾大道 第2座



1/F Plan 一樓平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 2  
Ferentino Boulevard  
菲利提諾大道 第2座



2/F Plan 二樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Ferentino Boulevard  
菲利提諾大道 第2座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 2  
Ferentino Boulevard  
菲利提諾大道 第2座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Ferentino Boulevard  
菲利提諾大道 第2座



R/F Plan 天台平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Ferentino Boulevard  
菲利提諾大道 第3座



G/F Plan 地面層平面圖


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 3  
Ferentino Boulevard  
菲利提諾大道 第3座



1/F Plan 一樓平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 3  
Ferentino Boulevard  
菲利提諾大道 第3座



2/F Plan 二樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Ferentino Boulevard  
菲利提諾大道 第3座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 3  
Ferentino Boulevard  
菲利提諾大道 第3座



5/F Plan 五樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Ferentino Boulevard  
菲利提諾大道 第3座



R/F Plan 天台平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 5  
Ferentino Boulevard  
菲利提諾大道 第5座



Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan Below Planter  
花槽置下部分平面圖

Staircase Part Plan  
樓梯部分平面圖


Part Plan Below Planter  
花槽置下部分平面圖

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 5  
Ferentino Boulevard  
菲利提諾大道 第5座



1/F Plan 一樓平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 5  
Ferentino Boulevard  
菲利提諾大道 第5座



2/F Plan 二樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 5  
Ferentino Boulevard  
菲利提諾大道 第5座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 5  
Ferentino Boulevard  
菲利提諾大道 第5座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Fixed glazing / wall

Block 5  
Ferentino Boulevard  
菲利提諾大道 第5座



R/F Plan 天台平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Genova Boulevard  
珍諾華大道 第1座




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 1  
Genova Boulevard  
珍諾華大道 第1座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 1  
Genova Boulevard  
珍諾華大道 第1座



2/F Plan 二樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Genova Boulevard  
珍諾華大道 第1座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 1  
Genova Boulevard  
珍諾華大道 第1座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 1  
Genova Boulevard  
珍諾華大道 第1座



R/F Plan 天台平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


Block 2  
Genova Boulevard  
珍諾華大道 第2座




G/F Plan 地面層平面圖



Part Plan of Skylight above  
天窗置上部分平面圖



Part Plan of Skylight above  
天窗置上部分平面圖



Staircase Part Plan  
樓梯部分平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Genova Boulevard  
珍諾華大道 第2座



1/F Plan 一樓平面圖



0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 2  
Genova Boulevard  
珍諾華大道 第2座



2/F Plan 二樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Genova Boulevard  
珍諾華大道 第2座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 2  
Genova Boulevard  
珍諾華大道 第2座



5/F Plan 五樓平面圖


0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 2  
Genova Boulevard  
珍諾華大道 第2座



R/F Plan 天台平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Genova Boulevard  
珍諾華大道 第3座




Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

Staircase Part Plan  
樓梯部分平面圖

G/F Plan 地面層平面圖




Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 2800mm, 3250mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2800毫米、3250毫米及3500毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Genova Boulevard  
珍諾華大道 第3座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Block 3  
Genova Boulevard  
珍諾華大道 第3座



2/F Plan 二樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm and 3550mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米及3550毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Genova Boulevard  
珍諾華大道 第3座



3/F Plan 三樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 3  
Genova Boulevard  
珍諾華大道 第3座



5/F Plan 五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.


備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 3  
Genova Boulevard  
珍諾華大道 第3座



R/F Plan 天台平面圖

0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

# Block 5 Enna Boulevard 茵娜大道 第5座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

G/F Plan 地面層平面圖

Part Plan of Skylight above  
天窗置上部分平面圖


0 1 2 3 4 5 6 Metres 米

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 5  
Enna Boulevard  
茵娜大道 第5座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 5  
Enna Boulevard  
茵娜大道 第5座



2/F, 3/F, 5/F -10/F Plan 二樓, 三樓, 五樓至十樓平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度:150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的層與層之間的高度:二樓,三樓,五樓至九樓為3400毫米,十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 5  
Enna Boulevard  
茵娜大道 第5座



11/F Plan 十一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 5  
Enna Boulevard  
茵娜大道 第5座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200毫米、3550毫米及3690毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 5  
Enna Boulevard  
茵娜大道 第5座



Roof Plan 天台平面圖



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

# Block 6 Enna Boulevard 茵娜大道 第6座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

G/F Plan 地面層平面圖


0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 6  
Enna Boulevard  
茵娜大道 第6座



1/F Plan 一樓平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 6  
Enna Boulevard  
茵娜大道 第6座



2/F, 3/F, 5/F -10/F Plan 二樓，三樓，五樓至十樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：二樓，三樓，五樓至九樓為3400毫米，十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 6  
Enna Boulevard  
茵娜大道 第6座



11/F Plan 十一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 6  
Enna Boulevard  
茵娜大道 第6座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150 毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200 毫米、3550 毫米及 3690 毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 6  
Enna Boulevard  
茵娜大道 第6座



Roof Plan 天台平面圖

0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


# Block 7

## Enna Boulevard

### 茵娜大道 第7座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

G/F Plan 地面層平面圖

Part Plan of Skylight above  
天窗置上部分平面圖


0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 7  
Enna Boulevard  
茵娜大道 第7座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 7  
Enna Boulevard  
茵娜大道 第7座



2/F, 3/F, 5/F -10/F Plan 二樓, 三樓, 五樓至十樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度:150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的層與層之間的高度:二樓,三樓,五樓至九樓為3400毫米,十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低層的內部面積稍大。


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註:平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Enna Boulevard  
茵娜大道 第7座



11/F Plan 十一樓平面圖





Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 7  
Enna Boulevard  
茵娜大道 第7座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200毫米、3550毫米及3690毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 7  
Enna Boulevard  
茵娜大道 第7座



Roof Plan 天台平面圖

0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


# Block 8

## Enna Boulevard

### 茵娜大道 第8座




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

G/F Plan 地面層平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 8  
Enna Boulevard  
茵娜大道 第8座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 8  
Enna Boulevard  
茵娜大道 第8座



2/F, 3/F, 5/F -10/F Plan 二樓, 三樓, 五樓至十樓平面圖

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度:150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的層與層之間的高度:二樓,三樓,五樓至九樓為3400毫米,十樓為3400毫米、3640毫米及3890毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註:平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 8  
Enna Boulevard  
茵娜大道 第8座



11/F Plan 十一樓平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 8  
Enna Boulevard  
茵娜大道 第8座



12/F Plan 十二樓平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150 毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200 毫米、3550 毫米及 3690 毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 8  
Enna Boulevard  
茵娜大道 第8座



Roof Plan 天台平面圖



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

# Block 6

## Ferentino Boulevard

### 菲利提諾大道 第6座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。




1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 6  
Ferentino Boulevard  
菲利提諾大道 第6座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 6  
Ferentino Boulevard  
菲利提諾大道 第6座



2/F, 3/F, 5/F -10/F Plan 二樓，三樓，五樓至十樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：二樓，三樓，五樓至九樓為3400毫米，十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 6  
Ferentino Boulevard  
菲利提諾大道 第6座



11/F Plan 十一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 6  
Ferentino Boulevard  
菲利提諾大道 第6座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200毫米、3550毫米及3690毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 6  
 Ferentino Boulevard  
 菲利提諾大道 第6座



Roof Plan 天台平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.  
 備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
 請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
 按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
 按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

# Block 7

## Ferentino Boulevard

### 菲利提諾大道 第7座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section. 請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

G/F Plan 地面層平面圖

Part Plan of Skylight above  
天窗置上部分平面圖




Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Ferentino Boulevard  
菲利提諾大道 第7座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Ferentino Boulevard  
菲利提諾大道 第7座



2/F, 3/F, 5/F -10/F Plan 二樓，三樓，五樓至十樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：二樓，三樓，五樓至九樓為3400毫米，十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Ferentino Boulevard  
菲利提諾大道 第7座



11/F Plan 十一樓平面圖

0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.


請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 7  
Ferentino Boulevard  
菲利提諾大道 第7座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200毫米、3550毫米及3690毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Ferentino Boulevard  
菲利提諾大道 第7座



Roof Plan 天台平面圖

0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

# Block 8

## Ferentino Boulevard

### 菲利提諾大道 第8座

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

Part Plan of Skylight above  
天窗置上部分平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 8  
Ferentino Boulevard  
菲利提諾大道 第8座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 8  
Ferentino Boulevard  
菲利提諾大道 第8座



2/F, 3/F, 5/F -10/F Plan 二樓，三樓，五樓至十樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：二樓，三樓，五樓至九樓為3400毫米，十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 8  
Ferentino Boulevard  
菲利提諾大道 第8座



11/F Plan 十一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 8  
Ferentino Boulevard  
菲利提諾大道 第8座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.


請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200毫米、3550毫米及3690毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Block 8  
Ferentino Boulevard  
菲利提諾大道 第8座



Roof Plan 天台平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

# Block 5


## Genova Boulevard

### 珍諾華大道 第5座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

G/F Plan 地面層平面圖

Part Plan of Skylight above  
天窗置上部分平面圖


0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 5  
Genova Boulevard  
珍諾華大道 第5座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Block 5  
Genova Boulevard  
珍諾華大道 第5座



2/F, 3/F, 5/F -10/F Plan 二樓，三樓，五樓至十樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：二樓，三樓，五樓至九樓為3400毫米，十樓為3400毫米、3640毫米及3890毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 5  
Genova Boulevard  
珍諾華大道 第5座



11/F Plan 十一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板（不包括灰泥）的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 5  
Genova Boulevard  
珍諾華大道 第5座



12/F Plan 十二樓平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150 毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200 毫米、3550 毫米及 3690 毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)



# Block 6


## Genova Boulevard

### 珍諾華大道 第6座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。




1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

--- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 6  
Genova Boulevard  
珍諾華大道 第6座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 6  
Genova Boulevard  
珍諾華大道 第6座



2/F, 3/F, 5/F -10/F Plan 二樓, 三樓, 五樓至十樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度: 150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的層與層之間的高度: 二樓, 三樓, 五樓至九樓為3400毫米, 十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減, 較高樓層的內部面積, 一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 6  
Genova Boulevard  
珍諾華大道 第6座



11/F Plan 十一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 6  
Genova Boulevard  
珍諾華大道 第6座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200毫米、3550毫米及3690毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。



# Block 7


## Genova Boulevard

### 珍諾華大道 第7座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Part Plan of Skylight above  
天窗置上部分平面圖

G/F Plan 地面層平面圖

Part Plan of Skylight above  
天窗置上部分平面圖


0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2760mm, 2800mm, 2850mm, 3040mm, 3150mm, 3150mm ( including transfer beam of 450mm thick ), 3250mm, 3250mm ( including transfer beam of 450mm thick ), 3500mm and 3500mm ( including transfer beam of 450mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：2760毫米、2800毫米、2850毫米、3040毫米、3150毫米、3150毫米(包括450毫米厚的轉換橫樑)、3250毫米、3250毫米(包括450毫米厚的轉換橫樑)、3500毫米及3500毫米(包括450毫米厚的轉換橫樑)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Genova Boulevard  
珍諾華大道 第7座



1/F Plan 一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3400毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Genova Boulevard  
珍諾華大道 第7座



2/F, 3/F, 5/F -10/F Plan 二樓, 三樓, 五樓至十樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度:150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3400mm for 2/F, 3/F, 5/F to 9/F, 3400mm, 3640mm and 3890mm for 10/F.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的層與層之間的高度:二樓,三樓,五樓至九樓為3400毫米,十樓為3400毫米、3640毫米及3890毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶/牆  
(噪音緩解)

Block 7  
Genova Boulevard  
珍諾華大道 第7座



11/F Plan 十一樓平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Block 7  
Genova Boulevard  
珍諾華大道 第7座



12/F Plan 十二樓平面圖

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150 毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3200mm, 3550mm and 3690mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3200 毫米、3550 毫米及 3690 毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall  
(Noise Mitigation)  
固定窗戶 / 牆  
(噪音緩解)

Block 7  
Genova Boulevard  
珍諾華大道 第7座



Roof Plan 天台平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註: 平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：天台梯屋為150毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 2800mm for Roof Stairhood.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：天台梯屋為2800毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Tower 1  
Helorus Boulevard  
茵羅洛斯大道 第1座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm, 175mm and 225mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米、175毫米及225毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3250mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3250毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 1  
Helorus Boulevard  
茵羅洛斯大道 第1座



2/F, 3/F, 5/F - 12/F, 15/F - 21/F Floor Plan  
二樓, 三樓, 五樓至十二樓, 十五樓至二十一樓平面圖

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm, 175mm and 225mm for 2/F to 20/F, 150mm and 200mm for 21/F.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度: 二樓至二十樓為150毫米、175毫米和225毫米, 二十一樓為150毫米和200毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3250mm for 2/F to 20/F, 3300mm, 3350mm and 3790mm for 21/F.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的層與層之間的高度: 二樓至二十樓為3250毫米, 二十一樓為3300毫米、3350毫米和3790毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減, 較高樓層的內部面積, 一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註: 平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 1  
Helorus Boulevard  
茵羅洛斯大道 第1座



22/F Plan 二十二樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米和200毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3260mm and 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3260毫米和3500毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)


Tower 1  
Helorus Boulevard  
茵羅洛斯大道 第1座



23/F Plan 二十三樓平面圖



Roof Plan 天台平面圖




Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm for 23/F, 150mm for roof.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：二十三樓為150毫米和200毫米，天台為150毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3100mm for 23/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：二十三樓為3100毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 2  
Helorus Boulevard  
茵羅洛斯大道 第2座



G/F Plan 地面層平面圖

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及200毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 2  
Helorus Boulevard  
茵羅洛斯大道 第2座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 1800mm (transfer plate thickness) and 2300mm (transfer plate thickness).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：1800毫米(轉換層厚度)及2300毫米(轉換層厚度)。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 4700mm ( including transfer plate of 1800mm thick ) and 5200mm ( including transfer plate of 2300mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：4700毫米(包括1800毫米厚的轉換層)及5200毫米(包括2300毫米厚的轉換層)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Tower 2  
Helorus Boulevard  
茵羅洛斯大道 第2座



1/F Plan 一樓平面圖



Note: The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3100mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3100毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 2  
Helorus Boulevard  
茵羅洛斯大道 第2座



2/F, 3/F, 5/F - 12/F, 15/F - 23/F Plan  
二樓，三樓，五樓至十二樓，十五樓至二十三樓平面圖

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 175mm for 2/F, 3/F, 5/F to 12/F, 15/F to 22/F, 150mm and 200mm for 23/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：二樓、三樓、五樓至十二樓、十五樓至二十二樓為 150 毫米及 175 毫米，二十三樓為 150 毫米及 200 毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3100mm for 2/F, 3/F, 5/F to 12/F, 15/F to 22/F, 3100mm, 3150mm and 3350mm for 23/F.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：二樓、三樓、五樓至十二樓、十五樓至二十二樓為 3100 毫米，二十三樓為 3100 毫米、3150 毫米及 3350 毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 2  
Helorus Boulevard  
茵羅洛斯大道 第2座



25/F Plan 二十五樓平面圖

0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及200毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3450mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3450毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。



Tower 3  
Helorus Boulevard  
茵羅洛斯大道 第3座



G/F Plan 地面層平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及200毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 3  
Helorus Boulevard  
茵羅洛斯大道 第3座



UG/F Plan 地面高層平面圖

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 1800mm (transfer plate thickness) and 2300mm (transfer plate thickness).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：1800毫米(轉換層厚度)及2300毫米(轉換層厚度)。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 4700mm ( including transfer plate of 1800mm thick ) and 5200mm ( including transfer plate of 2300mm thick ).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：4700毫米(包括1800毫米厚的轉換層)及5200毫米(包括2300毫米厚的轉換層)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 3  
Helorus Boulevard  
茵羅洛斯大道 第3座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3100mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3100毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 3  
Helorus Boulevard  
茵羅洛斯大道 第3座



2/F, 3/F, 5/F - 12/F, 15/F - 23/F Plan  
二樓, 三樓, 五樓至十二樓, 十五樓至二十三樓平面圖

23/F Part Plan  
二十三樓部份平面圖

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 175mm for 2/F, 3/F, 5/F to 12/F, 15/F to 22/F, 150mm and 200mm for 23/F.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度: 二樓、三樓、五樓至十二樓、十五樓至二十二樓為 150 毫米及 175 毫米, 二十三樓為 150 毫米及 200 毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3100mm for 2/F, 3/F, 5/F to 12/F, 15/F to 22/F, 3100mm, 3150mm and 3350mm for 23/F.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的層與層之間的高度: 二樓、三樓、五樓至十二樓、十五樓至二十二樓為 3100 毫米, 二十三樓為 3100 毫米、3150 毫米及 3350 毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減, 較高樓層的內部面積, 一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註: 平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 3  
Helorus Boulevard  
茵羅洛斯大道 第3座



25/F Plan 二十五樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.


請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及200毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3450mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3450毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

# Tower 3

## Helorus Boulevard

### 茵羅洛斯大道 第3座



Roof Plan 天台平面圖


0 1 2 3 4 5 6 Metres 米

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：不適用。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Tower 5  
Helorus Boulevard  
茵羅洛斯大道 第5座



G/F Plan 地面層平面圖

0 1 2 3 4 5 6 Metres 米


Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及200毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3300mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3300毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 5  
Helorus Boulevard  
茵羅洛斯大道 第5座



UG/F Plan 地面高層平面圖

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 1800mm (transfer plate thickness) and 2300mm (transfer plate thickness).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：1800毫米(轉換層厚度)及2300毫米(轉換層厚度)。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 4700mm (including transfer plate of 1800mm thick) and 5200mm (including transfer plate of 2300mm thick).  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：4700毫米(包括1800毫米厚的轉換層)及5200毫米(包括2300毫米厚的轉換層)。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶 / 牆 (噪音緩解)

Tower 5  
Helorus Boulevard  
茵羅洛斯大道 第5座



1/F Plan 一樓平面圖

0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 150mm and 175mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及175毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development : 3100mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3100毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Tower 5  
Helorus Boulevard  
茵羅洛斯大道 第5座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 175mm for 2/F, 3/F, 5/F to 12/F, 15/F to 22/F, 150mm and 200mm for 23/F.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度:二樓、三樓、五樓至十二樓、十五樓至二十二樓為 150 毫米及 175 毫米,二十三樓為 150 毫米及 200 毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3100mm for 2/F, 3/F, 5/F to 12/F, 15/F to 22/F, 3100mm, 3150mm and 3350mm for 23/F.  
按發展項目經批准的建築圖則所規定,此平面圖顯示每個住宅物業的層與層之間的高度:二樓、三樓、五樓至十二樓、十五樓至二十二樓為 3100 毫米,二十三樓為 3100 毫米、3150 毫米及 3350 毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低層的內部面積稍大。



Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註: 平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Tower 5  
Helorus Boulevard  
茵羅洛斯大道 第5座



25/F Plan 二十五樓平面圖


0 1 2 3 4 5 6 Metres 米

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及200毫米。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3450mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3450毫米。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

Tower 5  
Helorus Boulevard  
茵羅洛斯大道 第5座



Roof Plan 天台平面圖



Note : The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：不適用。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


# Tower 6A & 6B

## Helorus Boulevard

### 茵羅洛斯大道

### 第6A座及第6B座

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



1/F Plan 一樓平面圖

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 125mm, 150mm and 160mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：125毫米、150毫米及160毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3250mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3250毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。


----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

Note : The dimensions of floor plans are all structural dimensions in millimeter.  
備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

# Tower 6A & 6B Helorus Boulevard


## 茵羅洛斯大道 第6A座及第6B座

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



22/F Part Plan  
二十二樓部份平面圖

2/F, 3/F, 5/F - 12/F, 15/F - 22/F Plan  
二樓, 三樓, 五樓至十二樓, 十五樓至二十二樓平面圖



Note: The dimensions of floor plans are all structural dimensions in millimeter.  
備註: 平面圖之尺規所列數字為以毫米標示之建築結構尺寸。


- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 125mm, 150mm and 160mm for 2/F to 21/F, 150mm, 175mm and 200mm for 22/F.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度: 二樓至二十一樓為125毫米、150毫米及160毫米, 二十二樓為150毫米、175毫米及200毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3250mm for 2/F to 21/F, 3250mm and 3740mm for 22/F.  
按發展項目經批准的建築圖則所規定, 此平面圖顯示每個住宅物業的層與層之間的高度: 二樓至二十一樓為3250毫米, 二十二樓為3250毫米和3740毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減, 較高樓層的內部面積, 一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)

# Tower 6A & 6B Helorus Boulevard

## 茵羅洛斯大道 第6A座及第6B座

Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.  
請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



23/F Plan 二十三樓平面圖

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

- The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 150mm and 200mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：150毫米及200毫米。
- The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: 3500mm.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：3500毫米。
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。

----- Fixed glazing / wall (Noise Mitigation)  
固定窗戶/牆 (噪音緩解)


# Tower 6A & 6B Helorus Boulevard

## 茵羅洛斯大道 第6A座及第6B座



Please refer to pages AL001 to AL004 of this sales brochure for legend of the terms and abbreviations and guidance notes in studying the floor plans of this section.

請參閱本售樓說明書第AL001至AL004頁之圖例及指引以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Roof Plan 天台平面圖

0 1 2 3 4 5 6 Metres 米

Note: The dimensions of floor plans are all structural dimensions in millimeter.

備註：平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

1. The thickness of the floor slabs (excluding plaster) of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的樓板(不包括灰泥)的厚度：不適用。
2. The floor-to-floor height of each residential property shown in the floor plan hereto as provided in the approved buildings plans for the Development: Not applicable.  
按發展項目經批准的建築圖則所規定，此平面圖顯示每個住宅物業的層與層之間的高度：不適用。
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低層的內部面積稍大。