

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 1/F FLOOR PLAN

COURT D 第1座 1樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
1/F 1樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
1/F 1樓	2975 2975*	2675 2950* 2975 2975* 3250*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 2/F FLOOR PLAN COURT D 第1座 2樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
2/F 2樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
2/F 2樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 3/F, 5/F & 6/F FLOOR PLAN COURT D 第1座 3樓, 5樓及6樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
3/F, 5/F & 6/F 3樓, 5樓及6樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
3/F, 5/F & 6/F 3樓, 5樓及6樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 7/F FLOOR PLAN

COURT D 第1座 7樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
7/F 7樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
7/F 7樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 8/F FLOOR PLAN

COURT D 第1座 8樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
8/F 8樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
8/F 8樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 9/F FLOOR PLAN

COURT D 第1座 9樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
9/F 9樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
9/F 9樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 10/F & 11/F FLOOR PLAN

COURT D 第1座 10樓及11樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
10/F & 11/F 10樓及11樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
10/F & 11/F 10樓及11樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 12/F FLOOR PLAN

COURT D 第1座 12樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
12/F 12樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
12/F 12樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 15/F & 16/F FLOOR PLAN

COURT D 第1座 15樓及16樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
15/F 15樓	125	125	125	125
16/F 16樓	150	125	125	125
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
15/F 15樓	2975	2975	2975	2975
16/F 16樓	2925 3225 3275*	2975 3225* 3225*	2975 3225* 3225*	2975 3275* 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 1 17/F FLOOR PLAN

COURT D 第1座 17樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	
17/F 17樓	175 325 350	175	175	
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	
17/F 17樓	3250 3500 3575	3450* 3550* 3625	3500 3800* 3875	3500 3800* 3875

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11

COURT D TOWER 1
COURT D 第1座

Scale 比例：



The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)			
Floor 樓層	Unit 單位		
	A	B	C
R/F 天台	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			
Floor 樓層	Unit 單位		
	A	B	C
R/F 天台	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2

COURT D 第2座

G/F FLOOR PLAN

地下樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
G/F 地下	125 150	125 150	125 150	125 150 175 200
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
G/F 地下	3200 3500 3500*3750* 3800*4050*	3200 3500 3500*3750* 3800*4050*	3500 3500* 3750*3800* 4050*	3200 3300* 3500 3500* 3750*3800* 3850*4050*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 1/F FLOOR PLAN

COURT D 第2座 1樓樓面平面圖

Scale 比例：

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
1/F 1樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
1/F 1樓	2975 2975* 3275*	2675 2950* 2975 2975* 3250*	2975 2975* 2975*	2975 2975* 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 2/F & 3/F FLOOR PLAN

COURT D 第2座 2樓及3樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
2/F & 3/F 2樓及3樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
2/F & 3/F 2樓及3樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 5/F - 7/F FLOOR PLAN

COURT D 第2座 5樓至7樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
5/F - 7/F 5樓至7樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
5/F - 7/F 5樓至7樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 8/F FLOOR PLAN

COURT D 第2座 8樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
8/F 8樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
8/F 8樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 9/F FLOOR PLAN
COURT D 第2座 9樓樓面平面圖

Scale 比例:

A horizontal number line is shown with tick marks at 0, 5, and 10. The unit is labeled 'M/米' (meters). The segment from 0 to 3 is white, and the segment from 3 to 10 is green.

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
9/F 9樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
9/F 9樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 10/F & 11/F FLOOR PLAN

COURT D 第2座 10樓及11樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
10/F & 11/F 10樓及11樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
10/F & 11/F 10樓及11樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 12/F FLOOR PLAN

COURT D 第2座 12樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
12/F 12樓	125 150	125 150	125 150	125 150
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
12/F 12樓	2975 2975*	2975 2975*	2975 2975*	2975 2975*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 15/F & 16/F FLOOR PLAN

COURT D 第2座 15樓及16樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
15/F 15樓	125	125	125	125
16/F 16樓	150	125	125	125
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)				
Floor 樓層	Unit 單位			
	A	B	C	D
15/F 15樓	2975	2975	2975	2975
16/F 16樓	2925 2975 3225 3225* 3275* 3525*	2975 3225 3225*	2975 3225 3225*	2975 3225 3225*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 17/F FLOOR PLAN

COURT D 第2座 17樓樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)			
Floor 樓層	Unit 單位		
	A	B	C
17/F 17樓	175 325 350	175	175
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			
Floor 樓層	Unit 單位		
	A	B	C
17/F 17樓	3250 3450* 3500 3550* 3575 3625 3875 3925*	3500 3800*	3500 3625 3800*

* Inclusive of the thickness of mass concrete fill on sunken slab.

* 包括跌級樓板上的混凝土填充層。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

COURT D TOWER 2 ROOF FLOOR PLAN

COURT D 第 2 座 天台樓面平面圖

Scale 比例:

M/米 0 5 10

The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)			
Floor 樓層	Unit 單位		
	A	B	C
R/F 天台	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用
The floor-to-floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			
Floor 樓層	Unit 單位		
	A	B	C
R/F 天台	Not applicable 不適用	Not applicable 不適用	Not applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes: 備註

The dimensions in the floor plans are all structural dimensions in millimetre.

樓面平面圖所列之尺寸數字以毫米標示之建築結構尺寸。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 1 獨立屋 1 號

FLOOR PLAN 樓面平面圖


Scale 比例:
M/米 0 5 10

Notes: 備註


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans. 部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development. 請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。




B1/F PLAN
地庫1樓平面圖




G/F PLAN
地下平面圖


The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200	150 175 200	150 175 200	175 200	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



R/F PLAN
天台平面圖



UPPER ROOF PLAN
上層天台平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 2 獨立屋 2 號

FLOOR PLAN 樓面平面圖

Scale 比例:
M/米 0 5 10


Notes: 備註

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans. 部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。




B1/F PLAN
地庫1樓平面圖




G/F PLAN
地下平面圖


The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200	150 175 200	150 175 200	175 200	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



R/F PLAN
天台平面圖



UPPER ROOF PLAN
上層天台平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 3 獨立屋 3 號

FLOOR PLAN 樓面平面圖

Scale 比例:




Notes: 備註

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans. 部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。




B1/F PLAN
地庫1樓平面圖




G/F PLAN
地下平面圖


The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200 300	150 175 200	150 175 200	175 200	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用



1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



UPPER ROOF PLAN
上層天台平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 5 獨立屋 5 號

FLOOR PLAN 樓面平面圖

Scale 比例:



Notes: 備註


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans. 部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。


詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。




B1/F PLAN
地庫1樓平面圖




G/F PLAN
地下平面圖


The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200	150 175 200	150 175 200	175 200	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



R/F PLAN
天台平面圖



UPPER ROOF PLAN
上層天台平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 6 獨立屋 6 號

FLOOR PLAN 樓面平面圖

Scale 比例:




Notes: 備註

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans. 部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。




B1/F PLAN
地庫1樓平面圖




G/F PLAN
地下平面圖


The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200 300	150 200	175 200	175 200	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用



1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



UPPER ROOF PLAN
上層天台平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 7 獨立屋 7 號

FLOOR PLAN 樓面平面圖

Scale 比例:



Notes: 備註


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans. 部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。


詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。




B1/F PLAN
地庫1樓平面圖




G/F PLAN
地下平面圖


The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200	150 175 200	150 175 200	175 200	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用




1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



R/F PLAN
天台平面圖



UPPER ROOF PLAN
上層天台平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 8 獨立屋 8 號

FLOOR PLAN 樓面平面圖

Scale 比例:




Notes: 備註

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans. 部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。




B1/F PLAN
地庫1樓平面圖




G/F PLAN
地下平面圖


The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200 300	150 200	175 200	175 200	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用



1/F PLAN
1樓平面圖



2/F PLAN
2樓平面圖



UPPER ROOF PLAN
上層天台平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

HOUSE 9

獨立屋 9 號

FLOOR PLAN

樓面平面圖

Scale 比例:



Notes: 備註

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

There may be architectural features and / or exposed pipes on the external walls of some houses. For details, please refer to the latest approved building plans.

部份獨立屋外牆設有特色外牆裝飾及/或外露喉管。詳細資料請參閱最新批准的建築圖則。

Please refer to page 26 and page 27 of this sales brochure for the legend of the terms and abbreviations and general remarks in studying the floor plans of residential properties in the Development.

請參閱本售樓書第26頁及第27頁以了解住宅物業發展項目平面圖中顯示之名詞及簡稱及備註。



The thickness of the floor slabs (excluding plaster) (mm) 樓板(不包括灰泥)的厚度(毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	200 400	150 175 200	150 175	175	Not applicable 不適用	Not applicable 不適用
The floor-to floor height (i.e. the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) (mm) 層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (毫米)						
Floor 樓層	B1/F 地庫1樓	G/F 地下	1/F 1樓	2/F 2樓	R/F 天台	Upper Roof 上層天台
	4025 4175	3600 3750 3800	3000 3200	3500 3800	Not applicable 不適用	Not applicable 不適用

