

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	2	2	2	2	3
	Telephone Outlet 電話插座	2	2	2	2	3
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	2
	Switch for Exhaust Fan 抽氣扇開關	2	1	2	2	2
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Lighting Switch 燈掣	11	6	10	11	11
	Lighting Point 燈位	4	2	3	4	5
	Door Phone 對講機	1	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	-	-	-	-	1
	Telephone Outlet 電話插座	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	-	-	-	1
	Lighting Switch 燈掣	-	-	-	-	3
	Lighting Point 燈位	-	-	-	-	1
Bedroom 睡房	Switch for Exhaust Fan 抽氣扇開關	-	-	-	-	1
	TV/FM Outlet 電視及電台接收插座	-	-	1	-	-
	Telephone Outlet 電話插座	-	-	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	1	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	-	1	-	-
	Lighting Switch 燈掣	-	-	1	-	-
	Lighting Point 燈位	-	-	1	-	-

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 13/F & 14/F are omitted.

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	-	1	1
	Telephone Outlet 電話插座	1	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	1	1
	Lighting Switch 燈掣	1	1	-	1	1
	Lighting Point 燈位	1	1	-	1	1
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	-	1	1
	Telephone Outlet 電話插座	1	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	1	1
	Lighting Switch 燈掣	1	1	-	1	1
Kitchen 廚房	Lighting Point 燈位	1	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	2	-	1	2	2
	13A Single Socket Outlet 13A單位電插座	3	-	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	-	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	-	1	1	2
	Connection Point for Cooker Hood 抽油煙機接線位	1	-	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	-	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	-	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	-	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	-	1	1	1
	Lighting Point 燈位	3	-	2	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	1
	Door Bell 門鈴	1	-	1	1	1

備註：

- “ 1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設13樓及14樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	3	-	-	-
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	-	2	-	-	-
	Connection Point for Cooker Hood 抽油煙機接線位	-	1	-	-	-
	Connection Point for Contactor Box 索制箱接線位	-	1	-	-	-
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	-	1	-	-	-
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	-	1	-	-	-
	Lighting Point 燈位	-	2	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-
	Door Bell 門鈴	-	1	-	-	-
	Sprinkler Head 消防花灑頭	-	3	-	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	-
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	-	-	-	-	1
	Lighting Point 燈位	-	-	-	-	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	-	-	-	-	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	-	-	-	-	1
	Connection Point for Exhaust Fan 抽氣扇接線位	-	-	-	-	1
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2
	Electric Water Heater Remote Controller 電熱水爐溫度控制器	-	1	-	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	-	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1	1
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	1	2	2
Balcony 露台	Lighting Point 燈位	1	-	1	1	1

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 13/F & 14/F are omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設13樓及14樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F, 25/F - 33/F & 35/F - 39/F 23樓、25樓至33樓及35樓至39樓				
Unit 單位		A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	2	2	2	2	3
	Telephone Outlet 電話插座	2	2	2	2	3
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	2
	Switch for Exhaust Fan 抽氣扇開關	2	1	2	2	2
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Lighting Switch 燈掣	11	6	10	11	11
	Lighting Point 燈位	4	2	3	4	5
	Door Phone 對講機	1	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	-	-	-	-	1
	Telephone Outlet 電話插座	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	-	-	-	1
	Lighting Switch 燈掣	-	-	-	-	3
	Lighting Point 燈位	-	-	-	-	1
	Switch for Exhaust Fan 抽氣扇開關	-	-	-	-	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 24/F & 34/F are omitted.

Floor 樓層		23/F, 25/F - 33/F & 35/F - 39/F 23樓、25樓至33樓及35樓至39樓				
Unit 單位		A	B	C	D	E
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	-	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	-	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	-	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	-	2	1	2
	Connection Point for Cooker Hood 抽油煙機接線位	1	-	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	-	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	-	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	-	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	-	1	1	1
	Lighting Point 燈位	3	-	3	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	1
	Door Bell 門鈴	1	-	1	1	1

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設24樓及34樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F, 25/F - 33/F & 35/F - 39/F 23樓、25樓至33樓及 35樓至39樓				
Unit 單位		A	B	C	D	E
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	3	-	-	-
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	-	2	-	-	-
	Connection Point for Cooker Hood 抽油煙機接線位	-	1	-	-	-
	Connection Point for Contactor Box 索制箱接線位	-	1	-	-	-
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	-	1	-	-	-
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	-	1	-	-	-
	Lighting Point 燈位	-	2	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-
	Door Bell 門鈴	-	1	-	-	-
	Sprinkler Head 消防花灑頭	-	3	-	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	-
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	-	-	-	-	1
	Lighting Point 燈位	-	-	-	-	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	-	-	-	-	1
	Connection Point for Exhaust Fan 抽氣扇接線位	-	-	-	-	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	-	-	-	-	1
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2
	Electric Water Heater Remote Controller 電熱水爐溫度控制器	-	1	-	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	-	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1	1
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	-	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 24/F & 34/F are omitted.
- The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設24樓及34樓。
- 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		40/F 40樓			
Unit 單位		A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	3	3	2	3
	Telephone Outlet 電話插座	3	3	2	3
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	2	2	1	2
	Switch for Exhaust Fan 抽氣扇開關	2	2	2	2
	Lighting Switch 燈掣	10	10	11	11
	Lighting Point 燈位	4	4	4	5
	Door Phone 對講機	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	-	-	-	1
	Telephone Outlet 電話插座	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	-	-	1
	Lighting Switch 燈掣	-	-	-	3
	Lighting Point 燈位	-	-	-	1
	Switch for Exhaust Fan 抽氣扇開關	-	-	-	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).

Floor 樓層		40/F 40樓			
Unit 單位		A	B	C	D
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	2	1	1
Bedroom 3 睡房 3	TV/FM Outlet 電視及電台接收插座	1	1	-	-
	Telephone Outlet 電話插座	1	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	-
	Lighting Switch 燈掣	3	4	-	-
	Lighting Point 燈位	1	1	-	-
Store (Inside Kitchen) 儲物房 (廚房內)	Switch for Exhaust Fan 抽氣扇開關	1	1	-	-
	Lighting Switch 燈掣	2	-	-	-
	Lighting Point 燈位	1	-	-	-
Store 儲物房	13A Single Socket Outlet 13A單位電插座	1	-	-	-
	Lighting Switch 燈掣	1	1	-	-
	Lighting Point 燈位	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		40/F 40樓			
Unit 單位		A	B	C	D
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	2	1	2
	Connection Point for Cooker Hood 抽油煙機接線位	1	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	1	1	1
	Lighting Point 燈位	3	4	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1
	Door Bell 門鈴	1	1	1	1
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	-	-	-	1
	Lighting Point 燈位	-	-	-	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	-	-	-	1
	Connection Point for Exhaust Fan 抽氣扇接線位	-	-	-	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	-	-	-	1
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Lighting Point 燈位	2	2	2	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1
Lavatory 洗手間	Lighting Point 燈位	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	1	-	-

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		41/F - 43/F & 45/F - 48/F 41樓至43樓及 45樓至48樓			
Unit 單位		A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	3	3	2	3
	Telephone Outlet 電話插座	3	3	2	3
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	2	2	1	2
	Switch for Exhaust Fan 抽氣扇開關	2	2	2	2
	Lighting Switch 燈掣	10	10	11	11
	Lighting Point 燈位	4	4	4	5
	Door Phone 對講機	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	1	1	-	1
	Telephone Outlet 電話插座	1	1	-	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	1
	13A Single Socket Outlet 13A單位電插座	1	1	-	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	1
	Lighting Switch 燈掣	3	4	-	3
	Lighting Point 燈位	1	1	-	1
	Switch for Exhaust Fan 抽氣扇開關	1	1	-	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 44/F is omitted.

Floor 樓層		41/F - 43/F & 45/F - 48/F 41樓至43樓及 45樓至48樓			
Unit 單位		A	B	C	D
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	2	1	1
Store 儲物房	Lighting Switch 燈掣	2	-	-	-
	Lighting Point 燈位	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	-	-
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	2	1	2
	Connection Point for Cooker Hood 抽油煙機接線位	1	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	1	1	1
	Lighting Point 燈位	3	3	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1
	Door Bell 門鈴	1	1	1	1
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	1	1	-	1
	Lighting Point 燈位	2	2	-	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	-	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	-	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	-	1

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設44樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 5 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第5座 – 住宅物業機電裝置數量說明表

Floor 樓層		41/F - 43/F & 45/F - 48/F 41樓至43樓及 45樓至48樓			
Unit 單位		A	B	C	D
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Lighting Point 燈位	2	2	2	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1
Lavatory 洗手間	Lighting Point 燈位	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	-	1	-	-

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 44/F is omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas

備註：

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設44樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	1	2	2	2
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Lighting Switch 燈掣	10	6	10	11	11
	Lighting Point 燈位	3	2	3	4	4
	Door Phone 對講機	1	1	1	1	1
Bedroom 睡房	TV/FM Outlet 電視及電台接收插座	1	-	1	-	-
	Telephone Outlet 電話插座	1	-	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	-	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	-	1	-	-
	Lighting Switch 燈掣	1	-	1	-	-
	Lighting Point 燈位	1	-	1	-	-
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	-	1	-	1	1
	Telephone Outlet 電話插座	-	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	-	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	-	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	1	-	1	1
	Lighting Switch 燈掣	-	1	-	1	1
	Lighting Point 燈位	-	1	-	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 13/F & 14/F are omitted.

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	-	1	-	1	1
	Telephone Outlet 電話插座	-	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	-	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	-	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	1	-	1	1
	Lighting Switch 燈掣	-	1	-	1	1
	Lighting Point 燈位	-	1	-	1	1
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	1	-	1	2	2
	13A Single Socket Outlet 13A單位電插座	3	-	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	-	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	1	-	1	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	-	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	-	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	-	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	-	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	-	1	1	1
	Lighting Point 燈位	2	-	2	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	1
	Door Bell 門鈴	1	-	1	1	1

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設13樓及14樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	3	-	-	-
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	-	2	-	-	-
	Connection Point for Cooker Hood 抽油煙機接線位	-	1	-	-	-
	Connection Point for Contactor Box 索制箱接線位	-	1	-	-	-
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	-	1	-	-	-
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	-	1	-	-	-
	Lighting Point 燈位	-	2	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-
	Door Bell 門鈴	-	1	-	-	-
	Sprinkler Head 消防花灑頭	-	3	-	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	-
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2
	Electric Water Heater Remote Controller 電熱水爐溫度控制器	-	1	-	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	-	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1	1
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	1	2	1	2	2
Balcony 露台	Lighting Point 燈位	1	-	1	1	1

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 13/F & 14/F are omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註 :

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設13樓及14樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F & 25/F - 28/F 23樓及25至28樓				
Unit 單位		A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	1	2	2	2
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Lighting Switch 燈掣	10	6	10	11	11
	Lighting Point 燈位	3	2	3	4	4
	Door Phone 對講機	1	1	1	1	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 24/F is omitted.

Floor 樓層		23/F & 25/F - 28/F 23樓及25至28樓				
Unit 單位		A	B	C	D	E
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	1	-	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	-	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	-	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	1	-	2	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	-	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	-	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	-	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	-	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	-	1	1	1
	Lighting Point 燈位	3	-	3	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	1
	Door Bell 門鈴	1	-	1	1	1
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	3	-	-	-
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	-	2	-	-	-
	Connection Point for Cooker Hood 抽油煙機接線位	-	1	-	-	-
	Connection Point for Contactor Box 索制箱接線位	-	1	-	-	-
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	-	1	-	-	-
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	-	1	-	-	-
	Lighting Point 燈位	-	2	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-
	Door Bell 門鈴	-	1	-	-	-
	Sprinkler Head 消防花灑頭	-	3	-	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	-

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設24樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F & 25/F - 28/F 23樓及25至28樓				
Unit 單位		A	B	C	D	E
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2
	Electric Water Heater Remote Controller 電熱水爐溫度控制器	-	1	-	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	-	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1	1
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	-	1	1	1

Remarks :

- 1. “1, 2, ……” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 24/F is omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- 1. “1, 2, ……” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設24樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		29/F 29樓			
Unit 單位		A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	3	3	2	2
	Telephone Outlet 電話插座	3	3	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	2	2	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	2	2	2
	Lighting Switch 燈掣	10	10	11	11
	Lighting Point 燈位	4	4	4	4
	Door Phone 對講機	1	1	1	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	1	1	1
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	2	2	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).

Floor 樓層		29/F 29樓			
Unit 單位		A	B	C	D
Bedroom 3 睡房 3	TV/FM Outlet 電視及電台接收插座	1	1	-	-
	Telephone Outlet 電話插座	1	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	-
	Lighting Switch 燈掣	4	4	-	-
	Lighting Point 燈位	1	1	-	-
	Switch for Exhaust Fan 抽氣扇開關	1	1	-	-
Store (Inside Kitchen) 儲物房 (廚房內)	Lighting Switch 燈掣	2	-	-	-
	Lighting Point 燈位	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	-	-
Store 儲物房	Lighting Switch 燈掣	1	1	-	-
	Lighting Point 燈位	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	2	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	1	1	1
	Lighting Point 燈位	4	4	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1
	Door Bell 門鈴	1	1	1	1

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		29/F 29樓			
Unit 單位		A	B	C	D
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Lighting Point 燈位	2	2	2	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1
Lavatory 洗手間	Lighting Point 燈位	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	1	1	-	-

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. The Air-Conditioner Platform forming part of Residential Common Areas.

備註 :

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		30/F - 33/F, 35/F - 43/F & 45/F - 48/F 30樓至33樓、35樓至 43樓及45樓至48樓			
Unit 單位		A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	3	3	2	2
	Telephone Outlet 電話插座	3	3	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	2	2	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	2	2	2
	Lighting Switch 燈掣	10	10	11	11
	Lighting Point 燈位	4	4	4	4
	Door Phone 對講機	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	1	1	-	-
	Telephone Outlet 電話插座	1	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	-
	Lighting Switch 燈掣	4	4	-	-
	Lighting Point 燈位	1	1	-	-
	Switch for Exhaust Fan 抽氣扇開關	1	1	-	-
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 34/F & 44/F are omitted.

Floor 樓層		30/F - 33/F, 35/F - 43/F & 45/F - 48/F 30樓至33樓、35樓至 43樓及45樓至48樓			
Unit 單位		A	B	C	D
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	2	2	1	1
Store 儲物房	Lighting Switch 燈掣	2	-	-	-
	Lighting Point 燈位	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	-	-
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	2	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	1	1	1
	Lighting Point 燈位	3	3	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1
	Door Bell 門鈴	1	1	1	1
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	1	1	-	-
	Lighting Point 燈位	2	2	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	-	-
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	-	-
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	-	-

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設34樓及44樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 6 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第6座 – 住宅物業機電裝置數量說明表

Floor 樓層		30/F - 33/F, 35/F - 43/F & 45/F - 48/F 30樓至33樓、35樓至 43樓及45樓至48樓			
Unit 單位		A	B	C	D
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Lighting Point 燈位	2	2	2	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1
Lavatory 洗手間	Lighting Point 燈位	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	1	1	-	-

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 34/F & 44/F are omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設34樓及44樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	1	2	2	2
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Lighting Switch 燈掣	10	6	10	11	11
	Lighting Point 燈位	3	2	3	4	4
	Door Phone 對講機	1	1	1	1	1
Bedroom 睡房	TV/FM Outlet 電視及電台接收插座	1	-	1	-	-
	Telephone Outlet 電話插座	1	-	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	-	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	-	1	-	-
	Lighting Switch 燈掣	1	-	1	-	-
	Lighting Point 燈位	1	-	1	-	-
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	-	1	-	1	1
	Telephone Outlet 電話插座	-	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	-	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	-	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	1	-	1	1
	Lighting Switch 燈掣	-	1	-	1	1
	Lighting Point 燈位	-	1	-	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 13/F & 14/F are omitted.

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	-	1	-	1	1
	Telephone Outlet 電話插座	-	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	-	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	-	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	1	-	1	1
	Lighting Switch 燈掣	-	1	-	1	1
	Lighting Point 燈位	-	1	-	1	1
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	1	-	1	2	2
	13A Single Socket Outlet 13A單位電插座	3	-	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	-	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	1	-	1	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	-	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	-	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	-	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	-	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	-	1	1	1
	Lighting Point 燈位	2	-	2	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	1
	Door Bell 門鈴	1	-	1	1	1

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設13樓及14樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	3	-	-	-
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	-	2	-	-	-
	Connection Point for Cooker Hood 抽油煙機接線位	-	1	-	-	-
	Connection Point for Contactor Box 索制箱接線位	-	1	-	-	-
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	-	1	-	-	-
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	-	1	-	-	-
	Lighting Point 燈位	-	2	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-
	Door Bell 門鈴	-	1	-	-	-
	Sprinkler Head 消防花灑頭	-	3	-	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	-
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2
	Electric Water Heater Remote Controller 電熱水爐溫度控制器	-	1	-	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	-	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1	1
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	1	2	1	2	2
Balcony 露台	Lighting Point 燈位	1	-	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 13/F & 14/F are omitted.
- The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設13樓及14樓。
- 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F & 25/F - 28/F 23樓及25至28樓				
Unit 單位		A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	2	2	2	2	2
	Telephone Outlet 電話插座	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	1	2	2	2
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Lighting Switch 燈掣	10	6	10	11	11
	Lighting Point 燈位	3	2	3	4	4
	Door Phone 對講機	1	1	1	1	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1	1
	Lighting Point 燈位	1	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 24/F is omitted.

Floor 樓層		23/F & 25/F - 28/F 23樓及25至28樓				
Unit 單位		A	B	C	D	E
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	1	-	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	-	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	-	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	1	-	2	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	-	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	-	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	-	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	-	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	-	1	1	1
	Lighting Point 燈位	3	-	3	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	1
	Door Bell 門鈴	1	-	1	1	1
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	3	-	-	-
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	-	2	-	-	-
	Connection Point for Cooker Hood 抽油煙機接線位	-	1	-	-	-
	Connection Point for Contactor Box 索制箱接線位	-	1	-	-	-
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	-	1	-	-	-
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	-	1	-	-	-
	Lighting Point 燈位	-	2	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-
	Door Bell 門鈴	-	1	-	-	-
	Sprinkler Head 消防花灑頭	-	3	-	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	-

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設24樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F & 25/F - 28/F 23樓及25至28樓				
Unit 單位		A	B	C	D	E
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2
	Electric Water Heater Remote Controller 電熱水爐溫度控制器	-	1	-	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	-	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1	1
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	-	1	1	1

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 24/F is omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註 :

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設24樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		29/F 29樓			
Unit 單位		A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	3	3	2	2
	Telephone Outlet 電話插座	3	3	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	2	2	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	2	2	2
	Lighting Switch 燈掣	10	10	11	11
	Lighting Point 燈位	4	4	4	4
	Door Phone 對講機	1	1	1	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	1	1	1
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	2	2	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).

Floor 樓層		29/F 29樓			
Unit 單位		A	B	C	D
Bedroom 3 睡房 3	TV/FM Outlet 電視及電台接收插座	1	1	-	-
	Telephone Outlet 電話插座	1	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	-
	Lighting Switch 燈掣	4	4	-	-
	Lighting Point 燈位	1	1	-	-
	Switch for Exhaust Fan 抽氣扇開關	1	1	-	-
Store (Inside Kitchen) 儲物房 (廚房內)	Lighting Switch 燈掣	2	-	-	-
	Lighting Point 燈位	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	-	-
Store 儲物房	Lighting Switch 燈掣	1	1	-	-
	Lighting Point 燈位	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	2	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	1	1	1
	Lighting Point 燈位	4	4	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1
	Door Bell 門鈴	1	1	1	1

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		29/F 29樓			
Unit 單位		A	B	C	D
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Lighting Point 燈位	2	2	2	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1
Lavatory 洗手間	Lighting Point 燈位	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	1	1	-	-

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. The Air-Conditioner Platform forming part of Residential Common Areas.

備註 :

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		30/F - 33/F, 35/F - 43/F & 45/F - 50/F 30樓至33樓、35樓至 43樓及45樓至50樓			
Unit 單位		A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	3	3	2	2
	Telephone Outlet 電話插座	3	3	2	2
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	2	2	1	1
	Switch for Exhaust Fan 抽氣扇開關	2	2	2	2
	Lighting Switch 燈掣	10	10	11	11
	Lighting Point 燈位	4	4	4	4
	Door Phone 對講機	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	1	1	-	-
	Telephone Outlet 電話插座	1	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	-
	13A Single Socket Outlet 13A單位電插座	1	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	-
	Lighting Switch 燈掣	4	4	-	-
	Lighting Point 燈位	1	1	-	-
	Switch for Exhaust Fan 抽氣扇開關	1	1	-	-
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 34/F & 44/F are omitted.

Floor 樓層		30/F - 33/F, 35/F - 43/F & 45/F - 50/F 30樓至33樓、35樓至 43樓及45樓至50樓			
Unit 單位		A	B	C	D
Bedroom 2 睡房 2	TV/FM Outlet 電視/電台天線插座	1	1	1	1
	Telephone Outlet 電話接駁位	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	2	2	1	1
Store 儲物房	Lighting Switch 燈掣	2	-	-	-
	Lighting Point 燈位	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	-	-
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	2	1	1
	Connection Point for Cooker Hood 抽油煙機接線位	1	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	1	1	1
	Lighting Point 燈位	3	3	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1
	Door Bell 門鈴	1	1	1	1
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	1	1	-	-
	Lighting Point 燈位	2	2	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	-	-
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	-	-
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	-	-

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設34樓及44樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 7 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第7座 – 住宅物業機電裝置數量說明表

Floor 樓層		30/F - 33/F, 35/F - 43/F & 45/F - 50/F 30樓至33樓、35樓至 43樓及45樓至50樓			
Unit 單位		A	B	C	D
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Lighting Point 燈位	2	2	2	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1
Lavatory 洗手間	Lighting Point 燈位	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	1	1	-	-

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 34/F & 44/F are omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設34樓及44樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 8 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第8座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	2	2	2	2	3
	Telephone Outlet 電話插座	2	2	2	2	3
	13A Twin Socket Outlet 13A雙位電插座	4	3	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1	2
	Switch for Exhaust Fan 抽氣扇開關	2	1	2	2	2
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Lighting Switch 燈掣	10	6	10	11	11
	Lighting Point 燈位	3	2	3	4	5
	Door Phone 對講機	1	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	-	-	-	-	1
	Telephone Outlet 電話插座	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座	-	-	-	-	1
	13A Single Socket Outlet 13A單位電插座	-	-	-	-	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	-	-	-	1
	Lighting Switch 燈掣	-	-	-	-	3
	Lighting Point 燈位	-	-	-	-	1
	Switch for Exhaust Fan 抽氣扇開關	-	-	-	-	1
Bedroom 睡房	TV/FM Outlet 電視及電台接收插座	-	-	1	-	-
	Telephone Outlet 電話插座	-	-	1	-	-
	13A Twin Socket Outlet 13A雙位電插座	-	-	1	-	-
	13A Single Socket Outlet 13A單位電插座	-	-	1	-	-
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	-	-	1	-	-
	Lighting Switch 燈掣	-	-	1	-	-
	Lighting Point 燈位	-	-	1	-	-
		-	-	1	-	-

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 13/F & 14/F are omitted.

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及15樓至21樓				
Unit 單位		A	B	C	D	E
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	-	1	1
	Telephone Outlet 電話插座	1	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	1	1
	Lighting Switch 燈掣	1	1	-	1	1
	Lighting Point 燈位	1	1	-	1	1
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	-	1	1
	Telephone Outlet 電話插座	1	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	-	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	1	1
	Lighting Switch 燈掣	1	1	-	1	1
Kitchen 廚房	Lighting Point 燈位	1	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	-	1	2	2
	13A Single Socket Outlet 13A單位電插座	3	-	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	-	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	1	-	1	1	2
	Connection Point for Cooker Hood 抽油煙機接線位	1	-	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	-	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	-	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	-	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	-	1	1	1
	Lighting Point 燈位	3	-	2	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	1
	Door Bell 門鈴	1	-	1	1	1

備註：

- “1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設13樓及14樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 8 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第8座 – 住宅物業機電裝置數量說明表

Floor 樓層		5/F - 12/F & 15/F - 21/F 5樓至12樓及 15樓至21樓				
Unit 單位		A	B	C	D	E
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A雙位電插座	-	2	-	-	-
	13A Single Socket Outlet 13A單位電插座	-	3	-	-	-
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	-	2	-	-	-
	Connection Point for Cooker Hood 抽油煙機接線位	-	1	-	-	-
	Connection Point for Contactor Box 索制箱接線位	-	1	-	-	-
	Switch for Electric Water Heater 電熱水爐開關掣	-	1	-	-	-
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	-	1	-	-	-
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	-	1	-	-	-
	Lighting Point 燈位	-	2	-	-	-
	Miniature Circuit Breakers Board 總電掣箱	-	1	-	-	-
	Door Bell 門鈴	-	1	-	-	-
	Sprinkler Head 消防花灑頭	-	3	-	-	-
	Smoke Detector 煙霧感應器	-	1	-	-	-
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	-	-	-	-	1
	Lighting Point 燈位	-	-	-	-	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	-	-	-	-	1
	Connection Point for Exhaust Fan 抽氣扇接線位	-	-	-	-	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	-	-	-	-	1
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1	1
	Lighting Point 燈位	2	2	2	2	2
	Electric Water Heater Remote Controller 電熱水爐溫度控制器	-	1	-	-	-
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	-	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1	1
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	1	2	2
Balcony 露台	Lighting Point 燈位	1	-	1	1	1

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 13/F & 14/F are omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設13樓及14樓。
- 5. 空調機平台屬於住宅公用地方。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 8 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第8座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F, 25/F - 33/F, 35/F - 43/F & 45/F - 50/F 23樓、25樓至 33樓、35樓至43樓及45 樓至50樓			
Unit 單位		A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕	1	1	1	1
Living Room / Dining Room / Corridor 客廳/飯廳/走廊	Master Lighting Switch 燈掣總開關	1	1	1	1
	TV/FM Outlet 電視及電台接收插座	3	3	2	3
	Telephone Outlet 電話插座	3	3	2	3
	13A Twin Socket Outlet 13A雙位電插座	4	4	4	4
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	2	2	1	2
	Switch for Exhaust Fan 抽氣扇開關	2	2	2	2
	Lighting Switch 燈掣	10	10	11	11
	Lighting Point 燈位	4	4	4	5
	Door Phone 對講機	1	1	1	1
Master Bedroom 主人睡房	TV/FM Outlet 電視及電台接收插座	1	1	-	1
	Telephone Outlet 電話插座	1	1	-	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	-	1
	13A Single Socket Outlet 13A單位電插座	1	1	-	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	-	1
	Lighting Switch 燈掣	4	4	-	3
	Lighting Point 燈位	1	1	-	1
	Switch for Exhaust Fan 抽氣扇開關	1	1	-	1
Bedroom 1 睡房 1	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	1	1	1	1

Remarks :

- “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- “-” denotes “not applicable”.
- The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 24/F, 34/F & 44/F are omitted.

Floor 樓層		23/F, 25/F - 33/F, 35/F - 43/F & 45/F - 50/F 23樓、25樓至 33樓、35樓至43樓及45 樓至50樓			
Unit 單位		A	B	C	D
Bedroom 2 睡房 2	TV/FM Outlet 電視及電台接收插座	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座	1	1	1	1
	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Connection Point / Switch for Indoor Air-conditioner Unit 室內冷氣機接線位/開關	1	1	1	1
	Lighting Switch 燈掣	1	1	1	1
	Lighting Point 燈位	2	2	1	1
Store 儲物房	Lighting Switch 燈掣	2	-	-	-
	Lighting Point 燈位	1	-	-	-
	13A Single Socket Outlet 13A單位電插座	1	-	-	-
Kitchen 廚房	13A Twin Socket Outlet 13A雙位電插座	2	2	2	2
	13A Single Socket Outlet 13A單位電插座	3	3	3	3
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Kitchen Cabinet Lighting 廚房櫃燈接線位	2	2	1	2
	Connection Point for Cooker Hood 抽油煙機接線位	1	1	1	1
	Connection Point for Gas Water Heater 煤氣熱水爐接線位	1	1	1	1
	Connection Point for Contactor Box 索制箱接線位	1	1	1	1
	Washing Machine Connection Point (Water Inlet) 洗衣機接駁點 (來水位)	1	1	1	1
	Washing Machine Connection Point (Water Outlet) 洗衣機接駁點 (去水位)	1	1	1	1
	Lighting Point 燈位	3	3	3	3
	Miniature Circuit Breakers Board 總電掣箱	1	1	1	1
	Door Bell 門鈴	1	1	1	1
Master Bathroom 主人浴室	13A Single Socket Outlet 13A單位電插座	1	1	-	1
	Lighting Point 燈位	2	2	-	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	-	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	-	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	-	1

備註：

- “ 1, 2,” 表示提供於該住宅物業內的裝置數量。
- “-” 代表 “不適用”。
- 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 不設24樓、34樓及44樓。

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Tower 8 - Schedule of Mechanical & Electrical Provisions of Residential Properties 第8座 – 住宅物業機電裝置數量說明表

Floor 樓層		23/F, 25/F - 33/F, 35/F - 43/F & 45/F - 50/F 23樓、25樓至33樓、35樓至43樓及45樓至50樓			
Unit 單位		A	B	C	D
Bathroom 浴室	13A Single Socket Outlet 13A單位電插座	1	1	1	1
	Lighting Point 燈位	2	2	2	2
	Towngas Water Heater Remote Controller 煤氣熱水爐溫度控制器	1	1	1	1
	Connection Point for Exhaust Fan 抽氣扇接線位	1	1	1	1
	Connection Point for Mirror Cabinet Lighting 鏡櫃燈接線位	1	1	1	1
Lavatory 洗手間	Lighting Point 燈位	1	-	-	-
Air-Conditioner Platform 空調機平台	Isolator for Outdoor Air Conditioner 室外空調機開關掣	2	2	2	2
Balcony 露台	Lighting Point 燈位	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位	1	1	-	-

Remarks :

- 1. “1, 2,” denotes the quantity of such provision(s) provided in the residential property.
- 2. “-” denotes “not applicable”.
- 3. The quantity of the lighting switch shown in the schedule denotes the quantity of switch on/off button(s).
- 4. 24/F, 34/F & 44/F are omitted.
- 5. The Air-Conditioner Platform forming part of Residential Common Areas.

備註：

- 1. “1, 2,” 表示提供於該住宅物業內的裝置數量。
- 2. “-” 代表 “不適用”。
- 3. 說明表所顯示的燈掣數量是表示燈掣開 / 關的數量。
- 4. 不設24樓、34樓及44樓。
- 5. 空調機平台屬於住宅公用地方。

SERVICE AGREEMENTS

服務協議

1.

Potable and flushing water is supplied by Water Supplies Department.
2.

Electricity is supplied by CLP Power Hong Kong Limited.
3.

Towngas is supplied by The Hong Kong and China Gas Company Limited.

1.

食水及沖廁水由水務署供應。
2.

電力由中華電力有限公司供應。
3.

煤氣由香港中華煤氣有限公司供應。

GOVERNMENT RENT

地稅

The owner of the specified residential property is liable for the Government rent payable for the specified residential property up to and including the date of completion of the sale and purchase of the specified residential property (i.e. the date of the assignment of the specified residential property).

指明住宅物業擁有人有法律責任繳付該指明住宅物業直至及包括該指明住宅物業買賣完成日（即該指明住宅物業轉讓契日期）為止的地稅。

MISCELLANEOUS PAYMENTS BY PURCHASER

買方的雜項付款

1.

On the delivery of the vacant possession of the specified residential property to the purchaser, the purchaser is liable to reimburse the owner for the deposits for water, electricity and gas; and
2.

On that delivery, the purchaser is not liable to pay to the owner a debris removal fee₁.

Remarks:

1

Upon that delivery, the purchaser is liable to pay the debris removal fee to the Manager (not the owner) of the Development under the deed of mutual covenant, and where the owner has paid that debris removal fee, the purchaser shall reimburse the owner for the same.

1.

在向買方交付指明住宅物業在空置情況下的管有權時，買方須負責向擁有人補還水、電力及氣體的按金；及
2.

在交付時，買方不須向擁有人支付清理廢料的費用₁。

備註：

1

在交付時，買方須根據公契向發展項目的管理人（而非擁有人）支付清理廢料的費用，如擁有人已支付清理廢料的費用，買方須向擁有人補還清理廢料的費用。

DEFECT LIABILITY WARRANTY PERIOD

欠妥之處的保養責任期

As provided in the agreement for sale and purchase, the Vendor shall, as soon as reasonably practicable after receipt of a written notice served by the purchaser within 6 months after the date of completion of the sale and purchase, remedy any defects to the property, or the fittings, finishes or appliances incorporated into the property as set out in the agreement for sale and purchase caused otherwise than by the act or neglect of the Purchaser.

按買賣合約規定，凡物業或於買賣合約列出裝設於物業內的裝置、裝修物料或設備有欠妥之處，而該欠妥之處並非由買方行為或疏忽造成，則賣方在接獲買方在買賣成交日期後的6個月內送達的書面通知書後，須於合理切實可行的情況下，盡快作出補救。

MAINTENANCE OF SLOPES

斜坡維修

Not Applicable.

不適用。

MODIFICATION

修訂

There is no on-going application to the Government for a modification of the Land Grant which is not yet granted.

沒有向政府申請中而未獲批准的修訂批地文件。