


17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES

公共設施及公眾休憩用地的資料

Plan 1
圖一



17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES

公共設施及公眾休憩用地的資料

Legend

圖例



Yellow Area
黃色範圍



Yellow Hatched Black Area
黃色間黑斜線範圍



Brown Area
棕色範圍



Green Area
綠色範圍



Green Stippled Black Area
綠色加黑點範圍



Green Hatched Black Area
綠色間黑斜線範圍




Green Cross-hatched Black Area
綠色間黑十字線範圍



Green Hatched Black Stippled Black Area
綠色間黑斜線加黑點範圍

FB1

Covered Footbridge
有蓋行人天橋



Future Footbridge Associated Structures
擬建行人天橋相關結構



Community Hall
社區會堂



Permanent PTI
永久公共運輸交匯處



Temporary PTI
臨時公共運輸交匯處



Centre for Community
Care and Support Services for the Elderly
長者社區照顧及支援服務中心



Supported Hostel for
Mentally or Physically Handicapped Persons
弱智人士或肢體傷殘人士輔助宿舍



Integrated Children and Youth Services Centre
綜合青少年服務中心



Early Education and Training Centre
早期教育及訓練中心



Public Toilet
公共廁所



Primary School
小學



Secondary School
中學



Soccer Pitch
足球場



Indoor Recreation Centre
室內康樂中心



Public Open Space (including Yellow Area) with a total area of
not less than 2.3 hectares
公眾休憩用地(包括黃色範圍)，總面積不少於2.3公頃



Boundary of the Development
本發展項目邊界



Boundary of the Phase
本期數地界線




As-Built 24-hours Pedestrian Walkway or Internal Transport System and
Area for Access to and from the Mass Transit Railway Station and
Area for Access to and from Indoor Recreation Centre
已建之24小時行人走道或內部交通系統及往返「港鐵車站」
之地方及往返「室內康樂中心」之地方




Proposed 24-hours Pedestrian Walkway or Internal Transport System and
Area for Access to and from the Mass Transit Railway Station and
Area for Access to and from Indoor Recreation Centre
擬建之24小時行人走道或內部交通系統及往返「港鐵車站」
之地方及往返「室內康樂中心」之地方

17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料


Plan 2
圖二



Plan 4
圖四



Plan 3
圖三



Legend
圖例




As-Built 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
已建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。

Scale: 0M/米 60M/米
比例:

17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

Plan 5
圖五





Legend
圖例



As-Built 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
已建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。

Scale: 0M/米 20M/米
比例:

Plan 6
圖六




Legend
圖例




As-Built 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
已建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。

Scale: 0M/米 20M/米
比例:



17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

Plan 7
圖七



KEY PLAN
索引圖

Legend
圖例



As-Built 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
已建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。



Scale: 0M/米 60M/米
比例:

17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES

公共設施及公眾休憩用地的資料

Plan 8
圖八


G/F FLOOR PLAN
地下平面圖



KEY PLAN
索引圖

Plan 9
圖九

1/F FLOOR PLAN
1樓平面圖



Legend
圖例



As- Built 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
已建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。


Scale: 0M/米 20M/米 40M/米 80M/米
比例:

17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES

公共設施及公眾休憩用地的資料


Plan 10
圖十

G/F FLOOR PLAN
地下平面圖



Plan 11
圖十一

1/F FLOOR PLAN
1樓平面圖




Legend
圖例



Proposed 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
擬建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。

Scale: 0M/米 20M/米 40M/米 80M/米
比例:




KEY PLAN
索引圖

17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

Plan 12
圖十二

2/F FLOOR PLAN
2樓平面圖




3/F FLOOR PART PLAN
3樓部份平面圖

Legend
圖例



Proposed 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
擬建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。


Scale: 0M/米 20M/米 40M/米 80M/米
比例:



KEY PLAN
索引圖

Plan 13
圖十三

5/F FLOOR PLAN
5樓平面圖




Legend
圖例



Proposed 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
擬建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。

Scale: 0M/米 20M/米 40M/米 80M/米
比例:




KEY PLAN
索引圖

17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES

公共設施及公眾休憩用地的資料

Plan 14
圖十四

2/F FLOOR PLAN
二樓平面圖




Legend
圖例



Proposed 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
擬建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。

Scale: 0M/米 25M/米 50M/米 100M/米
比例:




KEY PLAN
索引圖

17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

Plan 15
圖十五

3/F FLOOR PLAN
三樓平面圖




Legend
圖例



Proposed 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
擬建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。



Scale: 0M/米 25M/米 50M/米 100M/米
比例:



17 INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES 公共設施及公眾休憩用地的資料

Plan 16
圖十六

4/F FLOOR PLAN
四樓平面圖




KEY PLAN
索引圖


Legend
圖例



Proposed 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
擬建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。



Public Open Space
公眾休憩用地



Public Open Space and Proposed 24-hours Pedestrian Walkway or Internal Transport System and Area for Access to and from the Mass Transit Railway Station and Area for Access to and from the Indoor Recreation Centre.
公眾休憩用地及擬建之24小時行人走道或內部交通系統及往返「港鐵車站」之地方及往返「室內康樂中心」之地方。

Scale: 0M/米 25M/米 50M/米 100M/米
比例:


This page is intentionally left blank.
此頁乃特意留白。

18 WARNING TO PURCHASERS 對買方的警告


1. The purchaser is hereby recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for the purchaser in relation to the transaction.
 2. If the purchaser instructs such separate firm of solicitors to act for the purchaser in relation to the transaction, that firm will be able to give independent advice to the purchaser.
 3. If the purchaser instructs the firm of solicitors acting for the owner to act for the purchaser as well, and a conflict of interest arises between the owner and the purchaser:
(a) That firm may not be able to protect the purchaser's interests; and
(b) The purchaser may have to instruct a separate firm of solicitors.
 4. In case of paragraph 3(b), the total solicitors' fees payable by the purchaser may be higher than the fees that would have been payable if the purchaser had instructed a separate firm of solicitors in the first place.
1. 特此建議買方聘用一間獨立的律師事務所（代表擁有人行事者除外），以在此交易中代表買方行事。
 2. 如買方聘用上述的獨立的律師事務所，以在交易中代表買方行事，該律師事務所將會能夠向買方提供獨立意見。
 3. 如買方聘用代表擁有人行事的律師事務所同時代表買方行事，而擁有人與買方之間出現利益衝突：
(a) 該律師事務所可能不能夠保障買方的利益；及
(b) 買方可能要聘用一間獨立的律師事務所。
 4. 如屬段落3(b)的情況，買方須支付的律師費用總數，可能高於如買方自一開始即聘用一間獨立的律師事務所而須支付的費用。

19 CROSS-SECTION PLAN OF BUILDING IN THE PHASE 期數中的建築物的橫截面圖

TOWER 1
第1座



CROSS - SECTION PLAN A 橫截面圖 A



KEY PLAN
索引圖



- Note:
1. The part of Road R2 adjacent to the building (Tower 1) is 5.50 metres above the Hong Kong Principal Datum.
 2. The part of Road R5 adjacent to the building (Tower 1) is 5.50 metres above the Hong Kong Principal Datum.
 3. The part of emergency vehicular access (EVA) / driveway adjacent to the building (Tower 1) is 5.60 metres above the Hong Kong Principal Datum.
 4. (▼) or (▲) denotes height (in metres) above the Hong Kong Principal Datum.
 5. Dashed line (— — —) denotes the level of the lowest residential floor of the building(Tower 1).

- 備註：
1. 毗連建築物(第1座)的一段道路R2為香港主水平基準以上5. 50米。
 2. 毗連建築物(第1座)的一段道路R5為香港主水平基準以上5. 50米。
 3. 毗連建築物(第1座)的一段緊急車輛通道 / 行車通道為香港主水平基準以上5. 60 米。
 4. (▼) 或 (▲) 代表香港主水平基準以上的高度(米)。
 5. 虛線(— — —)代表建築物(第1座)的最低住宅樓層水平。

19

TOWER 2
第2座

		TOP ROOF 頂上層	
		WATER TANK 水塔 水箱	
ROOF 天台	6TH FLOOR 第六層	ROOF 天台	
681	RESIDENTIAL UNITS 住宅單位		
671	RESIDENTIAL UNITS 住宅單位		
661	RESIDENTIAL UNITS 住宅單位		
651	RESIDENTIAL UNITS 住宅單位		
641	RESIDENTIAL UNITS 住宅單位		
631	RESIDENTIAL UNITS 住宅單位		
621	RESIDENTIAL UNITS 住宅單位		
611	RESIDENTIAL UNITS 住宅單位		
601	RESIDENTIAL UNITS 住宅單位		
591	RESIDENTIAL UNITS 住宅單位		
581	RESIDENTIAL UNITS 住宅單位		
571	RESIDENTIAL UNITS 住宅單位		
561	RESIDENTIAL UNITS 住宅單位		
551	RESIDENTIAL UNITS 住宅單位		
541	RESIDENTIAL UNITS 住宅單位		
531	RESIDENTIAL UNITS 住宅單位		
521	RESIDENTIAL UNITS 住宅單位		
511	RESIDENTIAL UNITS 住宅單位		
501	RESIDENTIAL UNITS 住宅單位		
491	RESIDENTIAL UNITS 住宅單位		
481	RESIDENTIAL UNITS 住宅單位		
471	RESIDENTIAL UNITS 住宅單位		
461	RESIDENTIAL UNITS 住宅單位		
451	RESIDENTIAL UNITS 住宅單位		
441	RESIDENTIAL UNITS 住宅單位		
431	RESIDENTIAL UNITS 住宅單位		
421	RESIDENTIAL UNITS 住宅單位		
411	REFUGE FLOOR 庇護層		
401	RESIDENTIAL UNITS 住宅單位		
391	RESIDENTIAL UNITS 住宅單位		
381	RESIDENTIAL UNITS 住宅單位		
371	RESIDENTIAL UNITS 住宅單位		
361	RESIDENTIAL UNITS 住宅單位		
351	RESIDENTIAL UNITS 住宅單位		
341	RESIDENTIAL UNITS 住宅單位		
331	RESIDENTIAL UNITS 住宅單位		
321	RESIDENTIAL UNITS 住宅單位		
311	RESIDENTIAL UNITS 住宅單位		
301	RESIDENTIAL UNITS 住宅單位		
291	RESIDENTIAL UNITS 住宅單位		
281	RESIDENTIAL UNITS 住宅單位		
271	RESIDENTIAL UNITS 住宅單位		
261	RESIDENTIAL UNITS 住宅單位		
251	RESIDENTIAL UNITS 住宅單位		
241	RESIDENTIAL UNITS 住宅單位		
231	RESIDENTIAL UNITS 住宅單位		
221	REFUGE FLOOR 庇護層		
211	RESIDENTIAL UNITS 住宅單位		
201	RESIDENTIAL UNITS 住宅單位		
191	RESIDENTIAL UNITS 住宅單位		
181	RESIDENTIAL UNITS 住宅單位		
171	RESIDENTIAL UNITS 住宅單位		
161	RESIDENTIAL UNITS 住宅單位		
151	RESIDENTIAL UNITS 住宅單位		
141	RESIDENTIAL UNITS 住宅單位		
131	RESIDENTIAL UNITS 住宅單位		
121	RESIDENTIAL UNITS 住宅單位		
111	RESIDENTIAL UNITS 住宅單位		
101	RESIDENTIAL UNITS 住宅單位		
91	RESIDENTIAL UNITS 住宅單位		
81	RESIDENTIAL UNITS 住宅單位		
71	RESIDENTIAL UNITS 住宅單位		
61	RESIDENTIAL UNITS 住宅單位		
51	RESIDENTIAL UNITS 住宅單位		
41	RESIDENTIAL UNITS 住宅單位		
31	RESIDENTIAL UNITS 住宅單位		
21	RESIDENTIAL UNITS 住宅單位		
11	RESIDENTIAL UNITS 住宅單位		



KEY PLAN
索引圖

Note:


1. The part of Road R2 adjacent to the building (Tower 2) is 5.50 metres above the Hong Kong Principal Datum.
2. The part of Road D9 adjacent to the building (Tower 2) is from 5.50 metres to 5.60 metres above the Hong Kong Principal Datum.
3. The part of emergency vehicular access (EVA) / driveway adjacent to the building (Tower 2) is 5.60 metres above the Hong Kong Principal Datum.
4. (▼) or (▲) denotes height (in metres) above the Hong Kong Principal Datum.
5. Dashed line (— — —) denotes the level of the lowest residential floor of the building (Tower 2).

備註：


1. 毗連建築物(第2座)的一段道路R2為香港主水平基準以上5.50米。
2. 毗連建築物(第2座)的一段道路D9為香港主水平基準以上5.50米至5.60米。
3. 毗連建築物(第2座)的一段緊急車輛通道 / 行車通道為香港主水平基準以上5.60米。
4. (▼)或(▲)代表香港主水平基準以上的高度(米)。
5. 虛線(——)代表建築物(第2座)的最低住宅樓層水平。

19 CROSS-SECTION PLAN OF BUILDING IN THE PHASE 期數中的建築物的橫截面圖

TOWER 3
第3座



CROSS - SECTION PLAN C 橫截面圖 C




KEY PLAN
索引圖

- Note:
1. The part of Road R2 adjacent to the building (Tower 3) is 5.50 metres above the Hong Kong Principal Datum.
 2. The part of Road D9 adjacent to the building (Tower 3) is from 5.50 metres to 5.60 metres above the Hong Kong Principal Datum.
 3. The part of emergency vehicular access (EVA) / driveway adjacent to the building (Tower 3) is 5.60 metres above the Hong Kong Principal Datum.
 4. (▼) or (▲) denotes height (in metres) above the Hong Kong Principal Datum.
 5. Dashed line (— — —) denotes the level of the lowest residential floor of the building (Tower 3).


- 備註：
1. 毗連建築物(第3座)的一段道路R2為香港主水平基準以上5. 50米。
 2. 毗連建築物(第3座)的一段道路D9為香港主水平基準以上5. 50米至5. 60米。
 3. 毗連建築物(第3座)的一段緊急車輛通道 / 行車通道為香港主水平基準以上5. 60米。
 4. (▼)或(▲)代表香港主水平基準以上的高度(米)。
 5. 虛線(— — —)代表建築物(第3座)的最低住宅樓層水平。

19 CROSS-SECTION PLAN OF BUILDING IN THE PHASE 期數中的建築物的橫截面圖

TOWER 5
第5座



CROSS - SECTION PLAN D 橫截面圖 D



KEY PLAN
索引圖

Note:

1. The part of Road R2 adjacent to the building (Tower 5) is 5.50 metres above the Hong Kong Principal Datum.
2. The part of Road D9 adjacent to the building (Tower 5) is from 5.50 metres to 5.60 metres above the Hong Kong Principal Datum.
3. The part of emergency vehicular access (EVA) / driveway adjacent to the building (Tower 5) is 5.60 metres above the Hong Kong Principal Datum.
4. (▼) or (▲) denotes height (in metres) above the Hong Kong Principal Datum.
5. Dashed line (— — —) denotes the level of the lowest residential floor of the building (Tower 5).


備註:

1. 毗連建築物(第5座)的一段道路R2為香港主水平基準以上5. 50米。
2. 毗連建築物(第5座)的一段道路D9為香港主水平基準以上5. 50米至5. 60米。
3. 毗連建築物(第5座)的一段緊急車輛通道 / 行車通道為香港主水平基準以上5. 60米。
4. (▼) 或 (▲) 代表香港主水平基準以上的高度(米)。
5. 虛線(— — —)代表建築物(第5座)的最低住宅樓層水平。


20 ELEVATION PLAN 立面圖




ELEVATION A
立面圖 A



ELEVATION B
立面圖 B




ELEVATION C
立面圖 C




ELEVATION D
立面圖 D



ELEVATION E
立面圖 E




ELEVATION F
立面圖 F




KEY PLAN
索引圖

Authorized Person for the Phase has certified that the elevations shown on this plan:
1. are prepared on the basis of the approved building plans for the Phase as of 2 January 2019; and
2. are in general accordance with the outward appearance of the Phase.


期數的認可人士證明本圖所顯示的立面：
1. 以2019年1月2的情況為準的期數的經批准的建築圖則為基礎擬備；及
2. 大致上與期數的外觀一致。




ELEVATION 1
立面圖 1



ELEVATION 2
立面圖 2



ELEVATION 3
立面圖 3




KEY PLAN
索引圖

Authorized Person for the Phase has certified that the elevations shown on this plan:
1. are prepared on the basis of the approved building plans for the Phase as of 2 January 2019; and
2. are in general accordance with the outward appearance of the Phase.


期數的認可人士證明本圖所顯示的立面：

1. 以2019年1月2日的情況為準的期數的經批准的建築圖則為基礎擬備；及
2. 大致上與期數的外觀一致。


20 ELEVATION PLAN 立面圖



ELEVATION 4
立面圖 4



ELEVATION 5
立面圖 5





KEY PLAN
索引圖

Authorized Person for the Phase has certified that the elevations shown on this plan:
1. are prepared on the basis of the approved building plans for the Phase as of 2 January 2019; and
2. are in general accordance with the outward appearance of the Phase.

期數的認可人士證明本圖所顯示的立面：
1. 以2019年1月2日的情況為準的期數的經批准的建築圖則為基礎擬備；及
2. 大致上與期數的外觀一致。

20 ELEVATION PLAN 立面圖




KEY PLAN
索引圖

Authorized Person for the Phase has certified that the elevations shown on this plan:
1. are prepared on the basis of the approved building plans for the Phase as of 2 January 2019; and
2. are in general accordance with the outward appearance of the Phase.

期數的認可人士證明本圖所顯示的立面：
1. 以2019年1月2日的情況為準的期數的經批准的建築圖則為基礎擬備；及
2. 大致上與期數的外觀一致。

20 ELEVATION PLAN 立面圖



KEY PLAN
索引圖

Authorized Person for the Phase has certified that the elevations shown on this plan:
1. are prepared on the basis of the approved building plans for the Phase as of 2 January 2019; and
2. are in general accordance with the outward appearance of the Phase.

期數的認可人士證明本圖所顯示的立面：
1. 以2019年1月2日的情況為準的期數的經批准的建築圖則為基礎擬備；及
2. 大致上與期數的外觀一致。

21

INFORMATION ON COMMON FACILITIES IN THE PHASE
期數中的公用設施的資料

Category of Common Facilities 公用設施類別	Covered area 有上蓋遮蓋面積		Uncovered area 沒有上蓋遮蓋面積		Total Area 總面積	
	Area (sq.m.) 面積（平方米）	Area (sq.ft.) 面積（平方呎）	Area (sq.m.) 面積（平方米）	Area (sq.ft.) 面積（平方呎）	Area (sq.m.) 面積（平方米）	Area (sq.ft.) 面積（平方呎）
Residents' clubhouse (including any recreational facilities for residents' use) 住客會所 (包括供住客使用的任何康樂設施)	2,064.774	22,225	1,491.041	16,050	3,555.815	38,275
Communal garden or play area for residents' use on the roof, or on any floor between the roof and the lowest residential floor, of a building in the Phase (whether known as a communal sky garden or otherwise) 位於期數中的建築物的天台或在天台和最低一層住宅樓層之間的任何一層的、供住客使用的公用花園或遊樂地方 (不論是稱為公用空中花園或有其他名稱)	Not Applicable 不適用					
Communal garden or play area for residents' use below the lowest residential floor of a building in the Phase (whether known as a covered and landscaped play area or otherwise) 位於期數中的建築物的最低一層住宅樓層以下的、供住客使用的公用花園或遊樂地方 (不論是稱為有蓋及園景的遊樂場或有其他名稱)	1,135.32	12,221	6,752.435	72,683	7,887.755	84,904

Note:
The areas as specified above in square feet are converted from the areas in square metres at a rate of 1 square metre=10.764 square feet and rounded off to the nearest integer, which may be slightly different from the areas presented in square metres.

備註：
上述以平方呎表述之面積以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎之方法計算得出，與以平方米表述之面積可能有些微差異。

22 INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT

閱覽圖則及公契

1. A copy of the Outline Zoning Plans relating to the Development is available at <http://www.ozp.tpb.gov.hk>
- 2(a). A copy of the latest draft of every deed of mutual covenant in respect of the specified residential property as at the date on which the specified residential property is offered to be sold is available for inspection at the place at which the specified residential property is offered to be sold.
- (b). The inspection is free of charge.

1. 備有關乎發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為 <http://www.ozp.tpb.gov.hk>
- 2(a). 關於指明住宅物業的每一公契在將指明住宅物業提供出售的日期的最新擬稿的文本存放在指明住宅物業的售樓處，以供閱覽。
- (b). 無須為閱覽付費。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

1. Exterior Finishes

Item		Description				
(a)	External wall	Type of finishes	Tower façade finished with ceramic tiles, aluminium cladding, external paint and curtain wall Transfer plate finished with stone cladding and aluminium cladding			
(b)	Window	Material of frame	Aluminium window frames			
		Material of glass	Light grey tinted transparent glass, Insulated-Glass-Unit (IGU) glass panels and single glazing acid-etched glass			
(c)	Bay window	Material of bay window	Not applicable			
		Finishes of window sill	Not applicable			
(d)	Planter	Type of finishes	Not applicable			
(e)	Verandah or balcony	Type of finishes	(i) Balcony:			
			Wall	Ceramic tiles and aluminium cladding		
			Ceiling	External paint on plaster and aluminium cladding (except the balconies specified below) Aluminium cladding for the following balconies:		
				Tower	Floor	Unit
				Tower 1	68/F	A, B & C
				Tower 2	68/F	A, B, C & D
				Tower 3	66/F	A, B, C, D, E, F & G
				Towet 5	66/F	A, B, C, D, E, F, G, H, J & K
		Floor	Homogeneous tiles			
		Balustrade	Metal and glass, curb finished with aluminium cladding and ceramic tiles			
		(ii) Verandah: Not applicable				
		Whether it is covered	(i) Balcony: Covered (except the balconies specified below) Partly covered for the following balconies:			
Tower	Floor		Unit			
Tower 1	68/F		A, B & C			
Tower 2	68/F		A, B, C & D			
Tower 3	66/F	A, B, C, D, E, F & G				
Towet 5	66/F	A, B, C, D, E, F, G, H, J & K				
(ii) Verandah: Not applicable						

Notes:
1. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
2. 22/F and 41/F are refuge floors for all Towers.
3. Residential floor starts from 2/F for all Towers.

1. 外部裝修物料

(f)	Drying facilities for clothing	Type and material	Not applicable			
細項		描述				
(a)	外牆	裝修物料的類型	大樓外牆鋪砌瓷磚、鋁質蓋板、外牆漆及幕牆 轉換層鋪砌石蓋板及鋁質蓋板			
(b)	窗	框的用料	鋁質窗框			
		玻璃的用料	透明淺灰玻璃、雙層中空玻璃片及單片酸蝕玻璃			
(c)	窗台	窗台的用料	不適用			
		窗台板的裝修物料	不適用			
(d)	花槽	裝修物料的類型	不適用			
(e)	陽台或露台	裝修物料的類型	(i) 露台：			
			外牆	瓷磚及鋁質蓋板		
			天花	批盪面髹上外牆漆及鋁質蓋板（以下指明露台除外）		
				以下露台為鋁質蓋板：		
				座	樓層	單位
				第 1 座	68 樓	A、B 及 C
				第 2 座	68 樓	A、B、C 及 D
		第 3 座	66 樓	A、B、C、D、E、F 及 G		
		第 5 座	66 樓	A、B、C、D、E、F、G、H、J 及 K		
		地板	同心透底瓷磚			
圍欄	金屬及玻璃，圍邊鋪砌鋁質蓋板及瓷磚					
(ii) 陽台：不適用						
	是否有蓋	(i) 露台：有蓋（以下指明露台除外）				
		以下露台為部分有蓋：				
		座	樓層	單位		
		第 1 座	68 樓	A、B 及 C		
		第 2 座	68 樓	A、B、C 及 D		
		第 3 座	66 樓	A、B、C、D、E、F 及 G		
第 5 座	66 樓	A、B、C、D、E、F、G、H、J 及 K				
(ii) 陽台：不適用						
(f)	乾衣設施	類型及用料	不適用			

備註：
1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
2. 所有座數 22 樓及 41 樓為庇護層。
3. 所有座數住宅層由 2 樓開始。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. Interior Finishes

Item		Description																																		
(a)	Lobby		Wall	Floor				Ceiling																												
		Type of finishes for Residential Entrance Lobbies on G/F	Natural stone, feature glass, stainless steel and timber veneer	Natural stone				Stainless steel and gypsum board false ceiling finished with emulsion paint																												
		Type of finishes for Lift Lobbies on residential floors	Porcelain tiles, feature glass, stainless steel, spray paint on metal and timber veneer	Porcelain tiles (except Private Lift Lobbies and Lift Lobbies specified below) Natural stone for Private Lift Lobbies and Lift Lobbies in the following floors: <table><tr><td>Tower</td><td>Floor</td><td>Tower</td><td>Floor</td></tr><tr><td>Tower 1</td><td>63/F - 68/F</td><td>Tower 3</td><td>66/F</td></tr><tr><td>Tower 2</td><td>65/F - 68/F</td><td>Tower 5</td><td>66/F</td></tr></table>				Tower	Floor	Tower	Floor	Tower 1	63/F - 68/F	Tower 3	66/F	Tower 2	65/F - 68/F	Tower 5	66/F	Stainless steel and gypsum board false ceiling finished with emulsion paint																
		Tower	Floor	Tower	Floor																															
		Tower 1	63/F - 68/F	Tower 3	66/F																															
		Tower 2	65/F - 68/F	Tower 5	66/F																															
Type of finishes for Carpark Lift Lobbies on B1/F and B2/F	Porcelain tiles, stainless steel, spray paint on metal and timber veneer	Porcelain tiles				Gypsum board false ceiling finished with emulsion paint																														
Type of finishes for Carpark Lift Lobbies on G/F and 1/F	Natural stone and stainless steel	Natural stone				Cement board false ceiling finished with emulsion paint																														
Type of finishes for Fireman's Lift Lobbies	Porcelain tiles, emulsion paint and spray paint on metal	Porcelain tiles				Fire rated board false ceiling finished with emulsion paint																														
(b)	Internal wall and ceiling		Wall	Ceiling																																
		Type of finishes for Living Room, Dining Room (if any) and Bedroom	Emulsion paint where exposed	Ceiling finished with emulsion paint where exposed and gypsum board bulkhead finished with emulsion paint																																
(c)	Internal floor		Material of floor					Material of skirting																												
		Living Room and Dining Room (if any)	Engineered timber flooring (except units specified below) Porcelain tiles for the following units: <table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td>Tower 3</td><td>2/F - 65/F</td><td>A, C, D, G, H, J, K, L & M</td></tr><tr><td></td><td>66/F</td><td>D, E, F & G</td></tr><tr><td>Tower 5</td><td>2/F - 65/F</td><td>B, C, E, F, G, H, J, K, L, M & N</td></tr><tr><td></td><td>66/F</td><td>C, D, E, F, G, H, J & K</td></tr></table> Natural stone border along edge of timber flooring / porcelain tile adjoining door to Private Flat Roof / Balcony / Utility Platform (if applicable) Natural stone and engineered timber flooring for the following units: <table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td>Tower 1</td><td>63/F - 67/F</td><td>A</td></tr><tr><td></td><td>68/F</td><td>A</td></tr><tr><td>Tower 2</td><td>65/F - 67/F</td><td>A</td></tr><tr><td></td><td>68/F</td><td>A</td></tr></table>					Tower	Floor	Unit	Tower 3	2/F - 65/F	A, C, D, G, H, J, K, L & M		66/F	D, E, F & G	Tower 5	2/F - 65/F	B, C, E, F, G, H, J, K, L, M & N		66/F	C, D, E, F, G, H, J & K	Tower	Floor	Unit	Tower 1	63/F - 67/F	A		68/F	A	Tower 2	65/F - 67/F	A		68/F
Tower	Floor	Unit																																		
Tower 3	2/F - 65/F	A, C, D, G, H, J, K, L & M																																		
	66/F	D, E, F & G																																		
Tower 5	2/F - 65/F	B, C, E, F, G, H, J, K, L, M & N																																		
	66/F	C, D, E, F, G, H, J & K																																		
Tower	Floor	Unit																																		
Tower 1	63/F - 67/F	A																																		
	68/F	A																																		
Tower 2	65/F - 67/F	A																																		
	68/F	A																																		

- Notes:
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
 - 22/F and 41/F are refuge floors for all Towers.
 - Residential floor starts from 2/F for all Towers.

2. Interior Finishes

Item		Description									
(c)	Internal floor	Bedroom	Material of floor			Material of skirting					
			Engineered timber flooring (except units specified below)			Timber					
			Porcelain tiles for the following units:								
			Tower	Floor	Unit						
			Tower 3	2/F - 65/F 66/F	A, C, D, G, H, J, K, L & M D, E, F & G						
			Tower 5	2/F - 65/F 66/F	B, C, E, F, G, H, J, K, L, M & N C, D, E, F, G, H, J & K						
Natural stone border along edge of timber flooring / porcelain tile adjoining door to Private Flat Roof / Balcony / Utility Platform (if applicable)											
(d)	Bathroom	(i) Type of finishes	Wall		Floor		Ceiling				
			Porcelain tiles (except Bathrooms specified below)		Porcelain tiles (except Bathrooms specified below)		Aluminium false ceiling (except Bathrooms specified below)				
			Natural stone for Master Bathroom in the following units:		Natural stone for Master Bathroom in the following units:		Gypsum board false ceiling finished with emulsion paint for Master Bathroom in following units:				
			Tower	Floor	Unit	Tower	Floor	Unit	Tower	Floor	Unit
			Tower 1	63/F - 67/F	A	Tower 1	63/F - 67/F	A	Tower 1	63/F - 67/F	A
				68/F	A, B & C		68/F	A, B & C		68/F	A, B & C
			Tower 2	42/F - 58/F	C	Tower 2	42/F - 58/F	C	Tower 2	42/F - 58/F	C
				59/F - 63/F	B		59/F - 63/F	B		59/F - 63/F	B
				65/F - 67/F	A		65/F - 67/F	A		65/F - 67/F	A
				68/F	A & D		68/F	A & D		68/F	A & D
		Tower 3	66/F	A, B & C	Tower 3	66/F	A, B & C	Tower 3	66/F	A, B & C	
		Tower 5	66/F	A & B	Tower 5	66/F	A & B	Tower 5	66/F	A & B	
		(ii) Whether the wall finishes run up to the ceiling	Run up to false ceiling level								

Notes:

1. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

2. 22/F and 41/F are refuge floors for all Towers.

3. Residential floor starts from 2/F for all Towers.

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. Interior Finishes

Item		Description																																																																									
(e)	Kitchen		Wall	Floor	Ceiling	Cooking Bench																																																																					
		(i) Type of finishes	Porcelain tiles, feature glass and stainless steel (except units specified below) Porcelain tiles, feature glass, stainless steel and timber veneer for the following units:	Porcelain tiles (except units specified below) Natural stone for the following units:	Aluminium false ceiling (except units specified below) Aluminium false ceiling and gypsum board false ceiling finished with emulsion paint for the following units:	Solid surface material																																																																					
			<table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td rowspan="2">Tower 1</td><td>2/F - 62/F</td><td>C, E & F</td></tr><tr><td>63/F - 67/F</td><td>B & C</td></tr><tr><td rowspan="5">Tower 2</td><td>2/F - 40/F</td><td>A, D, E, H & J</td></tr><tr><td>42/F - 58/F</td><td>A, D, G & H</td></tr><tr><td>59/F - 63/F</td><td>A, C, F & G</td></tr><tr><td>65/F - 67/F</td><td>B, E & F</td></tr><tr><td>68/F</td><td>B</td></tr><tr><td>Tower 3</td><td>2/F - 65/F</td><td>E & F</td></tr><tr><td>Tower 5</td><td>2/F - 65/F</td><td>A</td></tr></table>	Tower	Floor		Unit	Tower 1	2/F - 62/F	C, E & F	63/F - 67/F	B & C	Tower 2	2/F - 40/F	A, D, E, H & J	42/F - 58/F	A, D, G & H	59/F - 63/F	A, C, F & G	65/F - 67/F	B, E & F	68/F	B	Tower 3	2/F - 65/F	E & F	Tower 5	2/F - 65/F	A	<table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td rowspan="2">Tower 1</td><td>63/F - 67/F</td><td>A</td></tr><tr><td>68/F</td><td>A, B & C</td></tr><tr><td rowspan="4">Tower 2</td><td>42/F - 58/F</td><td>C</td></tr><tr><td>59/F - 63/F</td><td>B</td></tr><tr><td>65/F - 67/F</td><td>A</td></tr><tr><td>68/F</td><td>A & D</td></tr><tr><td>Tower 3</td><td>66/F</td><td>A, B & C</td></tr><tr><td>Tower 5</td><td>66/F</td><td>A & B</td></tr></table>	Tower	Floor	Unit	Tower 1	63/F - 67/F	A	68/F	A, B & C	Tower 2	42/F - 58/F	C	59/F - 63/F	B	65/F - 67/F	A	68/F	A & D	Tower 3	66/F	A, B & C	Tower 5	66/F	A & B	<table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td rowspan="2">Tower 1</td><td>63/F - 67/F</td><td>A</td></tr><tr><td>68/F</td><td>A, B & C</td></tr><tr><td rowspan="4">Tower 2</td><td>42/F - 58/F</td><td>C</td></tr><tr><td>59/F - 63/F</td><td>B</td></tr><tr><td>65/F - 67/F</td><td>A</td></tr><tr><td>68/F</td><td>A & D</td></tr><tr><td>Tower 3</td><td>66/F</td><td>A, B & C</td></tr><tr><td>Tower 5</td><td>66/F</td><td>A & B</td></tr></table>	Tower	Floor	Unit	Tower 1	63/F - 67/F	A	68/F	A, B & C	Tower 2	42/F - 58/F	C	59/F - 63/F	B	65/F - 67/F	A	68/F	A & D	Tower 3	66/F	A, B & C	Tower 5
Tower	Floor		Unit																																																																								
Tower 1	2/F - 62/F		C, E & F																																																																								
	63/F - 67/F		B & C																																																																								
Tower 2	2/F - 40/F		A, D, E, H & J																																																																								
	42/F - 58/F		A, D, G & H																																																																								
	59/F - 63/F		A, C, F & G																																																																								
	65/F - 67/F		B, E & F																																																																								
	68/F		B																																																																								
Tower 3	2/F - 65/F	E & F																																																																									
Tower 5	2/F - 65/F	A																																																																									
Tower	Floor	Unit																																																																									
Tower 1	63/F - 67/F	A																																																																									
	68/F	A, B & C																																																																									
Tower 2	42/F - 58/F	C																																																																									
	59/F - 63/F	B																																																																									
	65/F - 67/F	A																																																																									
	68/F	A & D																																																																									
Tower 3	66/F	A, B & C																																																																									
Tower 5	66/F	A & B																																																																									
Tower	Floor	Unit																																																																									
Tower 1	63/F - 67/F	A																																																																									
	68/F	A, B & C																																																																									
Tower 2	42/F - 58/F	C																																																																									
	59/F - 63/F	B																																																																									
	65/F - 67/F	A																																																																									
	68/F	A & D																																																																									
Tower 3	66/F	A, B & C																																																																									
Tower 5	66/F	A & B																																																																									
Natural stone and stainless steel for the following units:																																																																											
<table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td rowspan="2">Tower 1</td><td>63/F - 67/F</td><td>A</td></tr><tr><td>68/F</td><td>A, B & C</td></tr><tr><td rowspan="4">Tower 2</td><td>42/F - 58/F</td><td>C</td></tr><tr><td>59/F - 63/F</td><td>B</td></tr><tr><td>65/F - 67/F</td><td>A</td></tr><tr><td>68/F</td><td>A & D</td></tr><tr><td>Tower 3</td><td>66/F</td><td>A, B & C</td></tr><tr><td>Tower 5</td><td>66/F</td><td>A & B</td></tr></table>	Tower	Floor	Unit	Tower 1	63/F - 67/F	A	68/F	A, B & C	Tower 2	42/F - 58/F	C	59/F - 63/F	B	65/F - 67/F	A	68/F	A & D	Tower 3	66/F	A, B & C	Tower 5	66/F	A & B																																																				
Tower	Floor	Unit																																																																									
Tower 1	63/F - 67/F	A																																																																									
	68/F	A, B & C																																																																									
Tower 2	42/F - 58/F	C																																																																									
	59/F - 63/F	B																																																																									
	65/F - 67/F	A																																																																									
	68/F	A & D																																																																									
Tower 3	66/F	A, B & C																																																																									
Tower 5	66/F	A & B																																																																									
Emulsion paint, feature glass and stainless steel for the following units:																																																																											
<table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td rowspan="2">Tower 3</td><td>2/F - 65/F</td><td>A, C, D, G, H, J, K, L & M</td></tr><tr><td>66/F</td><td>D, E, F & G</td></tr><tr><td rowspan="2">Tower 5</td><td>2/F - 65/F</td><td>B, C, E, F, G, H, J, K, L, M & N</td></tr><tr><td>66/F</td><td>C, D, E, F, G, H, J & K</td></tr></table>	Tower	Floor	Unit	Tower 3	2/F - 65/F	A, C, D, G, H, J, K, L & M	66/F	D, E, F & G	Tower 5	2/F - 65/F	B, C, E, F, G, H, J, K, L, M & N	66/F	C, D, E, F, G, H, J & K																																																														
Tower	Floor	Unit																																																																									
Tower 3	2/F - 65/F	A, C, D, G, H, J, K, L & M																																																																									
	66/F	D, E, F & G																																																																									
Tower 5	2/F - 65/F	B, C, E, F, G, H, J, K, L, M & N																																																																									
	66/F	C, D, E, F, G, H, J & K																																																																									
(ii) Whether the wall finishes run up to the ceiling	Run up to false ceiling level (except units specified below) Run up to ceiling level for the following units:																																																																										
<table><tr><td>Tower</td><td>Floor</td><td>Unit</td></tr><tr><td rowspan="2">Tower 3</td><td>2/F - 65/F</td><td>A, C, D, G, H, J, K, L & M</td></tr><tr><td>66/F</td><td>D, E, F & G</td></tr><tr><td rowspan="2">Tower 5</td><td>2/F - 65/F</td><td>B, C, E, F, G, H, J, K, L, M & N</td></tr><tr><td>66/F</td><td>C, D, E, F, G, H, J & K</td></tr></table>	Tower	Floor	Unit	Tower 3	2/F - 65/F	A, C, D, G, H, J, K, L & M	66/F	D, E, F & G	Tower 5	2/F - 65/F	B, C, E, F, G, H, J, K, L, M & N	66/F	C, D, E, F, G, H, J & K																																																														
Tower	Floor	Unit																																																																									
Tower 3	2/F - 65/F	A, C, D, G, H, J, K, L & M																																																																									
	66/F	D, E, F & G																																																																									
Tower 5	2/F - 65/F	B, C, E, F, G, H, J, K, L, M & N																																																																									
	66/F	C, D, E, F, G, H, J & K																																																																									

Notes:

- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
- 22/F and 41/F are refuge floors for all Towers.
- Residential floor starts from 2/F for all Towers.

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

2. 室內裝修物料

細項		描述																											
(a)	大堂		牆壁	地板	天花板																								
		地下住宅入口大堂裝修物料的類型	天然石材、裝飾玻璃、不銹鋼及木皮飾面	天然石材	不銹鋼及髹乳膠漆之石膏板假天花																								
		住宅層升降機大堂裝修物料的類型	高溫瓷質磚、裝飾玻璃、不銹鋼、噴漆金屬板及木皮飾面	高溫瓷質磚（以下指明私人升降機大堂及升降機大堂除外） 以下樓層私人升降機大堂及升降機大堂為天然石材： <table><tr><td>座</td><td>樓層</td><td>座</td><td>樓層</td></tr><tr><td>第 1 座</td><td>63 樓至68 樓</td><td>第 3 座</td><td>66 樓</td></tr><tr><td>第 2 座</td><td>65 樓至68 樓</td><td>第 5 座</td><td>66 樓</td></tr></table>	座	樓層	座	樓層	第 1 座	63 樓至68 樓	第 3 座	66 樓	第 2 座	65 樓至68 樓	第 5 座	66 樓	不銹鋼及髹乳膠漆之石膏板假天花												
		座	樓層	座	樓層																								
		第 1 座	63 樓至68 樓	第 3 座	66 樓																								
		第 2 座	65 樓至68 樓	第 5 座	66 樓																								
地庫 1 樓及地庫 2 樓停車場升降機大堂裝修物料的類型	高溫瓷質磚、不銹鋼、噴漆金屬板及木皮飾面	高溫瓷質磚	髹乳膠漆之石膏板假天花																										
地下及 1 樓停車場升降機大堂裝修物料的類型	天然石材及不銹鋼	天然石材	髹乳膠漆之水泥板假天花																										
消防員升降機大堂裝修物料的類型	高溫瓷質磚、乳膠漆及噴漆金屬板	高溫瓷質磚	髹乳膠漆之防火板假天花																										
(b)	內牆及天花板		牆壁	天花板																									
		客廳、飯廳（如有）及睡房裝修物料的類型	外露牆身髹乳膠漆	外露天花板髹乳膠漆及石膏板假陣髹乳膠漆																									
(c)	內部地板		地板用料		牆腳線用料																								
		客廳及飯廳（如有）	複合木地板（以下指明單位除外） 以下單位為高溫瓷質磚： <table><tr><td>座</td><td>樓層</td><td>單位</td></tr><tr><td rowspan="2">第 3 座</td><td>2 樓至65 樓</td><td>A、C、D、G、H、J、K、L及M</td></tr><tr><td>66 樓</td><td>D、E、F及G</td></tr><tr><td rowspan="2">第 5 座</td><td>2 樓至65 樓</td><td>B、C、E、F、G、H、J、K、L、M及N</td></tr><tr><td>66 樓</td><td>C、D、E、F、G、H、J及K</td></tr></table> 天然石材界線於相連私人平台/露台/工作平台 (如適用) 門戶之木地板/高溫瓷質磚地台邊邊緣 以下單位為複合木地板及天然石材： <table><tr><td>座</td><td>樓層</td><td>單位</td></tr><tr><td rowspan="2">第 1 座</td><td>63 樓至67 樓</td><td>A</td></tr><tr><td>68 樓</td><td>A</td></tr><tr><td rowspan="2">第 2 座</td><td>65 樓至67 樓</td><td>A</td></tr><tr><td>68 樓</td><td>A</td></tr></table>		座	樓層	單位	第 3 座	2 樓至65 樓	A、C、D、G、H、J、K、L及M	66 樓	D、E、F及G	第 5 座	2 樓至65 樓	B、C、E、F、G、H、J、K、L、M及N	66 樓	C、D、E、F、G、H、J及K	座	樓層	單位	第 1 座	63 樓至67 樓	A	68 樓	A	第 2 座	65 樓至67 樓	A	68 樓
座	樓層	單位																											
第 3 座	2 樓至65 樓	A、C、D、G、H、J、K、L及M																											
	66 樓	D、E、F及G																											
第 5 座	2 樓至65 樓	B、C、E、F、G、H、J、K、L、M及N																											
	66 樓	C、D、E、F、G、H、J及K																											
座	樓層	單位																											
第 1 座	63 樓至67 樓	A																											
	68 樓	A																											
第 2 座	65 樓至67 樓	A																											
	68 樓	A																											

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

2. 室內裝修物料

細項		描述						
(c)	內部地板		地板用料			牆腳線用料		
		睡房	複合木地板（以下指明單位除外） 以下單位均為高溫瓷質磚：			木		
			座	樓層	單位			
			第 3 座	2 樓至 65 樓	A、C、D、G、H、J、K、L及M			
				66 樓	D、E、F及G			
第 5 座	2 樓至 65 樓		B、C、E、F、G、H、J、K、L、M及N					
	66 樓	C、D、E、F、G、H、J及K						
天然石材界線於相連私人平台 / 露台 / 工作平台（如適用）門戶之木地板 / 高溫瓷質磚地台邊邊緣								
(d)	浴室		牆壁		地板	天花板		
		(i) 裝修物料的類型	高溫瓷質磚（以下指明浴室除外） 以下單位主人浴室為天然石材：		高溫瓷質磚（以下指明浴室除外） 以下單位主人浴室為天然石材：	鋁質假天花（以下指明浴室除外） 以下單位主人浴室為髹乳膠漆之石膏板假天花：		
			座	樓層	單位	座	樓層	單位
			第 1 座	63 樓至 67 樓	A	第 1 座	63 樓至 67 樓	A
				68 樓	A、B及C		68 樓	A、B及C
			第 2 座	42 樓至 58 樓	C	第 2 座	42 樓至 58 樓	C
				59 樓至 63 樓	B		59 樓至 63 樓	B
				65 樓至 67 樓	A		65 樓至 67 樓	A
				68 樓	A及D		68 樓	A及D
			第 3 座	66 樓	A、B及C	第 3 座	66 樓	A、B及C
			第 5 座	66 樓	A及B	第 5 座	66 樓	A及B
		(ii) 牆壁的裝修物料是否鋪至天花板	鋪至假天花水平					

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

2. 室內裝修物料

細項		描述											
(e)	廚房	(i) 裝修物料的類型	牆壁	地板			天花板			灶台			
			高溫瓷質磚，裝飾玻璃及不銹鋼(以下指明單位除外) 以下單位為高溫瓷質磚、裝飾玻璃、不銹鋼及木皮飾面：	高溫瓷質磚 (以下指明單位除外) 以下單位為天然石材：			鋁質假天花 (以下指明單位除外) 以下單位為髹乳膠漆之鋁質假天花及石膏板假天花：			實心面材			
				座	樓層	單位	座	樓層	單位		座	樓層	單位
				第 1 座	2 樓至 62 樓	C、E及F	第 1 座	63 樓至 67 樓	A		第 1 座	63 樓至 67 樓	A
					63 樓至 67 樓	B及C		68 樓	A、B及C			68 樓	A、B 及 C
				第 2 座	2 樓至 40 樓	A、D、E、H及J	第 2 座	42 樓至 58 樓	C		第 2 座	42 樓至 58 樓	C
					42 樓至 58 樓	A、D、G及H		59 樓至 63 樓	B			59 樓至 63 樓	B
					59 樓至 63 樓	A、C、F及G		65 樓至 67 樓	A			65 樓至 67 樓	A
					65 樓至 67 樓	B、E及F		68 樓	A及D			68 樓	A 及 D
					68 樓	B							
第 3 座	2 樓至 65 樓	E及F		第 3 座	66 樓	A、B及C	第 3 座	66 樓	A、B 及 C				
第 5 座	2 樓至 65 樓	A	第 5 座	66 樓	A及B	第 5 座	66 樓	A 及 B					
以下單位為天然石材及不銹鋼：			以下單位外露天花板髹乳膠漆及石膏板假陣髹乳膠漆：										
座	樓層	單位	座	樓層	單位	座	樓層	單位					
第 1 座	63 樓至 67 樓	A	第 3 座	2 樓至 65 樓	A、C、D、 G、H、J、K、 L及M	第 3 座	2 樓至 65 樓	B、C、E、F、 G、H、J、K、L、 M及N					
	68 樓	A、B及C		66 樓	D、E、F及G		66 樓	C、D、E、F、G、 H、J及K					
第 2 座	42 樓至 58 樓	C	第 5 座	2 樓至 65 樓	B、C、E、F、 G、H、J、K、L、 M及N	第 5 座	2 樓至 65 樓	B、C、E、F、 G、H、J、K、L、 M及N					
	59 樓至 63 樓	B		66 樓	C、D、E、F、G、 H、J及K								
	65 樓至 67 樓	A											
68 樓	A及D												
第 3 座	66 樓	A、B及C											
第 5 座	66 樓	A及B											

備註：

- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 所有座數 22 樓及 41 樓為庇護層。
- 所有座數住宅層由 2 樓開始。

2. 室內裝修物料

細項			描述		
(e)	廚房	(ii) 牆壁的裝修物料是否鋪至天花板	鋪至假天花水平（以下指明單位除外）		
			以下單位鋪至天花水平：		
			座	樓層	單位
			第 3 座	2 樓至 65 樓	A、C、D、 G、H、J、K、 L 及 M
				66 樓	D、E、F及G
			第 5 座	2 樓至 65 樓	B、C、E、F、 G、H、J、K、L、 M及N
				66 樓	C、D、E、F、G、 H、J及K

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

3. Interior Fittings

Item		Description								
(a)	Doors		Material			Finishes		Accessories		
		Unit Main Entrance Door	Solid core fire rated timber door			Reconstituted timber veneer		Lockset, door closer, door hinges, smoke seal, door stopper and eye viewer		
		Swing door to Balcony / Utility Platform / Private Flat Roof (if applicable)	Aluminium door frame with crystal grey tinted glass			Fluorocarbon coated aluminium frame		Door handle, door hinges, lockset and door stopper		
		Sliding door to Balcony / Utility Platform / Private Flat Roof (if applicable)	Aluminium door frame with crystal grey tinted glass			Fluorocarbon coated aluminium frame		Door handle, lockset, sliding track and door stopper		
		Private Roof Door	Stainless steel door			Not applicable		Lockset, door handle, door hinges, door closer, door stopper and smoke seal		
			Tower	Floor	Unit					
			Tower 1	Roof	A & B					
			Tower 2	Roof	A					
			Tower 3	Roof	A					
		Private Roof Door	Galvanized mild steel gate			PVDF coating		Lockset, door handle and door hinges		
Tower	Floor		Unit							
Tower 1	Roof		C							
Tower 2	Roof		B, C & D							
Tower 3	Roof		B, C, D, E, F & G							
Tower 5	Roof	A, B, C, D, E, F, G, H, J & K								
Stairhood Door	Aluminum door frame with crystal grey tinted glass			Fluorocarbon coated aluminum frame		Lockset, door handle, door closer and door stopper				
Master Bedroom and Bedroom Door	Hollow core timber door (except doors specified below)			Timber veneer		Lockset, door hinges and door stopper (except doors specified below)				
	Hollow core sliding timber door for the following units:									
	Tower	Floor	Unit							
	Tower 3	2/F - 65/F	H, J, K & L							
		66/F	D, E & F							
Tower 5	2/F - 65/F	E, F, G, J ,K, L & M								
	66/F	C, D, F, G, H & J								
Kitchen Door (not applicable to Open Kitchen)	Solid core fire rated timber door (except doors specified below)			Timber veneer		Door handle, door closer, door hinges, smoke seal, door stopper and fire rated glass vision panel (except doors specified below)				
	Solid core fire rated sliding timber door for the following units:									
	Tower	Floor	Unit							
	Tower 1	63/F - 68/F	A							
	Tower 2	65/F - 68/F	A							
	Tower 5	66/F	A							
</										

Notes:

1. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

2. 22/F and 41/F are refuge floors for all Towers.

3. Residential floor starts from 2/F for all Towers.

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior Fittings

Item		Description							
		Material		Finishes		Accessories			
(a)	Doors	Utility Room Door	Hollow core timber door (except doors specified below)		Timber veneer	Lockset, door hinges and door stopper (except doors specified below)			
			Hollow core timber sliding timber door for the following units:			Lockset and sliding track for the following units:			
			Tower	Floor		Unit	Tower	Floor	Unit
			Tower 1	2/F - 62/F		B & D	Tower 1	2/F - 62/F	B & D
			Tower 1	68/F		B	Tower 1	68/F	B
		Tower 3	2/F - 65/F	B	Tower 3	2/F - 65/F	B		
Store Room Door	Hollow core timber door (except doors specified below)		Timber veneer	Lockset, door hinges and door stopper (except doors specified below)					
	Hollow core sliding timber door for the following units:			Lockset and sliding track for the following units:					
	Tower	Floor		Unit	Tower	Floor	Unit		
	Tower 1	2/F - 62/F		D	Tower 1	2/F - 62/F	D		
	Tower 5	2/F - 65/F		D	Tower 5	2/F - 65/F	D		
Bathroom Door	Hollow core timber door (except doors specified below)		Timber veneer (except doors specified below)		Lockset, door hinges and door stopper (except doors specified below)				
	Hollow core sliding timber door for the following Bathroom:		Timber veneer for the outer side and vinyl for the inner side of the Master Bathroom door for the following units:		Locket and sliding track for the following Bathroom doors:				
	Tower	Floor	Unit	Bathroom	Tower	Floor	Unit	Bathroom	
	Tower 2	65/F - 68/F	A	Master Bathroom	Tower 2	65/F - 68/F	A	Master Bathroom	
	Tower 3	2/F - 65/F	H, J, K & L	Bathroom 1	Tower 3	2/F - 65/F	H, J, K & L	Bathroom 1	
		66/F	D, E & F	Bathroom 1		66/F	D, E & F	Bathroom 1	
	Tower 5	2/F - 21/F	B, C, E, F, G, J, K, L & M	Bathroom 1	Tower 5	2/F - 21/F	B, C, E, F, G, J, K, L & M	Bathroom 1	
		23/F - 65/F	E, F, G, J, K, L & M	Bathroom 1		23/F - 65/F	E, F, G, J, K, L & M	Bathroom 1	
		66/F	C, D, F, G, H & J	Bathroom 1		66/F	C, D, F, G, H & J	Bathroom 1	
	Hollow core timber door and hollow core sliding timber door for the following Bathroom:				Locket, door hinges and door stopper for hollow core timber door; lockset and sliding track for hollow core sliding timber door in the following Bathroom:				
	Tower	Floor	Unit	Bathroom	Tower	Floor	Unit	Bathroom	
	Tower 3	2/F - 65/F	G	Master Bathroom	Tower 3	2/F - 65/F	G	Master Bathroom	
	Tower 5	2/F - 65/F	H & N	Master Bathroom	Tower 5	2/F - 65/F	H & N	Master Bathroom	
66/F		E & K	Master Bathroom	66/F		E & K	Master Bathroom		
Lavatory Door	Aluminium folding door with obscure glass		Powder coating		Lockset, door hinges, sliding track and door handle				
Powder Room Door	Hollow core timber door		Timber veneer		Lockset, door hinges and door stopper				
Private Lift Lobby Door	Solid core fire rated timber door		Reconstituted timber veneer		Door handle, door closer, door hinges, smoke seal and fire rated glass vision panel				

- Notes:
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
 - 22/F and 41/F are refuge floors for all Towers.
 - Residential floor starts from 2/F for all Towers.

3. Interior Fittings

Item		Description				
			Type	Material		
(b)	Bathroom	(i) Fittings and Equipment	Vanity Cabinet	Wooden vanity cabinet with reconstituted stone and plastic laminate (except units specified below)		
				Wooden vanity cabinet with natural stone and plastic laminate for the following units:		
				Tower	Floor	Unit
				Tower 1	2/F - 62/F	B, D & E
				Tower 2	2/F - 40/F	A, B, C & J
					42/F - 58/F	A, B & H
					59/F - 63/F	A & G
				For the following units, the below descriptions are applicable: Master Bathroom - Wooden vanity cabinet with natural stone, feature glass and stainless steel Bathrooms - Wooden vanity cabinet with natural stone, plastic laminate, timber veneer and stainless steel		
				Tower	Floor	Unit
				Tower 1	63/F - 67/F	A
				Tower 2	68/F	A, B & C
					42/F - 58/F	C
					59/F - 63/F	B
					65/F - 67/F	A
		68/F	A & D			
		Tower 3	66/F	A, B & C		
Tower 5	66/F	A & B				
(i) Fittings and Equipment	Mirror cabinet	Wooden mirror cabinet with mirror, plastic laminate and stainless steel (except units specified below)				
		For the following units, the below descriptions are applicable: Master Bathroom - Mirror with stainless steel frame Bathrooms - Wooden mirror cabinet with mirror, feature glass, plastic laminate and stainless steel				
		Tower	Floor	Unit		
		Tower 1	63/F - 67/F	A		
		Tower 2	68/F	A, B & C		
			42/F - 58/F	C		
			59/F - 63/F	B		
			65/F - 67/F	A		
		68/F	A & D			
		Tower 3	66/F	A, B & C		
Tower 5	66/F	A & B				
(i) Fittings and Equipment	Wash basin mixer	Chrome plated				
	Wash basin	Vitreous china				
	Water closet	Vitreous china				
	Towel rail and toilet paper holder	Chrome plated				
	Towel bar	Chrome plated (except bathrooms specified below)				
		Towel bar is not provided for the following Bathroom:				
		Tower	Floor	Unit	Bathroom	
		Tower 3	2/F - 65/F	G	Master Bathroom	
(i) Fittings and Equipment	Towel bar	Tower 5	2/F - 65/F	H & N	Master Bathroom	
		66/F	E & K	Master Bathroom		
(ii) Water Supply System	Cold and hot water supply system	Copper pipes				
	Flushing water supply system	UPVC pipes				

Notes:

- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
- 22/F and 41/F are refuge floors for all Towers.
- Residential floor starts from 2/F for all Towers.

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior Fittings

Item		Description					
(b)	Bathroom		Type		Material		
		(iii) Bathing Facilities (including shower or bath tub, if applicable)	Shower cubicle		Clear tempered glass		
			Shower mixer and shower set		Chrome plated		
			Bath tub		Enameled steel		
			Bath tub mixer and shower set		Chrome plated		
			Shower curtain rod		Stainless steel		
		(iv) Size of bath tub (if applicable)	Location		Size		
			All Bathrooms (except bathrooms specified below)		1500L x 700W x 410H (mm)		
			Tower 1	Tower	Floor	Unit	Bathroom
				63/F - 67/F	A	Bathroom 3	
					68/F	A	Bathroom 3
						B	Master Bathroom
			Tower 2	42/F - 58/F	C	Master Bathroom	
					59/F - 63/F	C	Master Bathroom
						B	Master Bathroom
				65/F - 67/F	A	Bathroom 4	
			68/F		A	Bathroom 4	
	D				Master Bathroom		
Tower 3	66/F	A	Master Bathroom				
		B	Master Bathroom				
		C	Master Bathroom				
Tower 5	66/F	A	Master Bathroom				
		B	Master Bathroom				
1600L x 750W x 410H (mm)							
1855L x 885W x 625H (mm)							
(c)	Kitchen		Material		Finishes		
		(i) Sink unit	Stainless steel		Not applicable		
		(ii) Water supply system	Copper pipes		Not applicable		
		(iii) Kitchen cabinet	Wood and aluminium		Plastic laminate and acrylic lacquer (except units specified below)		
					Plastic laminate, mirror and acrylic lacquer for the following units:		
					Tower	Floor	Unit
					Tower 3	2/F - 65/F	H, J, K & L
					66/F	D, E & F	
					Tower 5	2/F - 65/F	G, J, K, L & M
						66/F	D, F, G, H & J
Type							
(iv)	Other fittings	Not applicable					
		Other equipment	Fire service installations and equipment, including smoke detector and sprinkler head, fitted in or near Open Kitchen for the following units:				
	Tower		Floor	Unit			
					Tower 3	2/F - 65/F	A, C, D, G, H, J, K, L & M
66/F	D, E, F & G						
	Tower 5	2/F - 65/F	B, C, E, F, G, H, J, K, L, M & N				
66/F		C, D, E, F, G, H, J & K					

Notes:

- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
- 22/F and 41/F are refuge floors for all Towers.
- Residential floor starts from 2/F for all Towers.

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. Interior Fittings

Item		Description	
(d)	Bedroom	Type and material of fittings (including built-in wardrobe)	Not applicable
(e)	Telephone	Location and number of connection points	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"
(f)	Aerials	Location and number of connection points	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"
(g)	Electrical installations	(i) Electrical fittings (including safety devices)	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units". Miniature circuit breakers (MCB) board completed with residual current protection is provided for all units.
		(ii) Whether conduits are concealed or exposed	Conduits are concealed in part and exposed in part. Other than those parts of the conduits concealed within concrete, the rest of them are exposed. Exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.
		(iii) Location and number of power points and air-conditioner points	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"
(h)	Gas Supply	Type	Town gas
		System	Separate gas meter with gas supply pipe is provided and connected to gas hob and gas water heater
		Location	For the location of gas hob and gas water heater, please refer to the "Appliance Schedule - Kitchen" and "Appliance Schedule - Water Heater"
(i)	Washing machine connection point	Location	Please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units"
		Design	Drain point and water point are provided.
(j)	Water supply	(i) Material of water pipes	Copper pipes for cold and hot water supply system. UPVC pipes for flushing water supply system.
		(ii) Whether water pipes are concealed or exposed	Water pipes are concealed in part and exposed in part. Other than those parts of the water pipes concealed within concrete, the rest of them are exposed. Exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.
		(iii) Whether hot water is available	Hot water is available

Notes:

- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
- 22/F and 41/F are refuge floors for all Towers.
- Residential floor starts from 2/F for all Towers.

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

3. 室內裝置

細項		描述			
(a)	門		用料	裝修物料	配件
		單位主入口門	實心防火木門	人造木皮飾面	門鎖、閉門器、門鉸、防煙條、門擋及防盜眼
		露台 / 工作平台 / 私人平台掩門 (如適用)	鋁質門框鑲灰色玻璃	氟碳塗層鋁框	門把手、門鉸、門鎖及門擋
		露台 / 工作平台 / 私人平台趟門 (如適用)	鋁質門框鑲灰色玻璃	氟碳塗層鋁框	門把手、門鎖、趟門路軌及門擋
		私人天台門	不銹鋼門	不適用	門鎖、門把手、門鉸、閉門器、門擋及防煙條
			座樓層單位		
			第 1 座天台A 及 B		
			第 2 座天台A		
			第 3 座天台A		
			鍍鋅鋼閘門	氟碳漆噴塗	門鎖、門把手及門鉸
			座樓層單位		
			第 1 座天台C		
			第 2 座天台B、C 及 D		
			第 3 座天台B、C、D、E、F 及 G		
			第 5 座天台A、B、C、D、E、F、G、H、J 及 K		
		梯屋門	鋁質門框鑲灰色玻璃	氟碳塗層鋁框	門鎖、門把手、閉門器及門擋
		主人睡房及睡房門	空心木門 (以下指明門除外)	木皮飾面	門鎖、門鉸及門擋 (以下指明門除外)
			以下單位為空心木趟門：		以下單位為門鎖及趟門路軌：
			座樓層單位		座樓層單位
			第 3 座2 樓至 65 樓H、J、K 及 L		第 3 座2 樓至 65 樓H、J、K 及 L
			66 樓D、E 及 F		66 樓D、E 及 F
			第 5 座2 樓至 65 樓E、F、G、J、K、L 及 M		第 5 座2 樓至 65 樓E、F、G、J、K、L 及 M
			66 樓C、D、F、G、H 及 J		66 樓C、D、F、G、H及J
		廚房門 (不適用於開放式廚房)	實心防火木門 (以下指明門除外)	木皮飾面	門把手、閉門器、門鉸、防煙條、門擋及防火玻璃視窗 (以下指明門除外)
			以下單位為實心防火木趟門：		以下單位為門鎖、趟門路軌及防火玻璃視窗：
			座樓層單位		座樓層單位
			第 1 座63 樓至 68 樓A		第 1 座63 樓至 68 樓A
			第 2 座65 樓至 68 樓A		第 2 座65 樓至 68 樓A
			第 5 座66 樓A		第 5 座66 樓A
		雜物房門	空心木門 (以下指明門除外)	木皮飾面	門鎖、門鉸及門擋 (以下指明門除外)
			以下單位為空心木趟門：		以下單位為門鎖及趟門路軌：
			座樓層單位		座樓層單位
			第 1 座2 樓至 62 樓B 及 D		第 1 座2 樓至 62 樓B 及 D
			第 1 座68 樓B		第 1 座68 樓B
			第 3 座2 樓至 65 樓B		第 3 座2 樓至 65 樓B

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

3. 室內裝置

細項		描述								
(a)	門		用料		裝修物料	配件				
		儲物室門	空心木門（以下指明門除外）		木皮飾面	門鎖、門鉸及門擋（以下指明門除外）				
			以下單位為空心木趟門：			以下單位為門鎖及趟門路軌：				
			座	樓層		單位	座	樓層	單位	
			第 1 座	2 樓 至 62 樓		D	第 1 座	2 樓至 62 樓	D	
		第 5 座	2 樓 至 65 樓	D	第 5 座	2 樓至 65 樓	D			
		浴室門	空心木門（以下指明門除外）		木皮飾面（以下指明門除外）	門鎖、門鉸及門擋（以下指明門除外）				
			以下浴室門為空心木趟門：		以下單位的主人浴室門外側為木皮飾面，內側為人造皮飾面：	以下浴室門設門鎖及趟門路軌：				
			座	樓層	單位	浴室	座	樓層	單位	浴室
			第 2 座	65樓至68樓	A	主人浴室	第 2 座	65樓至68樓	A	主人浴室
第 3 座	2樓至65樓		H、J、K及L	浴室1	第 3 座	2樓至65樓	H、J、K及L	浴室1		
	66樓		D、E及F	浴室1		66樓	D、E及F	浴室1		
第 5 座	2樓至21樓		B、C、E、F、G、J、K、L及M	浴室1	第 5 座	2樓至21樓	B、C、E、F、G、J、K、L及M	浴室1		
	23樓至65樓		E、F、G、J、K、L及M	浴室1		23樓至65樓	E、F、G、J、K、L及M	浴室1		
	66樓		C、D、F、G、H及J	浴室1		66樓	C、D、F、G、H及J	浴室1		
以下浴室設空心木門及空心木趟門：				以下浴室之空心木門設門鎖、門鉸及門擋；浴室之空心木趟門設門鎖及趟門路軌：						
座	樓層		單位	浴室	座	樓層	單位	浴室		
第 3 座	2樓至65樓		G	主人浴室	第 3 座	2樓至65樓	G	主人浴室		
第 5 座	2樓至65樓	H及N	主人浴室	第 5 座	2樓至65樓	H及N	主人浴室			
	66樓	E及K	主人浴室		66樓	E及K	主人浴室			
洗手間門	鋁摺門配以磨砂玻璃		粉塗層	門鎖、門鉸、趟門路軌及門把手						
化妝間門	空心木門		木皮飾面	門鎖、門鉸及門擋						
私人升降機大堂門	實心防火木門		人造木皮飾面	門把手、閉門器、門鉸、防煙條及防火玻璃視窗						

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

3. 室內裝置

細項		描述																																							
		類型	用料																																						
(b)	浴室	(i) 裝置及設備	面盆櫃	木製面盆櫃，配以人造石及膠板（以下指明單位除外） 以下單位為木製面盆櫃配以天然石材及膠板： <table><tr><td>座</td><td>樓層</td><td>單位</td></tr><tr><td>第 1 座</td><td>2 樓至 62 樓</td><td>B、D及E</td></tr><tr><td rowspan="3">第 2 座</td><td>2 樓至 40 樓</td><td>A、B、C及J</td></tr><tr><td>42 樓至 58樓</td><td>A、B及H</td></tr><tr><td>59 樓至 63樓</td><td>A及G</td></tr></table> 以下描述適用於下列單位： 主人浴室 - 木製面盆櫃配以天然石材、裝飾玻璃及不銹鋼 浴室 - 木製面盆櫃配以天然石材、膠板、木皮及不銹鋼 <table><tr><td>座</td><td>樓層</td><td>單位</td></tr><tr><td>第 1 座</td><td>63 樓至 67 樓</td><td>A</td></tr><tr><td rowspan="4">第 2 座</td><td>68 樓</td><td>A、B及C</td></tr><tr><td>42 樓至 58 樓</td><td>C</td></tr><tr><td>59 樓至 63 樓</td><td>B</td></tr><tr><td>65 樓至 67 樓</td><td>A</td></tr><tr><td>68 樓</td><td>A及D</td><td></td></tr><tr><td>第 3 座</td><td>66 樓</td><td>A、B及C</td></tr><tr><td>第 5 座</td><td>66 樓</td><td>A及B</td></tr></table>	座	樓層	單位	第 1 座	2 樓至 62 樓	B、D及E	第 2 座	2 樓至 40 樓	A、B、C及J	42 樓至 58樓	A、B及H	59 樓至 63樓	A及G	座	樓層	單位	第 1 座	63 樓至 67 樓	A	第 2 座	68 樓	A、B及C	42 樓至 58 樓	C	59 樓至 63 樓	B	65 樓至 67 樓	A	68 樓	A及D		第 3 座	66 樓	A、B及C	第 5 座	66 樓	A及B
			座	樓層	單位																																				
			第 1 座	2 樓至 62 樓	B、D及E																																				
			第 2 座	2 樓至 40 樓	A、B、C及J																																				
				42 樓至 58樓	A、B及H																																				
				59 樓至 63樓	A及G																																				
			座	樓層	單位																																				
			第 1 座	63 樓至 67 樓	A																																				
			第 2 座	68 樓	A、B及C																																				
				42 樓至 58 樓	C																																				
59 樓至 63 樓	B																																								
65 樓至 67 樓	A																																								
68 樓	A及D																																								
第 3 座	66 樓	A、B及C																																							
第 5 座	66 樓	A及B																																							
鏡櫃	木製鏡櫃配以鏡、膠板及不銹鋼（以下指明單位除外） 以下描述適用於下列單位： 主人浴室 - 鏡配以不銹鋼框 浴室 - 木製鏡櫃配以鏡、裝飾玻璃、膠板及不銹鋼 <table><tr><td>座</td><td>樓層</td><td>單位</td></tr><tr><td>第 1 座</td><td>63 樓至 67 樓</td><td>A</td></tr><tr><td rowspan="4">第 2 座</td><td>68 樓</td><td>A、B及C</td></tr><tr><td>42 樓至 58 樓</td><td>C</td></tr><tr><td>59 樓至 63 樓</td><td>B</td></tr><tr><td>65 樓至 67 樓</td><td>A</td></tr><tr><td>68 樓</td><td>A及D</td><td></td></tr><tr><td>第 3 座</td><td>66 樓</td><td>A、B及C</td></tr><tr><td>第 5 座</td><td>66 樓</td><td>A及B</td></tr></table>	座	樓層	單位	第 1 座	63 樓至 67 樓	A	第 2 座	68 樓	A、B及C	42 樓至 58 樓	C	59 樓至 63 樓	B	65 樓至 67 樓	A	68 樓	A及D		第 3 座	66 樓	A、B及C	第 5 座	66 樓	A及B																
座	樓層	單位																																							
第 1 座	63 樓至 67 樓	A																																							
第 2 座	68 樓	A、B及C																																							
	42 樓至 58 樓	C																																							
	59 樓至 63 樓	B																																							
	65 樓至 67 樓	A																																							
68 樓	A及D																																								
第 3 座	66 樓	A、B及C																																							
第 5 座	66 樓	A及B																																							
洗手盆水龍頭	鍍鉻																																								
洗手盆	陶瓷																																								
坐廁	陶瓷																																								
毛巾杆及廁紙架	鍍鉻																																								
毛巾架	鍍鉻（以下指明浴室除外） 以下浴室不提供毛巾架： <table><tr><td>座</td><td>樓層</td><td>單位</td><td>浴室</td></tr><tr><td>第 3 座</td><td>2樓至65樓</td><td>G</td><td>主人浴室</td></tr><tr><td rowspan="2">第 5 座</td><td>2樓至65樓</td><td>H及N</td><td>主人浴室</td></tr><tr><td>66樓</td><td>E及K</td><td>主人浴室</td></tr></table>	座	樓層	單位	浴室	第 3 座	2樓至65樓	G	主人浴室	第 5 座	2樓至65樓	H及N	主人浴室	66樓	E及K	主人浴室																									
座	樓層	單位	浴室																																						
第 3 座	2樓至65樓	G	主人浴室																																						
第 5 座	2樓至65樓	H及N	主人浴室																																						
	66樓	E及K	主人浴室																																						

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

3. 室內裝置

細項		描述					
(b)	浴室		類型			用料	
		(ii) 供水系統	冷熱水供水系統			銅喉管	
			沖水供水系統			膠喉管	
		(iii) 沐浴設施（包括花灑或浴缸（如適用的話））	淋浴間			強化清玻璃	
			花灑水龍頭及花灑套裝			鍍鉻	
			浴缸			瓷釉鋼鐵	
			浴缸水龍頭及花灑套裝			鍍鉻	
			浴簾杆			不銹鋼	
		(iv) 浴缸大小（如適用的話）	位置			大小	
			所有浴室（以下指明浴室除外）			1500 長 x 700 闊 x 410 高（毫米）	
			座	樓層	單位	浴室	
			第 1 座	63 樓 至 67 樓	A	浴室 3	
					A	浴室 3	
				68樓	B	主人浴室	
					C	主人浴室	
			第 2 座	42 樓 至 58 樓	C	主人浴室	
				59 樓 至 63 樓	B	主人浴室	
				65 樓 至 67 樓	A	浴室 4	
					A	浴室 4	
				68 樓	D	主人浴室	
			第 3 座		66 樓	A	主人浴室
						B	主人浴室
				C		主人浴室	
		第 5 座	66 樓	A	主人浴室		
				B	主人浴室		
		座	樓層	單位	浴室		
		第 1 座	63 樓 至 68 樓	A	主人浴室		
		第 2 座	65 樓 至 68 樓	A	主人浴室		

				1600 長 x 750 闊 x 410 高（毫米）
				1855 長 x 885 闊 x 625 高（毫米）

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

3. 室內裝置

細項		描述						
(c)	廚房		用料			裝修物料		
		(i) 洗滌盆	不銹鋼			不適用		
		(ii) 供水系統	銅喉管			不適用		
		(iii) 廚櫃	木材及鋁質			膠板及高光亞加力髹漆（以下指明單位除外）		
						以下單位為膠板、鏡及高光亞加力髹漆：		
						座	樓層	單位
	第 3 座					2 樓 至 65 樓 66 樓	H、J、K 及 L D、E 及 F	
	第 5 座	2 樓 至 65 樓 66 樓	G、J、K、L 及 M D、F、G、H 及 J					
		類型						
	(iv)	其他裝置	不適用					
其他設備		以下單位之開放式廚房內或附近安裝消防裝置及設備，包括消防花灑頭及煙霧探測器：						
(d)	睡房	裝置（包括嵌入式衣櫃）的類型及用料	不適用					
(e)	電話	接駁點的位置及數目	請參閱「住宅單位機電裝置數量說明表」					
(f)	天線	接駁點的位置及數目	請參閱「住宅單位機電裝置數量說明表」					
(g)	電力裝置	(i) 供電附件（包括安全裝置）	請參閱「住宅單位機電裝置數量說明表」。所有單位均裝有總電掣箱及包括漏電保護。					
		(ii) 導管是隱藏或外露	導管部份隱藏及部份外露。 除部份隱藏於混凝土內之導管外，其他部份的導管均為外露。 外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或掩藏。					
		(iii) 電插座及空調機接駁點的位置及數目	請參閱「住宅單位機電裝置數量說明表」					
(h)	氣體供應	類型	煤氣					
		系統	獨立煤氣錶及煤氣喉接駁至煤氣煮食爐及煤氣熱水爐					
		位置	煤氣煮食爐及煤氣熱水爐位置，請參閱「設備說明表 - 廚房」及「設備說明表 - 熱水爐設備」					
(i)	洗衣機接駁點	位置	請參閱「住宅單位機電裝置數量說明表」					
		設計	設有來水及去水接駁喉位					
(j)	供水	(i) 水管的用料	冷熱水供水系統採用銅喉管。 沖水供水系統採用膠喉管。					
		(ii) 水管是隱藏或外露	水管部份隱藏及部份外露。 除部份隱藏於混凝土內之水管外，其他部份的水管均為外露。 外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或掩藏。					
		(iii) 有否熱水供應	有熱水供應					

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

4. Miscellaneous

Item			Description				
(a)	Lifts	(i)	Brand name	Schindler			
			Model number	SCHINDLER 7000			
		(ii) Number and floors served by them		Number of lifts	Tower	Floor served	
			1	Tower 1	B2/F, B1/F, G/F, 1/F - 3/F, 5/F - 12/F, 15/F - 21/F, 22/F*, 23/F, 25/F - 33/F, 35/F - 40/F, 41/F*, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 68/F *Lift door operates only upon activation of corresponding fireman's switch		
			5	Tower 1	B2/F, B1/F, G/F, 2/F, 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 68/F		
			1	Tower 2	B2/F, B1/F, G/F, 1/F - 3/F, 5/F - 12/F, 15/F - 21/F, 22/F*, 23/F, 25/F - 33/F, 35/F - 40/F, 41/F*, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 68/F *Lift door operates only upon activation of corresponding fireman's switch		
			5	Tower 2	B2/F, B1/F, G/F, 2/F, 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 68/F		
			1	Tower 3	B2/F, B1/F, G/F, 1/F - 3/F, 5/F - 12/F, 15/F - 21/F, 22/F*, 23/F, 25/F - 33/F, 35/F - 40/F, 41/F*, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F, 65/F and 66/F *Lift door operates only upon activation of corresponding fireman's switch		
			5	Tower 3	B2/F, B1/F, G/F, 2/F, 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F, 65/F and 66/F		
			1	Tower 5	B2/F, B1/F, G/F, 1/F - 3/F, 5/F - 12/F, 15/F - 21/F, 22/F*, 23/F, 25/F - 33/F, 35/F - 40/F, 41/F*, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F, 65/F and 66/F *Lift door operates only upon activation of corresponding fireman's switch		
			5	Tower 5	B2/F, B1/F, G/F, 2/F, 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F, 43/F, 45/F - 53/F, 55/F - 63/F, 65/F and 66/F		

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes:
1. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
2. 22/F and 41/F are refuge floors for all Towers.
3. Residential floor starts from 2/F for all Towers.

4. Miscellaneous

Item		Description				
(a)	Lifts	(i)	Brand name	Schindler		
			Model number	SCHINDLER 5500MRL		
		(ii)	Number and floors served by them	Number of lifts		
				Floor served		
	2	B2/F, B1/F, G/F and 1/F				
	1	G/F and 1/F				
(b)	Letter box	Material	Timber			
(c)	Refuse collection	(i)	Means of refuse collection	Refuse will be collected by cleaner		
		(ii)	Location of refuse room	Refuse storage and material recovery room is located at each residential floor of Tower 1, Tower 2 , Tower 3 and Tower 5 (except 22/F, 41/F and Roof for each Tower). Refuse storage and material recovery chamber is located at B1/F.		
(d)	Water meter	(i)	Location	Water meter cabinet on each residential floor		
		(ii)	Whether they are separate or communal meters for residential properties	Separate Meter		
	Electricity meter	(i)	Location	Electrical meter room on each residential floor		
		(ii)	Whether they are separate or communal meters for residential properties	Separate Meter		

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes:
1. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
2. 22/F and 41/F are refuge floors for all Towers.
3. Residential floor starts from 2/F for all Towers.

4. Miscellaneous

Item		Description				
(d)	Gas meter	(i) Location	Tower	Unit	Location	Floor
			Tower 1	A	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 68/F
				B	Kitchen	
				C	Kitchen	
				D	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 67/F
				E	Kitchen	
				F	Kitchen	
				G	Kitchen	
				H	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F
				J	Kitchen	
				K	Kitchen	
			Tower 2	A	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 68/F
				B	Kitchen	
				C	Kitchen	
				D	Kitchen	
				E	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 67/F
				F	Kitchen	
				G	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 63/F
				H	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 58/F
				J	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F
			Tower 3	A	Kitchen	66/F
				B	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 66/F
				C	Kitchen	66/F
				E	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F
				F	Kitchen	
				G	Bathroom 1	66/F
				M	Bathroom 1	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F
		Tower 5	A	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F - 66/F	
			B	Kitchen	66/F	
			D	Kitchen	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F	
				(ii) Whether they are separate or communal meters for residential properties	Separate Meter	

Notes:

- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
- 22/F and 41/F are refuge floors for all Towers.
- Residential floor starts from 2/F for all Towers.

4. 雜項

細項		描述				
(a)	升降機	(i)	品牌名稱	迅達		
			產品型號	SCHINDLER 7000		
		(ii)	升降機的數目及到達的樓層	升降機數目	座	到達的樓層
				1	第 1 座	地庫 2 樓、地庫 1 樓、地下、1 樓至 3 樓、5 樓至 12 樓、15 樓至 21樓、22 樓*、23 樓、25 樓至 33 樓、35 樓至 40 樓、41 樓*、42 樓、43樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 68 樓 *電梯門只有在啟動相關消防員開關掣時才運作
				5	第 1 座	地庫 2 樓、地庫 1 樓、地下、2 樓、3 樓、5 樓至 12 樓、15 樓至 21樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓、43 樓、45 樓至 53樓、55 樓至 63 樓及 65 樓至 68 樓
				1	第 2 座	地庫 2 樓、地庫 1 樓、地下、1 樓至 3 樓、5 樓至 12 樓、15 樓至 21樓、22 樓*、23 樓、25 樓至 33 樓、35 樓至 40 樓、41 樓*、42 樓、43樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 68 樓 *電梯門只有在啟動相關消防員開關掣時才運作
				5	第 2 座	地庫 2 樓、地庫 1 樓、地下、2 樓、3 樓、5 樓至 12 樓、15 樓至 21樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓、43 樓、45 樓至 53樓、55 樓至 63 樓及 65 樓至 68 樓
				1	第 3 座	地庫 2 樓、地庫 1 樓、地下、1 樓至 3 樓、5 樓至 12 樓、15 樓至 21樓、22 樓*、23 樓、25 樓至 33 樓、35 樓至 40 樓、41 樓*、42 樓、43 樓、45 樓至 53 樓、55 樓至 63 樓、65 樓及 66 樓 *電梯門只有在啟動相關消防員開關掣時才運作
				5	第 3 座	地庫 2 樓、地庫 1 樓、地下、2樓、3 樓、5 樓至 12 樓、15 樓至 21樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓、43 樓、45 樓至 53 樓、55 樓至 63 樓、65 樓及 66 樓
				1	第 5 座	地庫 2 樓、地庫 1 樓、地下、1 樓至 3 樓、5 樓至 12 樓、15 樓至 21樓、22 樓*、23 樓、25 樓至 33 樓、35 樓至 40 樓、41 樓*、42 樓、43 樓、45 樓至 53 樓、55 樓至 63 樓、65 樓及 66 樓 *電梯門只有在啟動相關消防員開關掣時才運作
				5	第 5 座	地庫 2 樓、地庫 1 樓、地下、2樓、3 樓、5 樓至 12 樓、15 樓至 21樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓、43 樓、45 樓至 53 樓、55 樓至 63 樓、65 樓及 66 樓

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：
1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
2. 所有座數 22 樓及 41 樓為庇護層。
3. 所有座數住宅層由 2 樓開始。

4. 雜項

細項		描述			
(a)	升降機	(i)	品牌名稱	迅達	
			產品型號	SCHINDLER 5500MRL	
		(ii)	升降機的數目及到達的樓層	升降機數目	到達的樓層
				2	地庫 2 樓、地庫 1 樓、地下及 1 樓
				1	地下及 1 樓
(b)	信箱	用料	木		
(c)	垃圾收集	(i)	垃圾收集的方法	由清潔工人收集垃圾	
		(ii)	垃圾房的位置	垃圾及物料回收室位於第 1 座、第 2 座、第 3 座及第 5 座每層住宅樓層（每座 22 樓、41 樓及天台除外） 垃圾及物料回收房設於地庫 1 樓。	
(d)	水錶	(i)	位置	每層住宅樓層之水錶櫃	
		(ii)	就住宅單位而言是獨立抑或公用的錶	獨立錶	
	電錶	(i)	位置	每層住宅樓層之電錶房	
		(ii)	就住宅單位而言是獨立抑或公用的錶	獨立錶	

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：
1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
2. 所有座數 22 樓及 41 樓為庇護層。
3. 所有座數住宅層由 2 樓開始。

4. 雜項

細項		描述				
(d)	氣體錶	(i) 位置	座	單位	位置	樓層
			第1座	A	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 68 樓
				B	廚房	
				C	廚房	
				D	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 67 樓
				E	廚房	
				F	廚房	
				G	廚房	
				H	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓至 43 樓、45 樓至 53 樓及 55 樓至 62 樓
				J	廚房	
				K	廚房	
			第2座	A	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 68 樓
				B	廚房	
				C	廚房	
				D	廚房	
				E	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 67 樓
				F	廚房	
				G	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓至 43 樓、45 樓至 53 樓及 55 樓至 63 樓
				H	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42 樓至 43 樓、45 樓至 53 樓及 55 樓至 58 樓
				J	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓及 35 樓至 40 樓
			第3座	A	廚房	66樓
				B	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 66 樓
				C	廚房	66樓
				E	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓
				F	廚房	
				G	浴室 1	66樓
				M	浴室 1	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓
			第5座	A	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓至 66 樓
				B	廚房	66樓
				D	廚房	2 樓至 3 樓、5 樓至 12 樓、15 樓至 21 樓、23 樓、25 樓至 33 樓、35 樓至 40 樓、42樓至 43 樓、45 樓至 53 樓、55 樓至 63 樓及 65 樓
		(ii) 就住宅單位而言是獨立抑或公用的錶	獨立錶			

備註：

1. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

2. 所有座數 22 樓及 41 樓為庇護層。

3. 所有座數住宅層由 2 樓開始。

5. Security Facilities

Item	Description	
Security system and equipment (including details of built-in provisions and their locations)	Access control and security system	Visitor intercom panels are provided at the entrance lobbies. Octopus card access control system is provided at the entrance lobbies, B1/F and B2/F lift lobbies for resident access. Video door phones are provided in all residential units.
	CCTV	CCTV system is provided at entrance lobbies, B1/F and B2/F lift lobbies, staircase exit, landscaped area and tower lifts connecting directly to the caretaker's counter at entrance lobbies and security control room. CCTV system is also provided at residential clubhouse and clubhouse lift connecting directly to clubhouse reception and security control room.
	Video door phone with panic alarm and door release function connecting to the caretaker's counter at the entrance lobbies is provided in all residential units.	
	For the location of video door phone, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Units".	

6. Appliances

Item	Description
Brand name and model number	Please refer to the "Appliances Schedule"

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Notes:

- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.
- 22/F and 41/F are refuge floors for all Towers.
- Residential floor starts from 2/F for all Towers.

5. 保安設施

細項	描述	
保安系統及設備（包括嵌入式的裝備的細節及其位置）	入口通道控制及保安系統	入口大堂設有訪客對講機系統。入口大堂、地庫 1 樓及地庫 2 樓升降機大堂設有八達通讀卡機供住客進出使用。所有住宅單位內設有門口視像對講機。
	閉路電視	入口大堂、地庫 1 樓及地庫 2 樓升降機大堂、樓梯出口、園景區及大廈內之升降機均設有閉路電視系統，直接連接入口大堂管理處及保安控制室。 住客會所及會所內之升降機均設有閉路電視系統，直接連接會所接待處及保安控制室。
	所有住宅單位均設有門口視像對講機配有警報掣及開門功能連接入口大堂管理處。	
	門口視像對講機位置，請參閱「住宅單位機電裝置數量說明表」。	

6. 設備

細項	描述
品牌名稱及產品型號	請參閱「設備說明表」

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

備註：

- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。
- 所有座數 22 樓及 41 樓為庇護層。
- 所有座數住宅層由 2 樓開始。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 1 第1座																				
			2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、 25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓及55樓至62樓											63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位											Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	A	B	C	
Induction Hob 電磁煮食爐	Miele	CS1212-li	-	✓	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓	
Telescopic Cooker Hood 拉趟式抽油煙機	Siemens 西門子	LI67SA530B	✓	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-	
	Miele	DA3466HP	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Miele	DA3496HP	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	
Wall-Mounted Cooker Hood 掛牆式抽油煙機	Miele	DA422-6C	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	
Built-in Washer-dryer 2 in 1 嵌入式2合1洗衣乾衣機	Siemens 西門子	WK14D321HK	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-	
	Gaggenau	WD200140	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	
Freestanding Washing Machine 獨立式洗衣機	Miele	WDD020	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	
Heat Pump Tumble Dryer 熱泵烘乾衣機	Miele	TDD120WP	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	
Built-in 2 Doors Refrigerator 嵌入式雙門雪櫃	Siemens 西門子	KI86NAF31K	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-	
	Miele	KFNS 37232iD	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Miele	KF1801Vi	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓	
Domino Town Gas Double Burner 雙頭煤氣煮食爐	Siemens 西門子	ER326BB90X	✓	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-	
	Miele	CS1013-1	-	✓	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓	

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 1 第1座																				
			2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、 25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓及55樓至62樓											63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位											Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	A	B	C	
Domino Town Gas Wok Burner 單頭煤氣煮食爐	Siemens 西門子	ER326AB92X	✓	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-	
	Miele	CS1018G	-	✓	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	
	Miele	CS1028G	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	
Built-in Combination Steam Oven 嵌入式蒸焗爐	Siemens 西門子	CS656GBS1B	✓	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-	
	Miele	DGC6400	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Built-in Steam Oven 嵌入式蒸爐	Miele	DG6200	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	
	Miele	DG6401	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	
Built-in Oven 嵌入式焗爐	Miele	H6260B	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	
	Miele	H6290B	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	
Wine Cellar 酒櫃	Vinvautz	VZ07BI	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Vinvautz	VZ18BUP	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	
	Vinvautz	VZ18BUPL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-	
	Miele	KWT1612Vi	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	
Warming Drawer 暖碗碟機	Miele	ESW6114	-	✓	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓	
Dishwasher 洗碗碟機	Miele	G6660SCVi	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓	
Coffee Machine 咖啡機	Miele	CVA6401	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓	
Built-under Fridge 嵌入式雪櫃	Miele	K31222Ui	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																	
			2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、 25樓至33樓及35樓至40樓										42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓							
			Unit 單位										Unit 單位							
			A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	
Induction Hob 電磁煮食爐	Miele	CS1212-1i	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Telescopic Cooker Hood 拉趟式抽油煙機	Siemens 西門子	LI67SA530B	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	✓	✓	✓	✓	✓	
	Miele	DA3466HP	✓	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	
	Miele	DA3496HP	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Built-in Washer-dryer 2 in 1 嵌入式2合1洗衣乾衣機	Siemens 西門子	WK14D321HK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	Gaggenau	WD200140	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Built-in 2 Doors Refrigerator 嵌入式雙門雪櫃	Siemens 西門子	KI86NAF31K	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
	Miele	KF1801Vi	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Domino Town Gas Double Burner 雙頭煤氣煮食爐	Siemens 西門子	ER326BB90X	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	✓	✓	✓	✓	✓	
	Miele	CS1013-1	✓	-	✓	-	-	-	-	-	-	✓	-	✓	-	-	-	-	-	
Domino Town Gas Wok Burner 單頭煤氣煮食爐	Siemens 西門子	ER326AB92X	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	✓	✓	✓	✓	✓	
	Miele	CS1018G	✓	-	✓	-	-	-	-	-	-	✓	-	✓	-	-	-	-	-	
Built-in Combination Steam Oven 嵌入式蒸焗爐	Siemens 西門子	CS656GBS1B	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	✓	✓	✓	✓	✓	
	Miele	DGC6400	✓	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	
Built-in Steam Oven 嵌入式蒸爐	Miele	DG6200	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Built-in Oven 嵌入式焗爐	Miele	H6260B	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	

- Notes:
- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
 - The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
 - 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

- 備註：
- 上表「-」代表不提供或不適用。
 - 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
 - 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																	
			2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓及35樓至40樓										42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓							
			Unit 單位										Unit 單位							
			A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	
Wine Cellar 酒櫃	Vinvautz	VZ07BI	✓	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	
	Vinvautz	VZ18BUP	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Warming Drawer 暖碗碟機	Miele	ESW6114	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Dishwasher 洗碗碟機	Miele	G6660SCVi	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Coffee Machine 咖啡機	Miele	CVA6401	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																
			59/F - 63/F 59樓至63樓							65/F - 67/F 65樓 至67樓						68/F 68樓			
			Unit 單位							Unit 單位						Unit 單位			
			A	B	C	D	E	F	G	A	B	C	D	E	F	A	B	C	D
Induction Hob 電磁煮食爐	Miele	CS1212-li	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Wall-Mounted Cooker Hood 掛牆式抽油煙機	Miele	DA422-6C	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Telescopic Cooker Hood 拉趟式抽油煙機	Siemens 西門子	LI67SA530B	-	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-
	Miele	DA3466HP	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miele	DA3496HP	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
Built-in Washer-dryer 2 in 1 嵌入式2合1洗衣乾衣機	Siemens 西門子	WK14D321HK	✓	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-
	Gaggenau	WD200140	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
Freestanding Washing Machine 獨立式洗衣機	Miele	WDD020	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Heat Pump Tumble Dryer 熱泵烘乾衣機	Miele	TDD120WP	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Built-in 2 Doors Refrigerator 嵌入式雙門雪櫃	Siemens 西門子	KI86NAF31K	✓	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-
	Miele	KFNS 37232iD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
	Miele	KF1801Vi	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Domino Town Gas Double Burner 雙頭煤氣煮食爐	Siemens 西門子	ER326BB90X	-	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-
	Miele	CS1013-1	✓	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Domino Town Gas Wok Burner 單頭煤氣煮食爐	Siemens 西門子	ER326AB92X	-	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-
	Miele	CS1018G	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
	Miele	CS1028G	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-

- Notes:
- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
 - The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
 - 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

- 備註：
- 上表「-」代表不提供或不適用。
 - 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
 - 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																
			59/F - 63/F 59樓至63樓							65/F - 67/F 65樓 至67樓						68/F 68樓			
			Unit 單位							Unit 單位						Unit 單位			
			A	B	C	D	E	F	G	A	B	C	D	E	F	A	B	C	D
Built-in Combination Steam Oven 嵌入式蒸焗爐	Siemens 西門子	CS656GBS1B	-	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-
	Miele	DGC6400	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Built-in Steam Oven 嵌入式蒸爐	Miele	DG6200	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
	Miele	DG6401	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Built-in Oven 嵌入式焗爐	Miele	H6260B	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
	Miele	H6290B	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Wine Cellar 酒櫃	Vinvautz	VZ07BI	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Vinvautz	VZ18BUP	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
	Miele	KWT6322UG	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miele	KWT1612Vi	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Warming Drawer 暖碗碟機	Miele	ESW6114	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Dishwasher 洗碗機	Miele	G6660SCVi	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Coffee Machine 咖啡機	Miele	CVA6401	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Built-under Fridge 嵌入式雪櫃	Miele	K31222Ui	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 3 第3座																		
			2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓、55樓至63樓及65樓												66/F 66樓						
			Unit 單位												Unit 單位						
			A	B	C	D	E	F	G	H	J	K	L	M	A	B	C	D	E	F	G
Domino FlexInduction Hob 嵌入式電磁煮食爐	Siemens 西門子	EX375FXB1E	✓	-	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓
Induction Hob 電磁煮食爐	Miele	CS1212-1i	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Telescopic Cooker Hood 拉趟式抽油煙機	Siemens 西門子	LI67SA530B	✓	-	✓	✓	-	✓	✓	-	-	-	-	✓	-	-	-	-	-	-	✓
	Miele	DA3466HP	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miele	DA3496HP	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Canopy Cooker Hood 天花式抽油煙機	Siemens 西門子	LB55564GB	-	-	-	-	-	-	-	✓	✓	✓	✓	-	-	-	-	✓	✓	✓	
Built-in Washer-dryer 2 in 1 嵌入式2合1洗衣乾衣機	Siemens 西門子	WK14D321HK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓
	Gaggenau	WD200140	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Built-in 2 Doors Refrigerator 嵌入式雙門雪櫃	Siemens 西門子	KI86NAF31K	-	✓	-	-	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miele	KF1801Vi	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Built-in 1 Door Refrigerator 嵌入式單門雪櫃	Siemens 西門子	KI24LV20HK	✓	-	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓
Domino Town Gas Double Burner 雙頭煤氣煮食爐	Siemens 西門子	ER326BB90X	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miele	CS1013-1	-	✓	-	-	✓	--	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Domino Town Gas Wok Burner 單頭煤氣煮食爐	Siemens 西門子	ER326AB92X	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-
	Miele	CS1018G	-	✓	-	-	✓		-	-	-	-	-	-	✓	✓	✓	-	-	-	-

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 3 第3座																		
			2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓、55樓至63樓及65樓													66/F 66樓					
			Unit 單位													Unit 單位					
			A	B	C	D	E	F	G	H	J	K	L	M	A	B	C	D	E	F	G
Built-in Combination Steam Oven 嵌入式蒸焗爐	Siemens 西門子	CS656GBS1B	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓
	Miele	DGC6400	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Built-in Steam Oven 嵌入式蒸爐	Miele	DG6200	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Built-in Oven 嵌入式焗爐	Miele	H6260B	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Wine Cellar 酒櫃	Vinvautz	VZ07BI	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Vinvautz	VZ18BUP	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Warming Drawer 暖碗碟機	Miele	ESW6114	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Dishwasher 洗碗碟機	Miele	G6660SCVi	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Coffee Machine 咖啡機	Miele	CVA6401	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 5 第5座																									
			2/F - 3/F, 5/F - 12/F and 15/F - 21/F 2樓至3樓、5樓至12樓及15樓 至 21樓												23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 23樓、25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓、55樓至63樓及65樓													
			Unit 單位												Unit 單位													
			A	B	C	D	E	F	G	H	J	K	L	M	N	A	B	C	D	E	F	G	H	J	K	L	M	N
Domino FlexInduction Hob 嵌入式電磁煮食爐	Siemens 西門子	EX375FXB1E	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
Telescopic Cooker Hood 拉趟式抽油煙機	Siemens 西門子	LI67SA530B	✓	✓	✓	✓	✓	✓	-	✓	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-	-	-	✓
Canopy Cooker Hood 天花式抽油煙機	Siemens 西門子	LB55564GB	-	-	-	-	-	-	✓	-	✓	✓	✓	✓	-	-	-	-	-	-	-	✓	-	✓	✓	✓	✓	-
Built-in Washer-dryer 2 in 1 嵌入式2合1洗衣乾衣機	Siemens 西門子	WK14D321HK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Built-in 2 Doors Refrigerator 嵌入式雙門雪櫃	Siemens 西門子	KI86NAF31K	✓	-	-	✓	-	-	-	-	-	-	-	-	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-
Built-in 1 Door Refrigerator 嵌入式單門雪櫃	Siemens 西門子	KI24LV20HK	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
Domino Town Gas Double Burner 雙頭煤氣煮食爐	Siemens 西門子	ER326BB90X	✓	-	-	✓	-	-	-	-	-	-	-	-	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-
Domino Town Gas Wok Burner 單頭煤氣煮食爐	Siemens 西門子	ER326AB92X	✓	-	-	✓	-	-	-	-	-	-	-	-	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-
Built-in Combination Steam Oven 嵌入式蒸焗爐	Siemens 西門子	CS656GBS1B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 5 第5座										
			66/F 66樓										
			Unit 單位										
			A	B	C	D	E	F	G	H	J	K	
Domino FlexInduction Hob 嵌入式電磁煮食爐	Siemens 西門子	EX375FXB1E	-	-	✓	✓	✓	✓	✓	✓	✓	✓	
Induction Hob 電磁煮食爐	Miele	CS1212-1i	✓	✓	-	-	-	-	-	-	-	-	
Telescopic Cooker Hood 拉趟式抽油煙機	Siemens 西門子	LI67SA530B	-	-	✓	-	✓	-	-	-	-	✓	
	Miele	DA3496HP	-	✓	-	-	-	-	-	-	-	-	
Canopy Cooker Hood 天花式抽油煙機	Siemens 西門子	LB55564GB	-	-	-	✓	-	✓	✓	✓	✓	-	
	Miele	DA6698D	✓	-	-	-	-	-	-	-	-	-	
Built-in Washer-dryer 2 in 1 嵌入式2合1洗衣乾衣機	Siemens 西門子	WK14D321HK	-	-	✓	✓	✓	✓	✓	✓	✓	✓	
	Gaggenau	WD200140	✓	✓	-	-	-	-	-	-	-	-	
Built-in 2 Doors Refrigerator 嵌入式雙門雪櫃	Siemens 西門子	KI86NAF31K	-	-	-	-	-	-	-	-	-	-	
	Miele	KFNS 37232iD	-	-	-	-	-	-	-	-	-	-	
	Miele	KF1801Vi	✓	✓	-	-	-	-	-	-	-	-	
Built-in 1 Door Refrigerator 嵌入式單門雪櫃	Siemens 西門子	KI24LV20HK	-	-	✓	✓	✓	✓	✓	✓	✓	✓	
Domino Town Gas Double Burner 雙頭煤氣煮食爐	Miele	CS1013-1	✓	✓	-	-	-	-	-	-	-	-	
Domino Town Gas Wok Burner 單頭煤氣煮食爐	Miele	CS1018G	✓	✓	-	-	-	-	-	-	-	-	
Built-in Combination Steam Oven 嵌入式蒸焗爐	Siemens 西門子	CS656GBS1B	-	-	✓	✓	✓	✓	✓	✓	✓	✓	
Built-in Steam Oven 嵌入式蒸爐	Miele	DG6200	✓	✓	-	-	-	-	-	-	-	-	
Built-in Oven 嵌入式焗爐	Miele	H6260B	✓	✓	-	-	-	-	-	-	-	-	

- Notes:
- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
 - The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
 - 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

- 備註：
- 上表「-」代表不提供或不適用。
 - 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
 - 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Kitchen
設備說明表 - 廚房

Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 5 第5座										
			66/F 66樓										
			Unit 單位										
			A	B	C	D	E	F	G	H	J	K	
Wine Cellar 酒櫃	Vinvautz	VZ18BUP	✓	✓	-	-	-	-	-	-	-	-	
Warming Drawer 暖碗碟機	Miele	ESW6114	✓	✓	-	-	-	-	-	-	-	-	
Dishwasher 洗碗碟機	Miele	G6660SCVi	✓	✓	-	-	-	-	-	-	-	-	
Coffee Machine 咖啡機	Miele	CVA6401	✓	✓	-	-	-	-	-	-	-	-	

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning

設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 1 第1座	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 2樓至3樓、5樓至12樓、 15樓至21樓、23樓、 25樓至33樓、 35樓至40樓、 42樓至43樓、 45樓至53樓及 55樓至62樓	TOSHIBA 東芝	A	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			B	RAS-B22N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B22N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)
				RAS-B22N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Utility Room) (與雜物房共用室外機)					
			C	RAS-B22N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-
			D	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)					
			E	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-
			F	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-

Notes:

- The symbol "-" as shown in the above table denotes "Not provided" or "Not applicable".
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 1 第1座	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 2樓至3樓、5樓至12樓、 15樓至21樓、23樓、 25樓至33樓、 35樓至40樓、 42樓至43樓、 45樓至53樓及 55樓至62樓	TOSHIBA 東芝	G	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			H	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			J	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			K	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-B13N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B13N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Bedroom 5 睡房 5	Utility Room 雜物房
Tower 1 第1座	63/F and 65/F - 67/F 63樓及65樓至67樓	DAIKIN 大金	A	FXDP56-QPVC x 2/ RJZQ5AAV (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Bedroom 5) (與睡房4及睡房5共用室 外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3) (與睡房3共用室 外機)	FXAQ25-PVE/ FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房2共用室 外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 5 & Master Bedroom) (與睡房5及主人睡 房共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Master Bedroom) (與睡房4及主人睡 房共用室外機)	FXAQ25-PVE/ RJZQ5AAV (Shared Outdoor Unit with Dinning Room) (與飯廳共用室外 機)
				FXDP56-QPVC x 2/ RJZQ5AAV (Shared Outdoor Unit with Utility Room (與雜物房共用室外機)	FXAQ25-PVE/ RJZQ5AAV (Shared Outdoor Unit with Living Room) (與客廳共用室外機)					
		TOSHIBA 東芝	B	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E- (Shared Outdoor Unit with Bedroom 3) (與睡房3共用室 外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房2共用室 外機)	-	-	-
			C	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-
			D	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「 - 」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Bedroom 5 睡房 5	Utility Room 雜物房
Tower 1 第1座	63/F and 65/F - 67/F 63樓及65樓至67樓	TOSHIBA 東芝	E	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-
			F	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-
			G	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-B13N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B13N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)							
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Bedroom 5 睡房 5	Utility Room 雜物房	Internal Staircase 內置樓梯
Tower 1 第1座	68/F 68樓	DAIKIN 大金	A	FXDP56-QPVC x 2/ RJZQ4AAV	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Utility Room & Internal Staircase) (與雜物房及內置樓 梯共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3) (與睡房3共用室外 機)	FXAQ25-PVE/ FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外 機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 5 & Master Bedroom) (與睡房 5及主人睡 房共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Master Bedroom) (與睡房 4及主人睡 房共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Internal Staircase) (與主人睡房及內置 樓梯共用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Utility Room) (與主人睡房及雜物 房共用室外機)
				FXDP56-QPVC x 2/ RJZQ4AAV	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Bedroom 5) (與睡房 4及睡房 5 共用室外機)						
			B	FXDP56-QPVC x 2/ RJZQ4AAV	FXAQ25-PVE/ FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Internal Staircase) (與睡房 2及內置樓 梯共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Internal Staircase) (與主人睡房及內置 樓梯房共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Utility Room) (與睡房 4及雜物房 共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3 & Utility Room) (與睡房 3及雜物房 共用室外機)	-	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3 & Bedroom 4) (與睡房 3及睡房 4 共用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Bedroom 2) (與主人睡房及睡房 2共用室外機)
			C	FXDP56-QPVC x 2/ RJZQ4AAV	FXAQ25-PVE/ FXAQ32-PVE/ RJZQ4AAV	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3 & Utility Room) (與睡房 3及雜物房 共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Utility Room) (與睡房 2及雜物房 共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Internal Staircase) (與飯廳及內置樓梯 共用室外機)	-	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Bedroom 3) (與睡房 2及睡房 3 共用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Bedroom 4) (與飯廳及睡房 4共 用室外機)
				FXDP56-QPVC / RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Internal Staircase) (與睡房 4及內置樓 梯共用室外機)							

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning

設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 2 第2座	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、 5樓至12樓、 15樓至21樓、 23樓、25樓至33樓及 35樓至40樓	TOSHIBA 東芝	A	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					
			B	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-13N3KV-HK / RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-
			C	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-13N3KV-HK / RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					
			D	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			E	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			F	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-

Notes:

- The symbol "-" as shown in the above table denotes "Not provided" or "Not applicable".
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 2 第2座	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、 5樓至12樓、 15樓至21樓、 23樓、25樓至33樓及 35樓至40樓	TOSHIBA 東芝	G	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			H	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			J	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 2 第2座	42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、 45樓至53樓及 55樓至58樓	TOSHIBA 東芝	A	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					
			B	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-
		DAIKIN 大金	C	FXDP56-QPVC x 2/ RJZQ4AAV	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4) (與睡房 4共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3 & Utility Room) (與睡房 3 及 雜物房共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Utility Room) (與睡房 2 及 雜物房共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom) (與主人睡房 共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Bedroom 3) (與睡房 2及睡房 3共用室外機)

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 2 第2座	42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、 45樓至53樓及 55樓至58樓	TOSHIBA 東芝	D	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			E	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			F	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			G	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			H	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning

設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 2 第2座	59/F - 63/F 59樓至63樓	TOSHIBA 東芝	A	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					
		DAIKIN 大金	B	FXDP56-QPVC x2 / RJZQ4AAV	FXAQ25-PVE / FXAQ32-PVE / RJZQ4AAV	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Utility Room) (與飯廳及雜物房 共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Bedroom 4) (與飯廳及睡房 4 共用室外機)
				FXDP56-QPVC / RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Utility Room) (與睡房4及雜物房共用室外機)					
		TOSHIBA 東芝	C	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			D	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			E	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			F	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			G	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Bedroom 5 睡房 5	Utility Room 雜物房
Tower 2 第2座	65/F - 67/F 65樓至67樓	DAIKIN 大金	A	FXDP56-QPVC x 2 / RJZQ4AAV	FXAQ32-PVE x 2/ RJZQ4AAV	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3) (與睡房 3 共用室外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	FXAQ25-PVE/ FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Utility Room) (與飯廳及雜物房 共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Bedroom 5) (與飯廳及睡房 5 共用室外機)
				FXDP56-QPVC/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 5 & Utility Room) (與睡房 5及雜物房共用室外機)						
				FXDP56-QPVC/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4) (與睡房 4共用室外機)						
		TOSHIBA 東芝	B	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-
				RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-
			C	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	-	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「 - 」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Bedroom 5 睡房 5	Utility Room 雜物房
Tower 2 第2座	65/F - 67/F 65樓至67樓	TOSHIBA 東芝	D	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房 共用室外機)	-	-	-	-
			E	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房 共用室外機)	-	-	-	-
			F	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3 共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)							
				Living Room/ Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Bedroom 5 睡房 5	Utility Room 雜物房	Internal Staircase 內置樓梯
Tower 2 第2座	68/F 68樓	DAIKIN 大金	A	FXDP56-QPVC x 2/ RJZQ4AAV	FXAQ32-PVE x 2/ RJZQ4AAV (Shared Outdoor Unit with Internal Staircase) (與內置樓梯共用室 外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室 外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	FXAQ25-PVE/ FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room (與飯廳共用室外 機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Utility Room) (與飯廳及雜物房 共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room & Bedroom 5) (與飯廳及睡房 5 共用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Master Room) (與主人睡房共用 室外機)
				FXDP56-QPVC/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 5 & Utility Room) (與睡房 5及雜物房 共用室外機)							
				FXDP56-QPVC/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4) (與睡房 4共用室外機)							
		TOSHIBA 東芝	B	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房 共用室外機)	-	-	-	-	-
		DAIKIN 大金	C	FXAQ32-PVE / RJZQ4AAV (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom) (主人睡房 共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Living Room) (與客廳共用室外 機)	-	-	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Dining Room) (與飯廳共用室外 機)	-
				FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Utility Room) (與雜物房共用室外機)							
			D	FXDP56-QPVC x 2/ RJZQ4AAV	FXAQ25-PVE/ FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房 2 共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用 室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4, Utility Room & Internal Staircase) (與睡房 4, 雜物房 及內置樓梯共用室 外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3, Utility Room & Internal Staircase) (與睡房 3, 雜物房 及內置樓梯共用室 外機)	-	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3, Bedroom 4 & Internal Staircase) (與睡房 3, 睡房 4 及內置樓梯共用室 外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3, Bedroom 4 & Utility Room) (與睡房 3, 睡房 4 及雜物房共用室 外機)

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 3 第3座	2/F 2樓	TOSHIBA 東芝	A	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			B	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					
			C	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			D	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			E	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					
			F	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	-	-	-

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 3 第3座	2/F 2樓	TOSHIBA 東芝	G	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			H	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			J	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			K	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			L	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			M	RAS-18N3KV-HK/ RAS-18N3AV-H	RAS-B22N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「 - 」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 3 第3座	3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、 15樓至21樓、 23樓、25樓至33樓、 35樓至40樓、 42樓至43樓、 45樓至53樓、 55樓至63樓及 65樓	TOSHIBA 東芝	A	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			B	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					
			C	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			D	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			E	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)					

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning

設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 3 第3座	3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、 15樓至21樓、 23樓、25樓至33樓、 35樓至40樓、 42樓至43樓、 45樓至53樓、 55樓至63樓及 65樓	TOSHIBA 東芝	F	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-
			G	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			H	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			J	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			K	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			L	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			M	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B22N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-

Notes:

- The symbol "-" as shown in the above table denotes "Not provided" or "Not applicable".
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房	Internal Staircase 內置樓梯
Tower 3 第3座	66/F 66樓	DAIKIN 大金	A	FXDP56-QPVC x 2/ RJZQ4AAV (與睡房 4及內置樓梯 共用室外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Internal Staircase) (與睡房 3及雜物房共 用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3 & Utility Room) (與睡房 2及雜物房共 用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Utility Room) (與睡房 2及雜物房共 用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Internal Staircase) (與主人睡房及內置 樓梯共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Bedroom 3) (與睡房 2及睡房 3共 用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Bedroom 4) (與主人睡房及睡房 4 共用室外機)
			B	FXDP56-QPVC x 2/ RJZQ4AAV (與睡房 2共用室外 機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外 機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室 外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4) (與睡房 4共用室外 機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外 機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Internal Staircase) (與內置樓梯共用室 外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Utility Room) (與雜物房共用室外 機)
			C	FXDP56-QPVC x 2/ RJZQ4AAV (與睡房 3及睡房 4共 用室外機)	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3 & Bedroom 4) (與睡房 3及睡房 4共 用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Utility Room & Internal Staircase) (與雜物房及內置樓 梯共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Bedroom 4) (與主人睡房及睡房 4 及共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Bedroom 3) (與主人睡房及睡房 3 共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Internal Staircase) (與睡房 2及內置樓梯 共用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Utility Room) (與睡房 2及雜物房共 用室外機)

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房	Internal Staircase 內置樓梯
Tower 3 第3座	66/F 66樓	TOSHIBA 東芝	D	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	
			E	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	
			F	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	
			G	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B22N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外 機)	RAS-B10N3KV2-E/ RAS-3M26S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室 外機)	-	-	-	

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning

設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 5 第5座	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、 5樓至12樓、 15樓至21樓、 23樓、25樓至33樓、 35樓至40樓、 42樓至43樓、 45樓至53樓、 55樓至63樓及65樓	TOSHIBA 東芝	A	RAS-22N3KV-HK/ RAS-22N3AV-HK	RAS-13N3KV-HK/ RAS-13N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	-	-
			B	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			C	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	-	-	-
			D	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 2) (與睡房 2共用室外機)	RAS-18N3KV-HK/ RAS-18N3AV-HK	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Dining Room) (與飯廳共用室外機)	-	-
				RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Bedroom 3) (與睡房 3共用室外機)					
			E	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			F	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-

Notes:

- The symbol "-" as shown in the above table denotes "Not provided" or "Not applicable".
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)					
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房
Tower 5 第5座	2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、 5樓至12樓、 15樓至21樓、 23樓、25樓至33樓、 35樓至40樓、 42樓至43樓、 45樓至53樓、 55樓至63樓及65樓	TOSHIBA 東芝	G	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			H	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			J	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			K	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			L	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			M	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-
			N	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房	Internal Staircase 內置樓梯
Tower 5 第5座	66/F 66樓	DAIKIN 大金	A	FXDP56-QPVC x 2 / RJZQ5AAV	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 4 & Internal Staircase) (與睡房 4及內置樓梯 共用室外機)	FXAQ32-PVE/ RJZQ5AAV (Shared Outdoor Unit with Bedroom 3 & Utility Room) (與睡房 3及雜物房共 用室外機)	FXAQ25-PVE/ RJZQ5AAV (Shared Outdoor Unit with Bedroom 2 & Utility Room) (與睡房 2及雜物房共 用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Internal Staircase) (與主人睡房及內置 樓梯共用室外機)	FXAQ25-PVE/ RJZQ5AAV (Shared Outdoor Unit with Bedroom 2 & Bedroom 3) (與睡房 2及睡房 3共 用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Bedroom 4) (與主人睡房及睡房 4 共用室外機)
			B	FXDP56-QPVC x 2 / RJZQ5AAV	FXAQ50-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 3 & Bedroom 4) (與睡房 3及睡房 4共 用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Utility Room & Internal Staircase) (與雜物房及內置樓 梯共用室外機)	FXAQ32-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Bedroom 4) (與主人睡房及睡房 4 共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Master Bedroom & Bedroom 3) (與主人睡房及睡房 3 共用室外機)	FXAQ25-PVE/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Internal Staircase) (與睡房 2及內置樓梯 共用室外機)	FXDP28QPVC/ RJZQ4AAV (Shared Outdoor Unit with Bedroom 2 & Utility Room) (與睡房 2及雜物房共 用室外機)
		TOSHIBA 東芝	C	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	-
			D	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	-
			E	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	-

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Air-Conditioning
設備說明表-冷氣機設備

Tower 座	Floor 樓層	Brand Name 品牌	Unit 單位	Model Number (Indoor Unit / Outdoor Unit) 產品型號 (室內機/室外機)						
				Living Room/Dining Room (if any) 客廳 / 飯廳(如有)	Master Bedroom 主人睡房	Bedroom 2 睡房 2	Bedroom 3 睡房 3	Bedroom 4 睡房 4	Utility Room 雜物房	Internal Staircase 內置樓梯
Tower 5 第5座	66/F 66樓	TOSHIBA 東芝	F	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	
			G	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	
			H	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	
			J	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	
			K	RAS-B13N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Master Bedroom) (與主人睡房共用室外機)	RAS-B10N3KV2-E/ RAS-2M18S3AV-E (Shared Outdoor Unit with Living Room) (與客廳共用室外機)	-	-	-	-	

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 1 第1座																			
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、 25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓及55樓至62樓										63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
				Unit 單位										Unit 單位							Unit 單位		
				A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	A	B	C
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF150L	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓
Master Bathroom 主人浴室	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室1	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	-	✓	-	-	-	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓	-	-	-
Bathroom 1 浴室1	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	✓	✓	-	-	-	-	-	✓	✓	-	-	-	-	-	-	-
Bathroom 1 浴室1	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	✓	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	✓	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓
Bathroom 2 浴室2	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	✓	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 3 浴室3	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	✓	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓
Bathroom 3 浴室3	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 1 第1座																			
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、 25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓及55樓至62樓										63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
				Unit 單位										Unit 單位							Unit 單位		
				A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	A	B	C
Bathroom 4 浴室4	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-
Bathroom 4 浴室4	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-
Lavatory 洗手間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125D	-	✓	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓
Lavatory 洗手間	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Powder Room 化妝間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-
Powder Room 化妝間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																	
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓及35樓至40樓										42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓							
				Unit 單位										Unit 單位							
				A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF150L	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Master Bathroom 主人浴室	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	✓	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	
Bathroom 1 浴室1	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	✓	-		✓	✓	✓	-	-	-	✓	-	✓	✓	✓	-	-	
Bathroom 1 浴室1	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	✓	-	-	-	✓	✓	-	-	-	-	-	-	✓	✓	
Bathroom 1 浴室1	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	✓	✓	✓	✓	✓	
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	✓	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-	-	
Bathroom 2 浴室2	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	✓	-	-	-	-	-	✓	-	-	-	-	-	-	-	✓	
Bathroom 2 浴室2	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	✓	-	✓	-	-	-	-	-	-	✓	-	✓	-	-	-	-	-	
Bathroom 3 浴室3	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																	
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓及35樓至40樓										42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓							
				Unit 單位										Unit 單位							
				A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	
Bathroom 3 浴室3	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bathroom 4 浴室4	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bathroom 4 浴室4	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bathroom 4 浴室4	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bathroom 5 浴室5	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lavatory 洗手間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125D	✓	-	-	-	-	-	-	-	-	✓	-	✓	-	-	-	-	-	
Powder Room 化妝間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																
				59/F - 63/F 59樓至63樓							65/F - 67/F 65樓 至67樓						68/F 68樓			
				Unit 單位							Unit 單位						Unit 單位			
				A	B	C	D	E	F	G	A	B	C	D	E	F	A	B	C	D
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	✓	✓
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF150L	✓	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	-	-
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-
Master Bathroom 主人浴室	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室1	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	✓	✓	✓	-	-	-	✓	✓	✓	-	-	-	✓	-	-
Bathroom 1 浴室1	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	-	✓	✓	-	-	-	-	✓	✓	-	-	-	-
Bathroom 1 浴室1	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	-	-
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	✓	✓
Bathroom 2 浴室2	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-	-
Bathroom 2 浴室2	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	✓	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	✓	-
Bathroom 3 浴室3	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Bathroom 3 浴室3	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																
				59/F - 63/F 59樓至63樓							65/F - 67/F 65樓 至67樓						68/F 68樓			
				Unit 單位							Unit 單位						Unit 單位			
				A	B	C	D	E	F	G	A	B	C	D	E	F	A	B	C	D
Bathroom 4 浴室4	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Bathroom 4 浴室4	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 4 浴室4	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 5 浴室5	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Lavatory 洗手間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125D	✓	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Powder Room 化妝間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 3 第3座																		
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓、55樓至63樓及65樓												66/F 66樓						
				Unit 單位												Unit 單位						
				A	B	C	D	E	F	G	H	J	K	L	M	A	B	C	D	E	F	G
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF150L	-	✓	-	-	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-
Open Kitchen 開放式廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200B	✓	-	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Thermos ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室1	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	-	✓	✓	-	✓	-	✓	✓	✓	✓	-	-	-	-	✓	✓	✓	-
Bathroom 1 浴室1	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓
Bathroom 1 浴室1	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	✓	-	✓	✓	-	✓	-	✓	✓	✓	✓	✓	-	-	-	✓	✓	✓	✓

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 3 第3座																		
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓、55樓至63樓及65樓												66/F 66樓						
				Unit 單位												Unit 單位						
				A	B	C	D	E	F	G	H	J	K	L	M	A	B	C	D	E	F	G
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	✓	✓	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Bathroom 2 浴室2	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	✓	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 3 浴室3	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Bathroom 3 浴室3	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Lavatory 洗手間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125D	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 5 第5座												
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、5樓至12樓、15樓 至 21樓、23樓、25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓、55樓至63樓及65樓												
				Unit 單位												
				A	B	C	D	E	F	G	H	J	K	L	M	N
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	-	-
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF150L	✓	-	-	✓	-	-	-	-	-	-	-	-	-
Open Kitchen 開放式廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200B	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	✓	-	-	-	-	✓
Master Bathroom 主人浴室	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	✓	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	-	-	-	✓	-	-	-	-	✓
Bathroom 1 浴室1	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	✓	✓	-	✓	✓	✓	-	✓	✓	✓	✓	-
Bathroom 1 浴室1	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室1	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	✓	✓	✓	-	✓	✓	✓	-	✓	✓	✓	✓	-
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	-	-	✓	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	✓	-	-	-	-	-	-	-	-	-
Bathroom 3 浴室3	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125D	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Exhaust Fan
設備說明表-抽氣扇設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 5 第5座									
				66/F 66樓									
				Unit 單位									
				A	B	C	D	E	F	G	H	J	K
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	✓	✓	-	-	-	-	-	-	-	-
Kitchen 廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF150L	-	-	-	-	-	-	-	-	-	-
Open Kitchen 開放式廚房	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200B	-	-	✓	✓	✓	✓	✓	✓	✓	✓
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF200A	✓	✓	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	-	-	✓	-	-	-	-	✓
Master Bathroom 主人浴室	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	-	-	✓	-	-	-	-	✓
Bathroom 1 浴室1	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	-	-	✓	✓	-	✓	✓	✓	✓	-
Bathroom 1 浴室1	Window Type Exhaust Fan 窗口式抽氣扇	PANASONIC 樂聲	FV-15WH308	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室1	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	-	-	✓	✓	-	✓	✓	✓	✓	-
Bathroom 2 浴室2	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	✓	-	-	-	-	-	-	-	-
Bathroom 3 浴室3	Thermo Ventilator 換氣暖風機	PANASONIC 樂聲	FV-40BE2H	✓	✓	-	-	-	-	-	-	-	-
Bathroom 3 浴室3	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125	✓	✓	-	-	-	-	-	-	-	-
Lavatory 洗手間	Duct Type Exhaust Fan 風喉式抽氣扇	SYSTEMAIR	MBF125D	✓	✓	-	-	-	-	-	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 1 第1座																			
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、 35樓至40樓、42樓至43樓、45樓至53樓及55樓至62樓										63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
				Unit 單位										Unit 單位							Unit 單位		
				A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	A	B	C
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFQL	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	✓
Kitchen 廚房	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHM 6	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 27/7 E INT	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	✓	✓
Master Bathroom 主人浴室	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	✓
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-
Bathroom 3 浴室3	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	✓	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	✓
Bathroom 3 浴室3	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-
Bathroom 4 浴室4	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-
Powder Room 化妝間	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHM 6	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓	-	-
Lavatory 洗手間	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E 13 SLi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓及35樓至40樓									42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓							
				Unit 單位									Unit 單位							
				A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFQL	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-
Kitchen 廚房	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHM 6	-	-	✓	-	-	-	-	-	✓	-	-	-	-	-	-	-	✓
Kitchen 廚房	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E 13 SLi	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 27/7 E INT	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-
Master Bathroom 主人浴室	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	✓	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	-
Bathroom 1 浴室1	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	✓	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-
Bathroom 2 浴室2	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 3 浴室3	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-
Bathroom 3 浴室3	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 4 浴室4	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座															
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓及35樓至40樓									42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓						
				Unit 單位									Unit 單位						
				A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G
Bathroom 4 浴室4	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 5 浴室5	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Powder Room 化妝間	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHM 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E 13 SLi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																
				59/F - 63/F 59樓至63樓							65/F - 67/F 65樓 至67樓						68/F 68樓			
				Unit 單位							Unit 單位						Unit 單位			
				A	B	C	D	E	F	G	A	B	C	D	E	F	A	B	C	D
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	✓	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFQL	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Kitchen 廚房	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHM 6	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-	-
Kitchen 廚房	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E 13 SLi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 27/7 E INT	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	✓
Master Bathroom 主人浴室	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室1	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室2	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
Bathroom 3 浴室3	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	✓	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Bathroom 3 浴室3	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓
Bathroom 4 浴室4	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 4 浴室4	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 2 第2座																
				59/F - 63/F 59樓至63樓							65/F - 67/F 65樓 至67樓						68/F 68樓			
				Unit 單位							Unit 單位						Unit 單位			
				A	B	C	D	E	F	G	A	B	C	D	E	F	A	B	C	D
Bathroom 5 浴室5	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Powder Room 化妝間	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHM 6	-	-	-	-	-	-	-	✓	-	-	-	-	-	✓	-	-	-
Lavatory 洗手間	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E 13 SLi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 3 第3座																		
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、 35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓												66/F 66樓						
				Unit 單位												Unit 單位						
				A	B	C	D	E	F	G	H	J	K	L	M	A	B	C	D	E	F	G
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	✓	-	-	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFQL	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	-	-	-	-	-
Kitchen 廚房	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHM 6	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 27/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	-	-	-	-
Master Bathroom 主人浴室	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室1	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	✓	-	✓	✓	-	✓	-	✓	✓	✓	✓	-	-	-	-	✓	✓	✓	-
Bathroom 1 浴室1	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	✓
Bathroom 2 浴室2	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-
Bathroom 2 浴室2	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	-	-	-	-
Bathroom 3 浴室3	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	-	-	-	-
Lavatory 洗手間	Electrical Water Heater 電熱水爐	Stiebel Eltron 斯寶亞創	DHB-E 13 SLi	-	-	-	-	-	-	-	-	-	-	-	-	✓	-	✓	-	-	-	-

Notes:

- The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
- The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
- 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

- 上表「-」代表不提供或不適用。
- 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
- 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 5 第5座													
				2/F - 3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 2樓至3樓、5樓至12樓、15樓 至 21樓、23樓、25樓至33樓、35樓至40樓、 42樓至43樓、45樓至53樓、55樓至63樓及65樓													
				Unit 單位													
				A	B	C	D	E	F	G	H	J	K	L	M	N	
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	✓	-	-	✓	-	-	-	-	-	-	-	-	-	
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	-	-	-	
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	✓	-	-	-	-	✓	
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 27/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	
Master Bathroom 主人浴室	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	✓	-	-	-	-	-	-	-	-	-	
Bathroom 1 浴室1	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	✓	✓	✓	-	✓	✓	✓	-	✓	✓	✓	✓	-	
Bathroom 2 浴室2	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bathroom 3 浴室3	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	-	-	-	-	-	-	-	-	-	

Notes:
1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.
2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.
3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. 上表「-」代表不提供或不適用。
2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。
3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Appliances Schedule - Water Heater
設備說明表-熱水爐設備

Location 位置	Appliance 設備	Brand Name 品牌名稱	Model No. 產品型號	Tower 5 第5座										
				66/F 66樓										
				Unit 單位										
				A	B	C	D	E	F	G	H	J	K	
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW222TFQL	-	-	-	-	-	-	-	-	-	-	
Kitchen 廚房	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFQL	✓	✓	-	-	-	-	-	-	-	-	
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	-	-	✓	-	-	-	-	✓	
Master Bathroom 主人浴室	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 27/7 E INT	✓	✓	-	-	-	-	-	-	-	-	
Master Bathroom 主人浴室	Gas Water Heater 煤氣熱水爐	TGC	TRJW162TFL	-	-	-	-	-	-	-	-	-	-	
Bathroom 1 浴室1	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	-	-	✓	✓	-	✓	✓	✓	✓	-	
Bathroom 2 浴室2	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	✓	✓	-	-	-	-	-	-	-	-	
Bathroom 3 浴室3	Electrical Water Heater 電熱水爐	Vaillant 威能	VED E 21/7 E INT	✓	✓	-	-	-	-	-	-	-	-	

Notes:

1. The symbol “-” as shown in the above table denotes “Not provided” or “Not applicable”.

2. The Vendor undertakes if appliances of the specified brand name or model number are not installed in the Phase, appliances of comparable quality will be installed.

3. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：

1. 上表「-」代表不提供或不適用。

2. 賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的設備，便會安裝品質相若的設備。

3. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座																			
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至 33樓、35樓至40樓、42樓至43樓、45樓至53樓 及55樓至62樓									
													Unit 單位									
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	H	J	K
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	2	1	2	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	
	13A Twin Socket Outlet 13A雙位電插座		4	6	4	5	5	4	4	4	4	4	4	6	4	5	5	4	4	4	4	
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	Lighting Switch 燈掣		2	4	2	4	4	2	2	2	2	2	2	4	2	4	4	2	2	2	2	
	Lighting Point 燈位		2	4	2	4	4	3	2	2	2	3	2	4	2	4	4	3	2	2	3	
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Lighting Switch 燈掣		1	-	1	1	1	-	1	1	1	1	1	-	1	1	1	-	1	1	1	
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	
	Lighting Switch (Master Bedroom and Private Flat Roof) 燈掣(主人睡房與私人平台)		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座																			
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至 33樓、35樓至40樓、42樓至43樓、45樓至53樓 及55樓至62樓									
													Unit 單位									
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	H	J	K
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座		-	2	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	
	TV/FM Outlet 電視/電台天線插座		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
	Telephone Outlet 電話插座		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
	Spare Data Point 備用數據位		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
	Lighting Switch 燈掣		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
	Lighting Point 燈位		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
Bedroom 4 睡房4	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座		-	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
	TV/FM Outlet 電視/電台天線插座		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Telephone Outlet 電話插座		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Spare Data Point 備用數據位		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Lighting Switch 燈掣		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Lighting Point 燈位		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座																		
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至 33樓、35樓至40樓、42樓至43樓、45樓至53樓 及55樓至62樓								
													Unit 單位								
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	H	J
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	1	-	2	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	1	-	-	-	-	-		-	1	-	1	-	-	-	-	
	Lighting Point 燈位		-	3	-	3	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座																		
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至 33樓、35樓至40樓、42樓至43樓、45樓至53樓 及55樓至62樓								
													Unit 單位								
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	H	J
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	1	-	1	-	1	1	1	1	1	1	1	-	1	-	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	2	-	2	-	2	2	2	2	2	2	2	-	2	-	2	2	2	2	2
	Fused Spur Unit 接線位連保險絲		1	-	1	-	1	1	1	1	1	1	1	-	1	-	1	1	1	1	1
		Cable Connection Unit 接線位	1	-	1	-	1	1	1	1	1	1	1	-	1	-	1	1	1	1	1
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	1	-	1	1	1	1	1	1	1	-	1	-	1	1	1	1	1
	Lighting Switch 燈掣		1	-	1	-	1	1	1	1	1	1	1	-	1	-	1	1	1	1	1
	Lighting Point 燈位		3	-	3	-	3	3	3	3	3	3	3	-	3	-	3	3	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	1	-	1	1	1	1	1	1	1	-	1	-	1	1	1	1	1
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	2	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-
		Cable Connection Unit 接線位	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Lighting Switch 燈掣		-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	Lighting Point 燈位		-	3	-	3	2	-	-	-	-	-	-	3	-	3	2	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座																			
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至 33樓、35樓至40樓、42樓至43樓、45樓至53樓 及55樓至62樓									
													Unit 單位									
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	H	J	K
Bathroom 3 浴室 3		13A Single Socket Outlet 13A單位電插座	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
		Fused Spur Unit 接線位連保險絲	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
	Fused Spur Unit 接線位連保險絲		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Lighting Switch 燈掣		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Lighting Point 燈位		-	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lavatory 洗手間		Fused Spur Unit 接線位連保險絲	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
	Switch for Exhaust Fan 抽氣扇開關掣		-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
	Lighting Switch 燈掣		-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
	Lighting Point 燈位		-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座																		
			2/F 2樓									3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至 33樓、35樓至40樓、42樓至43樓、45樓至53樓 及55樓至62樓									
												Unit 單位									Unit 單位
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	H	J
Kitchen 廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A單位電插座 (已接駁廚房設備)	2	2	2	3	2	2	2	2	2	2	2	2	3	2	2	2	2	2	2
		13A Twin Socket Outlet (Connected to Kitchen Appliances) 13A雙位電插座 (已接駁廚房設備)	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		1	3	1	3	2	2	2	1	1	1	1	3	1	3	2	2	2	1	1
		Fused Spur Unit 接線位連保險絲	6	7	6	7	7	6	6	6	6	6	6	7	6	7	7	6	6	6	6
		Cable Connection Unit 接線位	1	3	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	1	3	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		3	5	3	5	5	3	3	3	3	3	3	5	3	5	5	3	3	3	3
	Door Bell 門鈴		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	1	-	-	-	1	1	1	1	1	1	1	-	-	-	1	1	1	1	1
		Washing Machine Connection Point (Water Point) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Washing Machine Connection Point (Drain Point) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座																			
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F and 55/F - 62/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至 33樓、35樓至40樓、42樓至43樓、45樓至53樓 及55樓至62樓									
													Unit 單位									
			A	B	C	D	E	F	G	H	J	K	A	B	C	D	E	F	G	H	J	K
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Lighting Point 燈位		-	1	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座		-	1	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
	Lighting Switch 燈掣		-	1	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
	Miniature Circuit Breakers Board 總電掣箱		-	1	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
Store Room 儲物室	Lighting Switch 燈掣		-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	Lighting Point 燈位		-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座		-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Utility Platform 工作平台	Lighting Switch 燈掣		1	-	1	-	1	-	1	1	1	-	1	-	1	1	1	-	1	1	1	
	Lighting Point 燈位		1	-	1	-	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	
Private Flat Roof 私人平台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	
	Waterproof Socket Outlet 防水電插座		1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
	Lighting Point 燈位		2	4	2	2	4	2	2	2	1	2	-	-	-	-	-	-	-	-	-	

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor / Internal Staircase (if any) 客廳 / 飯廳 / 走廊 / 內置樓梯 (如有)	Switch for Indoor A/C Unit 室內冷氣機開關掣		4	1	1	1	1	1	1	5	3	4
	13A Twin Socket Outlet 13A雙位電插座		7	5	4	4	4	4	4	7	6	6
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		4	4	2	2	2	2	2	6	5	6
	Lighting Switch (Living Room/Dining Room and Private Lift Lobby) 燈掣(客廳/飯廳與私人升降機大堂)		1	-	-	-	-	-	-	1	-	-
	Lighting Point 燈位		10	4	3	2	2	2	3	12	10	8
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1
		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A 單位電插座 (已接駁廚房設備)	5	-	-	-	-	-	-	5	-	-
	Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	1	-	-	
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		2	1	1	1	1	1	1	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		4	3	3	3	3	3	3	4	4	4
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	-	1	1	1	1	1	1	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	1	-	-	-	-	-	-	-
	Lighting Switch (Master Bedroom and Private Flat Roof) 燈掣(主人睡房與私人平台)		-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		2	1	1	1	1	1	1	2	2	2

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	2	2	2	2	2	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		2	1	-	-	-	-	-	2	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	2	-	-	-	-	-	3	2	2
	TV/FM Outlet 電視/電台天線插座		1	1	-	-	-	-	-	1	1	1
	Telephone Outlet 電話插座		1	1	-	-	-	-	-	1	1	1
	Spare Data Point 備用數據位		1	1	-	-	-	-	-	1	1	1
	Lighting Switch 燈掣		1	1	-	-	-	-	-	1	1	1
	Lighting Point 燈位		2	1	-	-	-	-	-	2	1	1
Bedroom 4 睡房4	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	-	-	-	-	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		2	-	-	-	-	-	-	2	2	2
	TV/FM Outlet 電視/電台天線插座		1	-	-	-	-	-	-	1	1	1
	Telephone Outlet 電話插座		1	-	-	-	-	-	-	1	1	1
	Spare Data Point 備用數據位		1	-	-	-	-	-	-	1	1	1
	Lighting Switch 燈掣		1	-	-	-	-	-	-	1	1	1
	Lighting Point 燈位		1	-	-	-	-	-	-	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Bedroom 5 睡房5	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	-	-	-	-	1	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	-	-	-	-	-	-	2	-	-
	TV/FM Outlet 電視/電台天線插座		1	-	-	-	-	-	-	1	-	-
	Telephone Outlet 電話插座		1	-	-	-	-	-	-	1	-	-
	Spare Data Point 備用數據位		1	-	-	-	-	-	-	1	-	-
	Lighting Switch 燈掣		1	-	-	-	-	-	-	1	-	-
	Lighting Point 燈位		1	-	-	-	-	-	-	1	-	-
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	2	-	-	-	-	-	-	2	1	1
		Fused Spur Unit 接線位連保險絲	3	-	-	-	-	-	-	3	3	3
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	-	-	1	1	1
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	-	-	-	-	1	1	1
	Lighting Switch 燈掣		1	-	-	-	-	-	-	1	1	1
	Lighting Point 燈位		7	-	-	-	-	-	-	7	4	4
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	-	1	1	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	-	1	1	1	1	1	1	-	-	-
		Fused Spur Unit 接線位連保險絲	-	2	2	2	2	2	2	-	-	-
	Fused Spur Unit 接線位連保險絲		-	1	1	1	1	1	1	-	-	-
		Cable Connection Unit 接線位	-	1	1	1	1	1	1	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	1	1	1	1	1	-	-	-
	Lighting Switch 燈掣		-	1	1	1	1	1	1	-	-	-
	Lighting Point 燈位		-	3	3	3	3	3	3	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	1	1	1	1	1	-	-	-
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	1	-	-	-	-	-	1	1	1
		Fused Spur Unit 接線位連保險絲	2	2	-	-	-	-	-	2	3	2
	Fused Spur Unit 接線位連保險絲		1	1	-	-	-	-	-	1	1	1
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	1	-	-	-	-	-	1	1	1
	Lighting Switch 燈掣		1	1	-	-	-	-	-	1	1	1
	Lighting Point 燈位		3	2	-	-	-	-	-	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	-	1	-	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	-	-	-	-	-	-	1	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Bathroom 3 浴室 3		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	-	1	1	1
		Fused Spur Unit 接線位連保險絲	2							2	3	2
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	-	-	1	1	1
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	1	1
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	-	-	-	-	1	2	2
	Lighting Switch 燈掣		1	-	-	-	-	-		1	1	1
	Lighting Point 燈位		3	-	-	-	-	-	-	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	-	1	-	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	1	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「 - 」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Bathroom 4 浴室 4		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	-	1	-	-
		Fused Spur Unit 接線位連保險絲	2	-	-	-	-	-	-	2	-	-
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	-	-	1	-	-
		Cable Connection Unit 接線位	1	-	-	-	-	-	-	1	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		2	-	-	-	-	-	-	2	-	-
	Lighting Switch 燈掣		1	-	-	-	-	-	-	1	-	-
	Lighting Point 燈位		3	-	-	-	-	-	-	3	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	-	1	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間		Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	1	1	1
	Switch for Exhaust Fan 抽氣扇開關掣		1	-	-	-	-	-	-	1	1	1
	Lighting Switch 燈掣		1	-	-	-	-	-	-	1	1	1
	Lighting Point 燈位		1	-	-	-	-	-	-	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	1	-
Powder Room 化妝間		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	-	1	-	-
		Fused Spur Unit 接線位連保險絲	2	-	-	-	-	-	-	2	-	-
	Switch for Electrical Appliances 電器設備開關掣		1	-	-	-	-	-	-	1	-	-
	Lighting Switch 燈掣		1	-	-	-	-	-	-	1	-	-
	Lighting Point 燈位		2	-	-	-	-	-	-	2	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	-	1	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Kitchen 廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A 單位電插座 (已接駁廚房設備)	4	2	2	2	2	2	2	4	6	6
		13A Twin Socket Outlet (Connected to Kitchen Appliances) 13A 雙位電插座 (已接駁廚房設備)	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A 雙位電插座		4	2	2	2	1	1	1	4	3	4
		Fused Spur Unit 接線位連保險絲	7	7	6	6	6	6	6	7	5	7
		Cable Connection Unit 接線位	3	1	1	1	1	1	1	3	3	3
	Switch for Kitchen Appliances 廚房設備開關掣		1	2	1	1	1	1	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	3	1	1	1	1	1	1	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	-	-	-	-	1	-	1
	Lighting Point 燈位		4	5	3	3	3	3	3	4	3	7
	Door Bell 門鈴		1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	-	1	1	1	1	1	1	-	-	-
		Washing Machine / Dish Washer (if any) Connection Point (Water Inlet) 洗衣機或洗碗碟機(如有)接駁點(來水位)	2	1	1	1	1	1	1	2	2	2
		Washing Machine / Dish Washer (if any) Connection Point (Water Outlet) 洗衣機或洗碗碟機(如有)接駁點(去水位)	2	1	1	1	1	1	1	2	2	2

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 1 第1座									
			63/F and 65/F - 67/F 63樓及65樓至67樓							68/F 68樓		
			Unit 單位							Unit 單位		
			A	B	C	D	E	F	G	A	B	C
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	-	-	-	-	1	1	1
	Lighting Point 燈位		1	-	-	-	-	-	-	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		1	-	-	-	-	-	-	1	1	1
	Lighting Switch 燈掣		1	-	-	-	-	-	-	1	1	1
	Miniature Circuit Breakers Board 總電掣箱		2	-	-	-	-	-	-	2	1	1
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		2	1	1	1	1	1	1	2	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	-	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1
Private Lift Lobby 私人升降機大堂	Lighting Switch 燈掣		-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		10	-	-	-	-	-	-	10	-	-
Private Flat Roof 私人平台 (Applicable to 63/F & 68/F Only) (只適用於63樓及68樓)	Lighting Switch 燈掣		2	-	-	-	-	-	-	-	2	2
	Watertight Socket Outlet 防水電插座		2	-	-	-	-	-	-	-	1	1
	Lighting Point 燈位		9	-	-	-	-	-	-	-	3	2
		Isolator for Jacuzzi 按摩池隔離開關掣	1	-	-	-	-	-	-	-	-	-
Private Roof 私人天台	Lighting Switch 燈掣		-	-	-	-	-	-	-	-	1	1
	Lighting Switch (Private Roof and Swimming Pool) 燈掣(私人天台及泳池)		-	-	-	-	-	-	-	1	-	-
	Watertight Socket Outlet 防水電插座		-	-	-	-	-	-	-	4	4	5
	Lighting Point 燈位		-	-	-	-	-	-	-	16	17	17
		Isolator for Jacuzzi 按摩池隔離開關掣	-	-	-	-	-	-	-	-	1	1
Filtration Plant Room for Swimming Pool 泳池過濾機房	Lighting Switch 燈掣		-	-	-	-	-	-	-	1	-	-
	Lighting Point 燈位		-	-	-	-	-	-	-	3	-	-
		Isolator for Swimming Pool 泳池隔離開關掣	-	-	-	-	-	-	-	1	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座																	
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 3樓、5樓至12樓、15樓至21樓、 23樓、25樓至33樓及35樓至40樓							
			Unit 單位										Unit 單位							
			A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	J
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		2	1	2	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		5	5	5	4	4	4	4	4	5	5	5	5	4	4	4	4	4	5
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		4	4	4	2	2	2	2	2	4	4	4	4	2	2	2	2	2	4
	Lighting Point 燈位		4	3	4	4	3	2	2	3	4	4	3	4	4	3	2	2	3	4
Master Bedroom 主人睡房	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	-	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座																	
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 3樓、5樓至12樓、15樓至21樓、 23樓、25樓至33樓及35樓至40樓							
			Unit 單位										Unit 單位							
			A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	J
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	-	-	-	-	-	2	2	2	2	-	-	-	-	-	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
	Telephone Outlet 電話插座		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
	Spare Data Point 備用數據位		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
	Lighting Switch 燈掣		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
	Lighting Point 燈位		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	3	-	2	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Switch for Bathroom Appliances 浴室設備開關掣	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		Lighting Switch 燈掣	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
		Lighting Point 燈位	3	-	3	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座																	
			2/F 2樓									3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 3樓、5樓至12樓、15樓至21樓、 23樓、25樓至33樓及35樓至40樓								
												Unit 單位								
			A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	J
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	-	1	-	1	1	1	1	1	1	-	1	-	1	1	1	1	1	
		Fused Spur Unit 接線位連保險絲	-	2	-	2	2	2	2	2	2	-	2	-	2	2	2	2	2	
	Fused Spur Unit 接線位連保險絲		-	1	-	1	1	1	1	1	1	-	1	-	1	1	1	1	1	
		Cable Connection Unit 接線位	-	1	-	1	1	1	1	1	1	-	1	-	1	1	1	1	1	
	Switch for Bathroom Appliances 浴室設備開關掣		-	2	-	1	1	1	1	1	1	-	2	-	1	1	1	1	1	
	Lighting Switch 燈掣		-	1	-	1	1	1	1	1	1	-	1	-	1	1	1	1	1	
	Lighting Point 燈位		-	3	-	3	3	3	3	3	3	-	3	-	3	3	3	3	3	
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	1	1	1	1	1	1	-	-	-	1	1	1	1	1	
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	1	
		Fused Spur Unit 接線位連保險絲	2	2	2	-	-	-	-	-	2	2	2	2	-	-	-	-	2	
	Fused Spur Unit 接線位連保險絲		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	1	
		Cable Connection Unit 接線位	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
	Switch for Bathroom Appliances 浴室設備開關掣		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	1	
	Lighting Switch 燈掣		1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	1	
	Lighting Point 燈位		3	2	3	-	-	-	-	-	2	3	2	3	-	-	-	-	2	
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	1	
Lavatory 洗手間		Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Switch for Exhaust Fan 抽氣扇開關掣		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Lighting Switch 燈掣		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Lighting Point 燈位		1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座																	
			2/F 2樓									3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 3樓、5樓至12樓、15樓至21樓、 23樓、25樓至33樓及35樓至40樓								
			Unit 單位									Unit 單位								
			A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	J
Kitchen 廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A 單位電插座 (已接駁廚房設備)	3	2	3	2	2	2	2	2	2	3	2	3	2	2	2	2	2	2
	13A Twin Socket Outlet 13A 雙位電插座		3	3	3	1	1	1	2	2	2	3	3	3	1	1	1	2	2	2
		Fused Spur Unit 接線位連保險絲	7	7	7	6	6	6	6	6	7	7	7	7	6	6	6	6	6	7
		Cable Connection Unit 接線位	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	2	1	1	1	1	1	2	1	1	2	1	1	1	1	1	2
		Switch for Kitchen Appliances 廚房設備開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		5	5	5	3	3	3	3	3	5	5	5	5	3	3	3	3	3	5
	Door Bell 門鈴		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	-	-	-	1	1	1	1	1	1	-	-	-	1	1	1	1	1	1
		Washing Machine Connection Point (Water Point) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Washing Machine Connection Point (Drain Point) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Lighting Point 燈位		1	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
	13A Twin Socket Outlet 13A雙位電插座		1	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
	Lighting Switch 燈掣		1	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
	Miniature Circuit Breakers Board 總電掣箱		1	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座																	
			2/F 2樓										3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F and 35/F - 40/F 3樓、5樓至12樓、15樓至21樓、 23樓、25樓至33樓及35樓至40樓							
			Unit 單位										Unit 單位							
			A	B	C	D	E	F	G	H	J	A	B	C	D	E	F	G	H	J
Balcony 露台	Lighting Switch 燈掣		1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	-	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Private Flat Roof 私人平台	Lighting Switch 燈掣		1	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	Lighting Switch (Private Flat Roof and Balcony) 燈掣(私人平台與露台)		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		3	3	3	3	3	2	2	2	3	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座														
			42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓								59/F - 63/F 59樓至63樓						
			Unit 單位								Unit 單位						
			A	B	C	D	E	F	G	H	A	B	C	D	E	F	G
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		2	1	2	1	1	1	1	1	2	3	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		5	5	5	4	4	4	4	5	5	5	4	4	4	4	5
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		4	4	4	2	2	2	2	4	4	5	2	2	2	2	4
	Lighting Point 燈位		4	3	3	3	2	2	3	4	4	3	3	2	2	3	4
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	4	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	-	1	1	1	1	1	1	-	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
	Lighting Point 燈位		1	1	2	1	1	1	1	1	1	2	1	1	1	1	1
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	2	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座														
			42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓								59/F - 63/F 59樓至63樓						
			Unit 單位								Unit 單位						
			A	B	C	D	E	F	G	H	A	B	C	D	E	F	G
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	-	-	-	-	2	2	2	-	-	-	-	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
	Telephone Outlet 電話插座		1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
	Spare Data Point 備用數據位		1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
	Lighting Switch 燈掣		1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
	Lighting Point 燈位		1	1	2	-	-	-	-	1	1	1	-	-	-	-	1
Bedroom 4 睡房4	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Telephone Outlet 電話插座		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Spare Data Point 備用數據位		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Switch 燈掣		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位		-	-	1	-	-	-	-	-	-	2	-	-	-	-	-
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	1	-	1	-	-	-	-	-	1	2	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	3	-	3	-	-	-	-	-	3	3	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Switch 燈掣		1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Point 燈位		3	-	4	-	-	-	-	-	3	4	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座														
			42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓								59/F - 63/F 59樓至63樓						
			Unit 單位								Unit 單位						
			A	B	C	D	E	F	G	H	A	B	C	D	E	F	G
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	-	1	-	1	1	1	1	1	-	-	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	-	2	-	2	2	2	2	2	-	-	2	2	2	2	2
	Fused Spur Unit 接線位連保險絲		-	1	-	1	1	1	1	1	-	-	1	1	1	1	1
		Cable Connection Unit 接線位	-	1	-	1	1	1	1	1	-	-	1	1	1	1	1
	Switch for Bathroom Appliances 浴室設備開關掣		-	2	-	1	1	1	1	1	-	-	1	1	1	1	1
	Lighting Switch 燈掣		-	1	-	1	1	1	1	1	-	-	1	1	1	1	1
	Lighting Point 燈位		-	3	-	3	3	3	3	3	-	-	3	3	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	1	1	1	1	1	-	-	1	1	1	1	1
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
		Fused Spur Unit 接線位連保險絲	2	2	2	-	-	-	-	2	2	3	-	-	-	-	2
	Fused Spur Unit 接線位連保險絲		1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
		Cable Connection Unit 接線位	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	1	2	-	-	-	-	1	1	1	-	-	-	-	1
	Lighting Switch 燈掣		1	1	1	-	-	-	-	1	1	1	-	-	-	-	1
	Lighting Point 燈位		3	2	3	-	-	-	-	2	3	4	-	-	-	-	2
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	1	1	-	-	-	-	1	1	1	-	-	-	-	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座														
			42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓								59/F - 63/F 59樓至63樓						
			Unit 單位								Unit 單位						
			A	B	C	D	E	F	G	H	A	B	C	D	E	F	G
Bathroom 3 浴室 3		13A Single Socket Outlet 13A單位電插座	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Switch 燈掣		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位		-	-	3	-	-	-	-	-	-	3	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 4 浴室 4		13A Single Socket Outlet 13A單位電插座	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Lighting Switch 燈掣		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位		-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間		Fused Spur Unit 接線位連保險絲	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣		1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Switch 燈掣		1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Point 燈位		1	-	1	-	-	-	-	-	1	1	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座														
			42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓								59/F - 63/F 59樓至63樓						
			Unit 單位								Unit 單位						
			A	B	C	D	E	F	G	H	A	B	C	D	E	F	G
Kitchen 廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A 單位電插座 (已接駁廚房設備)	3	2	6	2	2	2	2	2	3	6	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	1	1	2	2	2	3	3	1	1	2	2	2
		Fused Spur Unit 接線位連保險絲	7	7	6	6	6	6	6	7	7	7	6	6	6	6	7
		Cable Connection Unit 接線位	1	1	3	1	1	1	1	1	1	3	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	1	1	1	1	1	2	1	1	1	1	1	1	2
		Switch for Kitchen Appliances 廚房設備開關掣	1	1	3	1	1	1	1	1	1	3	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位		5	5	3	3	3	3	3	5	5	3	3	3	3	3	5
	Door Bell 門鈴		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	-	-	-	1	1	1	1	1	-	-	1	1	1	1	1
		Washing Machine / Dish Washer (if any) Connection Point (Water Inlet) 洗衣機或洗碗碟機(如有)接駁點(來水位)	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1
	Washing Machine / Dish Washer (if any) Connection Point (Water Outlet) 洗衣機或洗碗碟機(如有)接駁點(去水位)	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位		1	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		1	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		1	1	1	-	-	-	-	-	1	1	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座														
			42/F - 43/F, 45/F - 53/F and 55/F - 58/F 42樓至43樓、45樓至53樓及55樓至58樓								59/F - 63/F 59樓至63樓						
			Unit 單位								Unit 單位						
			A	B	C	D	E	F	G	H	A	B	C	D	E	F	G
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	1	1	1	1	-	1	1	-	1	1	1	-	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Private Flat Roof 私人平台	Lighting Switch 燈掣		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Switch (Private Flat Roof and Utility Platform) 燈掣(私人平台與工作平台)		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位		-	-	-	-	-	-	-	-	-	4	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座									
			65/F - 67/F 65樓至67樓						68/F 68樓			
			Unit 單位						Unit 單位			
			A	B	C	D	E	F	A	B	C	D
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor / Internal Staircase (if any) 客廳 / 飯廳 / 走廊/ 內置樓梯(如有)	Switch for Indoor A/C Unit 室內冷氣機開關掣		4	1	1	1	1	1	5	1	2	3
	13A Twin Socket Outlet 13A雙位電插座		7	4	4	4	4	5	7	4	5	6
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		4	2	2	2	2	4	8	2	4	5
	Lighting Switch (Living Room/Dining Room and Private Lift Lobby) 燈掣(客廳/飯廳與私人升降機大堂)		1	-	-	-	-	-	1	-	-	-
	Lighting Point 燈位		10	3	2	2	3	4	12	3	6	9
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1
		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A 單位電插座 (已接駁廚房設備)	5	-	-	-	-	-	5	-	-	-
Master Bedroom 主人睡房		Fused Spur Unit 接線位連保險絲	1	-	-	-	-	-	1	-	-	-
	Switch for Indoor A/C Unit 室內冷氣機開關掣		2	1	1	1	1	1	2	1	1	2
	13A Twin Socket Outlet 13A雙位電插座		5	3	3	3	3	3	4	3	4	4
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	-	1	1	1	1	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	1	-	-	-	-	-
Bedroom 2 睡房2			3	1	1	1	1	1	3	1	1	2
	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	2	2	2	2	2	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		2	1	1	1	1	1	2	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座									
			65/F - 67/F 65樓至67樓						68/F 68樓			
			Unit 單位						Unit 單位			
			A	B	C	D	E	F	A	B	C	D
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	-	-	1	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座		2	-	-	-	-	2	2	-	2	2
	TV/FM Outlet 電視/電台天線插座		1	-	-	-	-	1	1	-	1	1
	Telephone Outlet 電話插座		1	-	-	-	-	1	1	-	1	1
	Spare Data Point 備用數據位		1	-	-	-	-	1	1	-	1	1
	Lighting Switch 燈掣		1	-	-	-	-	1	1	-	1	1
	Lighting Point 燈位		2	-	-	-	-	1	2	-	1	1
Bedroom 4 睡房4	Switch for Indoor A/C Unit 室內冷氣機開關掣		2	-	-	-	-	-	2	-	-	1
	13A Twin Socket Outlet 13A雙位電插座		3	-	-	-	-	-	3	-	-	2
	TV/FM Outlet 電視/電台天線插座		1	-	-	-	-	-	1	-	-	1
	Telephone Outlet 電話插座		1	-	-	-	-	-	1	-	-	1
	Spare Data Point 備用數據位		1	-	-	-	-	-	1	-	-	1
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	-	1
	Lighting Point 燈位		2	-	-	-	-	-	1	-	-	1
Bedroom 5 睡房5	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	-	-	-	1	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	-	-	-	-	-	2	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	-	-	-	-	-	1	-	-	-
	Telephone Outlet 電話插座		1	-	-	-	-	-	1	-	-	-
	Spare Data Point 備用數據位		1	-	-	-	-	-	1	-	-	-
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	-	-
	Lighting Point 燈位		1	-	-	-	-	-	2	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座									
			65/F - 67/F 65樓至67樓						68/F 68樓			
			Unit 單位						Unit 單位			
			A	B	C	D	E	F	A	B	C	D
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	2	-	-	-	-	-	2	-	1	1
		Fused Spur Unit 接線位連保險絲	3	-	-	-	-	-	3	-	3	3
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	-	1	-	1	1
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	-	-	-	1	-	1	1
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	1	1
	Lighting Point 燈位		7	-	-	-	-	-	7	-	3	4
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	1	-	1	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	-	1	1	1	1	1	-	1	-	-
		Fused Spur Unit 接線位連保險絲	-	2	2	2	2	2	-	2	-	-
	Fused Spur Unit 接線位連保險絲		-	1	1	1	1	1	-	1	-	-
		Cable Connection Unit 接線位	-	1	1	1	1	1	-	1	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	1	1	1	1	-	1	-	-
	Lighting Switch 燈掣		-	1	1	1	1	1	-	1	-	-
	Lighting Point 燈位		-	3	3	3	3	3	-	3	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	1	1	1	1	-	1	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座									
			65/F - 67/F 65樓至67樓						68/F 68樓			
			Unit 單位						Unit 單位			
			A	B	C	D	E	F	A	B	C	D
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	1	1	-	1	1
		Fused Spur Unit 接線位連保險絲	2	-	-	-	-	2	2	-	3	3
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	1	1	-	1	1
		Cable Connection Unit 接線位	1	-	-	-	-	-	1	-	1	-
	Switch for Bathroom Appliances 浴室設備開關掣		2	-	-	-	-	1	2	-	2	1
	Lighting Switch 燈掣		1	-	-	-	-	1	1	-	1	1
	Lighting Point 燈位		3	-	-	-	-	2	3	-	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	1	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	1	-	-	1	1
Bathroom 3 浴室 3		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	1	-	-	1
		Fused Spur Unit 接線位連保險絲	2	-	-	-	-	-	2	-	-	3
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	-	1	-	-	1
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	1
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	-	-	-	1	-	-	2
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	-	1
	Lighting Point 燈位		3	-	-	-	-	-	3	-	-	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	1	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座									
			65/F - 67/F 65樓至67樓						68/F 68樓			
			Unit 單位						Unit 單位			
			A	B	C	D	E	F	A	B	C	D
Bathroom 4 浴室 4		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	1	-	-	-
		Fused Spur Unit 接線位連保險絲	3	-	-	-	-	-	3	-	-	-
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	-	1	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	-	-	-	1	-	-	-
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	-	-
	Lighting Point 燈位		4	-	-	-	-	-	4	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-
Bathroom 5 浴室 5		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	-	-	-	1	-	-	-
		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	1	-	-	-
		Fused Spur Unit 接線位連保險絲	2	-	-	-	-	-	2	-	-	-
	Fused Spur Unit 接線位連保險絲		1	-	-	-	-	-	1	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	-	-	-	1	-	-	-
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	-	-
	Lighting Point 燈位		3	-	-	-	-	-	3	-	-	-
Lavatory 洗手間		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	1	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-
		Fused-Spur-Unit 接線位連保險絲	1	-	-	-	-	-	1	-	-	1
	Switch for Exhaust Fan 抽氣扇開關掣		1	-	-	-	-	-	1	-	-	1
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	-	1
	Lighting Point 燈位		1	-	-	-	-	-	1	-	-	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座									
			65/F - 67/F 65樓至67樓						68/F 68樓			
			Unit 單位						Unit 單位			
			A	B	C	D	E	F	A	B	C	D
Powder Room 化妝間		13A Single Socket Outlet 13A單位電插座	1	-	-	-	-	-	1	-	-	-
		Fused Spur Unit 接線位連保險絲	2	-	-	-	-	-	2	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣		1	-	-	-	-	-	1	-	-	-
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	-	-
	Lighting Point 燈位		2	-	-	-	-	-	2	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	-	-	-	-	1	-	-	-
Kitchen 廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A 單位電插座 (已接駁廚房設備)	4	2	2	2	2	2	4	2	2	5
	13A Twin Socket Outlet 13A 雙位電插座		4	1	1	2	2	2	4	1	1	3
		Fused Spur Unit 接線位連保險絲	7	6	6	6	6	7	7	6	6	5
		Cable Connection Unit 接線位	3	1	1	1	1	1	3	1	1	3
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	1	1	1	2	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	3	1	1	1	1	1	3	1	1	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	1	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	-	-	-	1	-	-	-
	Lighting Point 燈位		4	3	3	3	3	5	3	3	3	4
	Door Bell 門鈴		1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	-	1	1	1	1	1	-	1	-	-
		Washing Machine / Dish Washer (if any) Connection Point (Water Inlet) 洗衣機或洗碗碟機(如有)接駁點(來水位)	2	1	1	1	1	1	2	1	1	2
		Washing Machine / Dish Washer (if any) Connection Point (Water Outlet) 洗衣機或洗碗碟機(如有)接駁點(去水位)	2	1	1	1	1	1	2	1	1	2

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 2 第2座									
			65/F - 67/F 65樓至67樓						68/F 68樓			
			Unit 單位						Unit 單位			
			A	B	C	D	E	F	A	B	C	D
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	-	-	-	1	-	1	1
	Lighting Point 燈位		1	-	-	-	-	-	1	-	1	1
	13A Twin Socket Outlet 13A雙位電插座		1	-	-	-	-	-	1	-	1	1
	Lighting Switch 燈掣		1	-	-	-	-	-	1	-	1	1
	Miniature Circuit Breakers Board 總電掣箱		2	-	-	-	-	-	2	-	1	1
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		2	1	1	1	1	1	2	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	1	1	-	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1
Private Lift Lobby 私人升降機大堂	Lighting Switch 燈掣		-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		9	-	-	-	-	-	9	-	-	-
Private Flat Roof 私人平台	Lighting Switch 燈掣		-	-	-	-	-	-	-	-	-	2
	Lighting Switch (Private Flat Roof and Utility Platform) 燈掣(私人平台與工作平台)		-	-	-	-	-	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		-	-	-	-	-	-	-	-	-	1
	Lighting Point 燈位		-	-	-	-	-	-	-	-	-	3
Private Roof 私人天台	Lighting Switch 燈掣		-	-	-	-	-	-	-	1	1	1
	Lighting Switch (Private Roof and Swimming Pool) 燈掣(私人天台與泳池)		-	-	-	-	-	-	1	-	-	-
	Waterproof Socket Outlet 防水電插座		-	-	-	-	-	-	5	2	2	4
	Lighting Point 燈位		-	-	-	-	-	-	21	6	6	16
		Isolator for Jacuzzi 按摩池隔離開關掣	-	-	-	-	-	-	-	-	-	1
Filtration Plant Room for Swimming Pool 泳池過濾機房	Lighting Switch 燈掣		-	-	-	-	-	-	1	-	-	-
	Lighting Point 燈位		-	-	-	-	-	-	3	-	-	-
		Isolator for Swimming Pool 泳池隔離開關掣	-	-	-	-	-	-	1	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			2/F 2樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	2	1	1	2	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		4	5	4	4	5	5	4	4	4	4	4	4
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		2	4	2	2	4	4	2	2	2	2	2	2
	Lighting Point 燈位		2	4	2	2	3	4	2	2	2	2	2	2
	Door Bell 門鈴		1	-	1	1	-	-	1	1	1	1	1	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			2/F 2樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	-	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	2	2	-	-	-	-	-	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	-	-	-	-	-	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	-	-	-	-	-	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	-	-	-	-	-	1
	Lighting Switch 燈掣		1	1	1	1	1	1	-	-	-	-	-	1
	Lighting Point 燈位		1	1	1	1	1	1	-	-	-	-	-	1
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	1	-	-	1	1	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	2	-	-	2	2	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		-	1	-	-	1	1	-	-	-	-	-	-
	Telephone Outlet 電話插座		-	1	-	-	1	1	-	-	-	-	-	-
	Spare Data Point 備用數據位		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Point 燈位		-	1	-	-	1	1	-	-	-	-	-	-
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	-	1	-	-	1	-	1	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	2	-	-	3	-	2	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	1	-	-	1	-	1	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	1	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	-	-	1	-	2	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	1	-	2	-	-	-	-	-
	Lighting Point 燈位		-	3	-	-	3	-	3	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	1	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	-	-	1	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			2/F 2樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	1	-	1	1	-	1	-	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	2	-	2	2	-	2	-	2	2	2	2	3
	Fused Spur Unit 接線位連保險絲		1	-	1	1	-	1	-	1	1	1	1	1
		Cable Connection Unit 接線位	1	-	1	1	-	1	-	1	1	1	1	1
	Switch for Bathroom Appliances 浴室設備開關掣		2	-	2	2	-	2	-	2	2	2	2	2
	Lighting Switch 燈掣		1	-	1	1	-	1	-	1	1	1	1	1
	Lighting Point 燈位		3	-	3	3	-	3	-	3	3	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	1	1	-	1	-	1	1	1	1	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	1
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	-	1	-	-	1	1	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	2	-	-	2	2	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	1	-	-	1	1	-	-	-	-	-	-
		Cable Connection Unit 接線位	-	1	-	-	1	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Point 燈位		-	3	-	-	3	2	-	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	-	-	1	1	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			2/F 2樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Kitchen / Open Kitchen 廚房 / 開放式廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A單位電插座(已接駁廚房設備)	2	3	2	2	3	2	2	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		1	3	1	1	3	2	1	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	3	7	3	3	7	7	3	3	3	3	3	3
		Cable Connection Unit 接線位	1	1	1	1	1	1	1	1	1	1	1	1
		Cable Connection Unit with Switch 接線位連開關掣	1	-	1	1	-	-	1	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	2	1	1	1	1	1	1	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	1	1	1	1	1	1	1	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		2	5	1	1	5	5	2	1	1	1	1	2
	Door Bell 門鈴		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	-	1	1	1	1	1	1	1
		Washing Machine Connection Point (Water Point) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1
		Washing Machine Connection Point (Drain Point) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			2/F 2樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		-	1	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	1	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		-	1	-	-	-	-	-	-	-	-	-	-
Store Room 儲物室	Lighting Switch 燈掣		-	-	-	-	1	-	-	-	-	-	-	-
	Lighting Point 燈位		-	-	-	-	1	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	-	-	-	1	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		-	-	-	-	1	-	-	-	-	-	-	-
Internal Staircase 內置樓梯	Lighting Switch 燈掣		-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		-	-	-	-	-	-	-	-	-	-	-	-
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		-	1	1	1	-	-	-	-	-	-	-	1
	Lighting Point 燈位		1	1	1	1	-	-	-	-	-	-	-	1
Private Flat Roof 私人平台	Lighting Switch 燈掣		-	1	1	1	2	1	1	1	1	1	1	1
	Lighting Switch (Private Flat Roof and Utility Platform) 燈掣 (私人平台及工作平台)		1	-	-	-	-	-	-	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	2	4	2	2	2	2	2	2

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	2	1	1	2	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		4	5	4	4	5	5	4	4	4	4	4	4
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		2	4	2	2	4	4	2	2	2	2	2	2
	Lighting Point 燈位		2	4	2	2	3	4	2	2	2	2	2	2
	Door Bell 門鈴		1	-	1	1	-	-	1	1	1	1	1	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	-	-	-	-	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	-	-	-	1	1	1	1	-
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	-	-	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	2	2	-	-	-	-	-	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	-	-	-	-	-	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	-	-	-	-	-	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	-	-	-	-	-	1
	Lighting Switch 燈掣		1	1	1	1	1	1	-	-	-	-	-	1
	Lighting Point 燈位		1	1	1	1	1	1	-	-	-	-	-	1
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	1	-	-	1	1	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	2	-	-	2	2	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		-	1	-	-	1	1	-	-	-	-	-	-
	Telephone Outlet 電話插座		-	1	-	-	1	1	-	-	-	-	-	-
	Spare Data Point 備用數據位		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Point 燈位		-	1	-	-	1	1	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	-	1	-	-	1	-	1	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	2	-	-	3	-	2	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	1	-	-	1	-	1	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	1	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	-	-	1	-	2	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	1	-	2	-	-	-	-	-
	Lighting Point 燈位		-	3	-	-	3	-	3	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	1	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	-	-	1	-	-	-	-	-	-	-
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	1	-	1	1	-	1	-	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	2	-	2	2	-	2	-	2	2	2	2	3
	Fused Spur Unit 接線位連保險絲		1	-	1	1	-	1	-	1	1	1	1	1
		Cable Connection Unit 接線位	1	-	1	1	-	1	-	1	1	1	1	1
	Switch for Bathroom Appliances 浴室設備開關掣		2	-	2	2	-	2	-	2	2	2	2	2
	Lighting Switch 燈掣		1	-	1	1	-	1	-	1	1	1	1	1
	Lighting Point 燈位		3	-	3	3	-	3	-	3	3	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	-	1	1	-	1	-	1	1	1	1	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	-	1	-	-	1	1	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	-	2	-	-	2	2	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		-	1	-	-	1	1	-	-	-	-	-	-
		Cable Connection Unit 接線位	-	1	-	-	1	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Point 燈位		-	3	-	-	3	2	-	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	-	-	1	1	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Kitchen / Open Kitchen 廚房 / 開放式廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A單位電插座(已接駁廚房設備)	2	3	2	2	3	2	2	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		1	3	1	1	3	2	1	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	3	7	3	3	7	7	3	3	3	3	3	3
		Cable Connection Unit 接線位	1	1	1	1	1	1	1	1	1	1	1	1
		Cable Connection Unit with Switch 接線位連開關掣	1	-	1	1	-	-	1	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	2	1	1	1	1	1	1	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	1	1	1	1	1	1	1	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		2	5	1	1	5	5	2	1	1	1	1	2
	Door Bell 門鈴		-	1	-	-	1	1	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	1	-	1	1	-	1	1	1	1	1	1	1
		Washing Machine Connection Point (Water Point) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1
		Washing Machine Connection Point (Drain Point) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座											
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓至21樓、23樓、25樓至33樓、35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓											
			Unit 單位											
			A	B	C	D	E	F	G	H	J	K	L	M
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		-	1	-	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	1	-	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		-	1	-	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		-	1	-	-	-	-	-	-	-	-	-	-
Store Room 儲物室	Lighting Switch 燈掣		-	-	-	-	1	-	-	-	-	-	-	-
	Lighting Point 燈位		-	-	-	-	1	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	-	-	-	1	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		-	-	-	-	1	-	-	-	-	-	-	-
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	1	1	1	1	1	-	-	-	-	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座						
			66/F 66樓						
			Unit 單位						
			A	B	C	D	E	F	G
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1
Living Room / Dining Room / Corridor / Internal Staircase 客廳 / 飯廳 / 走廊 / 內置樓梯	Switch for Indoor A/C Unit 室內冷氣機開關掣		3	3	3	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		6	6	6	4	4	4	4
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2
	Lighting Switch 燈掣		5	5	5	2	2	2	2
	Lighting Point 燈位		8	9	8	2	2	2	2
	Door Bell 門鈴		-	-	-	1	1	1	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		4	4	4	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	-	-	-	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	1	1	1	-
	Lighting Point 燈位		2	2	2	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座						
			66/F 66樓						
			Unit 單位						
			A	B	C	D	E	F	G
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	-	-	-	1
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	-	-	-	2
	TV/FM Outlet 電視/電台天線插座		1	1	1	-	-	-	1
	Telephone Outlet 電話插座		1	1	1	-	-	-	1
	Spare Data Point 備用數據位		1	1	1	-	-	-	1
	Lighting Switch 燈掣		1	1	1	-	-	-	1
	Lighting Point 燈位		1	1	1	-	-	-	1
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	1	1	-	-	-	-
	Telephone Outlet 電話插座		1	1	1	-	-	-	-
	Spare Data Point 備用數據位		1	1	1	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-
	Lighting Point 燈位		1	1	1	-	-	-	-
Bedroom 4 睡房4	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	1	1	-	-	-	-
	Telephone Outlet 電話插座		1	1	1	-	-	-	-
	Spare Data Point 備用數據位		1	1	1	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-
	Lighting Point 燈位		1	1	1	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座						
			66/F 66樓						
			Unit 單位						
			A	B	C	D	E	F	G
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	1	1	1	-	-	-	-
		Fused Spur Unit 接線位連保險絲	3	3	3	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	1	1	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	1	1	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-
	Lighting Point 燈位		4	4	4	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	1	1	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	-	-	-	1	1	1	1
		Fused Spur Unit 接線位連保險絲	-	-	-	2	2	2	3
	Fused Spur Unit 接線位連保險絲		-	-	-	1	1	1	1
		Cable Connection Unit 接線位	-	-	-	1	1	1	1
	Switch for Bathroom Appliances 浴室設備開關掣		-	-	-	2	2	2	2
	Lighting Switch 燈掣		-	-	-	1	1	1	1
	Lighting Point 燈位		-	-	-	3	3	3	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	1	1	1	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座						
			66/F 66樓						
			Unit 單位						
			A	B	C	D	E	F	G
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	1	1	-	-	-	-
		Fused Spur Unit 接線位連保險絲	3	2	2	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	1	1	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	1	1	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-
	Lighting Point 燈位		3	3	3	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	1	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	-	-	-	-
Bathroom 3 浴室 3		13A Single Socket Outlet 13A單位電插座	1	1	1	-	-	-	-
		Fused Spur Unit 接線位連保險絲	2	2	2	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	1	1	-	-	-	-
		Cable Connection Unit 接線位	1	1	1	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		2	2	2	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-
	Lighting Point 燈位		3	3	3	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	1	1	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	-	-	-	-
Lavatory 洗手間		Fused Spur Unit 接線位連保險絲	1	1	1	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣		1	1	1	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-
	Lighting Point 燈位		1	1	1	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關	1	-	1	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座						
			66/F 66樓						
			Unit 單位						
			A	B	C	D	E	F	G
Kitchen / Open Kitchen 廚房 / 開放式廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A單位電插座(已接駁廚房設備)	6	6	6	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		3	3	2	1	1	1	1
		Fused Spur Unit 接線位連保險絲	7	7	5	3	3	3	3
		Cable Connection Unit 接線位	3	3	3	1	1	1	1
		Cable Connection Unit with Switch 接線位連開關掣	-	-	-	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	1	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	3	3	3	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	1	-	-	-	-	-
	Lighting Point 燈位		5	3	3	1	1	1	2
	Door Bell 門鈴		1	1	1	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	-	-	-	1	1	1	1
		Washing Machine / Dish Washer (if any) Connection Point (Water Inlet) 洗衣機或洗碗碟機(如有)接駁點(來水位)	2	2	2	1	1	1	1
		Washing Machine / Dish Washer (if any) Connection Point (Water Outlet) 洗衣機或洗碗碟機(如有)接駁點(去水位)	2	2	2	1	1	1	1
Utility Room 雜物房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	-	-	-	-
	Lighting Point 燈位		1	1	1	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		1	1	1	-	-	-	-
	Lighting Switch 燈掣		1	1	1	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		1	1	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 3 第3座						
			66/F 66樓						
			Unit 單位						
			A	B	C	D	E	F	G
Store Room 儲物室	Lighting Switch 燈掣		1	-	1	-	-	-	-
	Lighting Point 燈位		1	-	1	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		1	-	1	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		-	-	1	-	-	-	-
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	1	-	-	-	1
	Lighting Point 燈位		1	1	1	1	1	1	1
Private Flat Roof 私人平台	Lighting Switch 燈掣		-	-	1	-	-	-	-
	Lighting Switch (Private Flat Roof and Utility Platform) 燈掣(私人平台及工作平台)		-	-	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		-	-	-	-	-	-	-
	Lighting Point 燈位		-	-	1	-	-	-	-
Private Roof 私人天台	Lighting Switch 燈掣		-	1	1	1	1	1	1
	Lighting Switch (Private Roof and Swimming Pool) 燈掣(私人天台及泳池)		1	-	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		4	4	4	2	2	2	3
	Lighting Point 燈位		21	13	15	3	3	4	7
		Isolator for Jacuzzi 按摩池隔離開關掣	-	1	1	-	-	-	-
Filtration Plant Room for Swimming Pool 泳池過濾機房	Lighting Switch 燈掣		1	-	-	-	-	-	-
	Lighting Point 燈位		2	-	-	-	-	-	-
		Isolator for Swimming Pool 泳池隔離開關掣	1	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			2/F 2樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	2	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		5	4	4	5	4	4	4	4	4	4	4	4	4
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		4	2	2	4	2	2	2	2	2	2	2	2	2
	Lighting Point 燈位		4	2	2	4	1	2	2	2	2	2	2	2	2
	Door Bell 門鈴		-	1	1	-	1	1	1	1	1	1	1	1	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1	1
	Wall Light with Motion Sensor 牆燈連動態感應器		-	1	1	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			2/F 2樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座		1	1	1	1	-	-	-	-	-	-	-	-	-
	Spare Data Point 備用數據位		1	1	1	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	1	1	-	-	-	-	-	-	-	-	-
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	-	-	2	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	-	-	1	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座		1	-	-	1	-	-	-	-	-	-	-	-	-
	Spare Data Point 備用數據位		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	-	-	1	-	-	-	-	-	-	-	-	-
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	-	-	-	1	-	-	-	1	-	-	-	-	1
		Fused Spur Unit 接線位連保險絲	-	-	-	3	-	-	-	2	-	-	-	-	2
	Fused Spur Unit 接線位連保險絲		-	-	-	1	-	-	-	1	-	-	-	-	1
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	1	-	-	-	-	1
	Switch for Bathroom Appliances 浴室設備開關掣		-	-	-	1	-	-	-	2	-	-	-	-	2
	Lighting Switch 燈掣		-	-	-	1	-	-	-	2	-	-	-	-	2
	Lighting Point 燈位		-	-	-	3	-	-	-	3	-	-	-	-	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	1	-	-	-	-	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	1	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			2/F 2樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	1	1	1	-	1	1	1	-	1	1	1	1	-
		Fused Spur Unit 接線位連保險絲	2	2	2	-	2	2	2	-	2	2	2	2	-
	Fused Spur Unit 接線位連保險絲		1	1	1	-	1	1	1	-	1	1	1	1	-
		Cable Connection Unit 接線位	1	1	1	-	1	1	1	-	1	1	1	1	-
	Switch for Bathroom Appliances 浴室設備開關掣		2	2	2	-	2	2	2	-	2	2	2	2	-
	Lighting Switch 燈掣		1	1	1	-	1	1	1	-	1	1	1	1	-
	Lighting Point 燈位		3	3	3	-	3	3	3	-	3	3	3	3	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	1	1	-	1	1	1	-	1	1	1	1	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	-	-	1	-	-	-	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	2	-	-	2	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	-	-	1	-	-	-	-	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	1	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		2	-	-	3	-	-	-	-	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	1	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			2/F 2樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Kitchen / Open Kitchen 廚房 / 開放式廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A單位電插座(已接駁廚房設備)	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		2	1	1	3	1	1	1	1	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	7	3	3	7	3	3	3	3	3	3	3	3	3
		Cable Connection Unit 接線位	1	1	1	1	1	1	1	1	1	1	1	1	1
		Cable Connection Unit with Switch 接線位連開關掣	-	1	1	-	1	1	1	1	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		5	1	1	5	1	1	1	1	1	1	1	1	2
	Door Bell 門鈴		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	1	1	1	-	1	1	1	1	1	1	1	1	1
		Washing Machine Connection Point (Water Point) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1
		Washing Machine Connection Point (Drain Point) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			2/F 2樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Store Room 儲物室	Lighting Switch 燈掣		-	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	-	-	1	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		-	-	-	1	-	-	-	-	-	-	-	-	-
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	1	-	-	-	-	1	-	-	-	-	-
	Lighting Point 燈位		1	1	1	-	-	-	-	1	-	-	-	-	-
Private Flat Roof 私人平台	Lighting Switch 燈掣		1	1	1	2	1	1	1	1	1	1	1	1	1
	Waterproof Socket Outlet 防水電插座		1	1	1	2	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		3	2	2	2	2	2	3	3	2	2	2	2	3

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			3/F, 5/F - 12/F and 15/F - 21/F 3樓、5樓至12樓及15樓至21樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	2	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		5	4	4	5	4	4	4	4	4	4	4	4	4
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		4	3	3	4	2	2	2	2	2	2	2	2	2
	Lighting Point 燈位		4	2	2	4	1	2	2	2	2	2	2	2	2
	Door Bell 門鈴		-	1	1	-	1	1	1	1	1	1	1	1	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1	1
	Wall Light with Motion Sensor 牆燈連動態感應器		-	1	1	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	-	-	-	1	-	-	-	-	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	1	1	1	-	1	1	1	1	-
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 23樓、25樓至33樓、35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor 客廳 / 飯廳 / 走廊	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	2	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		5	4	4	5	4	4	4	4	4	4	4	4	4
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		4	2	2	4	2	2	2	2	2	2	2	2	2
	Lighting Point 燈位		4	2	2	4	1	2	2	2	2	2	2	2	2
	Door Bell 門鈴		-	1	1	-	1	1	1	1	1	1	1	1	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1	1	1	1
	Wall Light with Motion Sensor 牆燈連動態感應器		-	-	-	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		3	3	3	3	3	3	3	3	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	1	1	-	-	-	1	-	-	-	-	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	-	-	1	1	1	-	1	1	1	1	-
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓 至 21樓、23樓、25樓至33樓、 35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	2	2	2	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座		1	1	1	1	-	-	-	-	-	-	-	-	-
	Spare Data Point 備用數據位		1	1	1	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	1	1	-	-	-	-	-	-	-	-	-
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	-	-	2	-	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	-	-	1	-	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座		1	-	-	1	-	-	-	-	-	-	-	-	-
	Spare Data Point 備用數據位		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	-	-	1	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol “-” as shown in the above table denotes “Not provided”or “Not applicable”.
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓 至 21樓、23樓、25樓至33樓、 35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	-	-	-	1	-	-	-	1	-	-	-	-	1
		Fused Spur Unit 接線位連保險絲	-	-	-	3	-	-	-	2	-	-	-	-	2
	Fused Spur Unit 接線位連保險絲		-	-	-	1	-	-	-	1	-	-	-	-	1
		Cable Connection Unit 接線位	-	-	-	-	-	-	-	1	-	-	-	-	1
	Switch for Bathroom Appliances 浴室設備開關掣		-	-	-	1	-	-	-	2	-	-	-	-	2
	Lighting Switch 燈掣		-	-	-	1	-	-	-	2	-	-	-	-	2
	Lighting Point 燈位		-	-	-	3	-	-	-	3	-	-	-	-	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	1	-	-	-	-	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	1	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓 至 21樓、23樓、25樓至33樓、 35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	1	1	1	-	1	1	1	-	1	1	1	1	-
		Fused Spur Unit 接線位連保險絲	2	2	2	-	2	2	2	-	2	2	2	2	-
	Fused Spur Unit 接線位連保險絲		1	1	1	-	1	1	1	-	1	1	1	1	-
		Cable Connection Unit 接線位	1	1	1	-	1	1	1	-	1	1	1	1	-
	Switch for Bathroom Appliances 浴室設備開關掣		2	2	2	-	2	2	2	-	2	2	2	2	-
	Lighting Switch 燈掣		1	1	1	-	1	1	1	-	1	1	1	1	-
	Lighting Point 燈位		3	3	3	-	3	3	3	-	3	3	3	3	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	1	1	-	1	1	1	-	1	1	1	1	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	-	-	1	-	-	-	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	2	-	-	2	-	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	-	-	1	-	-	-	-	-	-	-	-	-
		Cable Connection Unit 接線位	-	-	-	1	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		2	-	-	3	-	-	-	-	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	-	-	1	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓 至 21樓、23樓、25樓至33樓、 35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Kitchen / Open Kitchen 廚房 / 開放式廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A單位電插座 (已接駁廚房設備)	2	2	2	2	2	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		2	1	1	3	1	1	1	1	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	7	3	3	7	3	3	3	3	3	3	3	3	3
		Cable Connection Unit 接線位	1	1	1	1	1	1	1	1	1	1	1	1	1
		Cable Connection Unit with Switch 接線位連開關掣	-	1	1	-	1	1	1	1	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	1	1	1	1	1	1	1	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	1	1	1	1	1	1	1	1	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		5	1	1	5	1	1	1	1	1	1	1	1	2
	Door Bell 門鈴		1	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	1	1	1	-	1	1	1	1	1	1	1	1	1
		Washing Machine Connection Point (Water Point) 洗衣機接駁點(來水位)	1	1	1	1	1	1	1	1	1	1	1	1	1
		Washing Machine Connection Point (Drain Point) 洗衣機接駁點(去水位)	1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座												
			3/F, 5/F - 12/F, 15/F - 21/F, 23/F, 25/F - 33/F, 35/F - 40/F, 42/F - 43/F, 45/F - 53/F, 55/F - 63/F and 65/F 3樓、5樓至12樓、15樓 至 21樓、23樓、25樓至33樓、 35樓至40樓、42樓至43樓、45樓至53樓、55樓至63樓及65樓												
			Unit 單位												
			A	B	C	D	E	F	G	H	J	K	L	M	N
Store Room 儲物室	Lighting Switch 燈掣		-	-	-	1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		-	-	-	1	-	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		-	-	-	1	-	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		-	-	-	1	-	-	-	-	-	-	-	-	-
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	1	1	-	-	-	1	-	-	-	-	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座									
			66/F 66樓									
			Unit 單位									
			A	B	C	D	E	F	G	H	J	K
Main Entrance 大門入口	Door Bell Push Button 門鈴按鈕		1	1	1	1	1	1	1	1	1	1
Living Room / Dining Room / Corridor / Internal Staircase 客廳 / 飯廳 / 走廊 / 內置樓梯	Switch for Indoor A/C Unit 室內冷氣機開關掣		3	3	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		6	6	4	4	4	4	4	4	4	4
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	2	2	2
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2
	Spare Data Point 備用數據位		2	2	2	2	2	2	2	2	2	2
	Lighting Switch 燈掣		5	5	2	2	2	2	2	2	2	2
	Lighting Point 燈位		7	9	2	2	2	2	2	2	2	2
	Door Bell 門鈴		-	-	1	1	1	1	1	1	1	1
	Video Door Phone 視像對講機		1	1	1	1	1	1	1	1	1	1
	Wall Light with Motion Sensor 牆燈連動態感應器		-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	1	1	1	1	1	1	1	1
	13A Twin Socket Outlet 13A雙位電插座		4	4	3	3	3	3	3	3	3	3
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1
	Spare Data Point 備用數據位		1	1	1	1	1	1	1	1	1	1
	Lighting Switch 燈掣		1	1	-	-	1	-	-	-	-	1
	Lighting Switch (Master Bedroom and Utility Platform) 燈掣(主人睡房與工作平台)		-	-	1	1	-	1	1	1	1	-
	Lighting Point 燈位		2	1	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座									
			66/F 66樓									
			Unit 單位									
			A	B	C	D	E	F	G	H	J	K
Bedroom 2 睡房2	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		3	3	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	1	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座		1	1	-	-	-	-	-	-	-	-
	Spare Data Point 備用數據位		1	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位		2	1	-	-	-	-	-	-	-	-
Bedroom 3 睡房3	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	2	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	1	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座		1	1	-	-	-	-	-	-	-	-
	Spare Data Point 備用數據位		1	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	-	-	-	-	-	-	-	-
Bedroom 4 睡房4	Switch for Indoor A/C Unit 室內冷氣機開關掣		1	1	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		2	2	-	-	-	-	-	-	-	-
	TV/FM Outlet 電視/電台天線插座		1	1	-	-	-	-	-	-	-	-
	Telephone Outlet 電話插座		1	1	-	-	-	-	-	-	-	-
	Spare Data Point 備用數據位		1	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

23 FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座									
			66/F 66樓									
			Unit 單位									
			A	B	C	D	E	F	G	H	J	K
Master Bathroom 主人浴室		13A Single Socket Outlet 13A單位電插座	1	1	-	-	1	-	-	-	-	1
		Fused Spur Unit 接線位連保險絲	3	3	-	-	2	-	-	-	-	2
	Fused Spur Unit 接線位連保險絲		1	1	-	-	1	-	-	-	-	1
		Cable Connection Unit 接線位	-	-	-	-	1	-	-	-	-	1
	Switch for Bathroom Appliances 浴室設備開關掣		1	1	-	-	2	-	-	-	-	2
	Lighting Switch 燈掣		1	1	-	-	2	-	-	-	-	2
	Lighting Point 燈位		4	4	-	-	3	-	-	-	-	3
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	1	-	-	1	-	-	-	-	1
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-
Bathroom 1 浴室 1		13A Single Socket Outlet 13A單位電插座	-	-	1	1	-	1	1	1	1	-
		Fused Spur Unit 接線位連保險絲	-	-	2	2	-	2	2	2	2	-
	Fused Spur Unit 接線位連保險絲		-	-	1	1	-	1	1	1	1	-
		Cable Connection Unit 接線位	-	-	1	1	-	1	1	1	1	-
	Switch for Bathroom Appliances 浴室設備開關掣		-	-	2	2	-	2	2	2	2	-
	Lighting Switch 燈掣		-	-	1	1	-	1	1	1	1	-
	Lighting Point 燈位		-	-	3	3	-	3	3	3	3`	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	1	1	-	1	1	1	1	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座									
			66/F 66樓									
			Unit 單位									
			A	B	C	D	E	F	G	H	J	K
Bathroom 2 浴室 2		13A Single Socket Outlet 13A單位電插座	1	1	-	-	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	2	2	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	1	-	-	-	-	-	-	-	-
		Cable Connection Unit 接線位	1	-	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		2	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位		3	3	-	-	-	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	1	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-
Bathroom 3 浴室 3		13A Single Socket Outlet 13A單位電插座	1	1	-	-	-	-	-	-	-	-
		Fused Spur Unit 接線位連保險絲	2	2	-	-	-	-	-	-	-	-
	Fused Spur Unit 接線位連保險絲		1	1	-	-	-	-	-	-	-	-
		Cable Connection Unit 接線位	-	1	-	-	-	-	-	-	-	-
	Switch for Bathroom Appliances 浴室設備開關掣		1	2	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位		3	3	-	-	-	-	-	-	-	-
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	1	1	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	-	-	-	-	-	-	-	-	-	-
Lavatory 洗手間		Fused Spur Unit 接線位連保險絲	1	1	-	-	-	-	-	-	-	-
	Switch for Exhaust Fan 抽氣扇開關掣		1	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座									
			66/F 66樓									
			Unit 單位									
			A	B	C	D	E	F	G	H	J	K
Kitchen / Open Kitchen 廚房 / 開放式廚房		13A Single Socket Outlet (Connected to Kitchen Appliances) 13A單位電插座 (已接駁廚房設備)	6	6	2	2	2	2	2	2	2	2
	13A Twin Socket Outlet 13A雙位電插座		2	4	1	1	1	1	1	1	1	1
		Fused Spur Unit 接線位連保險絲	7	6	3	3	3	3	3	3	3	3
		Cable Connection Unit 接線位	3	3	1	1	1	1	1	1	1	1
		Cable Connection Unit with Switch 接線位連開關掣	-	-	1	1	1	1	1	1	1	1
	Switch for Kitchen Appliances 廚房設備開關掣		1	1	1	1	1	1	1	1	1	1
		Switch for Kitchen Appliances 廚房設備開關掣	3	3	1	1	1	1	1	1	1	1
		Isolator for Electrical Water Heater 電熱水爐隔離開關掣	-	-	-	-	-	-	-	-	-	-
		Gas Water Heater Remote Control 煤氣熱水爐溫度控制器	1	1	-	-	-	-	-	-	-	
	Lighting Point 燈位		3	6	1	1	1	1	1	1	1	2
	Door Bell 門鈴		1	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
		Miniature Circuit Breakers Board 總電掣箱	-	-	1	1	1	1	1	1	1	1
		Washing Machine / Dish Washer (if any) Connection Point (Water Inlet) 洗衣機或洗碗碟機(如有)接駁點(來水位)	2	2	1	1	1	1	1	1	1	1
		Washing Machine / Dish Washer (if any) Connection Point (Water Outlet) 洗衣機或洗碗碟機(如有)接駁點(去水位)	2	2	1	1	1	1	1	1	1	1

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註：
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

Schedule of Mechanical & Electrical Provisions of Residential Units
住宅單位機電裝置數量說明表

Location 位置	Exposed Type 外露型	Non-Exposed Type 非外露型	Tower 5 第5座									
			66/F 66樓									
			Unit 單位									
			A	B	C	D	E	F	G	H	J	K
Utility Room 雜物房		Fused Spur Unit for Indoor A/C Unit 室內冷氣機接線位連保險絲	1	1	-	-	-	-	-	-	-	-
	Lighting Point 燈位		1	1	-	-	-	-	-	-	-	-
	13A Twin Socket Outlet 13A雙位電插座		1	1	-	-	-	-	-	-	-	-
	Lighting Switch 燈掣		1	1	-	-	-	-	-	-	-	-
	Miniature Circuit Breakers Board 總電掣箱		1	1	-	-	-	-	-	-	-	-
Balcony 露台	Lighting Switch 燈掣		1	1	1	1	1	1	1	1	1	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Switch 燈掣		1	1	-	-	1	-	-	-	-	1
	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1
Private Flat Roof 私人平台	Lighting Switch 燈掣		-	1	-	-	-	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		-	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		-	1	-	-	-	-	-	-	-	-
Private Roof 私人天台	Lighting Switch 燈掣		-	1	1	1	1	1	1	1	1	1
	Lighting Switch (Private Roof and Swimming Pool) 燈掣(私人天台與泳池)		1	-	-	-	-	-	-	-	-	-
	Waterproof Socket Outlet 防水電插座		4	4	2	2	2	2	2	2	2	2
	Lighting Point 燈位		16	13	6	5	4	3	3	6	4	6
		Isolator for Jacuzzi 按摩池隔離開關掣	-	1	-	-	-	-	-	-	-	-
Filtration Plant Room for Swimming Pool 泳池過濾機房	Lighting Switch 燈掣		1	-	-	-	-	-	-	-	-	-
	Lighting Point 燈位		3	-	-	-	-	-	-	-	-	-
		Isolator for Swimming Pool 泳池隔離開關掣	1	-	-	-	-	-	-	-	-	-

Notes:
1. "1, 2,"denotes the quantity of such provision(s) provided in the residential unit.
2. The quantity of the lighting switch shown in the schedule denotes the quantity of switch faceplate.
3. The symbol "-" as shown in the above table denotes "Not provided"or "Not applicable".
4. 4/F, 13/F, 14/F, 24/F, 34/F, 44/F, 54/F and 64/F are omitted for all Towers.

備註:
1. "1, 2," 表示提供於該住宅單位內的裝置數量。
2. 說明表所顯示的燈掣數量是表示燈掣面板的數量。
3. 上表「-」代表「沒有提供」或「不適用」。
4. 所有座數均不設 4 樓、13 樓、14 樓、24 樓、34 樓、44 樓、54 樓及 64 樓。

24 SERVICE AGREEMENTS 服務協議

Potable and flushing water is supplied by Water Supplies Department.
Electricity is supplied by CLP Power Hong Kong Limited.
Towngas is supplied by The Hong Kong and China Gas Company Limited.

食水及沖廁水由水務署供應。
電力由中華電力有限公司供應。
煤氣由香港中華煤氣有限公司供應。

25 GOVERNMENT RENT 地稅

The Owner of a residential property is liable for the Government rent payable for the specified residential properties from the date of the Land Grant up to and including the date of the assignments of the specified residential properties.

住宅物業擁有人有法律責任繳付有關指明住宅物業由批地文件之日期起計直至該等指明住宅物業之轉讓契日期(包括該日)之地稅。

26 MISCELLANEOUS PAYMENTS BY PURCHASER

買方的雜項付款

1. On the delivery of the vacant possession of the specified residential property to the purchaser, the purchaser is liable to reimburse the Owner for the deposits for water, electricity and gas.
2. On that delivery, the purchaser is not liable to pay to the Owner a debris removal fee.

Note :

On that delivery, the purchaser is liable to pay a debris removal fee to the manager (not the Owner) of the Phase under the Principal Deed of Mutual Covenant and Management Agreement, and where the Owner has paid the debris removal fee, the purchaser shall reimburse the Owner for the same.

1. 在向買方交付指明住宅物業在空置情況下的管有權時，買方須負責向擁有人補還水、電力及氣體的按金。
2. 在交付時，買方不須向擁有人支付清理廢料的費用。

備註：

在交付時，買方須根據主公共契約及管理協議向期數的管理人(而非擁有人) 支付清理廢料的費用，而如擁有人已支付清理廢料的費用，買方須向擁有人補還清理廢料的費用。

27 DEFECT LIABILITY WARRANTY PERIOD

欠妥之處的保養責任期

The Vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the Purchaser within **SIX (6) MONTHS** after the date of completion of the sale and purchase of any specified residential property, remedy any defects in that residential property or the fittings, finishes or appliances incorporated into the residential property as set out in the agreement for sale and purchase concerned, caused otherwise than by the act or neglect of the purchaser.


凡任何指明住宅物業或於相關買賣合約列出裝設於該住宅物業內的裝置、裝修物料或設備有欠妥之處，而該欠妥之處並非由買方的行為或疏忽造成，則賣方在接獲買方在買賣成交日期後的**6個月**內送達的書面通知後，須於合理地切實可行的範圍內，盡快自費作出補救。

1. The Land Grant requires the owners of the residential properties in the Phase to maintain the slope at their own costs.
2. Special Condition No.(68)(a) of the Land Grant stipulates that "Where there is or has been any cutting away, removal or setting back of any land, or any building up or filling in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the lot or any part thereof or any other works required to be done by the Grantee under these Conditions, or for any other purposes, the Grantee shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Grantee shall at all times during the term hereby granted maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director."
3. Each of the owners is obliged to contribute towards the costs of the maintenance work. Clause 16 of Section E of the Principal Deed of Mutual Covenant and Management Agreement dated 16th June 2009 registered in the Land Registry by Memorial No.09062303030203 ("the PDMC") stipulates that "(a) The Owners shall at their own expense, maintain, repair and carry out such works as are necessary in relation to any slopes, retaining walls, supports, foundations, drainage works or other structures within or outside the Land (collectively "slope structures"), including but not limited to those slope structures more particularly identified on the Slope Plan I and Slope Plan II annexed to this Deed and those slope structures to be more particularly identified on the slope plans to be annexed to any Sub-Deed of Mutual Covenant or Sub-Sub-Deed of Mutual Covenant, for the purpose of complying with the provisions of the Government Grant and "Geoguide 5-Guide to Slope Maintenance" issued by the Geotechnical Engineering Office of the Civil Engineering and Development Department (as amended or substituted from time to time) and the maintenance manual for the slope structures ("slope maintenance manual") prepared in accordance with Geoguide 5 Provided that if any of the slope structures is situated within or abutting on a Phase or Phases or the Station Complex, only the Owners of Units in that Phase or the relevant Phases or the Owner of the Station Complex (as the case may be) shall at their own expense be responsible for maintaining, repairing and carrying out works in respect of such slope structures in accordance with this Clause. Notwithstanding the proviso above, the cost of maintaining, repairing and carrying out works in respect of the slope structures within the Green Hatched Black Area as defined in Special Condition (8)(b)(iii) of the Government Grant and more particularly identified on Slope Plan II annexed to this Deed shall be borne by and apportioned between MTR as Owner of the Station Complex and the Owners of the part(s) of the Non-Station Development which has/have been completed for the time being pursuant to Clause 8(e) of this Section but subject to Clause 9 of this Section. (b) The Owner of the Station Complex shall at its own expense be solely responsible for maintaining, repairing and carrying out works in respect of the slope structures within or abutting on the Station Complex and more particularly identified on Slope Plan I annexed to this Deed."
4. Under the PDMC, the manager of the Development has the owners' authority to carry out the maintenance work. Clause 1(b)(xv) of Section I of the PDMC stipulates that the Manager shall have the powers and duties "To engage suitable qualified personnel to inspect maintain and repair the slope structures which are required to be maintained by the Owners of the Land pursuant to the provisions of the Government Grant and in accordance with "Geoguide 5 - Guide to Slope Maintenance" published by the Geotechnical Engineering Office of the Civil Engineering and Development Department as amended or replaced from time to time, the slope maintenance manual and all guidelines issued from time to time by the appropriate Government departments regarding the maintenance of the slope structures Provided that the aforesaid right of the Manager may also be exercised by the Owners Corporation Provided further that the Manager shall not be personally liable for carrying out any such requirements of the Government Grant which shall remain the responsibility of the Owners of the Land or the relevant Phase(s) or the Station Complex (as the case may be) if having used all reasonable endeavours, the Manager has not been able to collect the costs of the required works from all the relevant Owners."
5. The slope structures within or outside the land on which the Phase is situated, including those delineated in Slope Plan I and Slope Plan II annexed to the PDMC referred to in paragraph 3 above, are for identification purpose only shown in the plan below of this section.

28 MAINTENANCE OF SLOPES 斜坡維修

1. 批地文件規定，期數中的住宅物業的擁有人須自費維修斜坡。
2. 批地文件的第 (68)(a) 條批地特別條款規定 “如該地段或任何「政府」官地現時或以往曾經配合或因應該地段或其任何部分的平整、水準測量或發展事宜進行削土、移土或土地後移工程，或建造或填土工程或任何類型的斜坡處理工程，或此等「批地條款」等規定「承批人」執行的其他工程，不論事前是否獲「署長」書面同意，「承批人」亦須於當時或嗣後任何時間，按需要自費進行及建造斜坡處理工程、護土牆或其他支承結構、防護結構、排水或輔助或其他工程，以保護及支撐該地段內的土地和任何毗連或毗鄰「政府」官地或已批租土地，同時避免及防止其後發生滑土、山泥傾瀉或地陷。「承批人」應在本文協定的整個批租年期內自費維修上述土地、斜坡處理工程、護土牆或其他支承結構、防護結構、排水或附屬或其他工程，以保持其維修充足及狀態良好，令「署長」滿意。”
3. 每名擁有人均須分擔維修工程的費用。2009 年 6 月 16 日於土地註冊處註冊為「註冊摘要」第 09062303030203 號之主公共契約及管理協議（「主公契」）第 E 節第 16 條規定 “(a) 業主必須自費保養、維修及進行與該土地以內或以外的任何斜坡、護土牆、承托物、地基、排水工程或其他構築物（統稱“斜坡構築物”）相關的必要的工程，包括但不限於該等特別顯示於附加在本公契的斜坡圖則 I 及斜坡圖則 II 內的斜坡構築物及該等特別顯示於附加在任何副公契或副副公契的斜坡圖則內的斜坡構築物，以遵守批地文件的條文及符合由土木工程署的土力工程處出具的岩土指南第五冊—斜坡維修指南（包括不時的修訂及替代）及按照岩土指南第五冊編製的斜坡維修手冊（“斜坡維修手冊”）。如任何斜坡構築物是位於或鄰接任何一期期數或多期期數或車站綜合樓，只有該一期或多期期數或車站綜合樓的業主須自費負責保養、維修及進行根據本條文所需的工程。儘管上文所述，用於保養、維修及進行於綠色間黑斜線範圍（釋義以批地文件第 (8)(b)(iii) 條批地特別條款為準，並特別顯示於本公契的斜坡圖則 II）內的斜坡構築物的工程費用，將由作為車站綜合樓業主的香港鐵路有限公司及完成的非車站發展項目的業主根據本節第 8(e) 條（但限制於本節第 9 條）承擔及分攤。(b) 車站綜合樓業主必須自費及獨自負責保養、維修及進行於車站綜合樓或鄰接車站綜合樓並特別顯示於本公契附加的斜坡圖則 I 內的斜坡構築物的工程。”
4. 根據主公契，發展項目的管理人獲擁有人授權進行維修工程。主公契第 I 節第 1(b)(xv) 條規定，管理人有權力及責任“聘請適當及合資格人員檢查、保養及維修根據批地文件要求該土地業主需要負責保養的斜坡構築物，以符合由土木工程署的土力工程處出具的岩土指南第五冊—斜坡維修指南（包括不時的修訂及替代），斜坡維修手冊及由相關政府部門不時出具的有關斜坡構築物的所有指南。上述管理人的權利可以由業主立案法團行使。再者，如果管理人在盡了合理的努力後仍未能向所有有關業主收取所須工程的相關費用，管理人無須就任何為符合批地文件要求而進行之事宜負上個人責任，相關責任仍由該土地或有關期數或車站綜合樓的業主負責（視乎情況而定）。”
5. 在期數所位於的土地之內或之外的斜坡構築物，包括在上文第 3 段所述的在附加於主公契的斜坡圖則 I 及斜坡圖則 II 顯示的斜坡構築物，均顯示於本節下文的圖則，僅供識別用途。

28 MAINTENANCE OF SLOPES 斜坡維修



Legend
圖例

- Boundary of the Development
本發展項目邊界
- Slope Structures
斜坡結構



Remarks:

1. Under the PDMC, the costs of the maintenance work for the slope structures as shown in the Plan shall be borne by the owner of Site M.
2. Under the PDMC and the Sub-Deed of Mutual Covenant and Management Agreement of Site AB, the costs of the maintenance work for the slope structures as shown in the Plan shall be borne by the owners of Site AB.
3. The slope structures delineated in Slope Plan II annexed to the PDMC referred to in paragraph 3 above (as shown in the plan) have been re-delivered to The Government of HKSAR. The Highways Department shall be responsible for the maintenance work of the same.

備註：

1. 根據主公契規定，在圖則中所顯示的斜坡構築物的維修工程費用由地盤M的業主承擔。
2. 根據主公契及地盤AB的副公共契約及管理協議規定，在圖則中所顯示的斜坡構築物的維修工程費用由地盤AB的業主承擔。
3. 在上文第3段所述的附加於主公契的斜坡圖則 II 顯示的斜坡構築物(在圖則中顯示)已交還予香港特別行政區政府，該斜坡構築物的維修工程由路政署負責。

29 MODIFICATION 修訂

The Owner has made applications to the Government for modifications of the Land Grant as follows and the applications are not yet granted:

(a) Nature of the modifications sought

- Fixing of boundaries and setting of development parameters of certain Site (other than Site N) of the Lot;
- Modification of premium due date and building covenant period of certain Site (other than Site N) of the Lot; and
- Modification of provision, formation and completion date(s) in respect of certain facilities and areas within certain Site (other than Site N) of the Lot.

(b) Conditions sought to be modified

Special conditions Nos.(1), (3), (14), (16), (43), (44), (52), (97), (102) and (104).

擁有人已向政府提出申請對批地文件作出以下修訂，而該申請尚未獲得批准：

(a) 尋求的修訂的性質

- 訂定及確定該地段內某地盤（地盤N除外）的邊界及發展界限；
- 修訂該地段內某地盤（地盤N除外）的地價繳付到期日及建築契諾期限；及
- 修訂該地段內某地盤（地盤N除外）以內的某些設施及地方的提供、構造及完成日期。

(b) 尋求修訂的條件

第(1)、(3)、(14)、(16)、(43)、(44)、(52)、(97)、(102)及(104)及 條批地特別條款。

30 WEBSITE FOR THE PHASE 期數之互聯網網站

The address of the website designated by the Vendor for the Phase for the purposes of Part 2 of the Residential Properties (First-hand Sales) Ordinance:
WWW.LP6.COM.HK

賣方為施行《一手住宅物業銷售條例》第2部而就期數指定的互聯網網站的網址：
WWW.LP6.COM.HK

31

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING
申請建築物總樓面面積寬免的資料

Breakdown of GFA Concessions Obtained for All Features

獲寬免總樓面面積的設施分項

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the Authorized Person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the Phase.

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有(＃)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出期數佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

		Area (m ²) 面積 (平方米)
Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據《建築物（規劃）規例》第 23(3)(b) 條不計算的總樓面面積		
1. (#)	Carpark and loading/unloading area excluding public transport terminus 停車場及上落客貨地方（公共交通總站除外）	19,788.269
2.	Plant rooms and similar services 機房及相類設施	
2.1	Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, refuse storage and material recovery chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等	1,492.239
2.2 (#)	Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc. 所佔面積不受任何《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如僅供消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等	8,070.051
2.3	Non-mandatory or non-essential plant room such as air-conditioning plant room, air handling unit (AHU) room, etc. 非強制性或非必要機房，例如空調機房、風櫃房等	Not Applicable 不適用
Green Features under Joint Practice Notes 1 and 2 根據聯合作業備考第 1 及第 2 號提供的環保設施		
3.	Balcony 露台	2,556.428
4.	Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂	Not Applicable 不適用
5.	Communal sky garden 公用空中花園	Not Applicable 不適用
6.	Acoustic fin 隔聲鰭	1.458
7.	Wing wall, wind catcher and funnel 翼牆、捕風器及風斗	Not Applicable 不適用
8.	Non-structural prefabricated external wall 非結構預製外牆	2,062.107
9.	Utility platform 工作平台	1,808.250
10.	Noise barrier 隔音屏障	Not Applicable 不適用

31 INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

Amenity Features 適意設施		Area (m ²) 面積 (平方米)
11.	Counter, office, store, guard room and lavatory for watchman and management staff, Owners' Corporation Office 供保安人員和管理處員工使用的櫃枱、辦公室、儲物室、警衛室和廁所、業主立案法團辦公室	236.268
12.	Residential Recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway etc serving solely the recreational facilities 住宅康樂設施，包括僅供康樂設施使用的中空、機房、游泳池的濾水器機房、有蓋人行道等	2,064.774
13.	Covered landscaped and play area 有上蓋的園景區及遊樂場	972.662
14.	Horizontal screens/covered walkways, trellis 橫向屏障 / 有蓋人行道、花棚	205.841
15.	Larger lift shaft 擴大升降機井道	4,967.800
16.	Chimney shaft 煙囪管道	Not Applicable 不適用
17.	Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room 其他非強制性或非必要機房，例如鍋爐房、衛星電視共用天線房	Not Applicable 不適用
18. (#)	Pipe duct, air duct for mandatory feature or essential plant room 強制性設施或必要機房所需的管槽、氣槽	2,433.924
19.	Pipe duct, air duct for non-mandatory or non-essential plant room 非強制性設施或非必要機房所需的管槽、氣槽	Not Applicable 不適用
20.	Plant room, pipe duct, air duct for environmentally friendly system and feature 環保系統及設施所需的機房、管槽及氣槽	Not Applicable 不適用
21.	Void in duplex domestic flat and house 複式住宅單位及洋房的中空	Not Applicable 不適用
22.	Projections such as air-conditioning box and platform with a projection of more than 750 mm from the external wall 伸出物，如空調機箱及伸出外牆超過 750 毫米的平台	Not Applicable 不適用
Other Exempted Items 其他項目		
23.(#)	Refuge floor including refuge floor cum sky garden 庇護層，包括庇護層兼空中花園	5,306.937
24.(#)	Other projections 其他伸出物	Not Applicable 不適用
25.	Public transport terminus 公共交通總站	Not Applicable 不適用
26. (#)	Party structure and common staircase 共用構築物及樓梯	Not Applicable 不適用
27.	Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA 僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積	1,550.017
28.	Public passage 公眾通道	Not Applicable 不適用
29.	Covered set back area 因建築物後移導致的覆蓋面積	Not Applicable 不適用
Bonus GFA 額外總樓面面積		
30.	Bonus GFA 額外總樓面面積	Not Applicable 不適用

Note:
The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department.
The Buildings Department may revise such requirements from time to time as appropriate.

註：上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2 規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

31

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING
申請建築物總樓面面積寬免的資料

Estimated Energy Performance or Consumption for the Common Parts of the Phase

期數的公用部分的預計能量表現或消耗

Latest information on the estimated energy Performance or consumption for the common parts of the phase as submitted to the Building Authority prior to the printing of the sales brochures:
於印製售樓說明書之前呈交予建築事務監督期數的公用部份的預計能量表現或消耗的最近期資料:

Part I 第 I 部分						
Provision of Central Air Conditioning 提供中央空調		NO 否				
Provision of Energy Efficient Features 提供具能源效益的設施		YES 是				
Energy Efficient Features proposed: 擬安裝的具能源效益的設施:-		High performance split AC Units, energy efficient lighting in common areas, CO sensor in Carpark 高效能分體空調、於公眾地方安裝節能燈、於停車場安裝一氧化碳感測器				
Part II: The predicted annual energy use of proposed building/ part of building ^(Note 1) 第 II 部分: 擬興建樓宇/部分樓宇預計每年能源消耗量 ^(註腳1) :-						
Type of Development 發展項目類型	Location 位置	Internal Floor Area Served (m²) 使用有關裝置的內部樓面面積 (平方米)	Annual Energy Use of Baseline Building ^(Note 2) 基線樓宇每年能源消耗量 ^(註腳2)		Annual Energy Use of Proposed Building 擬興建樓宇每年能源消耗量	
			<u>Electricity</u> kWh/ m²/ annum 電力 千瓦小時/平方米/年	<u>Town Gas/ LPG</u> unit/ m²/ annum 煤氣 / 石油氣 用量單位/平方米/年	<u>Electricity</u> kWh/ m²/ annum 電力 千瓦小時/平方米/年	<u>Town Gas/ LPG</u> unit/ m²/ annum 煤氣 / 石油氣 用量單位/平方米/年
Domestic Development 住用發展項目	Area served by central building services installation ^(Note 3) 有使用中央屋宇裝備裝置的部分 ^(註腳3)	27,163.48	438.42	Not Applicable 不適用	360.42	Not Applicable 不適用
Non-Domestic Development 非住用發展項目	Podium(s) ^(Note 4) (central building services) 平台 ^(註腳4) (中央屋宇裝備裝置)	27,347.23	272.52	Not Applicable 不適用	176.85	Not Applicable 不適用
Part III: The following installation(s) are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) 第三部分: 以下裝置乃按機電工程署公布的相關實務守則設計:-						
Type of Installations 裝置類型	YES 是		NO 否		N/A 不適用	
Lighting Installations 照明裝置	✓					
Air Conditioning Installations 空調裝置	✓					
Electrical Installations 電力裝置	✓					
Lift & Escalator Installations 升降機及自動梯的裝置	✓					
Performance-based Approach 以總能源為本的方法					✓	

31 INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

Notes:

1. In general, the lower the estimated “Annual Energy Use” of the building, the more efficient of the building in terms of energy use. For example, if the estimated “annual energy use of proposed building” is less than the estimated “annual energy use of baseline building”, it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency. The predicted annual energy use, in terms of electricity consumption (kWh/m² /annum) and town gas/LPG consumption (unit/m² /annum), of the Phase by the internal floor area served, where: (a) “total annual energy use” has the same meaning of “annual energy use” under Section 4 and Appendix 8 of the BEAM Plus for New Buildings (current version); and (b) “internal floor area”, in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.
2. “Baseline Building” has the same meaning as “Baseline Building Model (zero-credit benchmark)” under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version).
3. “Central Building Services Installation” has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation (2015 Edition).
4. “Podium(s) ” normally means the lowest part of the development (usually the lowest 15m of the development and its basement, if any) carrying different use(s) from that of the tower(s) above. For development without clear demarcation between podium(s) and tower(s), the development, as a whole, should be considered as tower(s).

註腳:

1. 一般而言，一棟樓宇的預計“每年能源消耗量”愈低，其節約能源的效益愈高。如一棟樓宇預計的“每年能源消耗量”低於該樓宇的“基線樓宇每年能源消耗量”，則代表預計該樓宇的能源應用較其基線樓宇有效，削減幅度愈大則代表有關樓宇能源節約的效益愈高。預計每年能源消耗量(以耗電量(千瓦小時/平方米/年)及煤氣/石油氣消耗量(用量單位/平方米/年)計算)，指將期數的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商，其中：- (a) “每年能源消耗量”與新建樓宇BEAM Plus 標準（現行版本）第4 節及附錄8 中的「年能源消耗」具有相同涵義；及 (b) 樓宇、空間或單位的“內部樓面面積”，指外牆及／或共用牆的內壁之內表面起量度出來的樓面面積。
2. “基準樓宇”與新建樓宇BEAM Plus 標準（現行版本）第4 節及附錄8 中的“基準建築物模式（零分標準）”具有相同涵義。
3. “中央屋宇裝備裝置”與屋宇裝備裝置能源效益實務守則(2015年版)中的涵義相同。
4. “平台”一般指發展項目的最低部分（通常為發展項目最低15 米部分及其地庫(如適用)），並與其上的塔樓具有不同用途。對於並無明確劃分平台與塔樓的發展項目，應視整個發展項目為塔樓。

Environment Assessment of the Building

建築物的環境評估



32 INFORMATION REQUIRED BY THE DIRECTOR OF LANDS TO BE SET OUT IN THE SALES BROCHURE AS A CONDITION FOR GIVING THE PRESALE CONSENT

地政總署署長作為給予預售樓花同意書的條件而規定列於售樓說明書的資料

- The purchaser is required to agree with MTR Corporation Limited ("the Vendor") in the agreement for sale and purchase ("ASP") to the effect that other than entering into a mortgage or charge, the purchaser will not nominate any person to take up the Assignment of the Residential Unit or the Parking Space specified in the ASP, sub-sell that Residential Unit or Parking Space or transfer the benefit of the ASP of that Residential Unit or Parking Space in any manner whatsoever or enter into any agreement so to do before completion of the sale and purchase and execution of the Assignment.
- If the Vendor, at the request of the purchaser under an ASP, agrees (at its own discretion) to cancel the ASP or the obligations of the purchaser under the ASP, the Vendor is entitled to retain the sum of five percent (5%) of the total purchase price of the Residential Unit and the Parking Space specified in the ASP and the purchaser will in addition pay or reimburse (as the case may be) to the Vendor all legal costs, charges and disbursements (including any stamp duty) in connection with the cancellation of the ASP.
- The Vendor will pay or has paid (as the case may be) all outstanding Government rent in respect of the land on which the Development is in the course of being erected, from the date of the Land Grant up to and including the date of the respective Assignments to the purchasers.
- The purchaser who has signed an ASP has the right of access to and will, upon his request, be provided with a hard copy of an updated record of information as to the total construction costs and the total professional fees to complete the Phase as well as the total construction costs and the total professional fees expended and paid as at the end of the calendar month preceding the month at which the request is made subject to payment of a nominal fee of not more than HK\$100 per request.
- The restriction on the minimum number of residential units (as referred to in Special Condition No.(16)(b)(i)(xiii)(l) of the Land Grant) in Phase VI: 1,633
 - Special Condition No.(16)(k) of the Land Grant stipulates that except with the prior written consent of the Director of Lands ("the Director"), the Grantee shall not carry out or permit or suffer to be carried out any works in connection with any residential flat erected or to be erected on Site C1, Site G, Site H, Site I, Site J, Site N and Site O, including but not limited to demolition or alteration of any partition wall or any floor or roof slab or any partition structure, which shall result in such flat being internally linked to and accessible from any adjoining or adjacent residential flat erected or to be erected on Site C1, Site G, Site H, Site I, Site J, Site N and Site O. The decision of the Director as to what constitutes works resulting in a flat being internally linked to and accessible from any adjoining or adjacent residential flat shall be final and binding on the Grantee.
 - Clause 15 of the Third Schedule to the approved form of Sub-Deed of Mutual Covenant and Management Agreement stipulates that: "The Manager shall deposit in the management office of Phase VI the record provided by the Director of the information relating to the consent given under Special Condition No.16(k) of the Government Grant for inspection by all Owners of Phase VI free of costs and for taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the Special Fund for Phase VI."
 - The total number of residential units provided in the Phase: 2,392
- Information relating to the Yellow Area (as referred to in Special Condition No.(7) of the Land Grant), the Green Stippled Black Area and the Green Area (as respectively referred to in Special Condition No.(8)(b)(i)(l) and (8)(b)(i)(ll) of the Land Grant), the Green Hatched Black Stippled Black Area (as referred to in Special Condition No.(8)(b)(ii) of the Land Grant), the Green Hatched Black Area (as referred to in Special Condition No.(8)(b)(iii) of the Land Grant), the Green Cross-hatched Black Area (as referred to in Special Condition No.(8)(b)(iv) of the Land Grant), the Public Open Space (as referred to in Special Condition No.(52)(a)(ii) of the Land Grant), the Future Footbridge Associated Structures (as referred to in Special Condition No.(53)(a)(i) of the Land Grant), the pedestrian walkway (as referred to in Special Condition No.(53)(b)(iv) of the Land Grant), the Covered Footbridge (as referred to in Special Condition No.(54) of the Land Grant), the Internal Transport System (as referred to in Special Condition No.(60) of the Land Grant), the Brown Area (as referred to in Special Condition No.(99) of the Land Grant) and the Yellow Hatched Black Area (as referred to in Special Condition No.(100) of the Land Grant):
Please refer to the sections "Summary of Land Grant" and "Information on Public Facilities and Public Open Spaces" of this sales brochure.
- 買方須於正式買賣合約(「買賣合約」)下與香港鐵路有限公司(「賣方」)約定,除訂立按揭或押記外,在買賣完成及簽署轉讓契前,買方不得提名任何人士接受買賣合約指明之住宅單位或停車位之轉讓、轉售該住宅單位或停車位或以任何形式轉移該住宅單位或停車位之買賣合約之權益,或訂立任何有關上述提名、轉售或轉移權益之協議。
 - 若賣方應買賣合約下買方要求同意(同意與否賣方有酌情權決定)取消買賣合約或買賣合約下買方之責任,賣方有權保留等同買賣合約指明之住宅單位及停車位總售價5%之金額,另買方須向賣方繳付或補還(視屬何情況而定)所有與取消買賣合約有關之法律費用、收費及開銷(包括任何印花稅)。
 - 賣方將會或已經(視屬何情況而定)支付所有有關發展項目正在其上興建之土地於批地文件日期起計至相關買方轉讓契日期(包括該日)期間之未付地稅。
 - 已簽署買賣合約之買方,如已支付不多於港幣\$100之象徵式費用(按每次要求計),有權獲取(而當其要求時將獲提供)以下資料之最新紀錄印本:完成期數的總建築費用及總專業費用及截至作出該要求當月前之公曆月份完結時已支出和繳付之總建築費用及總專業費用。
 - 第(16)(b)(i)(xiii)(l)條批地文件特別條款中對於第VI期中住宅單位的最少數目的限制: 1,633
 - 第(16)(k)條批地文件特別條款規定,除非獲地政總署署長(「署長」)事先書面同意,業主不得進行或准許或容許與現已或將會建於地盤C1、地盤G、地盤H、地盤I、地盤J、地盤N及地盤O的任何住宅單位有關的任何工程(包括但不限於拆除或改動任何分隔牆、任何地板或天花板或任何間隔結構)而使該單位可由內部連接及可由任何現已或將會建於地盤C1、地盤G、地盤H、地盤I、地盤J、地盤N及地盤O的毗連或鄰近住宅單位進入。對於甚麼構成可使一個單位可由內部連接及可由任何毗連的或鄰近住宅單位進入之工程,署長之決定應為最終並對業主有約束力。
 - 已批核的副公共契約及管理協議中第三附錄第15條規定:「經理人需於第VI期管理處存放由署長提供、關於按第(16)(k)條批地文件特別條款發出的同意的資料紀錄,以供所有第VI期業主免費查閱,及在交付合理費用後,自費印取該等資料的副本,而該等費用將會存入第VI期之特別基金。」
 - 期數所提供的住宅單位總數: 2,392
 - 有關以下的資料:第(7)條批地文件特別條款提及的「黃色範圍」,第(8)(b)(i)(l)條批地文件特別條款及第(8)(b)(i)(ll)條批地文件特別條款分別提及的「綠色加黑點範圍」及「綠色範圍」,第(8)(b)(ii)條批地文件特別條款提及的「綠色間黑斜線加黑點範圍」,第(8)(b)(iii)條批地文件特別條款提及的「綠色間黑斜線範圍」,第(8)(b)(iv)條批地文件特別條款提及的「綠色間黑十字線範圍」,第(52)(a)(ii)條批地文件特別條款提及的「公眾休憩用地」,第(53)(a)(i)條批地文件特別條款提及的「擬建行人天橋相關結構」,第(53)(b)(iv)條批地文件特別條款提及的「行人道」,第(54)條批地文件特別條款提及的「有蓋行人天橋」,第(60)條批地文件特別條款提及的「內部交通系統」,第(99)條批地文件特別條款提及的「棕色範圍」及第(100)條批地文件特別條款提及的「黃色間黑斜線範圍」:
請參閱本售樓說明書中「批地文件的摘要」一節及「公共設施及公眾休憩用地的資料」一節。

There may be future changes to the Phase and the surrounding areas.

Date of printing of this sales brochure : 22nd August 2018

期數及其周邊地區日後可能出現改變。

本售樓說明書印製日期：2018年8月22日

EXAMINATION RECORD
檢視記錄

Examination / Revision Date 檢視 / 修改日期	Page number in version with print date on 22 nd August 2018 2018 年 8 月 22 日印製版本之頁數	Page number in revised version with examination date on 30 th August 2018 2018 年 8 月 30 日檢視版本之頁數	Revision Made 所作修改
30 th August 2018 2018 年 8 月 30 日	27, 29, 31, 33, 37, 39, 41, 43, 45, 47, 49, 51, 53, 67, 75, 77, 79, 85, 87, 89, 91, 93	27, 29, 31, 33, 37, 39, 41, 43, 45, 47, 49, 51, 53, 67, 75, 77, 79, 85, 87, 89, 91, 93	"Floor Plans of Residential Properties in the Development" is revised 修改「發展項目中的住宅物業的樓面平面圖」
	253, 260, 273, 274, 276, 278, 281	253, 260, 273, 274, 276, 278, 281	"Fittings, Finishes and Appliances" is revised 修改「裝置、裝修物料及設備」

Examination / Revision Date 檢視 / 修改日期	Page number in version with examination date on 30 th August 2018 2018 年 8 月 30 日檢視版本之頁數	Page number in revised version with examination date on 29 th November 2018 2018 年 11 月 29 日檢視版本之頁數	Revision Made 所作修改
29 th November 2018 2018 年 11 月 29 日	20	20	"Location Plan of the Development" is revised 修改「發展項目的所在位置圖」
	22	22	"Outline Zoning Plan Relating to the Development" is revised 修改「關乎發展項目的分區計劃大綱圖」
	23	23	"Layout Plan of the Development" is revised 修改「發展項目的布局圖」
	25, 89, 91, 93	25, 89, 91, 93	"Floor Plans of Residential Properties in the Development" is revised 修改「發展項目中的住宅物業的樓面平面圖」
	396	396	"Maintenance of Slopes" is revised 修改「斜坡維修」
	397	397	"Modification" is revised 修改「修訂」

EXAMINATION RECORD

檢視記錄

Examination / Revision Date 檢視 / 修改日期	Page number in revised version with examination date on 29 th November 2018 2018 年 11 月 29 日檢視版本之頁數	Page number in revised version with examination date on 28 th February 2019 2019 年 2 月 28 日檢視版本之頁數	Revision Made 所作修改
28 th February 2019 2019 年 2 月 28 日	12, 13, 14, 15, 16, 18	12, 13, 14, 15, 16, 18	"Information on Design of the Phase" is revised 修改「期數的設計的資料」
	21	21	"Aerial Photograph of the Phase" is revised 修改「期數的鳥瞰照片」
	23, 24	23, 24	"Layout Plan of the Development " is revised 修改「發展項目的布局圖」
	27, 29, 31, 33, 37, 39, 40, 41, 42, 43, 44, 45, 46, 47, 49, 51, 53, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 71, 73, 75, 77, 79, 80, 81, 82, 83, 85, 87, 89, 91, 93, 94, 95, 96, 97, 99	27, 29, 31, 33, 37, 39, 40, 41, 42, 43, 44, 45, 46, 47, 49, 51, 53, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 71, 73, 75, 77, 79, 80, 81, 82, 83, 85, 87, 89, 91, 93, 94, 95, 96, 97, 99	"Floor Plans of Residential Properties in the Phase" is revised 修改「期數的住宅物業的樓面平面圖」
	103, 104, 105, 107, 108, 109, 110, 111, 112, 114, 118	103, 104, 105, 107, 108, 109, 110, 111, 112, 114, 118	"Area of Residential Properties in the Phase" is revised 修改「期數中的住宅物業的面積」
	119, 120, 121	119, 120, 121	"Floor Plans of Parking Spaces in the Phase" is revised 修改「期數中的停車位的樓面平面圖」
	227, 232	227, 232	"Information on Public Facilities and Public Open Spaces" is revised 修改「公共設施及公眾休憩用地的資料」
	240, 241, 242, 243, 244	240, 241, 242, 243, 244	"Elevation Plan" is revised 修改「立面圖」
	245	245	"Information on Common Facilities in the Phase" is revised 修改「期數中的公用設施的資料」
	247, 248, 249, 251, 252, 255, 256, 260, 264, 273, 277, 279, 281, 285, 287, 290, 292, 293, 295, 300, 304, 306, 307, 315, 316, 317, 319, 321, 323, 331, 332, 333, 334, 335, 336, 337, 338, 344, 345, 346, 348, 349, 350, 351, 352, 353, 354, 355, 356, 368, 369, 370, 371, 372, 373, 386, 387, 388, 389, 390, 391	247, 248, 249, 251, 252, 255, 256, 260, 264, 273, 277, 279, 281, 285, 287, 290, 292, 293, 295, 300, 304, 306, 307, 315, 316, 317, 319, 321, 323, 331, 332, 333, 334, 335, 336, 337, 338, 344, 345, 346, 348, 349, 350, 351, 352, 353, 354, 355, 356, 368, 369, 370, 371, 372, 373, 386, 387, 388, 389, 390, 391	"Fittings, Finishes and Appliances" is revised 修改「裝置、裝修物料及設備」
	396	396	"Maintenance of Slopes" is revised 修改「斜坡維修」
	398, 399	398, 399	"Information in Application for Concession on Gross Floor Area of Building " is revised 修改「申請建築物總樓面面積寬免的資料」

EXAMINATION RECORD
檢視記錄

Examination / Revision Date 檢視 / 修改日期	Page number in revised version with examination date on 28 th February 2019 2019 年 2 月 28 日檢視版本之頁數	Page number in revised version with examination date on 27 th May 2019 2019 年 5 月 27 日檢視版本之頁數	Revision Made 所作修改
27 th May 2019 2019 年 5 月 27 日	14	14	"Information on Design of the Phase" is revised 修改「期數的設計的資料」
	20	20	"Location Plan of the Development " is revised 修改「發展項目的所在位置圖」
	23, 24	23, 24	"Layout Plan of the Development " is revised 修改「發展項目的布局圖」
	27, 45, 51, 59, 65, 69, 81, 83	27, 45, 51, 59, 65, 69, 81, 83	"Floor Plans of Residential Properties in the Phase" is revised 修改「期數的住宅物業的樓面平面圖」
	138 - 173	138 - 173	"Summary of Land Grant" is revised 修改「批地文件的摘要」
	174 - 226	174 - 226, 234A, 234B, 234C, 234D	"Information on Public Facilities and Public Open Spaces" is revised 修改「公共設施及公眾休憩用地的資料」
	241, 242, 243, 244	241, 242, 243, 244	"Elevation Plan" is revised 修改「立面圖」
	248, 250, 251, 253, 262, 319, 338, 350, 355, 356, 373, 391	248, 250, 251, 253, 262, 319, 338, 350, 355, 356, 373, 391	"Fittings, Finishes and Appliances" is revised 修改「裝置、裝修物料及設備」
	396	396	"Maintenance of Slopes" is revised 修改「斜坡維修」
	397	397	"Modification" is revised 修改「修訂」