


8. OUTLINE ZONING PLAN ETC. RELATING TO THE DEVELOPMENT
關於發展項目的分區計劃大綱圖等




Excerpt from the approved Ho Man Tin (Kowloon Planning Areas No.6 & 7) Outline Zoning Plan, Plan No. S/K7/24, gazetted on 18th September 2015.
摘錄自2015年9月18日刊憲之何文田(九龍規劃區第6及7區)分區計劃大綱核准圖，圖則編號為S/K7/24。



Note: Due to technical reasons, this outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.
備註: 因技術性問題，此分區計劃大綱圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。

8. OUTLINE ZONING PLAN ETC. RELATING TO THE DEVELOPMENT
關乎發展項目的分區計劃大綱圖等



Excerpt from the draft Mong Kong (Kowloon Planning Area No. 3) Outline Zoning Plan, Plan No. S/K3/32, gazetted on 18th October 2019.

摘錄自2019年10月18日刊憲之旺角(九龍規劃區第3區)分區計劃大綱草圖，圖則編號為S/K3/32。

NOTATION 圖例

ZONES 地帶

C	COMMERCIAL 商業
R(A)	RESIDENTIAL (GROUP A) 住宅 (甲類)
G/IC	GOVERNMENT, INSTITUTION OR COMMUNITY 政府、機構或社區
O	OPEN SPACE 休憩用地
OU	OTHER SPECIFIED USES 其他指定用途

COMMUNICATIONS 交通

	RAILWAY AND STATION (UNDERGROUND) 鐵路及車站 (地下)
	MAJOR ROAD AND JUNCTION 主要道路及路口
	ELEVATED ROAD 高架道路

MISCELLANEOUS 其他

	BOUNDARY OF PLANNING SCHEME 規劃範圍界線
	BUILDING HEIGHT CONTROL ZONE BOUNDARY 建築物高度管制區界線
	MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM) 最高建築物高度 (在主水平基準上若干米)
	MAXIMUM BUILDING HEIGHT RESTRICTION AS STIPULATED ON THE NOTES 《註釋》內訂明最高建築物高度限制
	MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS) 最高建築物高度 (樓層數目)

Location of the development
發展項目的位置

Scale: 0M/米 500M/米
比例

Note: Due to technical reasons, this outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.

備註: 因技術性問題，此分區計劃大綱圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。

8. OUTLINE ZONING PLAN ETC. RELATING TO THE DEVELOPMENT
關乎發展項目的分區計劃大綱圖等



Excerpt from the draft Yau Ma Tei (Kowloon Planning Area No.2) Outline Zoning Plan, Plan No. S/K2/22, gazetted on 16th May 2014.

摘錄自2014年5月16日刊憲之油麻地(九龍規劃區第2區)分區計劃大綱草圖，圖則編號為S/K2/22。

NOTATION 圖例

ZONES 地帶

C	COMMERCIAL 商業
R(A)	RESIDENTIAL (GROUP A) 住宅 (甲類)
G/I/C	GOVERNMENT, INSTITUTION OR COMMUNITY 政府、機構或社區
O	OPEN SPACE 休憩用地
OU	OTHER SPECIFIED USES 其他指定用途

COMMUNICATIONS 交通

	RAILWAY AND STATION (UNDERGROUND) 鐵路及車站 (地下)
	MAJOR ROAD AND JUNCTION 主要道路及路口


MISCELLANEOUS 其他

	BOUNDARY OF PLANNING SCHEME 規劃範圍界線
	BUILDING HEIGHT CONTROL ZONE BOUNDARY 建築物高度管制區界線
	MAXIMUM BUILDING HEIGHT (IN METRES ABOVE PRINCIPAL DATUM) 最高建築物高度 (在主水平基準上若干米)
	MAXIMUM BUILDING HEIGHT (IN NUMBER OF STOREYS) 最高建築物高度 (樓層數目)

Note: Due to technical reasons, this outline zoning plan has shown more than the area required under the Residential Properties (First-hand Sales) Ordinance.

備註: 因技術性問題，此分區計劃大綱圖所顯示的範圍超過《一手住宅物業銷售條例》的規定。

9. LAYOUT PLAN OF THE DEVELOPMENT 發展項目的布局圖



10. FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

The remarks and legends on this page apply to all pages of “Floor plans of residential properties in the development”.
在本頁上之備註和圖例適用於全部的「發展項目的住宅物業的樓面平面圖」頁數。

Legends of the Floor Plans 樓面平面圖圖例


A/C PLATFORM	=	Air-conditioner Platform 冷氣機平台
A/C UNIT	=	Air-conditioning Unit 冷氣機
BAL.	=	Balcony 露台
B.	=	Bathroom 浴室
B.R.	=	Bedroom 睡房
DIN.	=	Dining Room 飯廳
E.M.R.	=	Electric Meter Room 電錶房
F.H.	=	Fire Hydrant 消防栓
H.R.	=	Hose Reel 消防喉轆
LIV.	=	Living Room 客廳
P.D.	=	Pipe Duct 管道
OPEN KIT.	=	Open Kitchen 開放式廚房
RS & MRR	=	Refuse Storage & Material Recovery Room 垃圾及物料回收房
W.M.C.	=	Water Meter Cabinet 水錶櫃
U.P.	=	Utility Platform 工作平台
	=	Built-in fittings provided in the flats 隨樓附送嵌入式裝置

- Remarks:
1. Common pipes exposed or enclosed in cladding may be located at the balcony, utility platform, flat roof, roof or external wall of some residential units.
 2. There may be sunken slabs at some parts of the ceiling inside some residential units for the installation of mechanical and electrical services of the floor above or due to the structural, architectural and/or decoration design requirements of the floor above.
 3. There may be ceiling bulkheads or false ceiling inside some residential units for the installation of air conditioning conduits and/or other mechanical and electrical services.
 4. The dimensions of the floor plans are all structural dimensions in millimeter.
 5. Blank areas on flat roof are common areas for building facility maintenance.

- 備註：
1. 部分住宅單位的露台、工作平台、平台、天台或外牆或設有外露之公用喉管，或外牆裝飾板內藏有公用喉管。
 2. 部分住宅單位內之部分天花或有跌級樓板，用以安裝上層之機電設備或配合上層之結構、建築設計及/或裝修設計上的需要。
 3. 部分住宅單位內或設有假陣或假天花用以安裝冷氣喉管及/或其他機電設備。
 4. 平面圖所列之數字為以毫米標示之建築結構尺寸。
 5. 平台空白位置為供維修大廈設備使用的公用地方。

10. FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

2/F Floor Plan
二樓平面圖



Each Residential Property 每個住宅物業	Floor 樓層	Flat 室									
		A	B	C	D	E	F	G	H	J	K
Floor-to-Floor Height (mm) 層與層之間的高度 (毫米)	2/F 2樓	3125	3125	3125	3125	3125	3125	3125	3125	2825, 3125	3125
Thickness of Floor Slab (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)		150	150	150	150	150	150	150	150	200	150

Notes: 1. The dimensions in floor plans are all structural dimensions in millimeter.
2. The location of common area for gondola use is the common area of the building. Please refer to the latest draft DMC of the development for its impact to the residential property.


備註：1. 平面圖所列的數字為以毫米標示之建築結構尺寸。
2. 供大廈吊船使用之地方為大廈的公用地方，有關其位置對物業之影響，請參閱最新公契擬稿。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

10. FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

3/F Floor Plan
三樓平面圖



Each Residential Property 每個住宅物業	Floor 樓層	Flat 室									
		A	B	C	D	E	F	G	H	J	K
Floor-to-Floor Height (mm) 層與層之間的高度 (毫米)	3/F 3樓	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125
Thickness of Floor Slab (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)		150	150	150	150	150	150	150	150	150	150


Notes:
The dimensions in floor plans are all structural dimensions in millimeter.
備註：
平面圖所列的數字為以毫米標示之建築結構尺寸。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

10. FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

5/F-12/F, 15/F-23/F, 25/F-29/F Floor Plan
5樓-12樓、15樓-23樓、25樓-29樓平面圖



Each Residential Property 每個住宅物業	Floor 樓層	Flat 室									
		A	B	C	D	E	F	G	H	J	K
Floor-to-Floor Height (mm) 層與層之間的高度 (毫米)	5/F-12/F, 15/F-23/F, 25/F-29/F 5樓-12樓、15樓-23樓、 25樓-29樓	3125	3125	3125	3125	3125	3125	3125	3125	3125	3125
Thickness of Floor Slab (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)		150	150	150	150	150	150	150	150	150	150


Notes:
The dimensions in floor plans are all structural dimensions in millimeter.
備註：
平面圖所列的數字為以毫米標示之建築結構尺寸。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

10. FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

30/F Floor Plan
30樓平面圖



Each Residential Property 每個住宅物業	Floor 樓層	Flat 室									
		A	B	C	D	E	F	G	H	J	K
Floor-to-Floor Height (mm) 層與層之間的高度 (毫米)	30/F 30樓	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500
Thickness of Floor Slab (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)		150	150	150	150	150	150	150	150	150	150


Notes:
The dimensions in floor plans are all structural dimensions in millimeter.
備註：
平面圖所列的數字為以毫米標示之建築結構尺寸。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

10. FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

Roof Floor Plan
天台平面圖



Each Residential Property 每個住宅物業	Floor 樓層	Flat 室	
		A	F
Floor-to-Floor Height (mm) 層與層之間的高度 (毫米)	Roof 天台	Not Applicable 不適用	Not Applicable 不適用
Thickness of Floor Slab (excluding plaster) (mm) 樓板 (不包括灰泥) 的厚度 (毫米)		Not Applicable 不適用	Not Applicable 不適用

Notes: 1. The dimensions in floor plans are all structural dimensions in millimeter.
2. For the location on the roof, it was specified as flat roof in the general building plans. In practice, it is a roof and its area is calculated under the roof.

備註：1. 平面圖所列的數字為以毫米標示之建築結構尺寸。
2. 有關天台的位置在建築圖則上列為平台，實際上其用途為天台，而其面積將以天台計算。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Please refer to page 17 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.
請參閱本售樓說明書第17頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

11. AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

物業的描述 Description of Residential Property			實用面積 (包括露台、工作平台及陽台 (如有)) 平方米 (平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.)	其他指明項目的面積(不計算入實用面積) Area of other specified items (Not included in the Saleable Area) 平方米(平方呎) sq. metre (sq. ft.)									
大廈名稱 Block Name	樓層 Floor	室 Flat		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat Roof	花園 Garden	停車位 Parking Space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
加多利軒 SEVEN VICTORY AVENUE	2樓 2/F	A	32.797 (353) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	16.666 (179)	-	-	-	-	-	-
		B	15.073 (162) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		C	22.719 (245) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		D	22.669 (244) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		E	23.028 (248) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		F	32.883 (354) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	9.215 (99)	-	-	-	-	-	-
		G	23.028 (248) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		H	16.691 (180) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		J	17.664 (190) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	8.147 (88)	-	-	-	-	-	-
		K	20.958 (226) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	17.164 (185)	-	-	-	-	-	-

11. AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

物業的描述 Description of Residential Property			實用面積 (包括露台、工作平台及陽台 (如有)) 平方米 (平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.)	其他指明項目的面積(不計算入實用面積) Area of other specified items (Not included in the Saleable Area) 平方米(平方呎) sq. metre (sq. ft.)									
大廈名稱 Block Name	樓層 Floor	室 Flat		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat Roof	花園 Garden	停車位 Parking Space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
加多利軒 SEVEN VICTORY AVENUE	3樓 3/F	A	36.108 (389) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		B	16.837 (181) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		C	24.484 (264) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		D	24.435 (263) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		E	24.793 (267) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		F	36.194 (390) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		G	22.983 (247) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		H	16.691 (180) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		J	14.926 (161) 露台 Balcony: - 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		K	22.913 (247) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-

11. AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

物業的描述 Description of Residential Property			實用面積 (包括露台、工作平台及陽台 (如有)) 平方米 (平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.)	其他指明項目的面積(不計算入實用面積) Area of other specified items (Not included in the Saleable Area) 平方米(平方呎) sq. metre (sq. ft.)									
大廈名稱 Block Name	樓層 Floor	室 Flat		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat Roof	花園 Garden	停車位 Parking Space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
加多利軒 SEVEN VICTORY AVENUE	5樓-12樓 15樓-23樓 25樓-29樓 5/F-12/F 15/F-23/F 25/F-29/F	A	36.108 (389) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		B	16.837 (181) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		C	24.484 (264) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		D	24.435 (263) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		E	24.793 (267) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		F	36.194 (390) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	-	-	-	-
		G	22.983 (247) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		H	16.691 (180) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		J	16.646 (179) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		K	22.913 (247) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-

11. AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目中的住宅物業的面積

物業的描述 Description of Residential Property			實用面積 (包括露台、工作平台及陽台 (如有)) 平方米 (平方呎) Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq. ft.)	其他指明項目的面積(不計算入實用面積) Area of other specified items (Not included in the Saleable Area) 平方米(平方呎) sq. metre (sq. ft.)									
大廈名稱 Block Name	樓層 Floor	室 Flat		空調機房 Air-conditioning plant room	窗台 Bay window	閣樓 Cockloft	平台 Flat Roof	花園 Garden	停車位 Parking Space	天台 Roof	梯屋 Stairhood	前庭 Terrace	庭院 Yard
加多利軒 SEVEN VICTORY AVENUE	30樓 30/F	A	36.108 (389) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	30.907 (333)	-	-	-
		B	16.837 (181) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		C	24.484 (264) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		D	24.435 (263) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		E	24.793 (267) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		F	36.194 (390) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: 1.500 (16)	-	-	-	-	-	-	31.340 (337)	-	-	-
		G	22.983 (247) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		H	16.691 (180) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		J	16.646 (179) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-
		K	22.913 (247) 露台 Balcony: 2.000 (22) 工作平台 Utility Platform: -	-	-	-	-	-	-	-	-	-	-

The saleable area and area of other specified items of the residential properties are calculated respectively in accordance with Section 8 and Part 2 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance.

Notes: Areas in square metre as specified in the above are calculated in accordance with the latest approved building plans.

Areas in square feet are converted at a rate of 1 square metre to 10.764 square feet and rounded to the nearest integer.

實用面積及屬該住宅物業其他指明項目的面積是按照《一手住宅物業銷售條例》第8條及附表2第2部分別計算得出的。

備註：上述所列以平方米顯示之面積乃依據最近的批准建築圖則計算。以平方呎顯示之面積均依據1平方米 =10.764平方呎換算，並四捨五入至整數。

12. FLOOR PLANS OF PARKING SPACES IN THE DEVELOPMENT
發展項目中的停車位的樓面平面圖

Not Applicable

不適用

13. SUMMARY OF PRELIMINARY AGREEMENT FOR SALE AND PURCHASE

臨時買賣合約的摘要

1. A preliminary deposit which is equal to 5% of the purchase price is payable by the purchaser to the vendor (the owner) upon signing of the preliminary agreement for sale and purchase.

2. The preliminary deposit paid by the purchaser on the signing of that preliminary agreement for sale and purchase will be held by a firm of solicitors acting for the owner, as stakeholders.

3. If the purchaser fails to sign the formal agreement for sale and purchase within 5 working days after the date on which the purchaser enters into that preliminary agreement for sale and purchase -

i. that preliminary agreement for sale and purchase is terminated; and

ii. the preliminary deposit paid by the purchaser is forfeited; and

iii. the vendor (the owner) does not have any further claim against the purchaser for the failure.
1. 買方在簽立臨時買賣合約時向賣方 (擁有人) 繳付相等於樓價5%之臨時訂金。

2. 買方在簽署臨時買賣合約時支付的臨時訂金，會由代表擁有人行事的律師事務所以保證金保存人的身分持有。

3. 如買方沒有在訂立該臨時買賣合約的日期之後的5個工作日內簽立正式買賣合約 —

i. 該臨時買賣合約即告終止；及

ii. 買方支付的臨時訂金，即予沒收；及

iii. 賣方(擁有人)不得就買方沒有簽立正式買賣合約，而對買方提出進一步申索。

14. SUMMARY OF DEED OF MUTUAL COVENANT

公契的摘要

1. The common parts of the development

“Common Areas and Facilities” means collectively the Estate Common Areas and Facilities, the Residential Common Areas and Facilities and the Commercial Common Areas and Facilities and, where applicable, includes those appropriate and relevant common parts specified in Schedule 1 to the Building Management Ordinance (Cap. 344).

“Estate Common Areas and Facilities” means those parts and facilities of the Estate intended for the common use and benefit of the Estate as a whole and includes but not limited to the foundations, columns, beams, slabs and other structural supports and elements that do not belong to or form part of the Residential Common Areas or the Residential Units or the Commercial Development, the Slopes and Retaining Walls (if any), areas for the installation or use of aerial broadcast distribution or telecommunications network facilities, all those portions of the external walls of the Estate and all those areas shown as the Estate Common Areas on the plans annexed to the Deed of Mutual Covenant, communal aerial, sewers, drains, storm water drains, water courses, cables, pipes, wires, ducts, flushing mains, fresh water mains, plant and machinery and other like installations, facilities or services and such additional areas, devices and facilities of the Estate as may at any time be designated as the Estate Common Areas and Facilities by the First Owner in accordance with the provisions of the Deed of Mutual Covenant.

“Residential Common Areas and Facilities” means those parts and facilities of the Residential Development intended for the common use and benefit of the Residential Development as a whole and includes but not limited to the external walls of the Estate which do not form part of the Estate Common Areas or the Commercial Development or the Residential Units including the architecture fins and features thereon, the air-conditioner platforms (including the louvers thereof (if any)) adjacent to the Residential Units or such other area(s), if any, as may be designated for that purpose, the curtain wall structures of the Estate (except (i) the openable parts of the curtain wall structures; and (ii) such pieces of glass panels wholly enclosing or fronting a Residential Unit, which said openable parts and glass panels shall form parts of the relevant Residential Units) BUT excluding the glass balustrades, metal balustrades or railings of the balconies, utility platforms, flat roofs or specified parts of roofs which form parts of the relevant Residential Units, the Recreational Areas and Facilities, office and/or counter for caretaker, watchman and management staff, all those areas shown as the Residential Common Areas on the plans annexed to the Deed of Mutual Covenant, all lifts, wires, cables, ducts, pipes, drains, the sports and recreational facilities in the Recreational Areas and Facilities, all mechanical and electrical installations and equipment exclusively for the Residential Development and such additional areas, devices and facilities of the Estate as may at any time be designated as the Residential Common Areas and Facilities by the First Owner in accordance with the provisions of the Deed of Mutual Covenant.

“Commercial Common Areas and Facilities” means those parts and facilities of the Commercial Development intended for the common use and benefit of the Commercial Development as a whole and includes but not limited to all those areas shown as the Commercial Common Areas on the plans annexed to the Deed of Mutual Covenant, all those strips of the external walls of the Estate shown as the Commercial Common Areas on the plans annexed to the Deed of Mutual Covenant, communal aerial, sewers, drains, storm water drains, water courses, cables, pipes, wires, ducts, flushing mains, fresh water mains, plant and machinery and other like installations, facilities or services and such additional areas, devices and facilities of the Estate as may at any time be designated as the Commercial Common Areas and Facilities by the First Owner in accordance with the provisions of the Deed of Mutual Covenant.

2. The number of undivided shares assigned to each residential property in the development

Flat	Floor*			
	2/F	3/F	5/F-29/F	30/F
A	33 / 7,000	36 / 7,000	36 / 7,000	39 / 7,000
B	15 / 7,000	16 / 7,000	16 / 7,000	16 / 7,000
C	22 / 7,000	24 / 7,000	24 / 7,000	24 / 7,000
D	22 / 7,000	24 / 7,000	24 / 7,000	24 / 7,000
E	23 / 7,000	24 / 7,000	24 / 7,000	24 / 7,000
F	32 / 7,000	36 / 7,000	36 / 7,000	39 / 7,000
G	23 / 7,000	22 / 7,000	22 / 7,000	22 / 7,000
H	16 / 7,000	16 / 7,000	16 / 7,000	16 / 7,000
J	17 / 7,000	14 / 7,000	16 / 7,000	16 / 7,000
K	21 / 7,000	22 / 7,000	22 / 7,000	22 / 7,000

*4/F, 13/F, 14/F and 24/F are omitted.

3. The term of years for which the manager of the development is appointed

The Manager is to be appointed for an initial term of two years from the date of the Deed of Mutual Covenant and to be continued thereafter until the termination of the Manager’s appointment in accordance with the provisions thereof.

4. The basis on which the management expenses are shared among the owners of the residential properties in the development

The Owner of each Residential Unit shall contribute towards the management expenses (including the Manager’s remuneration) of the development by paying in advance on the first day of each calendar month 1/12th of the due proportion of the annual expenditure in accordance with the Residential Management Budget which due proportion shall be the same proportion as the number of Management Units allocated to his Residential Unit bears to the total number of Management Units allocated to all the Residential Units in the development.

5. The basis on which the management fee deposit is fixed

The management fee deposit is equivalent to three months’ management contribution based on the first annual Management Budget payable by the Owner in respect of his Unit.

6. The area (if any) in the development retained by the owner for that owner’s own use

Not applicable.

Remarks:

Unless otherwise defined in this sales brochure, the capitalized terms used in this Summary of Deed of Mutual Covenant shall have the same meaning of such terms in the Deed of Mutual Covenant.

14. SUMMARY OF DEED OF MUTUAL COVENANT

公契的摘要

1. 發展項目的公用部分

「公用地方與設施」統指「屋苑公用地方與設施」、「住宅公用地方與設施」及「商業公用地方與設施」，並在適用的情況下包括《建築物管理條例》(第344章)附表1所列舉的適當及相關公用部分。

「屋苑公用地方與設施」指擬供屋苑整體公用及共享的屋苑地方與設施，包括但不限於地基、柱、樑、樓板及不屬於或構成「住宅公用地方」或住宅單位或「商業發展」一部分的其他結構性支承物、斜坡及護土牆(如有的話)、提供安裝或使用天線廣播分導或電訊網絡設施的地方、所有在附於公契的圖則上顯示為「屋苑公用地方」的屋苑外牆部分及地方、公共天線、污水管、排水渠、雨水渠、水道、電纜、水管、電線、管槽、總沖廁水管、總食水管、機械設備和其他類似的裝置、設施或服務，以及由首位擁有人按照公契的條款在任何時候指定用作「屋苑公用地方與設施」的其他地方、裝置及設施。

「住宅公用地方與設施」指擬供住宅發展整體公用及共享的住宅發展地方與設施，包括但不限於並非屬於「屋苑公用地方」或「商業發展」或住宅單位一部分的屋苑外牆(包括其建築鱗片及特色、毗連住宅單位而用作安放冷氣機之平台(包括通風用之百葉窗(如有的話))，或指定用作安放冷氣機的其他地方(如有的話)、該屋苑之玻璃幕牆結構(不包括(i)玻璃幕牆結構可開啟的部分；及(ii)完全包圍或面向住宅單位的玻璃嵌板，而上述可開啟部分及玻璃嵌板則組成有關住宅單位的部分)，但不包括露台、工作平台、平台或構成相關住宅單位的指明天台部分的玻璃欄杆、金屬欄或欄杆、康樂地方與設施、管理員、看守員及管理職員的辦公室及/或櫃檯、所有在附於公契的圖則上顯示為「住宅公用地方」的部分、所有升降機、電線、電纜、導管、喉管、排水渠、位於康樂地方與設施的運動及康樂設施、專屬住宅發展的所有機電裝置及設備，以及由首位擁有人按照公契的條款在任何時候指定用作「住宅公用地方與設施」的其他地方、裝置及設施。

「商業公用地方與設施」指擬供商業發展整體公用及共享的商業發展地方與設施，包括但不限於所有在附於公契的圖則上顯示為「商業公用地方」的屋苑地方、所有在附於公契的圖則上顯示為「商業公用地方」的屋苑外牆部分、公共天線、污水管、排水渠、雨水渠、水道、電纜、水管、電線、管槽、總沖廁水管、總食水管、機械設備和其他類似的裝置、設施或服務，以及由首位擁有人按照公契的條款在任何時候指定用作「商業公用地方與設施」的其他地方、裝置及設施。

2. 分配予發展項目中的每個住宅物業的不可分割份數的數目

室	樓層*			
	2樓	3樓	5樓-29樓	30樓
A	33 / 7,000	36 / 7,000	36 / 7,000	39 / 7,000
B	15 / 7,000	16 / 7,000	16 / 7,000	16 / 7,000
C	22 / 7,000	24 / 7,000	24 / 7,000	24 / 7,000
D	22 / 7,000	24 / 7,000	24 / 7,000	24 / 7,000
E	23 / 7,000	24 / 7,000	24 / 7,000	24 / 7,000
F	32 / 7,000	36 / 7,000	36 / 7,000	39 / 7,000
G	23 / 7,000	22 / 7,000	22 / 7,000	22 / 7,000
H	16 / 7,000	16 / 7,000	16 / 7,000	16 / 7,000
J	17 / 7,000	14 / 7,000	16 / 7,000	16 / 7,000
K	21 / 7,000	22 / 7,000	22 / 7,000	22 / 7,000

* 不設4樓、13樓、14樓及24樓。

3. 發展項目的管理人的委任年期

管理人首屆任期由簽訂公契日期起計兩年，其後續任至按公契的條文終止管理人的委任為止。

4. 發展項目中的住宅物業的擁有人之間分擔管理開支的計算基準

每個住宅單位的擁有人應在每個曆月首日預繳按住宅管理預算案其應繳的年度開支份額的十二份之一的管理費，以分擔發展項目的管理開支(包括管理人酬金)。該應繳的份額比例，應與分配給該擁有人的住宅單位的管理份數佔分配給發展項目內所有住宅單位的總管理份數的比例相同。

5. 計算管理費按金的基準

管理費按金相等於擁有人就其單位按首個年度管理預算案釐定而須繳交的三個月管理費。

6. 擁有人在發展項目中保留作自用的範圍(如有的話)

不適用。

註:
除非本售樓說明書另有規定，本公契的摘要內所採用的詞彙與該詞彙在公契內的意思相同。

15. SUMMARY OF LAND GRANT

批地文件的摘要

1. The development is situated on Section C of Kowloon Inland Lot No. 1322, Section D of Kowloon Inland Lot No. 1322, Section E of Kowloon Inland Lot No. 1322, Section F of Kowloon Inland Lot No. 1322, Section G of Kowloon Inland Lot No. 1322, Section H of Kowloon Inland Lot No. 1322, Section I of Kowloon Inland Lot No. 1322 and the Remaining Portion of Kowloon Inland Lot No. 1322 (collectively “the Lots”).
2. The Lots are held under the Government Lease of Kowloon Inland Lot No. 1322 dated 31st December 1923 for a term of 75 years commencing from 1st December 1913 with a right of renewal for a further term of 75 years.
3. The Lease stipulates that the Lots shall not be used for the trade or business of a Brazier, Slaughterman, Soap-maker, Sugar-baker, Fellmonger, Melter of tallow, Oilman, Butcher, Distiller, Victualler, or Tavern-keeper, Blacksmith, Nightman, Scavenger, or any other noisy noisome or offensive trade or business whatever, without the previous licence of the Government.

By an Offensive Trade Licence dated 27th November 2014 and registered in the Land Registry by Memorial No. 14121501510130, the Government has granted licence to the registered owner of the Lots to carry out the trade or business of sugar-baker, oilman (excluding petrol filling station), butcher, victualler and tavern-keeper in or upon the Lots subject to the conditions imposed therein.

4. The Lease requires the Lessee his Executors, Administrators and Assigns “shall and will, from time to times, and at all times hereafter, when, where, and as often as need or occasion shall be and require, at his and their own proper costs and charges, well and sufficiently Repair, Uphold, Support, Maintain, Pave, Purge, Scour, Cleanse, Empty, Amend and keep the messuage or tenement, messuages or tenements, and all other erections and buildings, now or at any time hereafter standing upon the said piece or parcel of ground hereby expressed to be demised, and all the Walls, Banks, Cuttings, Hedges, Ditches, Rails, Lights, Pavements, Privies, Sinks, Drains and Watercourses thereunto belonging, and which shall in any-wise belong or appertain unto the same, in, by and with all and all manner of needful and necessary reparations, cleansings and amendments whatsoever, the whole to be done to the satisfaction of the Surveyor of His said Majesty, His Heirs, Successors, or Assigns.”
5. The Lease requires the Lessee his Executors, Administrators and Assigns “shall and will during the term hereby granted, as often as need shall require, bear, pay and allow a reasonable share and proportion for and towards the costs and charges of making, building, repairing, and amending, all or any roads, pavements, channels, fences and party walls, draughts, private or public sewers and drains, requisite for, or in, or belonging to the said premises hereby expressed to be demised or any part thereof, in common with other premises near or adjoining thereto, and that such proportion shall be fixed and ascertained by the Surveyor of His said Majesty, His Heirs, Successors, or Assigns, and shall be recoverable in the nature of rent in arrear.”
6. The Lease provides that “it shall and may be lawful to and for His said Majesty, His Heirs, Successors, or Assigns, by His or their Surveyor, or other persons deputed to act for Him or them, twice or oftener in every year during the said term, at all reasonable times in the day, to enter and come into and upon the said premises hereby expressed to be demised, to view, search and see the condition of the same, and of all decays, defects and wants of reparation and amendment, which upon every such view or views shall be found, to give or leave notice or warning in writing, at or upon the said premises, or some part thereof, unto or for the said Lessee his Executors, Administrators, or Assigns, to repair and amend the same within Three Calendar Months then next following, within which said time or space of Three Calendar Months, after every such notice or warning shall be so given, or left as aforesaid, the said Lessee his Executors, Administrators, or Assigns will repair and amend the same accordingly.”
7. The Lease provides that “His said Majesty, His Heirs, Successors and Assigns, shall have full power to resume, enter into, and re-take possession of all or any part of the premises hereby expressed to be demised, if required for the improvement of the said Colony of Hong Kong or for any other public purpose whatsoever, three Calendar Months’ notice being given to the said Lessee his Executors, Administrators, and Assigns of its being so required, and a full and fair Compensation for the said Land and the Buildings thereon, being paid to the said Lessee his Executors, Administrators, or Assigns, at a valuation to be fairly and impartially made by the said Surveyor of His said Majesty, His Heirs, Successors, or Assigns, and upon the exercise of such power the term and estate hereby created shall respectively cease, determine and be void.”

1. 發展項目位處於九龍內地段第1322號C段、九龍內地段第1322號D段、九龍內地段第1322號E段、九龍內地段第1322號F段、九龍內地段第1322號G段、九龍內地段第1322號H段、九龍內地段第1322號I段及九龍內地段第1322號餘段(統稱「發展地段」)。

2. 「發展地段」 是根據一份日期為1923年12月31日的九龍內地段第1322號政府租契(「租契」)持有，而該「租契」的批租年期由1913年12月1日開始75年，其後有權續期75年。

3. 「租契」規定: 如非事先獲得政府的許可，「發展地段」不得被用作經營或從事銅工、屠宰、肥皂製造、製糖、獸皮、溶脂、油料、售肉、釀酒、食物供應或旅館、打鐵、淘糞、垃圾清理的行業或業務，或經營或從事任何其他發出高噪音、惡臭或令人厭惡的行業或業務。

根據1份日期為2014年11月27日並登記於土地註冊處註冊摘要編號為14121501510130的厭惡性行業牌照，政府經已批准「發展地段」的註冊業主在「發展地段」上經營或從事製糖、油料(加油站除外)、售肉、食物供應及旅館的行業或業務，但須受該牌照施加的條件所規限。

4. 「租契」規定「承租人」、其遺囑執行人、遺產管理人或受讓人：「此後不時及無論何時及在每當有需要時或情況要求時，自費妥善地及足夠地修葺、維持、支持、保養、鋪飾、清洗、洗滌、潔淨、卸空、修改及保存現時或嗣後任何時間位於在此表明予以批租的該片或該幅土地上之宅院或物業單位及所有其他任何豎設物及建築物，以及所有屬於並以任何形式從屬於或關連該處的牆、堤岸、路塹、籬笆、溝渠、路軌、電燈、行人道、水廁、洗滌槽、排水渠及水道，並且全面執行需要及必須的修葺、清洗及修改工程，以達致令陛下、其繼承人、繼任人或受讓人的測量師滿意為止。」

5. 「租契」規定「承租人」、其遺囑執行人、遺產管理人或受讓人：「於本文協定的批租年期內須不時按需要而要求、承擔、支付及准許以合理份數和比例計算的費用及收費，以支付建造、建築、修葺及修改屬於在此表明予以批租的該處所或該處所的任何部分或其所需的所有或任何道路、行人路、渠道、柵欄及共用牆、排氣管、私家或公共污水渠及排水渠，或該出租的處所與鄰近或毗鄰樓宇共用的部分。有關的付款比例由陛下、其繼承人、繼任人或受讓人的測量師釐定及確定，並可當作欠繳地租的性質追討。」

6. 「租契」規定:「陛下、其繼承人、繼任人或受讓人的測量師或獲指派代表他們行事的其他人有權在該批租年期內，每年兩次或多次在日間的合理時間內進入及再佔管在此表明予以批租的該處所從而視察、搜查及觀看該物業的狀況。每當視察時發現有任何頹敗、損壞及需要維修及修正的地方時，須就該處所或其某部分向「承租人」、其遺囑執行人、遺產管理人或受讓人發出書面通知或警告，或在該處所或其部分留下書面通知或警告，要求「承租人」、其遺囑執行人、遺產管理人或受讓人在三個曆月內，就上述問題進行維修及修正。在每個書面通知或警告按上述方式發出或留下後，「承租人」、其遺囑執行人、遺產管理人或受讓人須於其後三個曆月內就上述問題進行維修及修正。」

7. 「租契」規定:「如因應改善香港殖民地，或不論任何其他公共目的所需，陛下、其繼承人、繼任人及受讓人可全權向「承租人」、其遺囑執行人、遺產執行人及其所要求的受讓人在發出三個曆月的通知，並且根據陛下、其繼承人、繼任人或受讓人的測量師公平客觀地估值該地段及在其上面的建築物，並向承租人、其遺囑執行人、遺產執行人或受讓人作出全面合理的賠償，從而收回、進入及再佔管在此表明予以批租的所有土地或任何處所的部分。本項權利一旦行使，本文所訂的年期及產業權將分別終止、終結及無效。」

16. INFORMATION ON PUBLIC FACILITIES AND PUBLIC OPEN SPACES

公共設施及公眾休憩用地的資料


1. Any facilities that are required under the land grant to be constructed and provided for the Government, or for public use Not Applicable.	1. 根據批地文件規定須興建並提供予政府或供公眾使用的任何設施 不適用。
2. Any facilities or open space that is required under the land grant to be managed, operated or maintained for public use at the expense of the owners of the residential properties in the development Not Applicable.	2. 根據批地文件規定須由發展項目中的住宅物業的擁有人出資管理、營運或維持以供公眾使用的任何設施或休憩用地 不適用。
3. Any part of the land (on which the development is situated) that is dedicated to the public for the purposes of regulation 22(1) of the Building (Planning) Regulations (Cap. 123 sub. leg. F) Not Applicable.	3. 發展項目所位於的土地中為施行《建築物(規劃)規例》(第123章，附屬法例F) 第22(1) 條而撥供公眾用途的任何部分 不適用。

17. WARNING TO PURCHASERS 對買方的警告

1. You are recommended to instruct a separate firm of solicitors (other than that acting for the owner) to act for you in relation to the transaction.
2. If you instruct such separate firm of solicitors to act for you in relation to the transaction, that firm will be able to give independent advice to you.
3. If you instruct the firm of solicitors acting for the owner to act for you as well, and a conflict of interest arises between the owner and you: -
 - (i) that firm may not be able to protect your interests; and
 - (ii) you may have to instruct a separate firm of solicitors.
4. In the case of paragraph 3. (ii), the total solicitors' fees payable by you may be higher than the fees that would have been payable if you had instructed a separate firm of solicitors in the first place.

1. 此提示建議你聘用一間獨立的律師事務所（代表擁有人行事者除外），以在交易中代表你行事。
2. 如你聘用上述的獨立的律師事務所，以在交易中代表你行事，該律師事務所將會能夠向你提供獨立意見。
3. 如你聘用代表擁有人行事的律師事務所同時代表你行事，而擁有人與你之間出現利益衝突：-
 - (i) 該律師事務所可能不能夠保障你的利益；及
 - (ii) 你可能要聘用一間獨立的律師事務所。
4. 如屬3.(ii)段的情況，你須支付的律師費用總數，可能高於如你自一開始即聘用一間獨立的律師事務所須支付的費用。


18. CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT
發展項目中的建築物的橫截面圖



The part of Victory Avenue adjacent to the building is 8.35 to 8.59 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段勝利道為香港主水平基準以上8.35至8.59米。

The part of service lane adjacent to the building is 13.77 to 14.21 metres above the Hong Kong Principal Datum.
毗鄰建築物的一段通道巷為香港主水平基準以上13.77至14.21米。

19. ELEVATION PLAN 立面圖



North- East Elevation
東北立面圖

Authorized person for the development certified that the elevations shown on these elevation plans:
1. are prepared on the basis of the approved building plans for the development as of 25th July 2018; and
2. are in general accordance with the outward appearance of the development.



North- West Elevation
西北立面圖

發展項目的認可人士證明本立面圖所顯示的立面：
1. 以2018年7月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
2. 大致上與本項目的外觀一致。

19. ELEVATION PLAN
立面圖



South- West Elevation
西南立面圖

Authorized person for the development certified that the elevations shown on these elevation plans:
1. are prepared on the basis of the approved building plans for the development as of 25th July 2018; and
2. are in general accordance with the outward appearance of the development.



South- East Elevation
東南立面圖

發展項目的認可人士證明本立面圖所顯示的立面：
1. 以2018年7月25日的情況為準的本項目的經批准的建築圖則為基礎擬備；及
2. 大致上與本項目的外觀一致。

20. INFORMATION ON COMMON FACILITIES IN THE DEVELOPMENT

發展項目中的公用設施的資料

Common Facilities 公用設施	Location 位置	Covered Area 有上蓋遮蓋面積	Uncovered Area 沒有上蓋遮蓋面積
Recreational facilities for residents' use ¹ 供住客使用的康樂設施 ¹	1/F 1樓	221.794 sq.metre 平方米 2,387 sq.ft. 平方呎	187.841 sq.metre 平方米 2,022 sq.ft. 平方呎
A communal garden or play area for residents' use below the lowest residential floor of a building in the development 位於發展項目的建築物最低一層住宅樓層以下的、供住客使用的公用花園或遊樂地方	1/F 1樓	36.613 sq.metre 平方米 394 sq.ft. 平方呎	120.286 sq.metre 平方米 1,295 sq.ft. 平方呎

Note: 1. The covered area of recreational facilities is the exempted recreational facilities area permitted by the Building Authority as shown on the approved building plans. The uncovered area of recreational facilities includes the swimming pool and pool deck.
2. Areas in square feet are converted at a rate of 1 square metre to 10.764 square feet and rounded to the nearest integer.

備註：1. 康樂設施有上蓋遮蓋之面積為核准圖則內獲建築事務監督豁免之康樂設施面積。康樂設施沒有上蓋遮蓋之面積包括泳池及曬台。
2. 以平方呎顯示之面積均依據1平方米=10.764平方呎換算，並四捨五入至整數。

21. INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT

閱覽圖則及公契

1. Copies of outline zoning plans relating to the development are available for inspection at www.ozp.tpb.gov.hk.

2. (a) Copies of the following document are available for inspection at the place at which the residential property is offered to be sold - every deed of mutual covenant in respect of the residential property that has been executed.
(b) The inspection is free of charge.
1. 備有關乎本發展項目的分區計劃大綱圖的文本供閱覽的互聯網網站的網址為www.ozp.tpb.gov.hk

2. (a) 以下文件的文本存放在發售有關住宅物業的售樓處，以供閱覽－住宅物業每一已簽立的公契。
(b) 無須為閱覽付費。

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

1. EXTERIOR FINISHES

a.	External wall	Type of finishes	Podium : with ceramic tiles, artificial granite, glass wall, glass cladding, aluminium cladding, aluminium louver and aluminium feature Residential tower : with ceramic tiles, curtain wall, aluminium cladding, aluminium louver and external paint
b.	Window	Material of frame	Fluorocarbon coating aluminium frame
		Material of glass	Grey tinted glass for windows in all residential units Frosted glass for windows in bathrooms (For Flats A, F, G and K on 2/F and Flats G and K on 3/F-30/F only)
c.	Bay window	Material of bay window	Not applicable
		Finishes of window sill	Not applicable
d.	Planter	Type of finishes	Not applicable
e.	Verandah or balcony	Type of finishes	Balcony: Installed with laminated glass balustrade
			Floor: Ceramic tiles and artificial wood deck
			Wall: Ceramic tiles and aluminium cladding
			Ceiling: Installed with aluminium false ceiling
		Whether it is covered	Balcony is covered
		Verandah	Nil
f.	Drying facilities for clothing	Type	Not applicable
		Material	Not applicable

2. INTERIOR FINISHES

			Wall	Floor	Ceiling
a.	Lobby	G/F residential entrance lobby finishes	Glass, wood veneer, wallpaper and stainless steel to exposed surface	Natural stones	Partly in gypsum board false ceiling with emulsion paint; Partly in wood veneer finish
		Common lift lobby finishes	Glass, ceramic tiles and metal panel to exposed surface	Ceramic tiles and natural stones	Partly in metal false ceiling; Partly in gypsum board false ceiling with emulsion paint
			Wall	Ceiling	
b.	Internal wall and ceiling	Living room finishes	Emulsion paint	Emulsion paint	
		Dining room finishes	Emulsion paint	Emulsion paint	
		Bedroom finishes	Emulsion paint	Emulsion paint	
			Floor	Skirting	
c.	Internal floor	Material of living room	Ceramic tiles	Timber skirting and aluminium skirting	
		Material of dining room	Ceramic tiles	Timber skirting and aluminium skirting	
		Material of bedroom	Ceramic tiles	Timber skirting and aluminium skirting	

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. INTERIOR FINISHES

			Wall	Floor	Ceiling	
d.	Bathroom	Type of finishes	Ceramic tiles and glass to exposed surface	Ceramic tiles and solid surface material	Gypsum board false ceiling with emulsion paint	
		Whether the wall finishes run up to ceiling	Up to level of false ceiling only			
			Wall	Floor	Ceiling	Cooking Bench
e.	Kitchen	Type of finishes	Glass panel and plastic laminate to exposed surface	Ceramic tiles	a. Gypsum board false ceiling with emulsion paint. (For Flats H & J) b. Partly gypsum board false ceiling and partly emulsion paint (For Flats A, B, C, D, E, F, G and K)	Solid surfacing material
		Whether the wall finishes run up to ceiling	Up to level of false ceiling only			

3. INTERIOR FITTINGS

			Material	Finishes	Accessories
a.	Doors	Main entrance door	Fire-rated solid core timber swing door	Plastic laminate and wood veneer finish	Fingerprint door lock, door closer, door stopper and eye viewer
		Balcony door	Aluminium frame folding door	Grey Tinted Glass	Lockset
		Utility platform door	Aluminium frame folding door	Frosted Glass	Lockset
		Flat roof door	a. Aluminium frame folding door (For Flats J and K on 2/F) b. Aluminium frame swing door (For Flats A and F on 2/F)	a. Grey Tinted Glass b. Grey Tinted Glass	a. Lockset b. Lockset and door stopper
		Bedroom door	a. Hollow core timber swing door (For Flats A and F) b. Hollow core timber sliding door (For Flats C, D, E, G and K)	a. Matt lacquered paint b. Matt lacquered paint	a. Lockset and door stopper b. Lockset
		Bathroom door	a. Glass swing door (For Flats A, B, D and F) b. Glass sliding door (For Flats D, H and J) c. Hollow core timber sliding door (For Flats C, E, G and K)	a. Laminated glass b. Laminated glass with aluminium frame c. Matt lacquered paint	a. Lockset b. Lockset c. Lockset

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. INTERIOR FITTINGS

			Fittings & equipments	Type	Material
b.	Bathroom	(i) Type and material of fittings and equipment	Cabinet	Countertop	Solid surfacing material
				Basin cabinet	Timber cabinet with plastic laminate finish
				Mirror cabinet	Timber cabinet with mirror and plastic laminate finish
			Bathroom fittings	Wash basin mixer	Chrome plated
				Wash basin	Solid surfacing material
				Water closet	Vitreous China
				Towel bar	Chrome plated
				Paper holder	Chrome plated
				Ledge (For Flats H and J)	Solid surfacing material
				Shower compartment	Tempered glass
			Bathroom appliances	For the appliances provision and brand name, please refer to the "Appliances schedule"	
		(ii) Type and material of water supply system		Cold water supply	Copper water pipes
				Hot water supply	Copper water pipes with thermal insulation
		(iii) Type and material of bathing facilities (including shower or bath tub, if applicable)	Shower	Shower set	Chrome plated
		(iv) Size of bath tub, if applicable		Not Applicable	
			Material		
c.	Kitchen	(i) Sink unit	Stainless steel		
		(ii) Water supply system	Copper water pipes for cold water supply are provided. Copper water pipes with thermal insulation for hot water supply are provided.		
			Material	Finishes	
		(iii) Kitchen cabinet	Timber cabinet with door panel	Wood grain plastic laminate	
		(iv) Type of all other fittings and equipment	Fire service installations and equipment	Ceiling-mounted smoke detector and sprinkler head are fitted in or near open kitchen	
			Other fittings	Chrome plated sink mixer	
			Other equipment	For the appliances provision and brand name, please refer to the "Appliances schedule"	

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. INTERIOR FITTINGS

			Fittings	Type	Material
d.	Bedroom	Fittings (including built- in wardrobe)	Built-in Wardrobe	Not applicable	Not applicable
			Other fittings	Not applicable	Not applicable
e.	Telephone	Location and number of connection points	Please refer to the "Schedule and Location of Electrical & Mechanical Provisions"		
f.	Aerials	Location and number of connection points	Please refer to the "Schedule and Location of Electrical & Mechanical Provisions"		
			Fittings	Type	
g.	Electrical installations	(i) Electrical fittings (including safety devices)	Electrical fittings	Faceplate for all switches and power sockets	
			Safety devices	a. Single phase electricity supply (For Flats A and F) with miniature circuit breaker distribution board b. Three phase electricity supply (For Flats B, C, D, E, G, H, J and K) with miniature circuit breaker distribution board	
		(ii) Whether conduits are concealed or exposed	Conduits are partly concealed and partly exposed ¹		
		(iii) Location and number of power points and air-conditioner points	Please refer to the "Schedule and Location of Electrical & Mechanical Provisions"		
h.	Gas supply	Type	Town Gas		
		System	Gas piping is provided and connected to gas water heater for Flats A & F.		
		Location	For the location of gas connection points, please refer to the "Schedule and Location of Electrical & Mechanical Provisions"		
i.	Washing machine connection point	Location	Please refer to the "Schedule and Location of Electrical & Mechanical Provisions"		
		Design	Drain point and water point are provided for washing machine		
j.	Water supply	Material of water pipes	Copper water pipes are provided for cold water supply. Copper water pipes with thermal insulation are provided for hot water supply.		
		Whether water pipes are concealed or exposed	Water pipes are partly concealed and partly exposed ²		
		Whether hot water is available	Hot water supply to kitchen and bathroom		

Remarks: 1. Other than those parts of the conduits concealed within concrete, the rest of them are exposed. The exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

2. Other than those parts of the water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

4. MISCELLANEOUS

				Residential lift	
a.	Lifts	(i) Brand name and model number	Brand Name	Toshiba	
			Model Number	ELCOSMO-III/CV630	
		(ii) Number and floors served by them	Number of lifts	2	
			Floor served by the lifts	G/F, 1/F - 3/F, 5/F - 12/F, 15/F - 23/F, 25/F - 30/F	
b.	Letter box	Material	Stainless steel		
c.	Refuse collection	(i) Means of refuse collection	Collected by cleaners		
		(ii) Location of refuse room	Refuse storage and material recovery room is provided at the common area on each residential floor. Refuse storage and material recovery chamber is provided on 1/F.		
			Water meter	Electricity meter	Gas meter
d.	Water meter, electricity meter and gas meter	(i) Location	Inside common water meter cabinet at each floor	Inside common electric meter room at each floor	a. At flat roof (For 2/F Flats A and F) b. At utility platform (For 3/F - 30/F Flats A and F)
		(iii) Whether they are separate or communal meters for residential properties	Separate meter	Separate meter	Separate meter

5. SECURITY FACILITIES

Security system and equipment	Access control and security system	Visitor panel with access card reader is installed at the main entrance lobby for resident access. Door phone is provided inside each residential unit and equipped with panic alarm function connecting to the caretaker office at the residential entrance lobby on G/F.
	CCTV	CCTVs are installed at main entrance lobby, 1/F lift lobby and all the lifts connecting directly to the caretaker office at the residential entrance lobby on G/F.
Details of built-in provisions	Door phone connecting to the caretaker counter at the residential entrance lobby	
Location of built-in provisions	For the location of door phone, please refer to the "Schedule and Location of Electrical & Mechanical Provisions"	

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the development, lifts or appliances of comparable quality will be installed.

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

6. APPLIANCES SCHEDULE

Location	Appliance	Flats apply	Brand	Model No. (if any)	
				Indoor Unit	Outdoor Unit
Living & Dining Room	Split Type Air-Conditioner	Flats A, B, F, G, H, J and K (except 30/F)	Panasonic	CS-PS12QKA1	CU-PS12QKA1
		Flats A, B, F, H and J (30/F only)	Panasonic	CS-PS18QKA	CU-PS18QKA
	Multi-split Type Air-Conditioner	Flats C, D and E	Panasonic	CS-S12PKZW	CU-3S27MKZ (shared with bedroom)
		Flats G and K (30/F only)	Panasonic	CS-ME21RKD	CU-4E27PBD (shared with bedroom)
Bedroom 1 and Bedroom 2	Split Type Air-Conditioner	Flats A, F, G and K (except 30/F)	Panasonic	CS-PS9QKA1	CU-PS9QKA1
	Multi-split Type Air-Conditioner	Flats A and F (30/F only)	Panasonic	CS-S9PKZW	CU-2S18KKZ (shared among 2 bedrooms)
		Flats G and K (30/F only)	Panasonic	CS-E15RKDW	CU-4E27PBD (shared with living and dining room)
		Flats C, D and E	Panasonic	CS-S9PKZW	CU-3S27MKZ (shared with living and dining room)
Location	Appliance	Flats apply	Brand	Model No. (if any)	
Kitchen	Induction Cooker	Flats A, B, C, D, E, F, G, H, J and K	Siemens	EX375FXB1E	
	Cooker Hood	Flats A, B, C, D, E, F, G, H, J and K	Siemens	LI67SA530B	
	Microwave Oven	Flats A, B, C, D, E, F, G, H, J and K	Siemens	HF15M564HK	
	Washer and Dryer	Flats A, B, C, D, E, F, G, H, J and K	Siemens	WK14D321HK	
	Refrigerator	Flats B, C, D, E, G, H, J and K (except Flat J on 2/F)	Siemens	KU15LA65HK	
	Refrigerator	Flats A and F	Siemens	KI87SAF30K	
	Electric Water Heater	Flats B, C, D, E, G, H, J and K	Stiebel Eltron	DHM 6	
Bathroom	Gas Water Heater	Flats A and F	TGC	TRJW162TFL	
	Electric Water Heater	Flats B, C, D, E, G, H, J and K	Stiebel Eltron	DHE 18/21/24 SLi	
	Exhaust Fan	Flats A, B, C, D, E, F, G, H, J and K	Ostberg	RFE140A	
Living & Dining Room	Refrigerator	Flat J on 2/F	Siemens	KU15LA65HK	

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the development, lifts or appliances of comparable quality will be installed.

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

1. 外部裝修物料

a.	外牆	裝修物料的類型	基座：鋪砌瓷磚、人造麻石、玻璃外牆、玻璃飾板、鋁飾板、鋁百頁及鋁飾條。 住宅大樓：鋪砌瓷磚、玻璃幕牆、鋁飾板、鋁百頁及髹外牆漆。
b.	窗	框的用料	氟化碳噴塗鋁窗框
		玻璃的用料	單位窗戶為灰玻璃 浴室窗戶為磨砂玻璃（適用於2樓A、F、G及K室及3樓-30樓G及K室）
c.	窗台	用料	不適用
		窗台板的裝修物料	不適用
d.	花槽	裝修物料的類型	不適用
e.	陽台或露台	裝修物料的類型	露台：裝有夾層玻璃欄河
			地台：鋪砌瓷磚及人造木平台
			牆身：鋪砌瓷磚及鋁質飾板
			天花：裝有鋁質假天花
		是否有蓋	露台設有上蓋
		陽台	沒有
f.	乾衣設施	類型	不適用
		用料	不適用

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. 室內裝修物料

			牆壁		地板	天花板	
a.	大堂	地下住宅入口大堂裝修物料的類型	外露牆身鋪砌玻璃片、木皮飾面、牆紙及不銹鋼		天然石	部分為石膏板假天花髹乳膠漆； 部分為木皮飾面天花。	
		公用升降機大堂裝修物料的類型	外露牆身鋪砌玻璃片、瓷磚及金屬板		瓷磚及天然石	部分為金屬假天花； 部分為石膏板假天花髹乳膠漆。	
			牆壁		天花板		
b.	內牆及天花板	客廳裝修物料的類型	乳膠漆		乳膠漆		
		飯廳裝修物料的類型	乳膠漆		乳膠漆		
		睡房裝修物料的類型	乳膠漆		乳膠漆		
			地板		牆腳線		
c.	內部地板	客廳的用料	瓷磚		木腳線及鋁腳線		
		飯廳的用料	瓷磚		木腳線及鋁腳線		
		睡房的用料	瓷磚		木腳線及鋁腳線		
			牆壁		地板	天花板	
d.	浴室	裝修物料的類型	外露牆身鋪砌瓷磚及玻璃		瓷磚及無縫人造物料	石膏板假天花髹乳膠漆	
		牆壁的裝修物料是否鋪至天花板	裝修物料鋪至假天花底				
			牆壁	地板	天花板		灶台
e.	廚房	裝修物料的類型	外露牆身鋪砌玻璃板及膠板飾面	瓷磚	a. 石膏板假天花髹乳膠漆 (H及J室) b. 部分石膏板假天花及部分髹上乳膠漆 (A、B、C、D、E、F、G及K室)		無縫人造物料
		牆壁的裝修物料是否鋪至天花板	裝修物料鋪至假天花底				

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. 室內裝置

			用料	裝修物料	配件
a.	門	單位大門	實心防火木掩門	膠板及木皮飾面	指紋門鎖、門鼓、門擋及防盜眼
		露台門	鋁質框摺門	灰玻璃	門鎖
		工作平台門	鋁質框摺門	磨砂玻璃	門鎖
		平台門	a. 鋁質框摺門 (2樓J及K室) b. 鋁質框掩門 (2樓A及F室)	a. 灰玻璃 b. 灰玻璃	a. 門鎖 b. 門鎖及門擋
		睡房門	a. 中空木掩門 (A及F室) b. 中空木趟門 (C、D、E、G及K室)	a. 啞光面漆 b. 啞光面漆	a. 門鎖及門擋 b. 門鎖
		浴室門	a. 玻璃掩門 (A、B、D及F室) b. 玻璃趟門 (D、H及J室) c. 中空木趟門 (C、E、G及K室)	a. 夾層玻璃 b. 夾層玻璃及鋁框 c. 啞光面漆	a. 門鎖 b. 門鎖 c. 門鎖
			裝置及設備	類型	用料
b.	浴室		櫃	櫃枱面	無縫人造物料
				洗手盆櫃	木製及膠板飾面
				鏡櫃	木製、鏡及膠板飾面
		(i) 裝置及設備的類型及用料	潔具	洗手盆水龍頭	鍍鉻
				洗手盆	無縫人造物料
				坐廁	搪瓷
				毛巾架	鍍鉻
				廁紙架	鍍鉻
				儲物架 (H及J室)	無縫人造物料
				淋浴間	鋼化玻璃
				隨樓附送之設備及品牌，請參閱「設備說明」。	
		(ii) 供水系統的類型及用料		冷水喉	銅喉
				熱水喉	配有隔熱絕緣之銅喉
		(iii) 沐浴設施(包括花灑或浴缸，如適用的話)	花灑	花灑套裝	鍍鉻
		(iv) 浴缸大小(如適用的話)		不適用	

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. 室內裝置

			用料		
c.	廚房	(i) 洗滌盆	不銹鋼		
		(ii) 供水系統	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣之銅喉		
			用料	裝修物料	
		(iii) 廚櫃	木製廚櫃配廚櫃門板	木紋膠板	
		(iv) 所有其他裝置及設備的類型	消防裝置及設備	開放式廚房內或附近的天花裝置煙霧探測器及消防花灑頭	
			其他裝置	鍍鉻洗滌盆水龍頭	
			其他設備	隨樓附送之設備及品牌，請參閱「設備說明」。	
			裝置	類型	用料
d.	睡房	裝置（包括嵌入式衣櫃）的類型及用料	嵌入式衣櫃	不適用	不適用
			其他裝置	不適用	不適用
e.	電話	接駁點的位置及數目	請參閱「機電裝置位置及數量說明表」		
f.	天線	接駁點的位置及數目	請參閱「機電裝置位置及數量說明表」		

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. 室內裝置

			裝置	類型
g.	電力裝置	(i) 供電附件 (包括安全裝置)	供電附件	提供電掣及插座之面板
			安全裝置	a. 單相電力(A及F室)並裝妥微型斷路器 b. 三相電力(B,C,D,E,G,H,J及K室)並裝妥微型斷路器
		(ii) 導管是隱藏或外露	導管是部份隱藏及部份外露 ¹	
		(iii) 電插座及空調機接駁點的位置及數目	請參閱「機電裝置位置及數量說明表」	
h.	氣體供應	類型	煤氣	
		系統	A及F室的煤氣喉接駁煤氣熱水爐。	
		位置	煤氣接駁點的位置請參閱「機電裝置位置及數量說明表」	
i.	洗衣機接駁點	位置	請參閱「機電裝置位置及數量說明表」	
		設計	設有洗衣機來、去水接駁喉位	
j.	供水	水管的用料	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣之銅喉	
		水管是隱藏或外露	水管是部份隱藏及部份外露 ²	
		有否熱水供應	廚房和浴室供應熱水	

備註：

1. 除部分隱藏於混凝土內之導管外，其他部分的導管均為外露。外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或隱藏。

2. 除部分隱藏於混凝土內之水管外，其他部分的水管均為外露。外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或隱藏。

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

4. 雜項

				住宅升降機	
a.	升降機	(i) 品牌名稱及產品型號	品牌名稱	東芝	
			產品型號	ELCOSMO-III/CV630	
		(ii) 升降機的數目及到達的樓層	升降機的數目	2部	
			到達的樓層	地下、1樓至3樓、5樓至12樓、15樓至23樓及25樓至30樓	
b.	信箱	用料	不銹鋼		
c.	垃圾收集	(i) 垃圾收集的方法	由清潔工人收集垃圾		
		(ii) 垃圾房的位置	各住宅層之公用地方均設有垃圾及物料回收房。另中央垃圾收集房設於1樓。		
			水錶	電錶	氣體錶
d.	水錶、電錶及氣體錶	(i) 位置	每層之公共水錶櫃	每層之公共電錶房	a. 平台(2樓A及F室) b. 工作平台(3樓至30樓A及F室)
		(ii) 就住宅單位而言是獨立或公用的錶	獨立	獨立	獨立

5. 保安設施

保安系統及設備	入口通道控制及保安系統	入口大堂設有訪客對講機及智能卡讀卡器。各住宅單位均裝置對講機，並設有警報掣功能連接地下住客入口大堂管理處。
	閉路電視	大廈入口大堂、1樓升降機大堂及各升降機均裝有閉路電視連接地下住客入口大堂管理處。
嵌入式的裝備的細節	各住宅單位均裝配對講系統連接住客入口大堂管理處。	
嵌入式裝備的位置	對講機的位置請參閱「機電裝置位置及數量說明表」	

賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

6. 設備說明

位置	設備	適用單位	品牌	型號 (如有)	
				室內機	室外機
客廳及飯廳	分體式冷氣機	A, B, F, G, H, J 及 K 室 (30樓除外)	Panasonic	CS-PS12QKA1	CU-PS12QKA1
		A, B, F, H 及 J 室 (30樓)	Panasonic	CS-PS18QKA	CU-PS18QKA
	多聯式分體冷氣機	C, D 及 E 室	Panasonic	CS-S12PKZW	CU-3S27MKZ (與睡房共用)
		G 及 K 室 (30樓)	Panasonic	CS-ME21RKD	CU-4E27PBD (與睡房共用)
睡房1及睡房2	分體式冷氣機	A, F, G 及 K 室 (30樓除外)	Panasonic	CS-PS9QKA1	CU-PS9QKA1
	多聯式分體冷氣機	A 及 F 室 (30樓)	Panasonic	CS-S9PKZW	CU-2S18KKZ (兩間睡房共用)
		G 及 K 室 (30樓)	Panasonic	CS-E15RKDW	CU-4E27PBD (與客廳及飯廳共用)
		C, D 及 E 室	Panasonic	CS-S9PKZW	CU-3S27MKZ (與客廳及飯廳共用)
位置	設備	適用單位	品牌	型號 (如有)	
廚房	電磁爐	A, B, C, D, E, F, G, H, J 及 K 室	西門子	EX375FXB1E	
	抽油煙機	A, B, C, D, E, F, G, H, J 及 K 室	西門子	LI67SA530B	
	微波爐	A, B, C, D, E, F, G, H, J 及 K 室	西門子	HF15M564HK	
	洗衣乾衣機	A, B, C, D, E, F, G, H, J 及 K 室	西門子	WK14D321HK	
	雪櫃	B, C, D, E, G, H, J 及 K 室 (除2樓J室外)	西門子	KU15LA65HK	
	雪櫃	A 及 F 室	西門子	KI87SAF30K	
	電熱水爐	B, C, D, E, G, H, J 及 K 室	斯寶亞創	DHM 6	
浴室	煤氣熱水爐	A 及 F 室	TGC	TRJW162TFL	
	電熱水爐	B, C, D, E, G, H, J 及 K 室	斯寶亞創	DHE 18/21/24 SLi	
	抽氣扇	A, B, C, D, E, F, G, H, J 及 K 室	Ostberg	RFE140A	
客廳及飯廳	雪櫃	2樓J室	西門子	KU15LA65HK	

賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule and Location of Electrical & Mechanical Provisions of 2/F-30/F Residential Units
2樓至30樓住宅單位機電裝置位置及數量說明表

Location 位置	Description 描述	A	B	C	D	E	F	G	H	J	K
Living Room and Dining Room 客廳及飯廳	TV/FM Outlet 電視/電台天線插座	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座	2	2	2	2	2	2	2	2	2	2
	Single Socket Outlet 單頭電插座	1	1	1	1	1	1	1	1	1	1
	Twin Socket Outlet (Except 2/F Flat J) 雙頭電插座 (除2樓J室)	2	1	1	1	1	2	1	1	1	1
	Twin Socket Outlet (For 2/F Flat J only) 雙頭電插座 (只限2樓J室)	-	-	-	-	-	-	-	-	2	-
	Connection Point for A/C indoor unit 室內空調機接駁點	1	1	1	1	1	1	1	1	1	1
	Door phone 對講機	1	1	1	1	1	1	1	1	1	1
Bedroom 1 睡房 1	TV/FM Outlet 電視/電台天線插座	1	-	1	1	1	1	1	-	-	1
	Telephone Outlet 電話插座	1	-	1	1	1	1	1	-	-	1
	Single Socket Outlet 單頭電插座	1	-	1	1	1	1	1	-	-	1
	Twin Socket Outlet 雙頭電插座	1	-	1	1	1	1	1	-	-	1
	Connection Point for A/C indoor unit 室內空調機接駁點	1	-	1	1	1	1	1	-	-	1
Bedroom 2 睡房 2	TV/FM Outlet 電視/電台天線插座	1	-	-	-	-	1	-	-	-	-
	Telephone Outlet 電話插座	1	-	-	-	-	1	-	-	-	-
	Single Socket Outlet 單頭電插座	1	-	-	-	-	1	-	-	-	-
	Twin Socket Outlet 雙頭電插座	1	-	-	-	-	1	-	-	-	-
	Connection Point for A/C indoor unit 室內空調機接駁點	1	-	-	-	-	1	-	-	-	-

22. FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule and Location of Electrical & Mechanical Provisions of 2/F-30/F Residential Units
2樓至30樓住宅單位機電裝置位置及數量說明表

Location 位置	Description 描述	A	B	C	D	E	F	G	H	J	K
Bathroom 浴室	Single Socket Outlet 單頭電插座	1	1	1	1	1	1	1	1	1	1
	Gas Connection Point 煤氣接駁點	1	-	-	-	-	1	-	-	-	-
Kitchen 廚房	Twin Socket Outlet (Except 2/F Flat J) 雙頭電插座 (除2樓J室)	1	1	1	1	1	1	1	1	1	1
	Connection Point for Washer and Dryer 洗衣乾衣機接駁點	1	1	1	1	1	1	1	1	1	1
Flat Roof (2/F only) 平台 (2樓)	Weatherproof Single Socket Outlet 防水單頭電插座	1	-	-	-	-	1	-	-	1	1
Roof 天台	Weatherproof Single Socket Outlet 防水單頭電插座	1	-	-	-	-	1	-	-	-	-

22. FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

This page left blank intentionally
本頁故意留白

22. FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

This page left blank intentionally
本頁故意留白

22. FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

This page left blank intentionally
本頁故意留白

22. FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

This page left blank intentionally
本頁故意留白

22. FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

This page left blank intentionally
本頁故意留白

22. FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

This page left blank intentionally
本頁故意留白

23. SERVICE AGREEMENTS 服務協議

Potable and flushing water is supplied by Water Supplies Department.

Electricity is supplied by CLP Power Hong Kong Limited.

Towngas is supplied by The Hong Kong and China Gas Company Limited.

食水及沖廁水由水務署供應。

電力由中華電力有限公司供應。

煤氣由香港中華煤氣有限公司供應。

24. GOVERNMENT RENT 地稅

The vendor (the owner) is liable for the Government rent of a residential property up to and including the date of completion of the sale and purchase of that residential property.

賣方(擁有人)有法律責任繳付住宅物業的地稅直至住宅物業買賣完成日(包括該日)為止。

25. MISCELLANEOUS PAYMENTS BY PURCHASER

買方的雜項付款

1. On the delivery of the vacant possession of the residential property to the purchaser, the purchaser is liable to reimburse the vendor (the owner) for the deposits for water, electricity and gas.
2. On that delivery, the purchaser is not liable to pay to the vendor (the owner) a debris removal fee.

Note :
The purchaser should pay to the manager and not the vendor (the owner) of the development the deposits for water, electricity and gas and the debris removal fee.

1. 在向買方交付住宅物業在空置情況下的管有權時，買方須向賣方(擁有人)補還水、電力及氣體的按金。
2. 在交付時，買方不須向賣方(擁有人)支付清理廢料的費用。

備註：
買方須向發展項目管理人及不須向賣方（擁有人）繳付水、電力及氣體的按金及清理廢料的費用。

26. DEFECT LIABILITY WARRANTY PERIOD

欠妥之處的保養責任期

As provided in the agreement for sale and purchase, the vendor shall, at its own cost and as soon as reasonably practicable after receipt of a written notice served by the purchaser within 6 months after the date of completion of the sale and purchase, remedy any defects to the property sold, or the fittings, finishes or appliances incorporated into the property as set out in the agreement for sale and purchase, caused otherwise than by the act or neglect of the purchaser.

按買賣合約的規定，凡售出物業或於買賣合約列出裝設於物業內的裝置、裝修物料或設備有欠妥之處，而該欠妥之處並非由買方行為或疏忽造成，則賣方在接獲買方在買賣成交日期後的6個月內送達的書面通知後，須於合理地切實可行的範圍內，盡快自費作出補救。

27. MAINTENANCE OF SLOPES
斜坡維修

Not Applicable

不適用

28. MODIFICATION
修訂

Not Applicable

不適用

29. INFORMATION IN APPLICATION FOR CONCESSION ON
GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

Breakdown of GFA Concessions Obtained for All Features

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the development.

		Area (m ²)
Disregarded GFA under Building (Planning) Regulations 23(3)(b)		
1.	Carpark and loading/unloading area excluding public transport terminus	N/A
2.	Plant rooms and similar services	
2.1 (#)	Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, refuse storage and material recovery chamber, etc.	123.950
2.2 (#)	Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc.	488.873
2.3	Non-mandatory or non-essential plant room such as air-conditioning plant room, air handling unit (AHU) room, etc.	N/A
Green Features under Joint Practice Notes 1 and 2		
3.	Balcony	257.000
4.	Wider common corridor and lift lobby	N/A
5.	Communal sky garden	N/A
6.	Acoustic fin	N/A
7.	Wing wall, wind catcher and funnel	N/A
8.	Non-structural prefabricated external wall	113.425
9.	Utility platform	39.000
10.	Noise barrier	N/A
Amenity Features		
11.	Counter, office, store, guard room and lavatory for watchman and management staff, Owners' Corporation Office	N/A
12. (#)	Residential Recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway etc serving solely the recreational facilities	221.794
13. (#)	Covered landscaped and play area	36.613
14.	Horizontal screens/covered walkways, trellis	N/A
15.	Larger lift shaft	56.061
16.	Chimney shaft	N/A
17.	Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room.	N/A
18. (#)	Pipe duct, air duct for mandatory feature or essential plant room	145.072
19.	Pipe duct, air duct for non-mandatory or non-essential plant room	N/A
20.	Plant room, pipe duct, air duct for environmentally friendly system and feature.	N/A
21.	Void in duplex domestic flat and house	N/A
22.	Projections such as air-conditioning box and platform with a projection of more than 750 mm from the external wall.	N/A
Other Exempted Items		
23	Refuge floor including refuge floor cum sky garden	N/A
24.	Other projections	N/A
25.	Public transport terminus	N/A
26.	Party structure and common staircase	N/A
27. (#)	Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA.	121.127
28.	Public passage	N/A
29.	Covered set back area	N/A
Bonus GFA		
30.	Bonus GFA	N/A

Note: The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

29. INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

The Environmental Assessment of the Building

The development has achieved the unclassified rating under the BEAMPlus V1.2 for New Buildings.

Green Building Certification

Assessment result under the **BEAM Plus** certification conferred / issued by Hong Kong Green Building Council Limited (HKGBC) for the building prior to the printing of the sales brochures.

Provisional

UNCLASSIFIED

Application no.: PAU0007/16



香港綠色建築議會

Estimated Energy Performance or Consumption for the Common Parts of the Development

Latest information on the estimated energy performance or consumption for the common parts of the development as submitted to the Building Authority prior to the printing of the sales brochures:

Part I					
Provision of Central Air Conditioning	No				
Provision of Energy Efficient Features	YES				
Energy Efficient Features proposed:	1. LED lighting for public area 2 Tinted glass 3. Split type air-conditioning unit with energy label				
Part II : The predicted annual energy use of the proposed building / part of building <small>(Note 1)</small>					
Location	Internal Floor Area Served (m ²)	Annual Energy Use of Baseline Building <small>(Note 2)</small>		Annual Energy Use of Proposed Building	
		Electricity kWh/ m ² /annum	Town Gas / LPG unit/ m ² /annum	Electricity kWh/ m ² /annum	Town Gas / LPG unit/ m ² /annum
Tower (Area served by central building services installation ^(Note 3))	1,577	190.5	N/A	178.8	N/A
Podium (Area served by central building services installation ^(Note 3))	176.5	291.8	N/A	234.9	N/A

- Notes:
1. In general, the lower the estimated “Annual Energy Use” of the building, the more efficient of the building in terms of energy use. For example, if the estimated “annual energy use of proposed building” is less than the estimated “annual energy use of baseline building”, it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency. The predicted annual energy use, in terms of electricity consumption (kWh/m²/annum) and town gas/LPG consumption (unit/m²/annum), of the development by the internal floor area served, where:

(a) “total annual energy use” has the same meaning of “annual energy use” under Section 4 and Appendix 8 of the BEAM Plus for New Buildings (v1.2 version); and

(b) “internal floor area”, in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.

2. “Baseline Building” has the same meaning as “Baseline Building Model (zero-credit benchmark)” under Section 4 and Appendix 8 of the BEAM Plus for New Building (v1.2 version).

3. “Central Building Services Installation” has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installations in Building.
- | Part III: The following installations are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) | |
|---|-----|
| Type of Installations | |
| Lighting Installations | YES |
| Air Conditioning Installations | YES |
| Electrical Installations | YES |
| Lift & Escalator Installations | YES |
| Performance-based Approach | N/A |
- 62

29. INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

獲寬免總樓面面積的設施分項

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有(＃)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

		面積 (平方米)
根據《建築物(規劃)規例》第23(3)(b)條不計算的總樓面面積		
1.	停車場及上落客貨地方 (公共交通總站除外)	不適用
2.	機房及相類設施	
2.1 (＃)	所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等	123.950
2.2 (＃)	所佔面積不受任何《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如僅供消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等	488.873
2.3	非強制性或非必要機房，例如空調機房、風櫃房等	不適用
根據聯合作業備考第1及第2號提供的環保設施		
3.	露台	257.000
4.	加闊的公用走廊及升降機大堂	不適用
5.	公用空中花園	不適用
6.	隔聲簷	不適用
7.	翼牆、捕風器及風斗	不適用
8.	非結構預製外牆	113.425
9.	工作平台	39.000
10.	隔音屏障	不適用
適意設施		
11.	供保安人員和管理處員工使用的櫃枱、辦公室、儲物室、警衛室和廁所、業主立案法團辦公室	不適用
12. (＃)	住宅康樂設施，包括僅供康樂設施使用的中空、機房、游泳池的濾水器機房、有蓋人行道等	221.794
13. (＃)	有上蓋的園景區及遊樂場	36.613
14.	橫向屏障／有蓋人行道、花棚	不適用
15.	擴大升降機井道	56.061
16.	煙囪管道	不適用
17.	其他非強制性或非必要機房，例如鍋爐房、衛星電視共用天線房	不適用
18. (＃)	強制性設施或必要機房所需的管槽、氣槽	145.072
19.	非強制性設施或非必要機房所需的管槽、氣槽	不適用
20.	環保系統及設施所需的機房、管槽及氣槽	不適用
21.	複式住宅單位及洋房的中空	不適用
22.	伸出物，如空調機箱及伸出外牆超過750毫米的平台	不適用
其他項目		
23.	庇護層，包括庇護層兼空中花園	不適用
24.	其他伸出物	不適用
25.	公共交通總站	不適用
26.	共用構築物及樓梯	不適用
27. (＃)	僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積	121.127
28.	公眾通道	不適用
29.	因建築物後移導致的覆蓋面積	不適用
額外總樓面面積		
30.	額外總樓面面積	不適用

註: 上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

29. INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

有關建築物的環境評估
發展項目獲得綠建環評1.2版(新建建築)暫定不予評級。

綠色建築認證

在印刷此售樓說明書前，本物業根據香港綠色建築議會有限公司頒授 / 發出的綠建環評認證評級。

暫定評級
不予評級



申請編號: PAU0007/16

發展項目的公用部分的預計能量表現或消耗
於印製售樓說明書前呈交予建築事務監督發展項目的公用部分的預計能量表現或消耗的最近期資料：

第 I 部分					
提供中央空調	否				
提供具能源效益的設施	是				
擬安裝的具能源效益的設施:—	1. 發光二極管 (公眾位置) 2. 有色玻璃 3. 具能源效益標籤之分體冷氣				

第 II 部分: 擬興建樓宇/部分樓宇預計每年能源消耗量 <small>(註腳1)</small> :—					
位置	使用有關裝置的內部樓面面積 (平方米)	基線樓宇 <small>(註腳2)</small> 每年能源消耗量		擬興建樓宇每年能源消耗量	
		電力 千瓦小時/平方米/年	煤氣/石油氣 用量單位/平方米/年	電力 千瓦小時/平方米/年	煤氣/石油氣 用量單位/平方米/年
塔樓(有使用中央屋宇裝備裝置 <small>(註腳3)</small> 的部分)	1,577	190.5	不適用	178.8	不適用
基座(有使用中央屋宇裝備裝置 <small>(註腳3)</small> 的部分)	176.5	291.8	不適用	234.9	不適用

- 註腳:
- 一般而言，一棟樓宇的預計"每年能源消耗量"愈低，其節約能源的效益愈高。如一棟樓宇預計的"每年能源消耗量"低於該樓宇的"基線樓宇每年能源消耗量"，則代表預計該樓宇的能源應用較其基線樓宇有效，削減幅度愈大則代表有關樓宇能源節約的效益愈高。預計每年能源消耗量[以耗電量(千瓦小時/平方米/年)及煤氣/石油氣消耗量(用量單位/平方米/年)計算]，指將發展項目的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商，其中:—
 - "每年能源消耗量"與新建樓宇BEAM Plus標準(1.2版)第4節及附錄8中的「年能源消耗」具有相同涵義；及
 - 樓宇、空間或單位的"內部樓面面積"，指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。
 - "基準樓宇"與新建樓宇BEAM Plus標準(1.2版)第4節及附錄8中的"基準建築物模式(零分標準)"具有相同涵義。
 - "中央屋宇裝備裝置"與樓宇的屋宇裝備裝置能源效益實務守則中的涵義相同。

第 III 部分: 以下裝置乃按機電工程署公布的相關實務守則設計 :—	
裝置類型	
照明裝置	是
空調裝置	是
電力裝置	是
升降機及自動梯的裝置	是
以總能源為本的方法	不適用

30. RELEVANT INFORMATION

有關資料

1. Operation of gondola

During the regular and specially arranged inspection, cleaning, maintenance, repairing, altering, renewing, rebuilding, painting or decorating of the external walls (including the curtain wall structures, glass of curtain walls, windows, balconies and utility platforms forming part of a residential unit) and the Common Areas and Facilities (particularly the Common Area for Gondola Access on the flat roofs of Flats A, F and K on 2/F) of the development as arranged by the DMC Manager, gondola(s) (whether its installation is permanently or temporarily) will be parked on the flat roofs and operated in air space directly above the flat roofs and the roofs as well as outside the windows and the balconies and the utility platforms of the residential units.

2. Placement of outdoor air-conditioning units on air-conditioner platforms

Some outdoor air-conditioning units (either served for its own residential unit, or for other residential units, or for the clubhouse for residents) are placed on the air-conditioner platforms at the following locations of the development: -

- (i) at the low level outside the flat roofs of Flats F and J on 2/F;
- (ii) at the low level outside the balconies of Flats G and H on 2/F;
- (iii) at the high level of the flat roofs of Flats A and F on 2/F;
- (iv) at the low level outside the balconies of Flats G and H on 3/F;
- (v) at the low level outside Flat J on 3/F;
- (vi) at the low level outside Flats G and K on 3/F, 5/F to 12/F, 15/F to 23/F and 25/F to 30/F; and
- (vii) at the low level outside the utility platforms of Flats A and F on 3/F, 5/F to 12/F, 15/F to 23/F and 25/F to 30/F.

The placement of these outdoor air-conditioning units may affect the enjoyment of these residential units in terms of view, heat and noise or other aspects. For the locations of these air-conditioning units, please refer to “Floor Plans of Residential Properties in the Development”.

1. 吊船操作

在公契管理人安排為發展項目的外牆(包括構成住宅單位一部分的玻璃幕牆結構、玻璃幕牆玻璃、窗戶、露台及工作平台)及「公用地方與設施」(尤其是位於2樓A室、F室及K室的平台的吊船通行公用地方)進行定期及特別安排的檢查、清潔、保養、維修、改動、翻新、重建、油漆或裝飾期間，吊船(不論是永久或臨時的吊船裝置)將會停泊在住宅單位的平台上，並在住宅單位的平台及天台上空操作，以及在住宅單位的窗外、露台及工作平台外操作。

2. 冷氣機平台上放置室外冷氣機

部分室外冷氣機(不論是為該住宅單位而設，或是為其他住宅單位而設，或是為住客會所而設)放置在發展項目以下位置的冷氣機平台上：-

- (i) 2樓F室及J室平台外低位；
- (ii) 2樓G室及H室露台外低位；
- (iii) 2樓A室及F室平台高位；
- (iv) 3樓G室及H室露台外低位；
- (v) 3樓J室外低位；
- (vi) 3樓、5樓至12樓、15樓至23樓及25樓至30樓G室及K室外低位；及
- (vii) 3樓、5樓至12樓、15樓至23樓及25樓至30樓A室及F室工作平台外低位。

該等室外冷氣機的放置可能對該等住宅單位的享用，諸如景觀、熱氣及噪音或其他方面造成影響。有關室外冷氣機的位置，請參閱「發展項目的住宅物業的樓面平面圖」。

The Address Of The Website Designated By The Vendor For The Development:

賣方就該項目指定的互聯網網站的網址：

www.seenvictoryavenue.com.hk

1. There may be future changes to the development and the surrounding areas.
2. Date of printing of this Sales Brochure: 12th September 2016

1. 發展項目及其周邊地區日後可能出現改變
2. 本售樓說明書印製日期：2016年9月12日

Examination/Revision Date 檢視/修改日期	Revision Made 所作修改	
	Page Number 頁次	Revision Made 所作修改
12 December 2016 2016年12月12日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.16	Update LAYOUT PLAN OF THE DEVELOPMENT 更新發展項目的布局圖
	P.18 & 21	Update FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 更新發展項目的住宅物業的樓面平面圖
	P.22	Update AREA OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 更新發展項目中的住宅物業的面積
10 March 2017 2017年3月10日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.16	Update LAYOUT PLAN OF THE DEVELOPMENT 更新發展項目的布局圖
	P.18, 19, 20 & 21	Update FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 更新發展項目的住宅物業的樓面平面圖
	P.34 & 35	Update ELEVATION PLAN 更新立面圖
	P.44, 45, 54 & 55	Update FITTINGS, FINISHES AND APPLIANCES 更新裝置、裝修物料及設備
	P.61 & 63	Update INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 更新申請建築物總樓面面積寬免的資料
7 June 2017 2017年6月7日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
7 September 2017 2017年9月7日	P.1 - P.4	Update NOTES TO PURCHASERS OF FIRST-HAND RESIDENTIAL PROPERTIES 更新一手住宅物業買家須知
	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.12	Update AERIAL PHOTOGRAPH OF THE DEVELOPMENT 更新發展項目的鳥瞰照片

Examination/Revision Date 檢視/修改日期	Revision Made 所作修改	
	Page Number 頁次	Revision Made 所作修改
7 December 2017 2017年12月7日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.16	Update LAYOUT PLAN OF THE DEVELOPMENT 更新發展項目的布局圖
	P.18, 19, 20 & 21	Update FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 更新發展項目的住宅物業的樓面平面圖
	P.34 & 35	Update ELEVATION PLAN 更新立面圖
	P.37 - P.57	Update FITTINGS, FINISHES AND APPLIANCES 更新裝置、裝修物料及設備
	P.61 & 63	Update INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 更新申請建築物總樓面面積寬免的資料
7 March 2018 2018年3月7日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.12 & 12_1	Update AERIAL PHOTOGRAPH OF THE DEVELOPMENT 更新發展項目的鳥瞰照片
7 June 2018 2018年6月7日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.16	Update LAYOUT PLAN OF THE DEVELOPMENT 更新發展項目的布局圖
	P.18, 19, 20, 20-1 & 21	Update FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 更新發展項目的住宅物業的樓面平面圖
	P.34 & 35	Update ELEVATION PLAN 更新立面圖
7 September 2018 2018年9月7日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.14	Update OUTLINE ZONING PLAN ETC. RELATING TO THE DEVELOPMENT 更新關乎發展項目的分區計劃大綱圖等
	P.34 & 35	Update ELEVATION PLAN 更新立面圖
	P.39 & 46	Update FITTINGS, FINISHES AND APPLIANCES 更新裝置、裝修物料及設備

Examination/Revision Date 檢視/修改日期	Revision Made 所作修改	
	Page Number 頁次	Revision Made 所作修改
7 December 2018 2018年12月7日	P.5	Update INFORMATION ON THE DEVELOPMENT, SEVEN VICTORY AVENUE 更新發展項目，加多利軒的資料
	P.9	Update INFORMATION ON DESIGN OF THE DEVELOPMENT 更新發展項目的設計的資料
	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.12_2	Update AERIAL PHOTOGRAPH OF THE DEVELOPMENT 更新發展項目的鳥瞰照片
	P.16	Update LAYOUT PLAN OF THE DEVELOPMENT 更新發展項目的布局圖
7 March 2019 2019年3月7日	P.10	Update INFORMATION ON PROPERTY MANAGEMENT 更新物業管理的資料
	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.36	Update INSPECTION OF PLANS AND DEED OF MUTUAL COVENANT 更新閱覽圖則及公契
	P.59	Update MISCELLANEOUS PAYMENTS BY PURCHASER 更新買方的雜項付款
6 June 2019 2019年6月6日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
6 September 2019 2019年9月6日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.12	Update AERIAL PHOTOGRAPH OF THE DEVELOPMENT 更新發展項目的鳥瞰照片
	P.12_1, 12_2	Delete AERIAL PHOTOGRAPH OF THE DEVELOPMENT 刪除發展項目的鳥瞰照片
6 December 2019 2019年12月6日	P.11	Update LOCATION PLAN OF THE DEVELOPMENT 更新發展項目的所在位置圖
	P.14	Update OUTLINE ZONING PLAN ETC. RELATING TO THE DEVELOPMENT 更新關乎發展項目的分區計劃大綱圖等

